

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name

: Mr.PANKAJ VERMA-89490

Registered On

: 24/Feb/2024 08:33:08

Age/Gender

: 42 Y 11 M 22 D /M

Collected

UHID/MR NO

: ALDP.0000101623

: N/A Received : N/A

Visit ID

: ALDP0372782324

Reported

: 26/Feb/2024 11:33:15

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG / EKG *

1. Machnism, Rhythm

Sinus, Regular

2. Atrial Rate

82

/mt

3. Ventricular Rate

82

/mt

4. P - Wave

Normal

5. P R Interval

Normal

6. Q R S

Axis:

Normal

R/S Ratio: **Configuration:** Normal Normal

7. Q T c Interval

Normal

8. S - T Segment

Normal

9. T - Wave

Normal

FINAL IMPRESSION

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

Dr. R K VERMA MBBS, PGDGM











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.PANKAJ VERMA-89490 Registered On : 24/Feb/2024 08:33:06 Age/Gender Collected : 42 Y 11 M 22 D /M : 24/Feb/2024 08:47:25 UHID/MR NO : ALDP.0000101623 Received : 24/Feb/2024 09:57:26 Visit ID Reported : 24/Feb/2024 17:27:35 : ALDP0372782324

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) *, Bloo	d			
Blood Group	A			ERYTHROCYTE
вюси споир	A			MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED
				TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole B	lood			
Haemoglobin	13.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC)	8,900.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	60.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	28.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	9.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	6.00	Mm for 1st hr.		
Corrected	, 4 -	Mm for 1st hr.	< 9	
PCV (HCT)	40.00	%	40-54	
Platelet count				
Platelet Count	2.38	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.30	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.PANKAJ VERMA-89490 Registered On : 24/Feb/2024 08:33:06 Age/Gender : 24/Feb/2024 08:47:25 : 42 Y 11 M 22 D /M Collected UHID/MR NO Received : ALDP.0000101623 : 24/Feb/2024 09:57:26 Visit ID : ALDP0372782324 Reported : 24/Feb/2024 17:27:35

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.29	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.56	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	88.80	fl	80-100	CALCULATED PARAMETER
MCH	29.60	pg	28-35	CALCULATED PARAMETER
MCHC	33.30	%	30-38	CALCULATED PARAMETER
RDW-CV	12.80	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	43.40	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	5,340.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	267.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



 Patient Name
 : Mr.PANKAJ VERMA-89490
 Registered On
 : 24/Feb/2024 08: 33:08

 Age/Gender
 : 42 Y 11 M 22 D /M
 Collected
 : 24/Feb/2024 08: 47: 25

 UHID/MR NO
 : ALDP.0000101623
 Received
 : 24/Feb/2024 09: 57: 27

UHID/MR NO : ALDP.0000101623 Received : 24/Feb/2024 09:57:27 Visit ID : ALDP0372782324 Reported : 24/Feb/2024 12:32:17

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	

GLUCOSE FASTING * , Plasma

Glucose Fasting 96.70 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP * 132.60 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	6.40	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	46.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	136	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.PANKAJ VERMA-89490 Registered On : 24/Feb/2024 08:33:08 Collected Age/Gender : 42 Y 11 M 22 D /M : 24/Feb/2024 08:47:25 UHID/MR NO : ALDP.0000101623 Received : 24/Feb/2024 09:57:27 Visit ID : ALDP0372782324 Reported : 24/Feb/2024 12:32:17

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

lest Name Result Unit Bio. Ref. Interval Method	Test Name	Result	Unit	Bio. Ref. Interval	Method	
---	-----------	--------	------	--------------------	--------	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	8.27	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.10	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	7.90	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) *, Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.PANKAJ VERMA-89490 Registered On : 24/Feb/2024 08:33:08 Age/Gender Collected : 24/Feb/2024 08:47:25 : 42 Y 11 M 22 D /M UHID/MR NO : ALDP.0000101623 Received : 24/Feb/2024 09:57:27 Visit ID : ALDP0372782324 Reported : 24/Feb/2024 12:32:17

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Interv	al Method
SGOT / Aspartate Aminotransferase (AST)	29.00	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	68.90	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	36.30	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.10	gm/dl	6.2-8.0	BIURET
Albumin	3.90	gm/dl	3.4-5.4	B.C.G.
Globulin	2.20	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.77	7	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	84.40	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.40	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	Jendrassik & Grof
Bilirubin (Indirect)	0.20	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	139.00	mg/dl	<200 Desirable 200-239 Borderline Higl > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	43.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	78	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline Higl 160-189 High > 190 Very High	
VLDL	17.76	mg/dl	10-33	CALCULATED
Triglycerides	88.80	mg/dl	< 150 Normal 150-199 Borderline Higl 200-499 High >500 Very High	GPO-PAP h

Dr. Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.PANKAJ VERMA-89490 Registered On : 24/Feb/2024 08:33:07 Age/Gender Collected : 42 Y 11 M 22 D /M : 24/Feb/2024 15:06:46 UHID/MR NO : ALDP.0000101623 Received : 24/Feb/2024 15:18:37 Visit ID Reported : 24/Feb/2024 15:35:12 : ALDP0372782324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *, U	rine			
Color	PALE YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	PRESENT (+)	′ mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Curren	ADCENIT	, o o o o o	> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT		The state of the s	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	8-10/h.p.f			MICROSCOPIC
	•			EXAMINATION
Pus cells	2-4/h.p.f			
RBCs	1-2/h.p.f			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
0.11	ADCENIT			EXAMINATION
Others	ABSENT			
Urine Microscopy is done on centrifuged u	urine sediment.			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.PANKAJ VERMA-89490

: 42 Y 11 M 22 D /M

Registered On : 24/Feb/2024 08:33:07

Age/Gender

: ALDP.0000101623

: 24/Feb/2024 15:06:46

UHID/MR NO Visit ID

: ALDP0372782324

Received : 24/Feb/2024 15:18:37 Reported

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Collected

: 24/Feb/2024 15:35:12

CARE LTD -

Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+)< 0.5

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+)< 0.5 gms%

(++)0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. Akanksha Singh (MD Pathology)

Page 8 of 13









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.PANKAJ VERMA-89490 : 24/Feb/2024 08:33:09 Registered On Age/Gender : 42 Y 11 M 22 D /M Collected : 24/Feb/2024 08:47:25 UHID/MR NO : ALDP.0000101623 Received : 25/Feb/2024 12:10:43 Visit ID : ALDP0372782324 Reported : 25/Feb/2024 13:43:22

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.46	ng/mL	<4.1	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Bring

Dr. Anupam Singh (MBBS MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.PANKAJ VERMA-89490 : 24/Feb/2024 08:33:08 Registered On Age/Gender Collected : 42 Y 11 M 22 D /M : 24/Feb/2024 08:47:25 UHID/MR NO : ALDP.0000101623 Received : 24/Feb/2024 09:57:26 Visit ID : ALDP0372782324 Reported : 24/Feb/2024 13:18:16

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	125.00	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	8.60	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.600	μIU/mL	0.27 - 5.5	CLIA
Interpretation:		•		
		0.3-4.5 μIU/r	nL First Trimes	ter
		0.5-4.6 μIU/r	nL Second Trin	nester
		0.8-5.2 μIU/n	nL Third Trimes	ster
		0.5-8.9 µIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/n	nL Cord Blood	> 37Week
		0.7-64 μIU/n	nL Child(21 wk	- 20 Yrs.)
		1-39 μIU		0-4 Days
		1.7-9.1 μIU/r		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 10 of 13









Age/Gender

UHID/MR NO

Ref Doctor

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.PANKAJ VERMA-89490

CARE LTD -

: 42 Y 11 M 22 D /M

: ALDP.0000101623

: ALDP0372782324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Registered On : 24/Feb/2024 08:33:09 Collected

: N/A

Received : N/A

Reported : 24/Feb/2024 16:05:15

Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) **CHEST P-A VIEW**

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS, DMRE)











Age/Gender

UHID/MR NO

Ref Doctor

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.PANKAJ VERMA-89490

: 42 Y 11 M 22 D /M

: ALDP.0000101623

Visit ID : ALDP0372782324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Registered On

: 24/Feb/2024 08:33:09

Collected : N/A Received : N/A

Reported

: 24/Feb/2024 09:42:29

Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Enlarged in size (16.2 cm), with normal shape and shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I fatty changes. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: - Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size (10.4 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (10.9 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE: Normal in size (2.6 x 2.8 x 2.2 cm vol - 8.8 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION: Mild hepatomegaly with grade I / II fatty liver.

Please correlate clinically

DR K N SINGH (MBBS,DMRE)



Home Sample Collection 1800-419-0002



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mr.PANKAJ VERMA-89490

Registered On

: 24/Feb/2024 08:33:09

Age/Gender

: 42 Y 11 M 22 D /M

Collected

: N/A

UHID/MR NO Visit ID : ALDP.0000101623 : ALDP0372782324

CARE LTD -

Received Reported

: 24/Feb/2024 15:51:00

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Status

: Final Report

: N/A

DEPARTMENT OF TMT MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Tread Mill Test (TMT) *

NORMAL

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION





Dr. R K VERMA MBBS, PGDGM

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location

Page 13 of 13



