

Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:42
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000131320	Received	: N/A
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 10:15:16
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG / EKG *

1. Machnism, Rhythm	Sinus, Regular	
2. Atrial Rate	64	/mt
3. Ventricular Rate	64	/mt
4. P - Wave	Normal	
5. P R Interval	Normal	
6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
7. Q T c Interval	Normal	
8. S - T Segment	Normal	
9. T – Wave <u>FINAL IMPRESSION</u>	Normal	

ECG Within Normal Limits: Sinus Rhythm, Early repolarization with an ascending ST segment. Please correlate clinically.





ŝ

ÅR.

Home Sample Collection

1800-419-0002



CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:38
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: 25/Nov/2023 09:09:47
UHID/MR NO	: ALDP.0000131320	Received	: 25/Nov/2023 10:15:38
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 13:17:19
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

	DEPARTMENT	OF HAEMAT	OLOGY				
MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS							
Test Name	Result	Unit	Bio. Ref. Interval	Method			
Blood Group (ABO & Rh typing) * , B	lood						
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA			
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA			
Complete Blood Count (CBC) * , Who	e Blood						
Haemoglobin	15.10	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl				
TLC (WBC) <u>DLC</u>	5,700.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE			
Polymorphs (Neutrophils)	54.00	%	55-70 25-40	ELECTRONIC IMPEDANCE			

Polymorphs (Neutrophils)	54.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	37.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	6.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	6.00	Mm for 1st hr		
Corrected	c+	Mm for 1st hr	. <9	
PCV (HCT)	47.00	%	40-54	
Platelet count			5	
Platelet Count	1.50	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.50	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:38
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: 25/Nov/2023 09:09:47
UHID/MR NO	: ALDP.0000131320	Received	: 25/Nov/2023 10:15:38
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 13:17:19
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 VPS

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS						
Test Name	Result	Unit	Bio. Ref. Interval	Method		
PCT (Platelet Hematocrit)	0.18	%	0.108-0.282	ELECTRONIC IMPEDANCE		
MPV (Mean Platelet Volume)	12.90	fL	6.5-12.0	ELECTRONIC IMPEDANCE		
RBC Count						
RBC Count	5.16	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE		
Blood Indices (MCV, MCH, MCHC)						
MCV	91.10	fl	80-100	CALCULATED PARAMETER		
MCH	29.30	pg	28-35	CALCULATED PARAMETER		
MCHC	32.10	%	30-38	CALCULATED PARAMETER		
RDW-CV	14.70	%	11-16	ELECTRONIC IMPEDANCE		
RDW-SD	49.40	fL	35-60	ELECTRONIC IMPEDANCE		
Absolute Neutrophils Count	3,078.00	/cu mm	3000-7000			
Absolute Eosinophils Count (AEC)	171.00	/cu mm	40-440			

AS

Dr.Akanksha Singh (MD Pathology)





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:41
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: 25/Nov/2023 09:09:44
UHID/MR NO	: ALDP.0000131320	Received	: 25/Nov/2023 10:13:59
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 11:35:42
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Uı	nit	Bio. Ref. Interva	al	Method
GLUCOSE FASTING * , Plasma Glucose Fasting	107.10	mg/dl		lormal 5 Pre-diabetes Diabetes	GOD POI	D
Interpretation: a) Kindly correlate clinically with intake of hypogl	ycemic agents, drug	dosage vari	iations an	d other drug inter	actions.	

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	120.00	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes >200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA	IC) * , EDTA BLOOD		
Glycosylated Haemoglobin (HbA1c)	5.50	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	37.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	112	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:41
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: 25/Nov/2023 09:09:44
UHID/MR NO	: ALDP.0000131320	Received	: 25/Nov/2023 10:13:59
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 11:35:42
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	8.97	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.00	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	4.56	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) * , Serum



Page 5 of 12



Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:41
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: 25/Nov/2023 09:09:44
UHID/MR NO	: ALDP.0000131320	Received	: 25/Nov/2023 10:13:59
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 11:35:42
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	L	Init Bio. Ref. Ir	nterval Method
	00.00		05	
SGOT / Aspartate Aminotransferase (AST)	23.30	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	25.60	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	16.80	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.30	gm/dl	6.2-8.0	BIURET
Albumin	4.30	gm/dl	3.4-5.4	B.C.G.
Globulin	3.00	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.43	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	106.30	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.40	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.20	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	234.00	mg/dl	<200 Desirable 200-239 Borderline > 240 High	CHOD-PAP e High
HDL Cholesterol (Good Cholesterol)	70.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	124	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above O 130-159 Borderlind 160-189 High > 190 Very High	
VLDL	39.76	mg/dl	10-33	CALCULATED
Triglycerides	198.80	mg/dl	< 150 Normal 150-199 Borderline 200-499 High >500 Very High	GPO-PAP e High

AS

Dr.Akanksha Singh (MD Pathology)



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:39
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: 25/Nov/2023 11:42:46
UHID/MR NO	: ALDP.0000131320	Received	: 25/Nov/2023 12:07:48
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 14:47:55
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	, Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.010			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	[′] mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
	1 DOGUT		> 500 (++++)	DIDOTION
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++) >2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	nig/ ui	0.1-5.0	DIOCHEIVIISTICI
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and a second	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			DII STICK
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:	ADJENT			DIFSTICK
-	0.0/1 6			MICDOCODIO
Epithelial cells	0-2/h.p.f			MICROSCOPIC
Pus cells	0.2/b.p.f			EXAIVIINATION
	0-2/h.p.f ABSENT			MICDOCCODIC
RBCs	ABSENT			MICROSCOPIC
Cast	ABSENT			LANNINATION
Crystals	ABSENT			MICROSCOPIC
Gi ystais	ADJLINI			EXAMINATION
Others	ABSENT			
Using Migroscony is done on contrifue	ad uring cadiment			
Urine Microscopy is done on centrifug	eu urme seument.			

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage ABSE	T gms%
---------------------------	--------





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:39
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: 25/Nov/2023 11:42:46
UHID/MR NO	: ALDP.0000131320	Received	: 25/Nov/2023 12:07:48
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 14:47:55
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

est Name	Result	Unit	Bio. Ref. Interval	Method
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
UGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Interpretation:				
(+) < 0.5 gms%				
(++) 0.5-1.0 gms%		- Way		
(+++) 1-2 gms%				
(++++) > 2 gms%				
			a standard and a standard and a	

AS

Dr.Akanksha Singh (MD Pathology)

Page 8 of 12







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:42
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: 25/Nov/2023 09:09:44
UHID/MR NO	: ALDP.0000131320	Received	: 26/Nov/2023 12:55:24
Visit ID	: ALDP0287972324	Reported	: 26/Nov/2023 14:56:06
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.400	ng/mL	< 3.0	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Dr. Anupam Singh (MBBS MD Pathology)

Page 9 of 12





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:40
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: 25/Nov/2023 09:09:44
UHID/MR NO	: ALDP.0000131320	Received	: 25/Nov/2023 10:15:38
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 14:04:09
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL * , Serum					
T3, Total (tri-iodothyronine)	121.00	ng/dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	4.70	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	2.600	μlU/mL	0.27 - 5.5	CLIA	
Interpretation:					
merpreudom					

0.3-4.5	µIU/mL	First Trimest	er
0.5-4.6	µIU/mL	Second Trim	ester
0.8-5.2	µIU/mL	Third Trimes	ter
0.5-8.9	µIU/mL	Adults	55-87 Years
0.7-27	µIU/mL	Premature	28-36 Week
2.3-13.2	µIU/mL	Cord Blood	> 37Week
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)
1-39	µIU/mL	Child	0-4 Days
1.7-9.1	µIU/mL	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:42
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000131320	Received	: N/A
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 14:30:36
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Croth

DR K N SINGH (MBBS, DMRE)

Page 11 of 12









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.MANOJ KUMAR GUPTA -104373	Registered On	: 25/Nov/2023 08:55:42
Age/Gender	: 50 Y 2 M 6 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000131320	Received	: N/A
Visit ID	: ALDP0287972324	Reported	: 25/Nov/2023 09:52:03
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (12.6 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size (10.6 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (10.5 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus. Pre void - 393.7 cc.

PROSTATE :- Normal in size (2.9 x 3.7 x 2.5 cm vol - 14.7 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION : No significant abnormality seen.

Please correlate clinically

*** End Of Report ***	
(**) Test Performed at Chandan Specia	lity Lab.
Result/s to Follow: ST EXAMINATION, Tread Mill Test (TMT)	DR K N SINGH (MBBS, DMRE)
This report is not for medico legal purpose. If clinical correlation is not established, kindly r	repeat the test at no additional cost within seven days.
Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Te Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Er Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services 365 Days Open	ndoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition
	Page 12 of 12






Ē	2
П	
H	11
Н	0
П	-
11	S
H	ILL I
Н	Þ
Ľ	5
	~
Н	C2
Н	T
c	-
Н	>
Н	5
П	B
П	0
Н	\equiv
Н	\mathbf{D}
Н	0
	2.1
H	3
Н	2
	rn.
	44
Н	_
H	m
4	~
	105
	~
Н	


MEDISEARCH, MEDIACT SYSTEMS CHANDAN DIAGNOSTIC CENTRE


	IMPR GOOD NO AN TEST	RESULTS Exercise Du Max Heart P Max Blood F Max Work L Reason of T	REC	PEA	STA STA	SUPINE HYPER STANDI		Mr. MANO, Age/Sex 5 Ref. by Mi Indication1 Indication2 Indication3	
	IMPRESSIONS GOOD EFFORT TOLI NO ANGINA/ARRYTH TEST IS NEGATIVE F	RESULTS Exercise Duration Max Heart Rate Max Blood Pressure Max Work Load Reason of Termination	RECOVERY	PEAK EXER	STAGE 1 STAGE 2 STAGE 3	SUPINE HYPERVENT STANDING	PHASE	Mr. MANOJ KUMAR GUPTA Age/Sex : 50/M Ref. by : MEDIWHEEL Indication1 : Indication2 : Indication3 :	
	ERANCE, NOF		2:59	7:20	2:59 6:00 7:16	0:30	PHASE	L	
	AMAL IONOTRO	7:20 Minutes 151 bpm 88 % of t 144/90 mmHg 8:36 METS Achieved THR	2:59	1:18	2:59 2:59 1:14	0:30	STAGE		
	IMPRESSIONS . GOOD EFFORT TOLERANCE, NORMAL IONOTROPIC AND CHRONOTROPIC RESPONCE NO ANGINA/ARRYTHMIA'S, NO SIGNIFICANT ST CHANGES AT PEAK OF TEST TEST IS NEGATIVE FOR EXERCISE INDUCED REVERSIBLE ISCHEMIA.	utes 88 % of target heart rate 170 bpm mHg S THR	0.00		2.70 5.40		SPEED (Km./Hr.)	ID : 28797 HWWt : / Recorded : 25-1	
	OTROPIC REST	70 bpm	0.00		10.00 12.00 14.00		GRADE (%)	25-11-2023 11-16	KAMLA I
rg C	ONCE		91	151	135 150	8 8 8 7	(BPM)		EHRU ROAD KA
25 m Vor	1		134/90	144/90	130/90 140/90 144/90	130/90 130/90	B.P. (mmHg)	TREADMILL T Protocol: BRU History Medication1 : Medication2 : Medication3 :	KAMLA NEHRU ROAD KATRA PRAYAGRAJ, 9235447965
			121	217	130 216	87 88 87	Х100	MILL TEST SUMMARY REPORT I: BRUCE ion1 :: ion2 :: ion3 ::	NJ, 9235447965
			-0.6	-1.9	-1.8	555	=	REPORT	Í
			0.8	2.6	22 1.8 1.7	2668	ST LEVEL (mm) V2		
			-0.5	-1.2	100 508	<mark>ดิ</mark> ดิชี	5		
				8.36	4.80 7.10 8.30		METS		


DR R K VERMA CardiCom. INDIA Ph.:091-731-2620740. TeleFax:091-731-2431214


CardiCom, INDIA Ph.:091-731-2620740, TeleFax:091-731-2431214











































ST @ 10mm/mV 80ms PostJ SPEED: 5.4 Km GRADE: 14.0 %

MIXED E.C.G.

PEAK EXER PHASE TIME STAGE TIME

Mr. MANOJ KUMAR GUPTA I.D. : 28797 AGE/SEX : 50/M RECORDED : 25-11-2023 11:16

RATE : 151 BPM B.P. : 144/90 mmHg

MEDISEARCH, MEDIACT SYSTEMS

