Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 09:08 AM
 Sample Receiving DATE
 : 01-Apr-2024 09:35 AM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 11:29 AM

 IPD No. / Ward
 : /
 Approved DATE
 : 01-Apr-2024 11:37 AM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF HAEMATOLOGY

BLOOD GROUPING (ABO AND RH) (Specimen: EDTA)

Date	Status	01/Apr/24 02:34PM			Unit	Bio Ref Interval
Blood Group (aggultination method)		"AB"				-
Rh Type (aggultination method)		POSITIVE				-

Prepared By: Mr. NAZIM ALI

Printed By: Mrs. Mala

These values are only indicative not confirmatory of diagnosis; Kindly correlate clinically.

Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 10:34 AM
 Sample Receiving DATE
 : 01-Apr-2024 10:39 AM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 02:34 PM

IPD No. / Ward : /

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF BIOCHEMISTRY

Approved DATE

: 01-Apr-2024 03:10 PM

Blood Sugar Fasting* (Specimen: FLUORIDE)

Date	Status	01/Apr/24 02:34PM			Unit	Bio Ref Interval			
Blood Sugar Fasting		93.0			mg/dl	70-100			
Blood Sugar Post Prandial* (Specimen: FLUORIDE)									
Date	Status	01/Apr/24 03:10PM			Unit	Bio Ref Interval			
Blood Sugar Post Prandial		127.0			mg/dl	70.0-140.0			

Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 09:08 AM
 Sample Receiving DATE
 : 01-Apr-2024 09:35 AM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 10:19 AM

IPD No. / Ward : / Approved DATE

: Dr. Rakesh Malhotra (H)

Passport No. :

Referring Doctor

DEPARTMENT OF HAEMATOLOGY

: 01-Apr-2024 11:37 AM

Complete Haemogram* (Specimen : EDTA)

Date	Status	01/Apr/24 02:34PM			Unit	Bio Ref Interval
Haemoglobin (whole blood/photometric method)	L	11.3			g/dl	13.0-17
Total Leucocyte Count (TLC) (whole blood/impedence method)		8000			cells/c.mm	4000-10000
Neutrophil		69.3			%	45-70
Lymphocyte		24.0			%	20-40
Eosinophils		4.0			%	1.0-5.0
Monocytes		2.7			%	2.0-10.0
Basophils		0.0			%	0.0-1.0
Packed Cell Volume (PCV) (whole blood,calculation)	L	34.9			%	36-46
Red Blood Cell Count (whole blood,impedence method)		3.9			million/c.mm	3.8-4.8
Mean Cell Volume (MCV) (whole blood,calculated)		88.3			fl	83-101
Mean Cell Haemoglobin (MCH) (whole blood,calculated)		28.7			pg	27-32
MCHC (whole blood,calculated)		32.5			g/dl	31.5-34.5
RDW - CV		15.0			%	11.0-16.0
Platelet Count (whole blood,impedence method)		2.60			lakh/c.mm	1.5-4.0
MPV (Mean Platelet Volume)		10.1			fL	6.5-12.0
ESR	н	31			mm/Hr	0-15

Interpretation:

Complete Haemogram*: EDTA Whole Blood-Tests done on Automated Five Part Cell Counter.(Hb is performed by photometric method,WBC,RBC,Platelet Count by impedence method,WBC differential by Flow Cytometry technology other parameters calculated) All Abnormal Haemograms are reviewed confirmed microscopically.

Prepared By: Mr. NAZIM ALI

Printed By: Mrs. Mala

These values are only indicative not confirmatory of diagnosis; Kindly correlate clinically.

Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 09:08 AM
 Sample Receiving DATE
 : 01-Apr-2024 09:35 AM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 05:48 PM

 IPD No. / Ward
 : /
 Approved DATE
 : 01-Apr-2024 06:00 PM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF IMMUNOLOGY

Free Thyroid Profile (FT3, FT4, TSH) (Specimen: SERUM)

Date	Status	01/Apr/24 06:00PM			Unit	Bio Ref Interval
FT3		5.46			pg/ml	1.4-5.6
FT4		1.09			ng/dL	0.67-1.71
TSH		3.07			μIU/ml	0.25-5.00

Interpretation:

Free Thyroid Profile (FT3, FT4, TSH):

Interpretation:-

TSH	T3 / FT3	T4 / FT4	Suggested Interpretation for the Thyroid Function Tests Pattern
Within Range	Decreased	Within Range	. Isolated Low T3-often seen in elderly & associated Non-
Raised	Within Range	Within Range	Thyroidal illness. In elderly the drop in T3 level can be upto 25%. .Isolated High TSH especially in the range of 4.7 to 15 mlU/ml is commonly associated with Physiological & Biological TSH Variability. .Subclinical Autoimmune Hypothyroidism .Intermittent T4 therapy for hypothyroidism
Raised	Decreased	Decreased	.Recovery phase after Non-Thyroidal illness .Chronic Autoimmune Thyroiditis .Post thyroidectomy,Post radioiodine .Hypothyroid phase of transient thyroiditis
Raised or within Range	Raised	Raised or within Range	Interfering antibodies to thyroid hormones (anti-TPO antibodies) Intermittent T4 therapy or T4 overdose Drug interference- Amiodarone, Heparin,Beta blockers,steroids, anti-epileptics
Decreased	Raised or within Range	Raised or within Range	.Isolated Low TSH -especially in the range of 0.1 to 0.4 often seen in elderly & associated with Non-Thyroidal illness .Subclinical Hyperthyroidism .Thyroxine ingestion
Decreased	Decreased	Decreased	.Central Hypothyroidism .Non-Thyroidal illness .Recent treatment for Hyperthyroidism (TSH remains suppressed)
Decreased	Raised	Raised	.Primary Hyperthyroidism (Graves disease),Multinodular goitre, Toxic nodule .Transient thyroiditis:Postpartum, Silent (lymphocytic), Postviral (granulomatous,subacute, DeQuervains),Gestational thyrotoxicosis with hyperemesis gravidarum

Prepared By: Mr. NAZIM ALI

Printed By: Mrs. Mala

These values are only indicative not confirmatory of diagnosis; Kindly correlate clinically.

Patient NAME : Mrs. POOJA KHEMKA

Sample Coll. DATE : 01-Apr-2024 09:08 AM Sample Receiving DATE : 01-Apr-2024 09:35 AM

UHID : 285400 Reporting DATE : 01-Apr-2024 05:48 PM

IPD No. / Ward : / Approved DATE : 01-Apr-2024 06:00 PM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF IMMUNOLOGY

		•	
Decreased or	Raised	Within Range	.T3 toxicosis
within Range			.Non-Thyroidal illness

Patient NAME : Mrs. POOJA KHEMKA

Sample Coll. DATE : 01-Apr-2024 09:08 AM Sample Receiving DATE : 01-Apr-2024 09:35 AM

UHID : 285400 Reporting DATE : 01-Apr-2024 11:42 AM

IPD No. / Ward : / Approved DATE : 01-Apr-2024 12:26 PM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF BIOCHEMISTRY

HbA1c (Specimen: EDTA)

Date	Status	01/Apr/24 02:34PM			Unit	Bio Ref Interval
HbA1c		5.0			%	-<5.7
AVERAGE BLOOD SUGAR		97.0			MG/DL	-<117

Interpretation : HbA1c : Hba1c:

As per American Diabetes Association (ADA)						
Reference Group	HbA1c in %					
Non- diabetic adults	<5.7%					
Pre- diabetic	5.7-6.4 %					
Diabetic	>or = 6.5%					
ADA Target	>7.0					
Action suggested	>8.0					

Glycation is nonenzymatic addition of sugar residue to amino groups of proteins. HbA1C is formed by condensation of glucose with n-terminal valine residue of each beta chain of hb a to form an unstable schiff base. It is the major fraction, constituting approximately 80% of HbA1. Formation of glycated hemoglobin (GHb) is essentially irreversible and the concentration in the blood depends on both the lifespan of red blood cells(120 days) and the blood glucose concentration. the GHB concentration represents the integrated values for glucose over a period of 6 to 8 weeks. GHb values are free of day to day glucose fluctuations and are unaffected by recent exercise or food ingestion. Concentration of plasma glucose concentration in GHb depends on the time interval, with the most recent values providing a larger contribution than earlier values. The interpretation of GHb depends on RBC having normal life span. Patients with hemolytic disease or other conditions with shortened RBC survival exhibit a substantial reduction of GHb. High GHb is been reported in iron deficiency anaemia.

Prepared By: Mr. NAZIM ALI

Printed By: Mrs. Mala

These values are only indicative not confirmatory of diagnosis; Kindly correlate clinically.

Barcode No. : M319005 Age / Sex : 40.5 YRS / Female

Patient NAME : Mrs. POOJA KHEMKA

Sample Coll. DATE Sample Receiving DATE : 01-Apr-2024 09:35 AM : 01-Apr-2024 09:08 AM **UHID** : 285400 Reporting DATE : 01-Apr-2024 11:00 AM : 01-Apr-2024 11:27 AM

IPD No. / Ward Approved DATE : / : Dr. Rakesh Malhotra (H)

Passport No.

Referring Doctor

DEPARTMENT OF BIOCHEMISTRY

KFT (Kidney Function Test)* (Specimen: SERUM)

Date	Status	01/Apr/24 02:34PM			Unit	Bio Ref Interval
Blood Urea (urease with indicator dye)		21.0			mg/dl	15.0-37.0
Serum Creatinine (enzymatic(creatinine amidohydrolase))	L	0.5			mg/dl	0.52-1.04
Uric Acid (uricase/peroxidase)		5.1			mg/dl	2.5-6.2
Sodium (Na+) (direct ion selective mode)		141.0			mmol/L	137.0-145.0
Potassium (K+) (direct ion selective mode)		4.2			mmol/L	3.5-5.1
Chloride (CI-) (direct ion selective mode)		107.0			mmol/L	98.0-107.0
Serum Calcium (arsenazo dye)		8.8			mg/dl	8.4-10.2
Phosphorus Serum (phosphomolybdate reduction)		3.5			mg/dl	2.5-4.5
Alkaline Phosphatase (ALP) (4-nitrophenyl phosphate(pnpp)/amp)		115.0			U/L	38.0-126.0
Total protein (biuret(alkaline cupric sulphate))		6.9			gm/dl	6.3-8.2
Albumin (bromocresol green dye binding)		3.8			gm/dl	3.5-5.0
Albumin/Globulin Ratio (Calculated) (calculated)		1.2			Ratio	1.0-2.1
eGFR (calculated)		136.3			mL/min	-

Lipid Profile* (Specimen : SERUM)

Date	Status	01/Apr/24 02:34PM			Unit	Bio Ref Interval
Total Cholesterol (serum/enzymatic(che,cho/pod))		157.0			mg/dl	<200
Triglyceride (serum/enzymatic(lipase/gk/gpo/pod)without correction for free glycerol)		94.0			mg/dl	<150.0
HDL Cholesterol (serum/phosphotungstic acid/mgcl2+enzymatic)		41.0			mg/dl	>40.0
LDL		97.2			mg/dl	<100.0

Prepared By: Mr. NAZIM ALI Printed By: Mrs. Mala

These values are only indicative not confirmatory of diagnosis; Kindly correlate clinically.

Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 09:08 AM
 Sample Receiving DATE
 : 01-Apr-2024 09:35 AM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 11:00 AM

IPD No. / Ward : / Approved DATE : 01-Apr-2024 11:27 AM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF BIOCHEMISTRY

(calculation)			
VLDL (calculation)	18.8	mg/dl <	:30
LDL/HDL Ratio (calculation)	2.37	<	:3.6
Total Cholesterol : HDL Ratio (calculation)	3.83	<	5.0

Interpretation:

NATIONAL LIPID ASSOCIATION RECOMMENDATIONS (NLA-2014)	TOTAL CHOLESTEROL in mg/dL	TRIGLYCERIDE in mg/dL	LDL CHOLESTEROL in mg/dL	NON HDL CHOLESTEROL in mg/dL
Optimal	<200	<150	<100	<130
Above Optimal	-	-	100-129	130 - 159
Borderline High	200-239	150-199	130-159	160 - 189
High	>=240	200-499	160-189	190 - 219
Very High		>=500	>=190	>=220

Note:

- 1. Measurements in the same patient can show physiological& analytical variations. Three serial samples 1 week apart are recommended for Total Cholesterol, Triglycerides, HDL& LDL Cholesterol.
- 2. As per NLA-2014 guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
- Low HDL levels are associated with increased risk forAtherosclerotic Cardiovascular disease (ASCVD) due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
- 4. NLA-2014identifies Non HDL Cholesterol(an indicator of all atherogeniclipoproteins such as LDL, VLDL, IDL, Lpa, Chylomicron remnants)along with LDL-cholesterol as co- primary target for cholesterol lowering therapy. Note that major risk factors can modify treatment goals for LDL &Non HDL.

Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 10:34 AM
 Sample Receiving DATE
 : 01-Apr-2024 10:39 AM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 02:22 PM

 IPD No. / Ward
 : /
 Approved DATE
 : 01-Apr-2024 03:53 PM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF CLINICAL PATHOLOGY

Urine for Sugar Fasting* (Specimen: URINE)

DateStatus
03:53PM01/Apr/24
03:53PMUnitBio Ref IntervalUrine for Sugar FastingNIL-

Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 10:34 AM
 Sample Receiving DATE
 : 01-Apr-2024 10:39 AM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 03:37 PM

 IPD No. / Ward
 : /
 Approved DATE
 : 01-Apr-2024 03:53 PM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF CLINICAL PATHOLOGY

Urine for Sugar PP* (Specimen : URINE)

 $\begin{array}{c|ccccc} Date & Status & 01/Apr/24 & Unit & Bio Ref Interval \\ \hline Urine for Sugar PP & NIL & & - & & - & & \\ \hline \end{array}$

Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 09:08 AM
 Sample Receiving DATE
 : 01-Apr-2024 09:35 AM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 11:00 AM

IPD No. / Ward : /

: Dr. Rakesh Malhotra (H)

Passport No. :

Referring Doctor

DEPARTMENT OF BIOCHEMISTRY

Approved DATE

: 01-Apr-2024 11:27 AM

LFT PANEL (LIVER FUNCTION TEST) (Specimen : SERUM)

Date	Status	01/Apr/24 02:34PM			Unit	Bio Ref Interval
Bilirubin Total		0.9			mg/dl	0.2-1.3
Bilirubin Direct		0.2			mg/dl	0.0-0.3
Bilirubin Indirect		0.7			mg/dl	0.0-1.1
Aspartate Transaminase (SGOT, AST)		18.0			U/I	14.0-36.0
SGPT, ALT (Alanine Transaminase)		17.0			U/L	<35.0
Alkaline Phosphatase (ALP)		115.0			U/L	38.0-126.0
Total protein		6.9			gm/dl	6.3-8.2
Albumin		3.8			gm/dl	3.5-5.0
Albumin/Globulin Ratio (Calculated)		1.2			Ratio	1.0-2.1
GGT (Gamma Glutamyl Transpeptidase)		15.0			U/L	12.0-43.0

Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 10:34 AM
 Sample Receiving DATE
 : 01-Apr-2024 10:39 AM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 09:04 PM

IPD No. / Ward : / Approved DATE : 01-Apr-2024 09:04 PM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF CYTOLOGY

PAP SMEAR REPORT

Smears are adequate for evaluation.

Endocervical cells are seen.

Benign reactive cellular changes associated with inflammation are not seen.

No protozoal or fungal elements are noted.

Background shows dense acute inflammatory cells.

Impression: Negative for intraepithelial lesion/malignancy

Prepared By: Mr. NAZIM ALI

Printed By: Mrs. Mala

These values are only indicative not confirmatory of diagnosis; Kindly correlate clinically.

Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 12:28 PM
 Sample Receiving DATE
 : 01-Apr-2024 12:46 PM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 03:39 PM

 IPD No. / Ward
 : /
 Approved DATE
 : 01-Apr-2024 03:58 PM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF CLINICAL PATHOLOGY

URINE ROUTINE

SAMPLE: URINE

OBSERVED VALUE	UNIT	REFERENCE RANGE
	•	
40	mL	N/A
PALE YELLOW		PALE YELLOW
S TURBID		CLEAR
1.010		1.005 TO 1.030
6.0		5-7
NIL		NIL
NIL		NIL
NEGATIVE		NEGATIVE
NEGATIVE		NEGATIVE
S NORMAL		NORMAL (1mg/dL)
ABSENT		ABSENT
20-30	/hpf	0-5
2-3	/hpf	0-3
8-10	/hpf	0-5
ABSENT		ABSENT
ABSENT		ABSENT
	40 PALE YELLOW S TURBID 1.010 6.0 NIL NIL NEGATIVE NEGATIVE NORMAL ABSENT 20-30 2-3 8-10 ABSENT	40 mL PALE YELLOW S TURBID 1.010 6.0 NIL NIL NEGATIVE NEGATIVE S NORMAL ABSENT 20-30 /hpf 2-3 /hpf ABSENT

Prepared By: Mr. NAZIM ALI

Printed By: Mrs. Mala

These values are only indicative not confirmatory of diagnosis; Kindly correlate clinically.

Patient NAME : Mrs. POOJA KHEMKA

 Sample Coll. DATE
 : 01-Apr-2024 12:28 PM
 Sample Receiving DATE
 : 01-Apr-2024 12:46 PM

 UHID
 : 285400
 Reporting DATE
 : 01-Apr-2024 03:39 PM

IPD No. / Ward : / Approved DATE : 01-Apr-2024 03:58 PM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF CLINICAL PATHOLOGY

OTHERS(light microscopy)	-	-
--------------------------	---	---

Note: 1. Chemical examination through Dipstick includes test methods as Protein(Protein Error Principle), Glucose (GOD-POD), Ketone(Legals Test), Bilirubin(Azo-Diazo reaction), Urobilinogen (Diazonium ion Reaction). All abnormal results of chemical examination are confirmed by manual methods.

- 2.Pre-test conditions to be observed while submitting the sample-First void,mid-stream urine, collect in a clean, dry, sterile container is recommended for routine urine analysis., avoid contamination with any discharge from vaginal ,urethra, perineum, as applicable , avoid prolonged transist time&undue exposure to sunlight.
- 3. During interpretation, Trace proteinuria can be seen with many physiological conditions like prolonged recumbency, excercise, high protein diet. False positive reactions for bile pigments, proteins, glucose can be caused by peroxidase like activity by disinfectants, therapeutic dyes, ascorbic acid and certain drugs.
- 4. All urine samples are checked for adequacy and suitability before examination.

Prepared By: Mr. NAZIM ALI

Printed By: Mrs. Mala

These values are only indicative not confirmatory of diagnosis; Kindly correlate clinically.

Barcode No. : M319005 Age / Sex : 40.5 YRS / Female

: Mrs. POOJA KHEMKA Patient Name Registration Date : 01-Apr-2024 09:01 AM

IPD No. Reporting Date : 01-Apr-2024 03:11 PM

UHID : 285400 Approved Date : 01-Apr-2024 03:11 PM

: Dr. Rakesh Malhotra (H) Referring Doctor

Passport No.

DEPARTMENT OF CARDIOLOGY

ECHOCARDIOGRAPHY REPORT

MITRAL VALVE AML-Normal/ Thickening/Calcification/Flutter/Vegetation/Prolapse/SAM/Doming.Morphology

PML-Normal/Thickening/Calcification/Prolapes/Paradoxical motion/Fixed.

Subvalvular deformity Present/Absent.

Score: Doppler Normal/Abnormal E/A=99/93, **E>A** S>D A>E

RR Interval_ Mitral Stenosis Present/Absent msec

cm² EDG _mmHg MDG _mmHg MVA

Mitral Regurgitation Absent/Trivial/Mild/Moderate/Severe.

TRICUSPID VALVE

Normal/A tresia/Thickening/Calcification/Prolapse/Vegetation/Doming.Morphology

Doppler Normal/Abnormal TRICSPID VALVE=141 cm/s.

Tricuspid stenosis Present/Absent RR Interval_

EDG mmHa MDG mmHa

Absent/Trivial/Mild/Moderate/Severe Fragmented Signals Tricuspid regurgitation

Velocity_ Pred.RVSP =mmHg

PULMONARY VALVE

Morphology Normal/Atresia/Thickening/Doming/Vegetation

Doppler Normal/Abnormal PULMONARY VALVE= 99cm/s.

Pulmonary stenosis Present/Absent Level

mmHg PSG Pulmonary annulus

Pulmonary regurgitation Present/Absent

Early diastolic gradient_ End diastolic gradient___mmHg _mmHg

AORTIC VALVE

Morphology Normal/Thickening/Calcification/Restricted opening/Flutter/Vegetation

No. of cusps 1/2/3/4

Normal/Abnormal AORTIC VALVE=162cm/s. Doppler

Aortic stenosis Present/Absent Level PSG_ _mmHg Aortic annulus_

Aortic regurgitation Absent/Trivial/Mild/Moderate/Severe.

Barcode No. : M319005 Age / Sex : 40.5 YRS / Female

Patient Name : Mrs. POOJA KHEMKA Registration Date : 01-Apr-2024 09:01 AM

IPD No. Reporting Date : 01-Apr-2024 03:11 PM

UHID : 01-Apr-2024 03:11 PM : 285400 Approved Date

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No.

DEPARTMENT OF CARDIOLOGY

Measurements Normal Valves Measurements Normal Valves Aorta 3.0 (2.0-3.7 cm) LA es 3.9 (1.9-4.0 cm) LV es 2.6 (2.2-4.0 cm) LV ed 4.3 (3.7-5.6 cm) **IVSed** 1.0/1.5 (0.6-1.1 cm) PW (LV) 1.0/1.6 (0.6-1.1 cm) **RV** Anterior Wall **RVed** (0.7-2.6 cm) (upto 5 cm) LVVd (ml)

LVVs (ml)

EF 60% (54%-76%) **IVS** motion Normal/Flat/Paradoxical **IVS**

Any Other

CHAMBERS

Normal/Enlarged/Clear/Thrombus/Hypertrophy, Contraction Normal/Reduced/Regional wall motion abnormality: Nil

LA Normal/Enlarged/Clear/Thrombus RA Normal/Enlarged/Clear/Thrombus RV Normal/Enlarged/Clear/Thrombus **PERICARDIUM** Normal/Thickening/Calcification/Effusion

COMMENTS & SUMMARY

No RWMA, LVEF-60%

Normal cardiac chamber size No MR/TR No AR/AS MIP-Normal Intact IAS/IVS No LA/LV clot

No clot, vegetation, pericardial effusion.

IMPRESSION

Normal study.

Barcode No. : M319005 Age / Sex : 40.5 YRS / Female

Patient Name : Mrs. POOJA KHEMKA Registration Date : 01-Apr-2024 09:01 AM

IPD No. : Reporting Date : 01-Apr-2024 10:10 AM

UHID : 285400 Approved Date : 01-Apr-2024 10:10 AM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No. :

DEPARTMENT OF RADIOLOGY

USG BOTH BREAST

Ultrasound breast has been performed using High frequency probe.

Few prominent ducts are seen in subareolar region (physiological lactational status).

Both Breasts reveal normal parenchymal echogenicity with both fatty and glandular tissues. There is no evidence of any focal abnormal lesion.

Nipple-areolar complex appears normal bilaterally.

Visualised axillary tail region appears normal bilaterally.

No focal lesion is noted in the axillary region bilaterally.

Underlying pectoralis region appears normal.

IMPRESSION:

• NO SIGNIFICANT ABNORMALITY.

Please correlate clinically

USG WHOLE ABDOMEN

<u>Liver</u> is enlarged in size (17.7cm), normal in shape and echotexture. No focal SOL noted. Vascular channels are clear. No evidence of IHBR dilatation.

Gall Bladder is not seen- Post operative. CBD & PV are normal.

Spleen is normal in size, shape and echotexture, measures 9.3cm.

<u>Pancreatic</u> head appears normal, Rest of the pancreas is obscured by bowel gas shadows.

<u>Both Kidneys</u> are normal in size, shape, position & echogenicity. CMD is maintained. No evidence of calculus or hydronephrosis.

Right kidney - 10.8 x 4.6cm

Left kidney - 11.7 x 4.2cm

<u>Urinary Bladder</u> is partially distended and grossly normal.

<u>Uterus</u> is normal in size, shape and echotexture. No focal lesion noted. Endometrial echo is normal (7.3mm). Cervix is normal.

Both adnexa are clear.

No free fluid noted in peritoneal cavity.

Barcode No. Age / Sex : 40.5 YRS / Female

Patient Name Registration Date : 01-Apr-2024 09:01 AM

IPD No. Reporting Date : 01-Apr-2024 10:10 AM

UHID : 285400 Approved Date : 01-Apr-2024 10:10 AM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No.

DEPARTMENT OF RADIOLOGY

IMPRESSION:

• Hepatomegaly.

Please correlate clinically

Barcode No. Age / Sex : 40.5 YRS / Female

Patient Name Registration Date : 01-Apr-2024 09:01 AM

IPD No. Reporting Date : 01-Apr-2024 08:37 PM

UHID : 285400 Approved Date : 01-Apr-2024 08:37 PM

Referring Doctor : Dr. Rakesh Malhotra (H)

Passport No.

DEPARTMENT OF RADIOLOGY

X- RAY CHEST PA VIEW

Both lung fields are clear.

Hilar shadows are normal.

Both costophrenic angles are clear.

Cardiac silhouette is normal.

Bony thorax is normal.

Please correlate clinically

*** End Of Report ***

Dr. Vijay Singh Rawat DMRD,MD Radiodiagnosis

Consultant Radiologist

Prepared By: Mr. NAZIM ALI

Dr. Sagar Tomar MD Radiodiagnosis, Fellow MSK MRI (Consultant Radiologist)

Dr. Rohit Kundra MD Radiodiagnosis (Consultant Radiologist) Dr. Harshita Tripathi MD Radiodiagnosis (Consultant Radiologist)

Printed By: Mrs. Mala