

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2401322388
Name : Mrs Premlata Sinha
Age / Sex : 58 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre

Reg. Date : 13-Jan-2024
Reported : 15-Jan-2024 / 17:29

MAMMOGRAPHY

X RAY MAMMOGRAPHY:

Both mammograms have been performed with Cranio-Caudal and Medio-Lateral Oblique views

Dense fibroglandular pattern is noted in both breasts limiting optimal evaluation (Type D).

No evidence of any speculated high density mass lesion / focal asymmetric density / retraction / clusters of microcalcification is seen.

No abnormal skin thickening is seen.

SONOMAMMOGRAPHY:

Both breasts reveal normal parenchymal echotexture.

No focal solid or cystic mass lesion is seen.

No ductal dilatation is seen.

Bilateral multiple reactive centimeter sized axillary lymphnodes with intact hilum are seen.

Authenticity Check



Use a QR Code Scanner
Application To Scan the Code

CID : 2401322388
Name : Mrs Premlata Sinha
Age / Sex : 58 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre

Reg. Date : 13-Jan-2024
Reported : 15-Jan-2024 / 17:29

IMPRESSION:

Bilateral multiple reactive centimeter sized axillary lymphnodes with intact hilum are seen.
No suspicious lesion seen on Mammography.
ACR BIRADS Category- II (Benign).

Follow-up Mammography after 1 year is suggested. Please bring all the films for comparison.

ACR BIRADS CATEGORY

- I. Negative
- II. Benign.
- III. Probably benign.
- IV. Suspicious / Indeterminate.
- V. Highly Suggestive of malignancy

-----End of Report-----

DR. SHRIKANT M. BODKE
D.M.R.E., M.B.B.S.
Reg. No. 2006/04/2376

Note : Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Mammography is known to have inter-observer variations. False negative rate of Mammography is approximately 10 %. Management of palpable abnormality must be based on clinical grounds. Further / Follow-up imaging may be needed in some case for confirmation of findings Please interpret accordingly. Patient has been explained in detail about the Mammography findings and limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. If you detect any lump or any other change in the breast before your next screening, consult your doctor immediately.



Use a QR Code Scanner
Application To Scan the Code

CID : 2401324420
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Jan-2024 / 13:42
Reported : 15-Jan-2024 / 17:54

PAP SMEAR REPORT

Liquid based cytology

Specimen : (G/SDC - 445/24)

Received EziPrep vial.

Adequacy :

Satisfactory for evaluation.

Endocervical and squamous metaplastic cells are present.

Microscopic :

Smear reveals mainly parabasal and fewer intermediate squamous cells along with mild neutrophilic infiltrate.

Interpretation :

1. Negative for intraepithelial lesion or malignancy.

2. Atrophic smear.

Report as per " THE BETHESDA SYSTEM" for cervicovaginal reporting.

Note : : Pap test is a screening test for cervical cancer with inherent false negative results.

LBC samples will be retained for a period of one month after release of report. Any further tests required eg. HPV testing (test code: PATH007131) may be ordered within this period.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Harini R

Dr.HARINI RAJU
M.D. (PATH)
HISTOPATHOLOGIST &
CYTOPATHOLOGIST



CID : 2401322388
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Jan-2024 / 10:10
Reported : 13-Jan-2024 / 12:39

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
<u>RBC PARAMETERS</u>			
Haemoglobin	11.8	12.0-15.0 g/dL	Spectrophotometric
RBC	4.06	3.8-4.8 mil/cmm	Elect. Impedance
PCV	36.0	36-46 %	Measured
MCV	89	80-100 fl	Calculated
MCH	29.1	27-32 pg	Calculated
MCHC	32.9	31.5-34.5 g/dL	Calculated
RDW	14.3	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	8960	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	30.4	20-40 %	
Absolute Lymphocytes	2723.8	1000-3000 /cmm	Calculated
Monocytes	8.9	2-10 %	
Absolute Monocytes	797.4	200-1000 /cmm	Calculated
Neutrophils	58.5	40-80 %	
Absolute Neutrophils	5241.6	2000-7000 /cmm	Calculated
Eosinophils	2.2	1-6 %	
Absolute Eosinophils	197.1	20-500 /cmm	Calculated
Basophils	0.0	0.1-2 %	
Absolute Basophils	0.0	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	265000	150000-400000 /cmm	Elect. Impedance
MPV	11.3	6-11 fl	Calculated
PDW	25.3	11-18 %	Calculated
<u>RBC MORPHOLOGY</u>			
Hypochromia	-		
Microcytosis	-		



CID : 2401322388
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Jan-2024 / 10:10
Reported : 13-Jan-2024 / 13:18

Use a QR Code Scanner
Application To Scan the Code

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR **40** 2-30 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



J. Thakker

Dr. JYOT THAKKER..
M.D. (PATH), DPB
Pathologist & AVP(Medical Services)



CID : 2401322388
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 13-Jan-2024 / 10:10
Reported : 13-Jan-2024 / 20:19

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	107.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	110.0	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >/= 200 mg/dl	Hexokinase
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2401322388
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Jan-2024 / 10:10
Reported : 13-Jan-2024 / 13:47

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
KIDNEY FUNCTION TESTS

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
BLOOD UREA, Serum	21.2	12.8-42.8 mg/dl	Kinetic
BUN, Serum	9.9	6-20 mg/dl	Calculated
CREATININE, Serum	0.61	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	104	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure: <15	Calculated

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
URIC ACID, Serum	3.7	2.4-5.7 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.7	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	10.4	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	141	135-148 mmol/l	ISE
POTASSIUM, Serum	4.4	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	107	98-107 mmol/l	ISE

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2401322388
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Jan-2024 / 10:10
Reported : 13-Jan-2024 / 13:11

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	6.0	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	125.5	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***

Dr. JYOT THAKKER..
M.D. (PATH), DPB
Pathologist & AVP(Medical Services)



CID : 2401322388
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Jan-2024 / 10:10
Reported : 13-Jan-2024 / 17:34

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
URINE EXAMINATION REPORT

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	20	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	5-6	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	10-12		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	++	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ =75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2401322388
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 13-Jan-2024 / 10:10
Reported : 13-Jan-2024 / 14:44

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	A
Rh TYPING	Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:
ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

References:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr. Leena Salunkhe

Dr.LEENA SALUNKHE
M.B.B.S, DPB (PATH)
Pathologist



CID : 2401322388
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 13-Jan-2024 / 10:10
Reported : 13-Jan-2024 / 13:04

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	191.3	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	107.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	65.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	125.8	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	105.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	20.8	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	2.9	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.6	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2401322388
 Name : MRS.PREMLATA SINHA
 Age / Gender : 58 Years / Female
 Consulting Dr. : -
 Reg. Location : Kandivali East (Main Centre)

Collected : 13-Jan-2024 / 10:10
 Reported : 13-Jan-2024 / 14:36

Use a QR Code Scanner
 Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	5.8	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	23.7	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	1.77	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0 mIU/ml	ECLIA



CID : 2401322388
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 13-Jan-2024 / 10:10
Reported : 13-Jan-2024 / 14:36

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be trasiently altered becuae of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2401322388
Name : MRS.PREMLATA SINHA
Age / Gender : 58 Years / Female
Consulting Dr. : -
Reg. Location : Kandivali East (Main Centre)

Collected : 13-Jan-2024 / 10:10
Reported : 13-Jan-2024 / 13:30

Use a QR Code Scanner
Application To Scan the Code

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO
LIVER FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.24	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.10	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.14	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.5	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.6	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.7	1 - 2	Calculated
SGOT (AST), Serum	30.5	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	41.4	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	30.1	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	73.1	35-105 U/L	Colorimetric

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***




Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist

Patient Name: **PREMLATA SINHA**
Patient ID: **2401322388**

Date and Time: **13th Jan 24 12:31 PM**



Copyright 2014 © 2024 Tricog Health, All Rights Reserved



Age **58** NA
years months
Gender **Female**
Heart Rate **74bpm**
Patient Vitals
BP: **160/90 mmHg**
Weight: **53 kg**
Height: **149 cm**
Pulse: **NA**
SpO2: **NA**
Resp: **NA**
Others:

Measurements
QRSD: **66ms**
QT: **414ms**
QTcB: **459ms**
PR: **150ms**
P-R-T: **71°/13°/-11°**

Anterolateral Ischemia suspected, Sinus Rhythm. Please correlate clinically.

REPORTED BY

DR. AKHIL PARULKAR
MBBS, MD, MEDICINE, DNB Cardiology
Cardiologist
2012082483

Disclaimer: This analysis is based on ECG data and should be read in conjunction with clinical history, symptoms, and results of other sensitive and non-sensitive tests and must be interpreted by a qualified physician. All patient vitals are as derived by the clinician and not derived from the ECG.

Date: - 13/11/24

CID: 2401322388

Name: - Premlata sinha

Sex/Age: 58/F

EYE CHECK UP

Chief complaints: NO

Systemic Diseases: NO

Past history: NO

Unaided Vision:

Aided Vision:

Refraction:

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	-	-	-	6/6	-	-	-	6/6
Near	-	-	-	N/G	-	-	-	N/G

Colour Vision: Normal/Abnormal

Remark: Normal

SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD.
Row House No. 3, Aangan,
Thakur Village, Kandivali (east),
Mumbai - 400101.
Tel : 61700000

PATIENT NAME : Mrs PREMLATA SINHA	SEX : FEMALE
REFERRED BY : Arcofemi Healthcare Limited	AGE : 58 YEARS
CID NO : 2401322388	DATE : 13/01/2024

2D & M-MODE ECHOCARDIOGRAM REPORT

MITRAL VALVE: has thin leaflets with normal subvalvar motion.
No mitral regurgitation.

AORTIC VALVE : has three thin leaflets with normal opening.
No aortic regurgitation.

LEFT VENTRICLE : is normal , has normal wall thickness , No regional wall motion abnormality .
Normal LV systolic contractions. EF - 60%.

LEFT ATRIUM: is normal.

RIGHT ATRIUM & RIGHT VENTRICLE: normal in size.

TRICUSPID VALVE & PULMONARY VALVES : normal.
NO TR / PH.

No pericardial effusion.

IMP :

Normal LV systolic function. EF-60%.
Normal other chambers and valves.
No regional wall motion abnormality/ scar.
No clot / vegetation / thrombus / pericardial effusion.

M- MODE :

LA (mm)	30
AORTA (mm)	20
LVDD (mm)	41
LVSD (mm)	24
IVSD (mm)	10
PWD (mm)	10
EF	60%
E/A	1.2



DR AKHIL PARULEKAR
DNB CARDIOLOGIST
REG. NO 2012082483



Use a QR Code Scanner
Application To Scan the Code

CID : 2401322388
Name : Mrs Premlata Sinha
Age / Sex : 58 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre

Reg. Date : 13-Jan-2024
Reported : 14-Jan-2024 / 8:26

X-RAY CHEST PA VIEW

Both lung fields are clear.
Both costo-phrenic angles are clear.
The cardiac size and shape are within normal limits.
The domes of diaphragm are normal in position and outlines.
The skeleton under review appears normal.

IMPRESSION:
NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

DR.SUDHANSHU SAXENA
Consultant Radiologist
M.B.B.S DMRE (RadioDiagnosis)
RegNo .MMC 2016061376.

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024011309554145>



CID : 2401322388
Name : Mrs Premlata Sinha
Age / Sex : 58 Years/Female
Ref. Dr :
Reg. Location : Kandivali East Main Centre

Reg. Date : 13-Jan-2024
Reported : 13-Jan-2024 / 11:26

USG WHOLE ABDOMEN

LIVER:

The liver is enlarged in size (16.4 cm), normal in shape and smooth margins. It shows bright parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein measures 10 mm and CBD measures 2.5 mm appears normal.

GALL BLADDER: Gall bladder not visualized, Post cholecystectomy status.

PANCREAS: The pancreas appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Right kidney measures 10.0 x 4.3 cm. Left kidney measures 9.4 x 4.7 cm.
Both the kidneys are normal in size shape and echotexture.
No evidence of any calculus, hydronephrosis or mass lesion seen.

SPLEEN:

The spleen is normal in size (7.7 cm) and echotexture. No evidence of focal lesion is noted.
There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER: The urinary bladder is well distended and reveal no intraluminal abnormality.

UTERUS & OVARIES : are small and atrophic, post-menopausal status.

IMPRESSION:-

HEPATOMEGALY WITH GRADE II FATTY LIVER.

-----End of Report-----

DR. Akash Chhari
MBBS. MD. Radio-Diagnosis Mumbai
MMC REG NO - 2011/08/2862

Click here to view images <http://3.111.232.119/iRISViewer/NeoradViewer?AccessionNo=2024011309554057>

Name : <u>Premlata</u>	Age / Gender <u>62/F</u>
Dr. :	Date : <u>13.1.24</u>

GYNAEC EXAMINATION REPORTS

PERSONAL HISTORY

CHIEF COMPLAINTS : Nil

MARITAL STATUS : Married

MENSTRUAL HISTORY :

(i) MENARCHE : At 13 yrs of age

(ii) PRESENT MENSTRUAL HISTORY : Menopausal ∴ 2012.

(iii) PAST MENSTRUAL HISTORY : 3-4 days / 28 days.

OBSTETRIC HISTORY : G6 P3 A3 L3

PAST HISTORY : 100% Hypothyroidism ∴ 8 yrs on thyronorm

PREVIOUS SURGERIES : Cholecystectomy in 2021 for gall stones
Cataract both eyes in 2020 & 2022

ALLERGIES : Nil.

FAMILY HISTORY : 100% DM ∴ in father & 100% HTN in both parents.

DRUG HISTORY : Tab Thyronorm 150 meg 100

BOWEL HABITS : Reg

BLADDER HABITS : Reg


Dr. Jagruti Dhale
MBBS
Consultant Physician
Reg.No.69548

Name :	Age / Gender
Dr. :	Date :

GYNAEC EXAMINATION REPORTS

GENERAL EXAMINATION

TEMPERATURE : (N)

PULSE : 72/min, reg

BP : 160/90

Per Abdomen :
Per vaginal : NAD

RS :
CVs :
Breasts : NAD

RECOMMENDATIONS

ADVISE :

Dr. Jagruti Dhale
MBBS
Consultant Physician
Reg.No.69548