

Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:30
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: 07/Jan/2024 10:57:02
UHID/MR NO	: IDCD.0000200368	Received	: 07/Jan/2024 11:35:18
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 14:22:12
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## **DEPARTMENT OF HAEMATOLOGY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * ,	Blood			
Blood Group	0			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Wh	ala Diaad			
Haemoglobin	11.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl	
		a.	1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	6,900.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils )	64.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	30.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	3.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils <b>ESR</b>	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	26.00	Mm for 1st hr.		
Corrected	12.00	Mm for 1st hr.	< 20	
PCV (HCT) Platelet count	34.00	%	40-54	
Platelet Count	2.40	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.00	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	47.70	%	35-60	ELECTRONIC IMPEDANCE





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:30
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: 07/Jan/2024 10:57:02
UHID/MR NO	: IDCD.0000200368	Received	: 07/Jan/2024 11:35:18
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 14:22:12
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF HAEMATOLOGY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.28	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.00	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.04	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	88.70	۶fl	80-100	CALCULATED PARAMETER
MCH	28.60	pg	28-35	CALCULATED PARAMETER
МСНС	32.20	%	30-38	CALCULATED PARAMETER
RDW-CV	13.00	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	42.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,416.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	207.00	/cu mm	40-440	

Dr. Shoaib Irfan (MBBS, MD, PDCC)

Page 2 of 12







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:31
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: 07/Jan/2024 14:53:36
UHID/MR NO	: IDCD.0000200368	Received	: 07/Jan/2024 15:23:53
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 15:52:49
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING, Plasma Glucose Fasting	92.90	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ <b>126 Diabetes</b>	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP Sample:Plasma After Meal	105.90	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

Dr. Shoaib Irfan (MBBS, MD, PDCC)

Page 3 of 12







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:32
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: 07/Jan/2024 10:57:02
UHID/MR NO	: IDCD.0000200368	Received	: 07/Jan/2024 13:10:23
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 14:57:44
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLYCOSYLATED HAEMOGLOBIN (HBA1C) ** , /	EDTA BLOOD			
Glycosylated Haemoglobin (HbA1c) Glycosylated Haemoglobin (HbA1c) Estimated Average Glucose (eAG)	5.50 37.00 111	% NGSP mmol/mol/IFC0 mg/dl	2	HPLC (NGSP)

#### Interpretation:

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

Page 4 of 12







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:32
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: 07/Jan/2024 10:57:02
UHID/MR NO	: IDCD.0000200368	Received	: 07/Jan/2024 13:10:23
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 14:57:44
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

#### Dr. Anupam Singh (MBBS MD Pathology)

Page 5 of 12







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:32
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: 07/Jan/2024 10:57:02
UHID/MR NO	: IDCD.0000200368	Received	: 07/Jan/2024 12:17:10
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 14:08:31
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) Sample:Serum	14.20	mg/dL	7.0-23.0	CALCULATED
<b>Creatinine</b> Sample:Serum	0.85	mg/dl	0.5-1.20	MODIFIED JAFFES
<b>Uric Acid</b> Sample:Serum	5.12	• mg/dl	2.5-6.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST) SGPT / Alanine Aminotransferase (ALT) Gamma GT (GGT) Protein Albumin Globulin A:G Ratio Alkaline Phosphatase (Total) Bilirubin (Total) Bilirubin (Direct) Bilirubin (Indirect)	26.70 17.80 16.50 6.67 4.27 2.40 1.78 73.00 0.85 0.30 0.55	U/L U/L gm/dl gm/dl gm/dl U/L mg/dl mg/dl mg/dl	< 35 < 40 11-50 6.2-8.0 3.4-5.4 1.8-3.6 1.1-2.0 42.0-165.0 0.3-1.2 < 0.30 < 0.8	IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET B.C.G. CALCULATED CALCULATED IFCC METHOD JENDRASSIK & GROF JENDRASSIK & GROF
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol) VLDL	43.30 69 12.30	mg/dl mg/dl	200-239 Borderline Hi > 240 High 30-70 < 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline High 160-189 High > 190 Very High 10-33	DIRECT ENZYMATIC CALCULATED
Triglycerides	61.50	mg/dl mg/dl	< 150 Normal 150-199 Border 200-499 High	aib Irfan (MBBS, MD, PDCC)

>500 Very High Dr. Shoaib Irfan (MBBS, MD, PDCC)





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:31
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: 07/Jan/2024 15:00:11
UHID/MR NO	: IDCD.0000200368	Received	: 07/Jan/2024 15:35:49
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 15:51:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	, Urine			
Color	LIGHT YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic ( 5.0 )			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	<sup>′</sup> mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Sugar	ABSENT	am 0/	> 500 (++++)	DIDCTICK
Sugar	ABSEINT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
		- WY	>2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and the second second	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
•	·			EXAMINATION
Pus cells	0-1/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINATION *	, Stool			
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic ( 5.5 )			
	Acidic ( 5.5 )			





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:31
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: 07/Jan/2024 15:00:11
UHID/MR NO	: IDCD.0000200368	Received	: 07/Jan/2024 15:35:49
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 15:51:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		

#### Interpretation:

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5 - 1.0 \\ (+++) & 1 - 2 \\ (++++) & > 2 \end{array}$ 

## SUGAR, PP STAGE \* , Urine

Sugar, PP Stage

ABSENT

#### Interpretation:

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%

Dr. Shoaib Irfan (MBBS, MD, PDCC)

Page 8 of 12





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:32
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: 07/Jan/2024 10:57:02
UHID/MR NO	: IDCD.0000200368	Received	: 07/Jan/2024 12:50:29
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 14:32:57
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL ** , Serum					
T3, Total (tri-iodothyronine)	120.25	ng/dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	6.60	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	1.970	µlU/mL	0.27 - 5.5	CLIA	

#### Interpretation:

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Anupam Singh (MBBS MD Pathology)

Page 9 of 12



Home Sample Collection
1800-419-0002



Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:34
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: N/A
UHID/MR NO	: IDCD.0000200368	Received	: N/A
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 11:31:04
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF X-RAY

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

# X-RAY DIGITAL CHEST PA \* (500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

# **DIGITAL CHEST P-A VIEW**

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

# **IMPRESSION:** NORMAL SKIAGRAM

Dr. Anoop Agarwal MBBS,MD(Radiology)

Page 10 of 12







Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:34
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: N/A
UHID/MR NO	: IDCD.0000200368	Received	: N/A
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 13:12:16
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF ULTRASOUND

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

# ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

## <u>LIVER</u>

• Liver is normal in size, measures 138.4 mm in cranio caudal extent, shows diffuse bright echoes. No focal lesion is seen.

## PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

### BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct are normal at the porta.
- Gall bladder is not seen, history of surgery.

## PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

## **RIGHT KIDNEY**

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

## **LEFT KIDNEY**

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.





Add: Indra Deep Complex, Sanjay Gandhi Puram, Faizabad Road, Indira Nagar Ph: 7706041643,7706041644 CIN : U85196UP1992PLC014075



Patient Name	: Mrs.ANJALI DWIVEDI	Registered On	: 07/Jan/2024 10:48:34
Age/Gender	: 30 Y 2 M 1 D /F	Collected	: N/A
UHID/MR NO	: IDCD.0000200368	Received	: N/A
Visit ID	: IDCD0488862324	Reported	: 07/Jan/2024 13:12:16
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF ULTRASOUND

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

#### **SPLEEN**

• The spleen is normal in size and has a homogenous echotexture. No focal lesion is seen.

### **ILIAC FOSSA**

• Scan over the iliac fossae does not reveal any fluid collection or mass.

#### **URINARY BLADDER**

• The urinary bladder is normal. Bladder wall is normal in thickness and regular.

#### **UTERUS**

- Uterus is seen in retroflexed position.
- It has a homogenous myometrial echotexture.
- The endometrium is seen in midline.
- Cervix is normal.

## ADNEXA & OVARIES


- Adnexa on both sides are normal.
- Both the ovaries are normal in size, shape & has a normal echotexture.

### CUL-DE-SAC

• Pouch of Douglas is clear.

## **IMPRESSION**

- Grade I fatty changes in liver.
- Retroflexed uterus



Page 12 of 12



