

To,

The Coordinator,  
Mediwheel (Arcofemi Healthcare Limited)  
Helpline number: 011- 41195959

Dear Sir / Madam,

**Sub: Annual Health Checkup for the employees of Bank of Baroda**

This is to inform you that the following spouse of our employee wishes to avail the facility of Cashless Annual Health Checkup provided by you in terms of our agreement.

PARTICULARS OF HEALTH CHECK UP BENEFICIARY	
NAME	VINEETA VIJAY
DATE OF BIRTH	10-02-1982
PROPOSED DATE OF HEALTH CHECKUP FOR EMPLOYEE SPOUSE	07-01-2024
BOOKING REFERENCE NO.	23M166464100081610S
<b>SPOUSE DETAILS</b>	
EMPLOYEE NAME	MR. KUMAR DHARMENDRA
EMPLOYEE EC NO.	166464
EMPLOYEE DESIGNATION	BRANCH HEAD
EMPLOYEE PLACE OF WORK	DHANBAD,BANK MORE
EMPLOYEE BIRTHDATE	15-10-1975

This letter of approval / recommendation is valid if submitted along with copy of the Bank of Baroda employee id card. This approval is valid from **02-01-2024** till **31-03-2024**.The list of medical tests to be conducted is provided in the annexure to this letter. Please note that the said health checkup is a **cashless facility** as per our tie up arrangement. We request you to attend to the health checkup requirement of our employee's spouse and accord your top priority and best resources in this regard. The EC Number and the booking reference number as given in the above table shall be mentioned in the invoice, invariably.

We solicit your co-operation in this regard.

Yours faithfully,

Sd/-

**Chief General Manager**  
**HRM Department**  
**Bank of Baroda**



(Note: This is a computer generated letter. No Signature required. For any clarification, please contact Mediwheel (Arcofemi Healthcare Limited))



बैंक मोड़ धनबाद शाखा,  
श्री लक्ष्मी कॉम्प्लेक्स, झरिया रोड,  
बैंक मोड़, धनबाद - 826001 (झारखण्ड)

**Bank More, Dhanbad Branch :**  
Shree Laxmi Complex, Jharia Road,  
Bank More, Dhanbad - 826001 (Jh.)

धर्मनंद कुमार  
मुख्य प्रबंधक  
**Dharmendra Kumar**  
Chief Manager

Tel. : 0326-2300227 / 2303151  
Mob.: 8114595917  
Email : [yjmjha@bankofbaroda.com](mailto:yjmjha@bankofbaroda.com)  
Website : [www.bankofbaroda.com](http://www.bankofbaroda.com)



भारत सरकार  
Government of India






विरैता विजय  
Vireeta Vijay  
जन्म तिथि/DOB: 10/02/1982  
लिंग/ GENDER: FEMALE

आधार नं. 3234 9314 3080

3234 9314 3080

VID : 9186 4227 3698 5936

मेरा आधार, मेरी पहचान

भारतीय विचित्र पहचान प्राधिकरण  
Unique Identification Authority of India






विरैता विजय  
C/O विजय कुमार सिंह, फ्लॉट नं. ए/ग्राउंड करीब  
फ्लॉर, राउशन एन्क्लेव, सुगढ़ी, नरार कुंज  
विहार, पी.ओ. सरखेला पी.एस. सरखेला,  
धुपधुल, धरमढा,  
झरकण्ड - 828127

Address:  
C/O Vijay Kumar Singh, Flat No A/G Ground  
Floor, Raushan Enclave, Sugadih, Near Kunj  
Vihar, P.O Sarakhela P.S Sarakhela,  
Phuphul, Dharmaha,  
Jharkhand - 828127



आधार नं. 3234 9314 3080

3234 9314 3080

VID : 9186 4227 3698 5936

1947 | help@uidai.gov.in | www.uidai.gov.in





# असर्फी हॉस्पिटल

## सबके लिए स्वास्थ्य

### OUT PATIENT DEPARTMENT

#### Mediwheel

Department of General Medicine

Regd. No. : MAY22-15353	Visit : OPD/60124/179218
Patient Name : MRS. VINEETA VIJAY	Mobile : 7979738830
Age/Sex : 41 Y 10 M 0 D / Female	Date : 6-Jan-2024 2:17 pm
Address : SARAIIDHELA , Dhanbad - 828127 , JHARKHAND ,	OPD Timing :
Doctor : Dr. Sumeet Kr. MD, Medicine	Referred By :

Allergies :

Height : Ft	In Temp. : C	SPO2 : 99 %
Weight : 54.5 Kg	Pulse : 69	BPM B.P. : 120/80 mm/Hg

History and complaints :

No acute complaints

Examination:

Dyslipidemia

Diagnosis:

Mild Anemia

Investigations:

Medicines Prescribed:

Repeat Lipid profile  
after 3 months

T

T. Ferric 27 100  
x 3 months

Follow up:

Days

Advice  
(Diet/ Lifestyle / Rehab)

Date :

Time :

• Diet/ Lifestyle / Rehab  
for control of dyslipidemia  
• ↓ at 15 days

Signature of Doctor

\*This document is not valid for Medico-Legal purposes.



# असर्फी हॉस्पिटल

## सबके लिए स्वास्थ्य

### OUT PATIENT DEPARTMENT

#### Mediwheel

Department of Obstetrics & Gynaecology

Reqd. No. : MAY22-15353	Visit : OPD/60124/179193
Patient Name : MRS. VINEETA VIJAY	Mobile : 7979738830
Age/Sex : 41 Y 10 M 0 D / Female	Date : 6-Jan-2024 1:45 pm
Address : SARAIKHELA, Dhanbad - 828127, JHARKHAND,	OPD Timing :
Doctor : Dr. Jyotana Jha MBBS, DGO (MCH, Kolkata)	Referred By :
Allergies :	Height : Ft In Temp. : C SPO2 : 99 %
	Weight : 69.5 Kg Pulse : 69 BPM B.P. : 120/80 mm/Hg

#### History and complaints :

USG Both breasts - Nothing significant  
 43 yrs / Mf - 19 yrs / P<sub>2</sub>L<sub>2</sub> / digated 11 yrs back  
 ↳ both LSCs  
 LCB - 11 yrs back.  
 LMP - 05/01/24

#### Examination:

USG W/A  
 wt bulky.

#### Diagnosis:

ET - 5.1 mm  
 1cm x 0.8cm  
 1.6 x 1.3cm  
 1cm x 0.9cm  
 S/O intramural fibroids.  
 B/L ovaries - (N)

M/H - 4-5 days, no pain  
 25-26 days, no clots

No complaints at present.

#### Investigations:

Adv  
 FBS - 102.  
 Triglycerides - 253  
 VLDL - 50.6  
 LDL - 137  
 HDL - 5.3  
 LFT - WNL  
 RFT - WNL  
 BG → AB positive  
 Hb - 11.8  
 TLC - 7,000  
 TSH - 1.78  
 CRP - 20.9

#### Medicines Prescribed:

P/A  
 Soft  
 Non-tender  
 P/S  
 pt is menstruating

#### Adv

- Pap smear.  
 - No other gynecological intervention needed.

#### Follow up:

Days

Advice (Diet / Lifestyle / Rehab)

Date :

Time :

Signature of Doctor

\*This document is not valid for Medico-Legal purposes.



# असर्फी हॉस्पिटल

सबके लिए स्वास्थ्य

## OUT PATIENT DEPARTMENT

**Mediwheel**

Department of Dental Sci. & Maxillo Facial Surgery

Regd. No. : MAY22-15353	Visit : OPD/60124/179003
Patient Name : MRS. VINKETA VIJAY	Mobile : 7979738830
Age/Sex : 41 Y 10 M 0 D / Female	Date : 6-Jan-2024 10:44 am
Address : SARAIIDHELA, Dhanbad - 828127, JHARKHAND,	OPD Timing :
Doctor : Dr. Urmi Agarwal MDS (Dental Surgeon)	Referred By :
Allergies :	Height : Ft In Temp. : C SPO2 : %
	Weight : Kg Pulse : BPM B.P. : mm/Hg

**History and complaints :**

Pt came for general dental checkup.

**Examination:**

of E - ① Missing int 5 / .

**Diagnosis:**

T/A - ① FPD int 654 / .

**Investigations:**

**Medicines Prescribed:**

- ① Mouthwash Cholox Abs - ①
- ② Toothpaste Merdent Vanley - ①

**Follow up:**

Days

Advice (Diet/ Lifestyle / Rehab)

Date :

Time :

  
Signature of Doctor

\*This document is not valid for Medico-Legal purposes.



mrs vineeta vijay  
Female

41 Years

Rate 78 Sinus rhythm.....normal P axis, v-rate 50-99  
Baseline wander in lead(s) I,II,AVR


PR 142  
QRS 80  
QT 389  
QTc 444

--AXIS--  
P 45  
QRS 6  
T 6

12 Lead: Standard Placement

-- NORMAL ECG --

Unconfirmed Diagnosis



Device: Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV

F 50- 0.50-100 Hz W PH100B CL P7

# REPORT

# असर्फी हॉस्पिटल

## सबके लिए स्वास्थ्य

### ECHOCARDIOGRAPHY REPORT

Name: MISS VINEETA VIJAY

Age: 41

Sex: Female

Date: 06/01/2024

#### 2D & M-MODE MEASUREMENTS

LA Diam	3.6 cm
Ao Diam	2.9 cm
IVSd	1.1 cm
LVIDd	3.9 cm
LVPWd	1.2 cm
IVSs	1.4 cm
LVIDs	2.7 cm

#### 2D & M-MODE CALCULATIONS

EDV(Teich)	68 ml
ESV(Teich)	28 ml
EF(Teich)	59%
%FS	31%
SV(Teich)	40 ml
LVd Mass	171.30 g
RWT	0.60

#### MITRAL VALVE

MV E Vel	0.96 m/s
MV DecT	240 ms
MV Dec Slope	4.0 m/s <sup>2</sup>
MV A Vel	0.86 m/s
MV E/A Ratio	1.11
E'	0.11 m/s
E/E'	8.43

#### AORTIC VALVE

AV Vmax	1.53 m/s
AV maxPG	9.42 mmHg

#### TRICUSPID VALVE

PV Vmax	1.17 m/s
PV maxPG	5.47 mmHg

#### PULMONARY VALVE

#### COMMENTS:

- NORMAL SIZE CARDIAC CHAMBERS
- NO LVRWMA
- GOOD LV SYSTOLIC FUNCTION (EF-63%)
- NORMAL MITRAL INFLOW PATTERN
- NO MR, AR, NO TR, NO PAH
- IAS, IVS INTACT
- NO CLOT, PE
- IVC NORMAL

#### IMPRESSION:

- NORMAL ECHO STUDY

DR. S.H CHAVAN  
(CONSULTANT CARDIOLOGIST)

TECH. SIG



**Asarfi Hospital Limited**

© AHL/D/0069/4180/November/23

Regd. Office : Baramuri, P.O. Bishunpur Polytechnic, Dhanbad - 828130 CIN : U85110JH2005PLC011673  
Ph.: 9234302735, 9234651512, 9234681514 Email : info@asarfihospital.com / www.asarfihospital.com





असर्फ़ि हॉस्पिटल  
आरंभे विद्वां सारथ्या

Baramuri, P.O. Bishunpur Polytechnic, Dhanbad (Jharkhand) - 828130

Regd. Office : Phularband, Kharkharae, Dhanbad (Jharkhand)-828130

Mob.: 7808368868

CIN : U85110JH2005PLC011673

## RADIOLOGY REPORT

Reg. No.	15353	Ref. Dr.	SELF
Name	MRS. VINEETA VIJAY	Study	USG BOTH BREASTS
Age & Sex	41Y /F	Date	06.01.2024

### USG BOTH BREASTS

#### Technique

Ultrasonography of both breasts was done using a high frequency linear transducer.

#### Observation

Bilateral breasts show mixed fatty and fibroglandular parenchyma.

There is no evidence of any solid mass or cystic lesion in both breasts.

No evidence of architectural distortion or skin thickening is seen.

Bilateral nipples and retroareolar region appear unremarkable.

No significant axillary lymph nodes are seen.

#### IMPRESSION -

- No significant abnormality detected.

Dr. VAISHALI PATEL  
MBBS, DNB (Radio-diagnosis)  
Consultant Radiologist



24 HOUR EMERGENCY

©AHL/D/0069/4180/December/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"

## RADIOLOGY REPORT

Reg. No.	15353	Ref. Dr.	SELF
Name	MRS. VINEETA VIJAY	Study	USG WHOLE ABDOMEN
Age & Sex	41Y /F	Reporting Date	06.01.2024

### USG WHOLE ABDOMEN

- LIVER** : Liver is normal in size, shape & echotexture. No obvious focal lesion is seen. IHBR are not dilated.
- GALL BLADDER** : GB is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- CBD** : CBD is normal in course & caliber.
- PV** : PV is normal in course & caliber.
- PANCREAS** : Pancreas is normal in size, shape & echotexture. Peripancreatic soft tissues appear normal. MPD is not dilated.
- SPLEEN** : Spleen is normal in shape, size & echotexture. It measures 9.1cm in size.
- KIDNEYS** : The right kidney measures 10.1 x 4cm. The left kidney measures 10.5 x 5.7cm. Both kidneys are normal in shape, size & position. The pelvicalyceal system is normal. Corticomedullary differentiation is maintained. No focal lesion is seen.
- URINARY BLADDER** : Urinary bladder is well distended. No obvious calculus or mass lesion is seen. The wall thickness is normal.
- UTERUS** : Uterus is bulky in size & measures 11.4 x 4 x 5.6cm. Endometrium is central and measures 5.1mm. Two well defined oval hypoechoic lesions measuring 10 x 8.3mm and 10.9 x 9.3mm are seen in the right lateral wall. Another well defined oval hypoechoic lesion measuring 16.3 x 13.5mm is seen in the posterior wall.
- OVARIES** : The right ovary measures 2.4 x 1.6cm. The left ovary measures 3.9 x 2.8cm. Both ovaries are normal in shape, size & position.
- OTHERS** : No ascites or retroperitoneal lymphadenopathy is seen.
- IMPRESSION** :
- Well defined oval hypoechoic lesions in right lateral and posterior wall of uterus, s/o intramural fibroids.




Dr. VAISHALI PATEL  
MBBS, DNB (Radio-diagnosis)  
Consultant Radiologist



# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polytechnic, Dhambad 828 130

Ph. No.: 7808368888, 7808368889, 7808368154



## FINAL REPORT

Name : MRS. VINEETA VIJAY  
Reg. No. : MAY22-15353  
Age / Sex : 41 Y 10 M 0 D / Female  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 06-01-2024 11:17:47  
Receiving Time : 06-01-2024 11:18:25  
Reporting Time : 06-01-2024 12:09:22  
Publish Time : 06-01-2024 1:45 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

### Biochemistry

#### Creatinine, Serum

Method: Enzymatic

Machine Name: XL640

Creatinine, Serum

0.6

mg/dl

0.6-1.4

#### Uric Acid, Serum

Method: Enzymatic

Machine Name: XL640

Uric Acid, Serum

4.3

mg/dl

3.4-7.0

#### Blood Urea Nitrogen (BUN)

Method: Calculated

Machine Name: XL640

Blood Urea Nitrogen (BUN)

8.0

mg/dl

07-21

#### Fasting Blood Glucose, Plasma

Method: GOD-POD

Machine Name: XL640

Fasting Blood Glucose, Plasma

102.0

mg/dl

70-110

### LIPID PROFILE, SERUM

Method: Spectrophotometry

Machine Name: XL640

Triglycerides (Enzymatic)

253.0

H

mg/dl

Normal: <150  
Borderline-high:  
150-199 High risk  
200-499  
Very high risk >500

Cholesterol, Total (CHOD/PAP)

236.0

mg/dl

<200 No risk 200-239  
Moderate  
risk >240 High risk

VLDL Cholesterol (Calculated)

50.6

H

mg/dl

0-30

HDL Cholesterol (Enzymatic)

48.4

L

mg/dl

<40 High Risk ; >60 No  
Risk

  
DR N N SINGH

MD (PATHOLOGY)

#### Condition of Laboratory Testing & Reporting

(1) The analysis is performed on the basis of information provided by the requestor (if any) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s)/ Sample(s). (2) Laboratory investigations are only to facilitate in arriving at diagnosis and should be clinically correlated. (3) The results are not valid for medico-legal purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Analyzed (c) (b) (d) (e) (f) (g) (h) (i) (j) (k) (l) (m) (n) (o) (p) (q) (r) (s) (t) (u) (v) (w) (x) (y) (z) (aa) (ab) (ac) (ad) (ae) (af) (ag) (ah) (ai) (aj) (ak) (al) (am) (an) (ao) (ap) (aq) (ar) (as) (at) (au) (av) (aw) (ax) (ay) (az) (ba) (bb) (bc) (bd) (be) (bf) (bg) (bh) (bi) (bj) (bk) (bl) (bm) (bn) (bo) (bp) (bq) (br) (bs) (bt) (bu) (bv) (bw) (bx) (by) (bz) (ca) (cb) (cc) (cd) (ce) (cf) (cg) (ch) (ci) (cj) (ck) (cl) (cm) (cn) (co) (cp) (cq) (cr) (cs) (ct) (cu) (cv) (cw) (cx) (cy) (cz) (da) (db) (dc) (dd) (de) (df) (dg) (dh) (di) (dj) (dk) (dl) (dm) (dn) (do) (dp) (dq) (dr) (ds) (dt) (du) (dv) (dw) (dx) (dy) (dz) (ea) (eb) (ec) (ed) (ee) (ef) (eg) (eh) (ei) (ej) (ek) (el) (em) (en) (eo) (ep) (eq) (er) (es) (et) (eu) (ev) (ew) (ex) (ey) (ez) (fa) (fb) (fc) (fd) (fe) (ff) (fg) (fh) (fi) (fj) (fk) (fl) (fm) (fn) (fo) (fp) (fq) (fr) (fs) (ft) (fu) (fv) (fw) (fx) (fy) (fz) (ga) (gb) (gc) (gd) (ge) (gf) (gg) (gh) (gi) (gj) (gk) (gl) (gm) (gn) (go) (gp) (gq) (gr) (gs) (gt) (gu) (gv) (gw) (gx) (gy) (gz) (ha) (hb) (hc) (hd) (he) (hf) (hg) (hh) (hi) (hj) (hk) (hl) (hm) (hn) (ho) (hp) (hq) (hr) (hs) (ht) (hu) (hv) (hw) (hx) (hy) (hz) (ia) (ib) (ic) (id) (ie) (if) (ig) (ih) (ii) (ij) (ik) (il) (im) (in) (io) (ip) (iq) (ir) (is) (it) (iu) (iv) (iw) (ix) (iy) (iz) (ja) (jb) (jc) (jd) (je) (jf) (jg) (jh) (ji) (jj) (jk) (jl) (jm) (jn) (jo) (jp) (jq) (jr) (js) (jt) (ju) (jv) (jw) (jx) (jy) (jz) (ka) (kb) (kc) (kd) (ke) (kf) (kg) (kh) (ki) (kj) (kk) (kl) (km) (kn) (ko) (kp) (kq) (kr) (ks) (kt) (ku) (kv) (kw) (kx) (ky) (kz) (la) (lb) (lc) (ld) (le) (lf) (lg) (lh) (li) (lj) (lk) (ll) (lm) (ln) (lo) (lp) (lq) (lr) (ls) (lt) (lu) (lv) (lw) (lx) (ly) (lz) (ma) (mb) (mc) (md) (me) (mf) (mg) (mh) (mi) (mj) (mk) (ml) (mm) (mn) (mo) (mp) (mq) (mr) (ms) (mt) (mu) (mv) (mw) (mx) (my) (mz) (na) (nb) (nc) (nd) (ne) (nf) (ng) (nh) (ni) (nj) (nk) (nl) (nm) (nn) (no) (np) (nq) (nr) (ns) (nt) (nu) (nv) (nw) (nx) (ny) (nz) (oa) (ob) (oc) (od) (oe) (of) (og) (oh) (oi) (oj) (ok) (ol) (om) (on) (oo) (op) (oq) (or) (os) (ot) (ou) (ov) (ow) (ox) (oy) (oz) (pa) (pb) (pc) (pd) (pe) (pf) (pg) (ph) (pi) (pj) (pk) (pl) (pm) (pn) (po) (pp) (pq) (pr) (ps) (pt) (pu) (pv) (pw) (px) (py) (pz) (qa) (qb) (qc) (qd) (qe) (qf) (qg) (qh) (qi) (qj) (qk) (ql) (qm) (qn) (qo) (qp) (qq) (qr) (qs) (qt) (qu) (qv) (qw) (qx) (qy) (qz) (ra) (rb) (rc) (rd) (re) (rf) (rg) (rh) (ri) (rj) (rk) (rl) (rm) (rn) (ro) (rp) (rq) (rr) (rs) (rt) (ru) (rv) (rw) (rx) (ry) (rz) (sa) (sb) (sc) (sd) (se) (sf) (sg) (sh) (si) (sj) (sk) (sl) (sm) (sn) (so) (sp) (sq) (sr) (ss) (st) (su) (sv) (sw) (sx) (sy) (sz) (ta) (tb) (tc) (td) (te) (tf) (tg) (th) (ti) (tj) (tk) (tl) (tm) (tn) (to) (tp) (tq) (tr) (ts) (tt) (tu) (tv) (tw) (tx) (ty) (tz) (ua) (ub) (uc) (ud) (ue) (uf) (ug) (uh) (ui) (uj) (uk) (ul) (um) (un) (uo) (up) (uq) (ur) (us) (ut) (uu) (uv) (uw) (ux) (uy) (uz) (va) (vb) (vc) (vd) (ve) (vf) (vg) (vh) (vi) (vj) (vk) (vl) (vm) (vn) (vo) (vp) (vq) (vr) (vs) (vt) (vu) (vv) (vw) (vx) (vy) (vz) (wa) (wb) (wc) (wd) (we) (wf) (wg) (wh) (wi) (wj) (wk) (wl) (wm) (wn) (wo) (wp) (wq) (wr) (ws) (wt) (wu) (wv) (ww) (wx) (wy) (wz) (xa) (xb) (xc) (xd) (xe) (xf) (xg) (xh) (xi) (xj) (xk) (xl) (xm) (xn) (xo) (xp) (xq) (xr) (xs) (xt) (xu) (xv) (xw) (xx) (xy) (xz) (ya) (yb) (yc) (yd) (ye) (yf) (yg) (yh) (yi) (yj) (yk) (yl) (ym) (yn) (yo) (yp) (yq) (yr) (ys) (yt) (yu) (yv) (yw) (yx) (yy) (yz) (za) (zb) (zc) (zd) (ze) (zf) (zg) (zh) (zi) (zj) (zk) (zl) (zm) (zn) (zo) (zp) (zq) (zr) (zs) (zt) (zu) (zv) (zw) (zx) (zy) (zz)

24 HOUR EMERGENCY

© AHL/D/0066/4197/November/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



**FINAL REPORT**

Name : MRS. VINEETA VIJAY  
Reg. No. : MAY22-15353  
Age / Sex : 41 Y 11 M 1 D / Female  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 06-01-2024 11:17:47  
Receiving Time : 06-01-2024 11:18:24  
Reporting Time : 11-01-2024 15:24:57  
Publish Time : 11-01-2024 3:31 pm

Test Name	Result	Flag	Unit	Reference Range
LDL Cholesterol (Calculated)	137	H	mg/dl	Optimum:<100 Above optimum: <130; Moderate risk:130-159; High risk:>160
Cholesterol Total : HDL Ratio (Calculated)	4.88		mg/dl	1.2-6.0
<b>GLYCOCYLATED HEMOGLOBIN (HbA1C), BLOOD</b>				
Method : HPLC / Nephelometry				
HbA1C	5.3		%	4.4-6.2
Estimated average glucose (eAG)	105.41		mg/dl	
<b>Glucose, PP</b>				
Method : GOD-POD				
Glucose, PP	119.5		mg/dl	70-140

Machine Name: BID-RAD, D-10 / MISPA



  
DR N N SINGH  
MD (PATHOLOGY)

Customer Care: 9297862282, 9234681514  
(1) It is presumed that the test(s) performed are on the specimen(s) / Sample(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) / Sample(s). (2) Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (3) Tests results are not valid for medico legal Purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Improperly collected / Spilled, etc. (c) Incorrect specimen type for requested test. (d) Specimen quality is unsatisfactory. (e) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (5) The Results of the Test May vary from lab and also from time to time for the same patient. (6) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 9297862282, Email-labasarfi@gmail.com

**24 HOUR EMERGENCY**

© AHL/D/0066/4197/November/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



MC-8939

**FINAL REPORT**

Name : MRS. VINEETA VIJAY  
Reg. No. : MAY22-15353  
Age / Sex : 41 Y 10 M 0 D / Female  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 06-01-2024 11:17:47  
Receiving Time : 06-01-2024 11:18:25  
Reporting Time : 06-01-2024 12:09:22  
Publish Time : 06-01-2024 1:45 pm

Test Name	Result	Flag	Unit	Reference Range
<b>Liver Function Test (LFT)</b>				
Method: Spectrophotometry				
Machine Name: XL-640				
Bilirubin Total (Diazo)	0.5		mg/dl	0.3-1.2
Bilirubin Direct (Diazo)	0.2		mg/dl	0.00-0.2
Bilirubin Indirect (Calculated)	0.3		mg/dl	0.00-1.0
SGPT (IFCC without PDP)	15.4		U/L	7-50
SGOT (IFCC without PDP)	20.8		U/L	5-45
Alkaline Phosphate (PNP AMP Kinetic)	187.5		U/L	70-306
GGT (Enzymatic)	16.1		U/L	0-55
Protein Total (Bluret)	7.3		g/dl	6.4-8.3
Albumin (BCG)	3.9		g/dl	3.5-5.2
Globulin (Calculated)	3.4		g/dl	2.3-3.5
A : G Ratio (Calculated)	1.15			0.8-2.0

  
**DR N N SINGH**  
MD (PATHOLOGY)

**Condition of Laboratory Testing & Reporting**

1. The presence of the patient's name on the specimen container belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the test specimen (Sample(s)). Laboratory investigations are only to facilitate in arriving at diagnosis and should be clinically correlated. 2. All results are not valid for medico-legal purposes. 3. Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Haemolysed/clotted/serum etc. (c) Incorrect specimen type for requested test. (d) Specimen quality is unsatisfactory. (e) There is a discrepancy between the label on the specimen container and the form on the test requisition form. (f) The Results of the Test May vary from lab to lab and also from time to time for the same patient. (g) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (h) In case of queries or unexpected test results please call at +91 8297862282. Email: lab@asarfi.com

**24 HOUR EMERGENCY**

© AHL/D/0068/4187/November/23

**"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"**



# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur P.O., Baramulla, Jammu & Kashmir 191001

Ph. No.: 7808368888, 9819234681514



MC-0939

## FINAL REPORT

Name : MRS. VINEETA VIJAY  
 Reg. No. : MAY22-15353  
 Age / Sex : 41 Y 10 M 0 D / Female  
 Doctor : Self-Walkin  
 Pat. Type : Mediwheel



Collection Time : 06-01-2024 11:17:47  
 Receiving Time : 06-01-2024 11:18:25  
 Reporting Time : 06-01-2024 12:09:22  
 Publish Time : 06-01-2024 1:45 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

### Haematology

#### BLOOD GROUP, ABO & RH TYPING

Method: Agglutination

ABO GROUP	AB	.		0-0
RH TYPING	POSITIVE	.		0-0

#### ESR (Erythrocyte Sedimentation Rate)

Method: Westergren

ESR	38	H	mm/hr	0-10
-----	----	---	-------	------

Machine Name: VES-MATIC 20

DR N N SINGH  
MD (PATHOLOGY)

#### Condition of Laboratory Testing & Reporting

It is presumed that the test(s) performed are on the specimen(s) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s). Laboratory investigations are only tool to facilitate in arriving at diagnosis and should be clinically correlated. (1) Results are not valid for medico legal purposes. (2) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Hemolysed/clotted/serous etc. (c) Incorrect specimen type for requested test. (d) Specimen quality is unsatisfactory. (e) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (f) The Results of the Test May vary from lab and also from time to time for the same patient. (g) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (7) In case of queries or unexpected test results please call at +91 929782282. Email: lab@asarfihospital.com

**24 HOUR EMERGENCY**

© AHL/D/0066/4197/November/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



# ASARFI HOSPITAL LABORATORY

(A Unit of Asarfi Hospital Ltd.)

Baramuri, Bishunpur Polystyrene, Bhubaneswar 751012, Odisha 751012

Ph. No.: 7808368888, 7808368889, 7808368890, 7808368891, 7808368892, 7808368893, 7808368894, 7808368895, 7808368896, 7808368897, 7808368898, 7808368899, 7808368900, 7808368901, 7808368902, 7808368903, 7808368904, 7808368905, 7808368906, 7808368907, 7808368908, 7808368909, 7808368910, 7808368911, 7808368912, 7808368913, 7808368914, 7808368915, 7808368916, 7808368917, 7808368918, 7808368919, 7808368920, 7808368921, 7808368922, 7808368923, 7808368924, 7808368925, 7808368926, 7808368927, 7808368928, 7808368929, 7808368930, 7808368931, 7808368932, 7808368933, 7808368934, 7808368935, 7808368936, 7808368937, 7808368938, 7808368939, 7808368940, 7808368941, 7808368942, 7808368943, 7808368944, 7808368945, 7808368946, 7808368947, 7808368948, 7808368949, 7808368950, 7808368951, 7808368952, 7808368953, 7808368954, 7808368955, 7808368956, 7808368957, 7808368958, 7808368959, 7808368960, 7808368961, 7808368962, 7808368963, 7808368964, 7808368965, 7808368966, 7808368967, 7808368968, 7808368969, 7808368970, 7808368971, 7808368972, 7808368973, 7808368974, 7808368975, 7808368976, 7808368977, 7808368978, 7808368979, 7808368980, 7808368981, 7808368982, 7808368983, 7808368984, 7808368985, 7808368986, 7808368987, 7808368988, 7808368989, 7808368990, 7808368991, 7808368992, 7808368993, 7808368994, 7808368995, 7808368996, 7808368997, 7808368998, 7808368999



MC-5939

## FINAL REPORT

Name : MRS. VINEETA VIJAY  
Reg. No. : MAY22-15353  
Age / Sex : 41 Y 10 M 0 D / Female  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 06-01-2024 11:17:47  
Receiving Time : 06-01-2024 11:18:25  
Reporting Time : 06-01-2024 12:09:22  
Publish Time : 06-01-2024 1:45 pm

Test Name	Result	Flag	Unit	Reference Range
<b>Nature of Material:</b> EDTA Blood Sample				
<b>Complete Blood Count (CBC)</b>				
Method : Electronical Impedence				Machine Name: Sysmex 6 part
Hemoglobin (Photometry)	11.8	L	g/dl	13-18
PCV (Calculated)	35.9	L	%	40-50
MCH (Calculated)	27.8		Pg	27-31
MCHC (Calculated)	32.9		g/dl	31.5-35.5
Red Cell Distribution Width (RDW) (Electrical Impedence)	14.8	H	%	11.6-14
Total Leukocyte Count (TLC) (Electrical Impedence)	7,000		/cu-mm	4000-11000
RBC Count (Electrical Impedence)	4.25	L	million/mm <sup>3</sup>	4.5-5.5
Mean Corpuscular Volume (MCV) (Electrical Impedence)	84.5		fL	83-101
Platelet Count (Electrical Impedence)	2.56		lakhs/cumm	1.5-4.5
Neutrophils (VCS Technology)	77	H	%	55-75
Lymphocytes (VCS Technology)	16		%	15-30
Eosinophils (VCS Technology)	02		%	1-6
Monocytes (VCS Technology)	05		%	2-10
Basophils (VCS Technology)	00		%	0-1

DR N N SINGH  
MD (PATHOLOGY)

### Condition of Laboratory Testing & Reporting

\* It is a promise that the report generated by the laboratory (Sample) belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s) Sample(s). Laboratory investigators are only to facilitate in arriving at diagnosis and should be clinically correlated. All results are not valid for medico-legal purposes. (i) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Hemolyzed/clotted/panic etc. (c) Unlabeled specimen type for requested test. (d) Specimen quality is unsatisfactory. (e) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (f) The Results of the Test May vary from lab to lab and also from time to time for the same patient. (g) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (h) In case of queries or unexpected test results please call at +91 9297862282, Email: labasarf@gmail.com

24 HOUR EMERGENCY

© AHL/Dr0366/4197/November23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



MC-5928

**FINAL REPORT**

Name : MRS. VINEETA VIJAY  
Reg. No. : MAY22-15353  
Age / Sex : 41 Y 10 M 0 D / Female  
Doctor : Self-Walkin  
Pat. Type : Mediwheel



Collection Time : 06-01-2024 11:17:47  
Receiving Time : 06-01-2024 11:18:25  
Reporting Time : 06-01-2024 12:09:22  
Publish Time : 06-01-2024 1:45 pm

Test Name	Result	Flag	Unit	Reference Range
-----------	--------	------	------	-----------------

**Immunology and Serology**

**THYROID PROFILE, TOTAL, SERUM**

Method: ECLIA

T3, Total	1.33		ng/ml	0.8-2.0
T4, Total	7.95		µg/dL	5.10-14.10
TSH (Ultrasensitive)	1.78		mIU/mL	0.27-4.2

Machine Name: Vitros ECi

**CA 125 (Cancer Antigen 125), SERUM**

Method: ECLIA

CA -125	20.9		U/mL	<-35
---------	------	--	------	------

Machine Name: Vitros ECi

**DR N N SINGH**  
MD (PATHOLOGY)

**Condition of Laboratory Testing & Reporting**

(1) It is essential that the patient's name on the specimen container, belonging to the patient named or identified and the verification of the particulars have been carried out by the patient or his/her representative at the point of generation of the said specimen(s). (2) Laboratory investigations are only for to facilitate in arriving at diagnosis and should be clinically complete. (3) Test results are not valid for medico-legal purposes. (4) Test requested might not be performed due to following Reason: (a) Specimen received is insufficient or inappropriate. (b) Mislabelled/incorrect specimen etc. (5) Incorrect specimen type for requested test. (6) Specimen quality is unsatisfactory. (7) There is a discrepancy between the label on the specimen container and the Name on the test requisition form. (8) The Results of the Test May vary from lab and also from time to time for the same patient. (9) The results of a laboratory test are dependent on the quality of the sample as well as the assay technology. (10) In case of queries or unexpected test results please call at +91 9297862232. Email: labasarf@gmail.com

**24 HOUR EMERGENCY**

© AHL/D/0066-4197/November/23

**"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"**



## RADIOLOGY REPORT


Patient Name :	MRS. VINEETA VIJAY	Patient ID :	15353
Modality :	DX	Sex :	F
Age :	41Y	Study :	CHEST PA
Reff. Dr. :	DR. SELF	Study Date :	06-01-2024

### CHEST X-RAY

No focal lung lesion is seen.  
Costophrenic angles are clear.  
Hilar vascular markings appear normal  
Cardio-thoracic ratio is normal.  
Bony thorax—unremarkable

IMPRESSION : Normal Study

Clinical correlation and further investigations suggested.



Dr. Mrinal Kanti Ghosh  
MD, (Radio diagnosis)

Date 06-01-2024 Time 13-11-13



Disclaimer: - It is an online interpretation of medical imaging based on clinical data. All modern machines/ procedures have their own limitation. If there is any clinical discrepancy, this investigation may be repeated or reassessed by other tests. Patient's identification in online reporting is not established, so in no way can this report be utilized for any medico legal purpose.



24 HOUR EMERGENCY

©AHL/D/0069/4180/December/23

"KEEP THE REPORTS CAREFULLY AND BRING THEM ALONG DURING YOUR NEXT VISIT TO OUR HOSPITAL"



# नयनश्री नेत्रालय

PHC

(A Unit of Asarfi Hospital Limited)

Baramuri, Bishunpur Polytechnic, Dhanbad - 828 130 (Jharkhand)  
7707013096, 7808368888 | www.asarfihospital.com, info@asarfihospital.com

## PRESCRIPTION FOR GLASS

Reg No. 25353

Date: 06/01/24

Name: Mrs. Vineta Vijay

Age: 414 Gender: M  F

	RIGHT EYE				LEFT EYE			
	D SPH	D CYL	AXIS	VISION	D SPH	D CYL	AXIS	VISION
FOR DISTANCE VISION	<del>0.75</del>	-0.75	180°	6/6	—	-0.25	180°	6/6
ADD FOR NEAR VISION	—	—	—	N8	—	—	—	N92

Lens: White / Photo Chromic / Tinted / Kryptok / Executive / Bifocal / CR 39

P.D: \_\_\_\_\_ m.m. For DV

\_\_\_\_\_ m.m. For NV

Remarks:  Constant use /  Distance use /  Near use

Refractionist

[Signature] 06/01/24  
AHL/D/079/130/06/23

C/o. DV for Near  $V_n = 00$ .

RGP - Not brought.

No H/O Centre / Head Room.

No H/O Systemic Error.

$$\textcircled{1} V_n \begin{cases} 6/6P (= 4\#) \\ 6/6^{-2} \end{cases} \quad NV_n \begin{cases} N8 \\ N12 \end{cases}$$

Adv.

- ① Glass
- ② Review Soc.

