Patient Name
 : Mr. DIKSHIT GADHIYA
 Age/Sex
 : 24 Year(s) / Male

 UHID
 : SHHM.107885
 Order Date
 : 15/10/2024 09:49

Episode : OP

**Ref. Doctor**: self Mobile No: 8329834498

**DOB** : 25/06/2000

Facility: SEVENHILLS HOSPITAL,

MUMBAI

#### **Blood Bank**

Test Name Result

Sample No: 00366119A Collection Date: 15/10/24 10:07 Ack Date: 15/10/2024 11:40 Report Date: 15/10/24 12:39

BLOOD GROUPING/ CROSS-MATCHING BY SEMI AUTOMATION.				
BLOOD GROUP (ABO)	'A'			
Rh Type  Method - Column Agglutination	POSITIVE			

REMARK: THE REPORTED RESULTS PERTAIN TO THE SAMPLE RECEIVED AT THE BLOOD CENTRE.

#### Interpretation:

Blood typing is used to determine an individual's blood group, to establish whether a person is blood group A, B, AB, or O and whether he or she is Rh positive or Rh negative. Blood typing has the following significance,

- Ensure compatibility between the blood type of a person who requires a transfusion of blood or blood components and the ABO and Rh type of the unit of blood that will be transfused.
- Determine compatibility between a pregnant woman and her developing baby (fetus). Rh typing is especially important during pregnancy because a mother and her fetus could be incompatible.
- Determine the blood group of potential blood donors at a collection facility.
- Determine the blood group of potential donors and recipients of organs, tissues, or bone marrow, as part of a workup for a transplant procedure.
- Cross-matching test is done to assess compatibility of donor red cells to the patient.

End of Report -

Dr.Pooja Vinod Mishra MD Pathology

Jr Consultant Pathologist, MMC Reg No. 2017052191

RegNo: 2017/05/2191

Patient Name : Mr. DIKSHIT GADHIYA Age/Sex : 24 Year(s) / Male

 Episode
 : OP

 Ref. Doctor
 : self
 Mobile No
 : 8329834498

DOB : 25/06/2000

Test Name

**Facility** : SEVENHILLS HOSPITAL,

Unit

MUMBAI

Biological Reference Interval

## **HAEMATOLOGY**

st ivallie		Result		Offic	Dic	logical Reference Tricer
Sample No: 00366119A	Collection Date :	15/10/24 10:07	Ack Date :	15/10/2024 10:38	Report Date :	15/10/24 11:01
COMPLETE BLOOD COUNT	(CBC) - EDTA	WHOLE BLOOD				
Total WBC Count		5.93	3		x10^3/ul	4.00 - 10.00
Neutrophils		65.8	3		%	40.00 - 80.00
Lymphocytes		26.4	4		%	20.00 - 40.00
Eosinophils		0.7	▼ (L)		%	1.00 - 6.00
Monocytes		7.1			%	2.00 - 10.00
Basophils		0.0	▼ (L)		%	1.00 - 2.00
Absolute Neutrophil Count		3.90	0		x10^3/ul	2.00 - 7.00
Absolute Lymphocyte Count		1.57	7		x10^3/ul	0.80 - 4.00
Absolute Eosinophil Count		0.04	4		x10^3/ul	0.02 - 0.50
Absolute Monocyte Count		0.42	2		x10^3/ul	0.12 - 1.20
Absolute Basophil Count		0.00	0		x10^3/ul	0.00 - 0.10
RBCs		4.92	2		x10^6/ul	4.50 - 5.50
Hemoglobin		15.0	5		gm/dl	13.00 - 17.00
Hematocrit		44.6	5		%	35.00 - 45.00
MCV		90.5	5		fl	83.00 - 101.00
MCH		31.6	5		pg	27.00 - 32.00
MCHC		34.	<b>9 ▲</b> (H)		gm/dl	31.50 - 34.50



Patient Name : Mr. DIKSHIT GADHIYA Age/Sex : 24 Year(s) / Male

Episode : OP

**Ref. Doctor**: self Mobile No: 8329834498

**DOB** : 25/06/2000

**Facility** : SEVENHILLS HOSPITAL,

MUMBAI

RED CELL DISTRIBUTION WIDTH-CV (RDW-CV)	12.3	%	11.00 - 16.00
RED CELL DISTRIBUTION WIDTH-SD (RDW-SD)	41.5	fl	35.00 - 56.00
Platelet	258	x10^3/ul	150.00 - 410.00
Mean Platelet Volume (MPV)	8.8	fl	6.78 - 13.46
PLATELET DISTRIBUTION WIDTH (PDW)	15.6	%	9.00 - 17.00
PLATELETCRIT (PCT)	0.228	%	0.11 - 0.28

Method:-

HB Colorimetric Method.

RBC/PLT Electrical Impedance Method.

WBC data Flow Cytometry by Laser Method.

MCV,MCH,MCHC,RDW and rest parameters - Calculated.

All Abnormal Haemograms are reviewed confirmed microscopically.

NOTE: Wallach's Interpretation of Diagnostic Tests. 11th Ed, Editors: Rao LV. 2021

### NOTE :-

The International Council for Standardization in Haematology (ICSH) recommends reporting of absolute counts of various WBC subsets for clinical decision making. This test has been performed on a fully automated 5 part differential cell counter which counts over 10,000 WBCs to derive differential counts. A complete blood count is a blood panel that gives information about the cells in a patient's blood, such as the cell count for each cell type and the concentrations of Hemoglobin and platelets. The cells that circulate in the bloodstream are generally divided into three types: white blood cells (leukocytes), red blood cells (erythrocytes), and platelets (thrombocytes). Abnormally high or low counts may be physiological or may indicate disease conditions, and hence need to be interpreted clinically.

End of Report

Dr.Ritesh Kharche MD, PGD-HM

Consultant Pathologist and Director of

Laboratory Services RegNo: 2006/03/1680



Patient Name : Mr. DIKSHIT GADHIYA Age/Sex : 24 Year(s) / Male

 UHID
 : SHHM.107885
 Order Date
 : 15/10/2024 09:49

 Episode
 : OP

 Ref. Doctor
 : self
 Mobile No
 : 8329834498

 DOB
 : 25/06/2000

DOB : 25/06/2000
Facility : SEVENHILLS HOSPITAL,

MUMBAI





Patient Name : Mr. DIKSHIT GADHIYA Age/Sex : 24 Year(s) / Male

Episode : OP

 Ref. Doctor
 : self
 Mobile No
 : 8329834498

 DOB
 : 25/06/2000

Facility: SEVENHILLS HOSPITAL,

MUMBAI

#### **HAEMATOLOGY**

Test Name Result		Unit	Biol	ogical Reference Interval			
Sample No :	O0366119A	Collection Date :	15/10/24 10:07	Ack Date :	15/10/2024 10:38	Report Date :	15/10/24 14:06

ERYTHROCYTE SEDIMENTATION RATE (ESR)			
ESR	07	mm/hr	0 - 20

Method: Westergren Method

#### INTERPRETATION :-

ESR is a non-specific phenomenon, its measurement is clinically useful in disorders associated with an increased production of acute-phase proteins. It provides an index of progress of the disease in rheumatoid arthritis or tuberculosis, and it is of considerable value in diagnosis of temporal arteritis and polymyalgia rheumatica. It is often used if multiple myeloma is suspected, but when the myeloma is non-secretory or light chain, a normal ESR does not exclude this diagnosis.

An elevated ESR may occur as an early feature in myocardial infarction. Although a normal ESR cannot be taken to exclude the presence of organic disease, the vast majority of acute or chronic infections and most neoplastic and degenerative diseases are associated with changes in the plasma proteins that increased ESR values.

The ESR is influenced by age, stage of the menstrual cycle and medications taken (corticosteroids, contraceptive pills). It is especially low (0–1 mm) in polycythaemia, hypofibrinogenaemia and congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis, or sickle cells. In cases of performance enhancing drug intake by athletes the ESR values are generally lower than the usual value for the individual and as a result of the increase in haemoglobin (i.e. the effect of secondary polycythaemia).

End of Report

Dr.Nipa Dhorda

Nipa.

MD

Pathologist

RegNo: 91821

Patient Name : Mr. DIKSHIT GADHIYA Age/Sex : 24 Year(s) / Male

Ref. Doctor: selfMobile No: 8329834498

**DOB** : 25/06/2000

**Facility** : SEVENHILLS HOSPITAL,

MUMBAI



Patient Name : Mr. DIKSHIT GADHIYA Age/Sex : 24 Year(s) / Male

**Episode** : OP

**Ref. Doctor**: self Mobile No: 8329834498

**DOB** : 25/06/2000

**Facility**: SEVENHILLS HOSPITAL,

MUMBAI

## **Biochemistry**

 Test Name
 Result
 Unit
 Biological Reference Interval

 Sample No:
 00366119B
 Collection Date:
 15/10/24 10:07
 Ack Date:
 15/10/2024 10:38
 Report Date:
 15/10/24 23:53

Blood Sugar FBS			
FBS Method - Hexokinase	88.96	mg/dl	70 - 100
GLUCOSE-PLASMA POST PRANDIAL			

American Diabetes Association Reference Range:

FASTING:-

Normal: < 100 mg/dl

Impaired fasting glucose(Prediabetes): 100 - 126 mg/dl

Diabetes : >= 126 mg/dl

Post-Prandial Blood Glucose:
Non- Diabetic: Up to 140mg/dL
Pre-Diabetic: 140-199 mg/dL
Diabetic :>200 mg/dL

References:

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

## Interpretation :-

Conditions that can result in an elevated blood glucose level include: Acromegaly, Acute stress (response to trauma, heart attack, and stroke for instance), Chronic kidney disease, Cushing syndrome, Excessive consumption of food, Hyperthyroidism, Pancreatitis.

A low level of glucose may indicate hypoglycemia, a condition characterized by a drop in blood glucose to a level where first it causes nervous system symptoms (sweating, palpitations, hunger, trembling, and anxiety), then begins to affect the brain (causing confusion, hallucinations, blurred vision, and sometimes even coma and death). A low blood glucose level (hypoglycemia) may be

seen with:Adrenal insufficiency, Drinking excessive alcohol, Severe liver disease, Hypopituitarism, Hypothyroidism, Severe infections, Severe heart failure, Chronic kidney (renal) failure, Insulin overdose, Tumors that produce insulin (insulinomas), Starvation.

Sample No: 00366119C Collection Date: 15/10/24 10:07 Ack Date: 15/10/2024 10:39 Report Date: 15/10/24 11:20



Patient Name : Mr. DIKSHIT GADHIYA Age/Sex : 24 Year(s) / Male

**Episode** : OP

**Ref. Doctor**: self Mobile No: 8329834498

**DOB** : 25/06/2000

**Facility**: SEVENHILLS HOSPITAL,

MUMBAI

ALT(SGPT) - SERUM			
SGPT (Alanine Transaminase) - SERUM  Method - IFCC	26.57	IU/L	0 - 45

#### References:

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

,			
Total Bilirubin - SERUM Method - Diazo	0.56	mg/dl	0 - 2
Direct Bilirubin SERUM  Method - Diazotization	0.3	mg/dl	0 - 0.4
Indirect Bilirubin - Calculated  Method - Calculated	0.26	mg/dl	0.1 - 0.8
BUN-SERUM			
Urea - SERUM Method - Urease	30.27	mg/dl	15 - 39
BUN - SERUM Method - Urease-GLDH	14.14	mg/dl	4 - 18

## References:

1)Pack Insert of Bio system

2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

<u>CREATININE-SERUM</u>			
Creatinine - SERUM  Method - Jaffes Kinetic	0.83	mg/dl	0.5 - 1.3

#### References:

- 1)Pack Insert of Bio system
- 2) Tietz Textbook Of Clinical Chemistry And Molecular Diagnostics, 6th Ed, Editors: Rifai et al. 2018

#### Notes :-

Creatinine is a chemical waste molecule that is generated from muscle metabolism. Creatinine is produced from creatine, a molecule of major importance for energy production in muscles. Approximataly 1-2% of the body's creatine is converted to creatinine every day. Creatinine is transported through the bloodstream to the kidneys. The kidneys filter out host of the creatinine and dispose of it in the urine. The kidneys maintain the blood creatinine in a normal ranges. Creatinine has been found to be a fairly reliable indicator of kidney function.

End of Report





Patient Name : Mr. DIKSHIT GADHIYA Age/Sex : 24 Year(s) / Male

 UHID
 : SHHM.107885
 Order Date
 : 15/10/2024 09:49

 Episode
 : OP

 Ref. Doctor
 : self
 Mobile No
 : 8329834498

 DOB
 : 25/06/2000

Facility: SEVENHILLS HOSPITAL,

MUMBAI

Dr.Ritesh Kharche MD, PGD-HM

Consultant Pathologist and Director of

Laboratory Services RegNo: 2006/03/1680 Dr.Pooja Vinod Mishra MD Pathology

 $\ensuremath{\mathsf{Jr}}$  Consultant Pathologist, MMC Reg No.

2017052191

RegNo: 2017/05/2191





 Patient Name
 : Mr. DIKSHIT GADHIYA
 Age/Sex
 : 24 Year(s) / Male

 UHID
 : SHHM.107885
 Order Date
 : 15/10/2024 09:49

Episode : OP

**Ref. Doctor** : self Mobile No : 8329834498

**DOB** : 25/06/2000

**Facility** : SEVENHILLS HOSPITAL,

MUMBAI

# **Urinalysis**

Result	Unit	Biological Reference Interval
e: 15/10/24 10:07 Ack Date	: 15/10/2024 10:39	Report Date : 15/10/24 14:49
30	ml	
Pale Yellow		
Clear		
Absent		Absent
Acidic		
1.020		
Absent		Absent
Absent		
Absent		
NEGATIVE		Negative
Negative		
Normal		Normal
Absent		Absent
Absent		
1-2	/HF	PF
OCCASIONAL	/HF	PF
	a: 15/10/24 10:07 Ack Date  30 Pale Yellow Clear Absent Acidic 1.020  Absent Absent NEGATIVE Negative Normal Absent Absent Absent 1-2	a: 15/10/24 10:07 Ack Date: 15/10/2024 10:39  30 ml Pale Yellow Clear Absent Acidic 1.020  Absent Absent NEGATIVE Negative Normal Absent Absent Absent Absent Absent Absent Absent NFGATIVE Negative Normal Absent

Patient Name : Mr. DIKSHIT GADHIYA Age/Sex : 24 Year(s) / Male : SHHM.107885 **UHID Order Date** : 15/10/2024 09:49

: OP **Episode** 

**Mobile No Ref. Doctor** :8329834498 : self

DOB : 25/06/2000

: SEVENHILLS HOSPITAL, **Facility** 

MUMBAI

RBC	Absent	/HPF	Absent
Cast	Absent	/LPF	
Crystal	calcium oxalate present	/HPF	
Amorphous Materials	Absent		
Yeast	Absent		
Bacteria	Absent		

End of Report

Dr.Ritesh Kharche

MD, PGD-HM

Consultant Pathologist and Director of Laboratory Services

RegNo: 2006/03/1680



## **DIAGNOSTICS REPORT**

Patient Name

: Mr. DIKSHIT GADHIYA

Order Date : 15/1 Report Date : 16/1

: 15/10/2024 09:49: 16/10/2024 15:15

Age/Sex UHID : 24 Year(s)/Male : SHHM.107885

: SHHM.107 : self

Facility

: SEVENHILLS HOSPITAL,

MUMBAI

Ref. Doctor Address

: A WING 401 YAHWANT PARK

SOCIETY OPP BVANK INDIA.

VASAI EAST, Mumbai, Maharashtra, 401208 Mobile

: 8329834498

# X-RAY CHEST PA VIEW

Both lungs are clear.

The frontal cardiac dimensions are normal.

The pleural spaces are clear.

Both hilar shadows are normal in position and density.

No diaphragmatic abnormality is seen.

The soft tissues and bony thorax are normal.

IMPRESSION: No pleuroparenchymal lesion is seen.

Dr.Bhujang Pai MBBS,MD

Consultant RegNo: 49380



# Arcofemi Healthcare Pvt Ltd

(Formerly known as Arcofemi Healthcare Ltd) F-701A, Lado Sarai, Mehrauli, New Delhi - 110030

Email: wellness@mediwheel.in, Website: www.mediwheel.in

Tel: +91-11-41195959, Fax: +91-11-29523020

CIN: U24240DL2011PTC216307

# **MEDICAL FITNESS CERTIFICATE**

(To be signed by a registered medical practitioner holding a Medical degree)

This is to certify that <u>Mr.Dikshit Gadhiya</u> aged, <u>24yr</u>. Based on the examination, I certify that he is in good dental and physical health and it is free from any physical defects such as deafness, color blindness, and any chronic or contagious diseases.

Place: Mumbai

Date: 15/10/2024

Name & Signature of

Medical officer