

Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY Registered On : 13/Jan/2024 08:51:17 Age/Gender Collected : 46 Y O M O D /M : 13/Jan/2024 09:02:12 UHID/MR NO : CDCA.0000075622 Received : 13/Jan/2024 10:15:47 Visit ID Reported : 13/Jan/2024 14:37:08 : CDCA0322292324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blood	ood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE	- condition		ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole	e Blood			
Haemoglobin	17.00	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	7,800.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	52.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	31.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	7.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	10.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	12.00	Mm for 1st hr.		
Corrected	Nr	Mm for 1st hr.	< 9	
PCV (HCT) Platelet count	51.00	%	40-54	
Platelet Count	2.5	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.10	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	38.80	%	35-60	ELECTRONIC IMPEDANCE









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY Registered On : 13/Jan/2024 08:51:17 Age/Gender : 46 Y O M O D /M Collected : 13/Jan/2024 09:02:12 UHID/MR NO : CDCA.0000075622 Received : 13/Jan/2024 10:15:47 Visit ID : CDCA0322292324 Reported : 13/Jan/2024 14:37:08

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.29	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.00	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	102.00	fl	80-100	CALCULATED PARAMETER
MCH	34.00	pg	28-35	CALCULATED PARAMETER
MCHC	33.33	%	30-38	CALCULATED PARAMETER
RDW-CV	12.50	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	46.70	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,056.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	780.00	/cu mm	40-440	

Dr. R.K. Khanna (MBBS,DCP)









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY : 13/Jan/2024 08:51:18 Registered On Age/Gender : 46 Y O M O D /M Collected : 13/Jan/2024 12:38:19 UHID/MR NO : CDCA.0000075622 Received : 13/Jan/2024 13:23:23 Visit ID : CDCA0322292324 Reported : 13/Jan/2024 14:34:11

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING * , Plasma				
Glucose Fasting	88.37	mg/dl	< 100 Normal 100-125 Pre-diabetes > 126 Diabetes	GOD POD

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	130.60	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Dr. R.K. Khanna (MBBS,DCP)









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Method

Patient Name : Mr.KAUSHAL KISHOR PANDEY : 13/Jan/2024 08:51:19 Registered On Age/Gender : 46 Y O M O D /M Collected : 13/Jan/2024 09:02:12 UHID/MR NO : CDCA.0000075622 Received : 13/Jan/2024 16:21:52 Visit ID : CDCA0322292324 Reported : 13/Jan/2024 18:48:33

Result

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Unit

Rio Ref Interval

rest realific	Result	Onit Dio. Rei.	interval Wethou	
GLYCOSYLATED HAEMOGLOBIN (HB	A1C) ** , EDTA BLOOD			
Glycosylated Haemoglobin (HbA1c)	5.40	% NGSP	HPLC (NGSP)	
Glycosylated Haemoglobin (HbA1c)	36.00	mmol/mol/IFCC		
Estimated Average Glucose (eAG)	108	mg/dl		

Interpretation:

Test Name

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy







^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY Registered On

: 13/Jan/2024 08:51:19

Age/Gender UHID/MR NO : 46 Y O M O D /M

Collected Received

: 13/Jan/2024 09:02:12 : 13/Jan/2024 16:21:52

Visit ID

: CDCA.0000075622 : CDCA0322292324

Reported

Status

: 13/Jan/2024 18:48:33

Ref Doctor

Dr. Mediwheel - Arcofemi Health Care Ltd.

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

c. Alcohol toxicity d. Lead toxicity



Dr. Anupam Singh (MBBS MD Pathology)

Page 5 of 15





^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY Registered On : 13/Jan/2024 08:51:20 Age/Gender Collected : 46 Y O M O D /M : 13/Jan/2024 09:02:12 UHID/MR NO : CDCA.0000075622 Received : 13/Jan/2024 10:31:30 Visit ID Reported : 13/Jan/2024 12:08:43 : CDCA0322292324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea Nitrogen) * Sample:Serum	14.30	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.22	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	6.90	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	39.61	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	66.65	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	21.80	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.19	gm/dl	6.2-8.0	BIURET
Albumin	4.19	gm/dl	3.4-5.4	B.C.G.
Globulin	3.00	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.40		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	105.07	U/L	42.0-165.0.	IFCC METHOD
Bilirubin (Total)	1.18	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.35	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.83	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	207.20	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	61.04	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	127	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High	
VLDL	19.34	mg/dl	> 190 Very High 10-33	CALC: " ATT
Triglycerides	96.70	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO- WZ

Page 6 of 15







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY Registered On : 13/Jan/2024 08:51:19 Age/Gender Collected : 13/Jan/2024 12:38:19 : 46 Y O M O D /M UHID/MR NO : CDCA.0000075622 Received : 13/Jan/2024 12:52:44 Visit ID Reported : 13/Jan/2024 15:43:15 : CDCA0322292324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

URINE EXAMINATION, ROUTINE * , Urine Color Specific Gravity 1.015 Reaction PH Acidic (5.0) Appearance CLEAR Protein ABSENT Mg % <10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) > 500 (+++) > 500 (+++) 1-2 (+++) 1-2 (+++) 1-2 (+++) 1-2 (+++) 1-3 (+++) 1-3 (+++) 1-3 (+++) 1-4 (+++) 1-4 (+++) 1-5 (+++) 1-6 (+++) 1-7 (++++) 1-7 (++++) 1-7 (++++++++++++++++++++++++++++++++++++	Test Name	Result	Unit	Bio. Ref. Interval	Method
Color Specific Gravity 1.015 Reaction PH Acidic (5.0) Appearance CLEAR Protein ABSENT Mg					
Specific Gravity 1.015 Acidic (5.0) Acidic (5.0) Appearance CLEAR Protein ABSENT mg % < 10 Absent 10.40 (+) 40.200 (++) 200.500 (+++) 500 (+++) 1.2 (++++) 1.2 (++++++++++++++++++++++++++++++++++++	URINE EXAMINATION, ROUTINE * , υ	rine			
Specific Gravity 1.015 Acidic (5.0) Acidic (5.0) Appearance CLEAR Protein ABSENT mg % < 10 Absent 10.40 (+) 40.200 (++) 200.500 (+++) 500 (+++) 1.2 (++++) 1.2 (++++++++++++++++++++++++++++++++++++	Color	PALF YELLOW			
Reaction PH					
Appearance Protein ABSENT Mg % <10 Absent 10-40 (+) 40-200 (++) 200-500 (+++) >500 (+++) >500 (+++) >500 (+++) >500 (+++) >500 (+++) 1-2 (+++) 1-2 (+++) >2 (+++) Edited and a second and	•				DIPSTICK
Protein					
10-40 (+)			ma %	< 10 Absent	DIPSTICK
Sugar ABSENT ABSENT ABSENT BIII yellow y					
Sugar ABSENT gms%				40-200 (++)	
Sugar ABSENT BIOLING BIOLING BIOCHEMISTRY BIOCHEMISTRY BIOLING BIOCHEMISTRY BIOLING BIOCHEMISTRY BIOCHEMISTRY BIOCHEMISTRY BIOCHEMISTRY BIOLING BIOCHEMISTRY BIOCHEMI					
Ketone ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY Bile Salts ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY Bile Pigments ABSENT DIPSTICK Leucocyte Esterase ABSENT DIPSTICK Urobilinogen(1:20 dilution) ABSENT DIPSTICK Blood ABSENT DIPSTICK Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells OCCASIONAL MICROSCOPIC EXAMINATION Pus cells OCCASIONAL RBCS ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Cobor ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE					
Ketone Bile Salts Bile Pigments Bile Pigments Bilirubin Leucocyte Esterase Urobilinogen(1:20 dilution) Nitrite Bilod ABSENT Bilod ABSENT Bilod ABSENT DIPSTICK Urobilinogen(1:20 dilution) Nitrite ABSENT DIPSTICK Blood ABSENT DIPSTICK DIPSTICK DIPSTICK DIPSTICK DIPSTICK DIPSTICK DIPSTICK Microscopic Examination: Epithelial cells OCCASIONAL RBCs ABSENT MICROSCOPIC EXAMINATION Pus cells OCCASIONAL RBCs ABSENT MICROSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency BROWNISH LOOSE	Sugar	ABSENT	gms%		DIPSTICK
Ketone ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY Bile Salts ABSENT Bile Pigments ABSENT Bilirubin ABSENT DIPSTICK Leucocyte Esterase ABSENT Urobilinogen(1:20 dilution) ABSENT Nitrite ABSENT DIPSTICK Blood ABSENT DIPSTICK Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells OCCASIONAL MICROSCOPIC EXAMINATION Pus cells OCCASIONAL RBCS ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE					
Ketone ABSENT mg/dl 0.1-3.0 BIOCHEMISTRY Bile Salts ABSENT Bille Pigments ABSENT Billirubin ABSENT Leucocyte Esterase ABSENT Urobilinogen(1:20 dilution) ABSENT Nitrite ABSENT Blood ABSENT DIPSTICK Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells OCCASIONAL RBCs ABSENT MICROSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT OTHER ABSENT OTHER ABSENT OTHER ABSENT MICROSCOPIC EXAMINATION Cast ABSENT Cotor ABSENT Color BROWNISH Consistency BROWNISH Consistency BIOCHEMISTRY BIOCHE					
Bile Salts Bile Pigments ABSENT Billirubin ABSENT Leucocyte Esterase ABSENT Urobillinogen(1:20 dilution) ABSENT Bilood ABSENT DIPSTICK Blood ABSENT DIPSTICK Blood ABSENT DIPSTICK Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells OCCASIONAL RBCs ABSENT MICROSCOPIC EXAMINATION Cast Crystals ABSENT MICROSCOPIC EXAMINATION Chers ABSENT MICROSCOPIC EXAMINATION Cotor ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color Consistency BROWNISH Consistency BROWNISH Consistency BROWNISH Consistency BROWNISH Consistency DIPSTICK DIPSTICK MICROSCOPIC EXAMINATION DIPSTICK DIPSTICK MICROSCOPIC EXAMINATION DIPSTICK	Kotono	ARSENIT	ma/dl		RIOCHEMISTRY
Bile Pigments Bilirubin ABSENT Leucocyte Esterase ABSENT Urobilinogen(1:20 dilution) ABSENT Nitrite ABSENT Blood ABSENT Microscopic Examination: Epithelial cells OCCASIONAL RBCs ABSENT Crystals ABSENT OCTOSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT OCTOSCOPIC EXAMINATION DIPSTICK MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT Crystals ABSENT OCTOSCOPIC EXAMINATION BROWNISH Consistency BROWNISH Consistency LOOSE			mg/ui	0.1-3.0	DIOCHLIVIISTKI
Bilirubin ABSENT DIPSTICK Leucocyte Esterase ABSENT DIPSTICK Urobilinogen(1:20 dilution) ABSENT Nitrite ABSENT DIPSTICK Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells OCCASIONAL Pus cells OCCASIONAL RBCs ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Crystals ABSENT MICROSCOPIC EXAMINATION Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE					
Leucocyte Esterase ABSENT DIPSTICK Urobilinogen(1:20 dilution) ABSENT Nitrite ABSENT DIPSTICK Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells OCCASIONAL MICROSCOPIC EXAMINATION Pus cells OCCASIONAL RBCS ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Corystals ABSENT MICROSCOPIC EXAMINATION Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE					DIDSTICK
Urobilinogen(1:20 dilution) Nitrite ABSENT Blood ABSENT DIPSTICK Blood ABSENT Microscopic Examination: Epithelial cells OCCASIONAL Pus cells OCCASIONAL RBCs ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION EXAMINATION TOTAL ABSENT Crystals ABSENT TOTOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE					
Nitrite ABSENT DIPSTICK Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells OCCASIONAL MICROSCOPIC EXAMINATION Pus cells OCCASIONAL RBCS ABSENT MICROSCOPIC EXAMINATION Cast ABSENT MICROSCOPIC EXAMINATION Crystals ABSENT MICROSCOPIC EXAMINATION Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE					DII STICK
Blood ABSENT DIPSTICK Microscopic Examination: Epithelial cells OCCASIONAL MICROSCOPIC EXAMINATION Pus cells OCCASIONAL RBCs ABSENT MICROSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH COnsistency BROWNISH CONSE					DIPSTICK
Microscopic Examination: Epithelial cells OCCASIONAL MICROSCOPIC EXAMINATION Pus cells RBCs ABSENT MICROSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT Others ABSENT MICROSCOPIC EXAMINATION EXAMINATION MICROSCOPIC EXAMINATION ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency BROWNISH LOOSE					
Epithelial cells OCCASIONAL Pus cells OCCASIONAL RBCs ABSENT Cast Crystals Others ABSENT ABSENT STOOL, ROUTINE EXAMINATION*, Stool Coor Consistency BROWNISH COOSE MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION BROWNISH LOOSE		ADOLIVI			Dil OTTOR
Pus cells RBCs ABSENT Cast Crystals Others ABSENT ABSENT ABSENT ABSENT BROWNISH Consistency EXAMINATION MICROSCOPIC EXAMINATION MICROSCOPIC EXAMINATION EXAMINATION BROWNISH LOOSE		OCCASIONIAI			MICDOSCODIC
Pus cells RBCs ABSENT Cast Crystals Others ABSENT ABSENT ABSENT ABSENT ABSENT ABSENT STOOL, ROUTINE EXAMINATION *, Stool Color Consistency BROWNISH COOSE	Lpitilellal tells	OCCASIONAL			
RBCs ABSENT MICROSCOPIC EXAMINATION Cast ABSENT Crystals ABSENT MICROSCOPIC EXAMINATION Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE	Pus cells	OCCASIONAL			E// (WIII W/ CITO)
Cast ABSENT Crystals ABSENT MICROSCOPIC EXAMINATION Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE					MICROSCOPIC
Crystals ABSENT MICROSCOPIC EXAMINATION Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE		71302111			
Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE	Cast	ABSENT			
Others ABSENT STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE	Crystals	ABSENT			MICROSCOPIC
STOOL, ROUTINE EXAMINATION * , Stool Color BROWNISH Consistency LOOSE	•				EXAMINATION
Color BROWNISH Consistency LOOSE	Others	ABSENT			
Consistency LOOSE	STOOL, ROUTINE EXAMINATION * , s	tool			
Consistency LOOSE	Color	BROWNISH			
Reaction (PH) Neutral (7.0)	Reaction (PH)	Neutral (7.0)			







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY Registered On : 13/Jan/2024 08:51:19 Age/Gender : 46 Y O M O D /M Collected : 13/Jan/2024 12:38:19 UHID/MR NO : CDCA.0000075622 Received : 13/Jan/2024 12:52:44 : CDCA0322292324 Visit ID Reported : 13/Jan/2024 15:43:15

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT	,		
Others	ABSENT			

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage ABSENT gms%

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE *, Urine

Sugar, PP Stage ABSENT

Interpretation:

 $(+) \qquad <0.5~gms\%$

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. R.K. Khanna (MBBS,DCP)

Page 8 of 15







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY : 13/Jan/2024 08:51:19 Registered On Age/Gender : 46 Y O M O D /M Collected : 13/Jan/2024 09:02:11 UHID/MR NO : CDCA.0000075622 Received : 13/Jan/2024 16:00:21 Visit ID : CDCA0322292324 Reported : 13/Jan/2024 17:21:21

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.83	ng/mL	<4.1	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone:
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	114.63	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	8.50	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.460	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3 - 4.5	μIU/mL	First Trimest	ter
0.5-4.6	$\mu IU/mL$	Second Trim	ester
0.8 - 5.2	$\mu IU/mL$	Third Trimes	ster
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week
0.7-64	μIU/mL	Child(21 wk	- 20 Yrs.)
1-39	$\mu IU/mL$	Child	0-4 Days
1.7-9.1	$\mu IU/mL$	Child	2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY : 13/Jan/2024 08:51:19 Registered On Age/Gender : 46 Y O M O D /M Collected : 13/Jan/2024 09:02:11 UHID/MR NO : CDCA.0000075622 Received : 13/Jan/2024 16:00:21 Visit ID : CDCA0322292324 Reported : 13/Jan/2024 17:21:21

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Pring

Dr. Anupam Singh (MBBS MD Pathology)

Page 10 of 15







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY Registered On : 13/Jan/2024 08:51:21

 Age/Gender
 : 46 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCA.0000075622
 Received
 : N/A

Visit ID : CDCA0322292324 Reported : 13/Jan/2024 15:11:24

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

(300 mA COMPUTERISED UNIT SPOT FILM DEVICE)

CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- There is blunting of right costophrenic angle.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION

• Blunting of right costophrenic angle-? minimal right pleural effusion/pleural thickening.

Recommended: Clinical & USG correlation.











Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY Registered On : 13/Jan/2024 08:51:21

 Age/Gender
 : 46 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCA.0000075622
 Received
 : N/A

Visit ID : CDCA0322292324 Reported : 13/Jan/2024 11:31:44

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER

• Liver is normal in size measuring 13.6 cm in longitudinal span & shows mild diffuse increase in parenchymal echogenicity.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is normal at the porta. (4.4 mm)
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

RIGHT KIDNEY (9.7 x 4.6 cm)

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

LEFT KIDNEY (10.2 x 4.4 cm)

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.



Home Sample Collection 1800-419-0002



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY Registered On : 13/Jan/2024 08:51:21

 Age/Gender
 : 46 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCA.0000075622
 Received
 : N/A

Visit ID : CDCA0322292324 Reported : 13/Jan/2024 11:31:44

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

SPLEEN

• The spleen is normal in size (6.8 cm) and has a homogenous echotexture.

ILIAC FOSSA

• Scan over the iliac fossae does not reveal any fluid collection or mass.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and regular.

PROSTATE

• The prostate gland is normal in texture and size, measures 3.7 x 3.4 x 3.2 cm (vol-21.57 cc).

IMPRESSION

Grade-I fatty infiltration of liver.



Page 13 of 15







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY Registered On : 13/Jan/2024 08:51:22

 Age/Gender
 : 46 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCA.0000075622
 Received
 : N/A

Visit ID : CDCA0322292324 Reported : 13/Jan/2024 16:16:23

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF TMT MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Tread Mill Test (TMT) *

2D ECHO & M-MODE EXAMINATION VALUES MITRAL VALVE STUDY

DE Excursion :	1.71	cm/sec
E F Slope :	11.80	cm/s
EPSS:	1.42	cm
VALVE AREA (MVOA) PERIMETRY	3.58	cm ²
PHT:	3.56	Cm ²

AORTIC VALVES STUDY

Aortic Diam :	3.70	cm
LA Diam.	2.82	cm
AV Cusp.	0.76	cm

LEFT VENTRICLE

IVSD	0.80	Cm
LVIDD	5.07	Cm
LV PWD	0.98	Cm
IV Ss	1.14	Cm
LVIDs	3.49	Cm
LV PWS	0.88	Cm
EDV	121	MI
ESV	50	MI

EJECTION FRACTION: 59% ($60 \pm 7\%$) SV (Teich) 71 ml

SHÖRTENING FRACTION: 31% $(30 \pm 5\%)$

RIGHT VENTRICLE

RVID: 2.03 cm.







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.KAUSHAL KISHOR PANDEY : 13/Jan/2024 08:51:22 Registered On

Age/Gender : 46 Y O M O D /M Collected : N/A UHID/MR NO : CDCA.0000075622 Received : N/A

Visit ID CDCA0322292324 Reported : 13/Jan/2024 16:16:23

Dr. Mediwheel - Arcofemi Health Care Ltd. Ref Doctor Status : Final Report

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

DIMENSIONAL IMAGING

MITRAL VALVE: Normal AORTIC VALVE : PULMONARY VALVE : Normal Normal TRICUSPID VALVE: Normal **INTER VENTRICULAR SEPTA:** Normal Normal **INTERATRIAL SEPTUM:** INTRACARDIAC CLOT / VEGETATION / MYXOMA: Absent **LEFT ATRIUM:** Normal **LEFT VENTRICLE:** Normal **RIGHT VENTRICLE:** Normal **RIGHT ATRIUM:** Normal Normal **PERICARDIUM:** OTHER: Normal

COLOUR FLOW MAPPING
DOPPLER STUDY

DOLLERGIODI			
	VELOCITY cm/s	PRESSURE GRADIENT	
MITRAL FLOW	E : 75 cm/s		REGURGITATION
IVIII RAL FLOW	A : 52 cm/s	Normal	
AORTIC FLOW	68 cm/s	Normal	
TRICUSPID FLOW	49 cm/s	Normal	
PULMONARY FLOW	78 cm/s	Normal	

SUMMARY OF FINDINGS AND ECHOCARDIOGRAPHY DIAGNOSIS

- IVFF 59 %
- RWMA not seen.
- No Diastolic dysfunction.
- No MS/TS/AS/PS.
- No MR/TR/PR/AR.
- No pericardial effusion.
- No vegetation.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow: ECG/EKG



This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *Facilities Available at Select Location 365 Days Open





