

S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:30

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) **Sent By :** UNIVERSAL DIAGNOSTIC CENTRE

THYROID FUNCTION TEST							
Test	<u>Result</u>	<u>Unit</u>	Biological Ref. Range				
Т3	: 1.2	ng/dl	0.60-2.0 ng/dl				
T4	: 5.44	μg/dl	5.0-13.0 μg/dl				
TOL	2.45	177/ 1					
TSH	: 3.47	µlU/ml	0.4 - 6.0 µlU/ml				

Method:ELISA METHOD

Interpretation

Decreased TSH with raised or within range T3 and T4 is seen in primary hyperthyroidism, toxic thyroid nodule, subclinical hyper-thyroidism, on thyroxine ingestion, post-partum and gestational thyrotoxicosis Raised TSH with decreased T3 and T4 is seen in hypothyroidism and with intermittent T4 therapy. Alterations in TSH are also seen in non-thyroidal illnesses like HIV infection, chronic active hepatitis, estrogen producing tumors, pregnancy, new-born, steroids, glucocorticoids and may cause false thyroid levels for thyroid function tests as with increased age ,marked variations in thyroid hormones are seen. In pregnancy T3 and T4 levels are raised, hence FT3 and Ft4 is to be done to determine hyper or hypothyroidism

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:30:31)



Checked By -



Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

Preeti Jaiswar Senior Technician ADMLT



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:30

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO)

Sent By: UNIVERSAL DIAGNOSTIC CENTRE

FASTING AND POSTPRANDIAL PLASMA GLUCOSE						
Test		Result	<u>Unit</u>	Biological Ref. Range		
Fasting Plasma Glucose Method: Hexokinase	:	129.30	mg/dl	70-110 mg/dl		
Fasting Urine Glucose	:	Absent		Absent		
Fasting Urine Ketone	:	Absent		Absent		
Post Prandial Plasma Glucose (2	:	163.70	mg/dl	70 to 140 mg/dl		
Hrs.after lunch)						
PP Urine Glucose	:	Sample Not Received				
PP Urine Ketone	:	Sample Not Received				
Method : Glucose Oxidase Peroxid	ase	(GOD/POD)				

AS PER AMERICAN DIABETES ASSOCIATION 2010 UPDATE

FASTING GLUCOSE LEVEL-

- Normal glucose tolerance : 70-110 mg/dl
- Impaired Fasting glucose (IFG) : 110-125 mg/dl
- Diabetes mellitus : >=126 mg/dl POSTPRANDIAL/POST GLUCOSE (75 grams)
- Normal glucose tolerance : 70-139 mg/dl Impaired glucose tolerance : 140-199 mg/dl
- Diabetes mellitus : >=200 mg/dl CRITERIA FOR DIAGNOSIS OF DIABETES MELLITUS Fasting plasma glucose
- >=126 mg/dl Classical symptoms +Random plasma glucose >=200 mg/dl
- Plasma glucose >=200 mg/dl (2 hrs after 75 grams of glucose)

Checked By -

- Glycosylated haemoglobin > 6.5% ***Any positive criteria should be tested on subsequent day with same or other criteria.

BIOCHEMISRTY TEST DONE ON MERILYZER CLINIQUANT BIOCHEMISRTY ANALYZER

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:50:09)





Preeti Jaiswar Senior Technician ADMLT

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:30

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) **Sent By :** UNIVERSAL DIAGNOSTIC CENTRE

		COMPLET	E BLOOD COUN	Т		
Test		<u>Result</u>	<u>Unit</u>	Reference Range		
Haemoglobin	:	13.6	gm/dl	14.0-18.0 gm/dl		
<u>RBC PARAMETERS</u>						
Total R.B.C. Count	:	5.11	mill/cumm	4.5-6.5 mill/cumm		
PCV	:	39.7	%	40-54 %		
MCV	:	77.7	fl	76-90 fl		
MCH	:	26.6	Pg	27-32 Pg		
MCHC	:	34.3	gm/dl	30-35 gm/dl		
RDW	:	11.7	%	11-14.5 %		
WBC PARAMETERS						
Total W.B.C. Count	:	7800	per cumm	4000-11000 per cumm		
Neutrophils	:	67	%	40-75 %		
Lymphocytes	:	23	%	20-40 %		
Monocytes	:	08	%	0 - 10 %		
Eosoniphils	:	02	%	0 - 6 %		
Basophils	:	00	%	0-1 %		
Band Forms	:	00	%	0 - 0 %		
PLATELET PARAMET	<u>'ERS</u>					
Platelet Count	:	338000	per cu.mm.	150000 - 450000 per cu.mm.		
MPV	:	10.0	fL	3-12 fL		
PERIPHERIAL SMEAN	R FINDINGS:					
WBC Morphology	•	Normal				
RBC Morphology	:	Mild Hyp	ochromasia.			
Platelets on Smear	:		Adequate on smear.			
EDTA Sample Procesed On	a Fully Automated 3-I	-				

EDTA Sample Procesed On a Fully Automated 3-Part Analyzer H-360

Checked By -

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 21:15:11)





Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

Preeti Jaiswar Senior Technician ADMLT



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:30

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO)

Sent By : UNIVERSAL DIAGNOSTIC CENTRE

GLYCOSYLATED-HAEMOGLOBIN (GHb)/ HbA1C BY HPLC						
Test		<u>Result</u>	<u>Unit</u>	Referance Range		
HbA1C	:	5.7	%	Normal : 4 - 6.2% Prediabetic : < 7 %		
Estimated averag	e Glucose:	116.89	mg / dl	Diabetes : > 8 % 70-140 mg / dl		
(eAG)						

Method: Particle enhanced immunoturbidimetric test

NOTE:

CLINICAL SIGNIFICANCE

Hemoglobin A1c (HbA1c) is a glycated hemoglobin which is formed by the non enzymatic reaction of glucose with native hemoglobin. This process runs continuously throughout the circulatory life of the red cell (average life time 100 - 120 days).

The rate of glycation is directly proportional to the concentration of glucose in the blood. The blood level of HbA1c represents the average blood glucose level over the preceding 6 to 8 weeks (due to the kinetics of erythrocyte turnover this period is more affected by the blood glucose level than the preceding weeks).

Therefore, HbA1c is suitable for retrospective long term monitoring of blood glucose concentration in individuals with diabetes mellitus. Clinical studies have shown that lowering of HbA1c level can help to prevent or delay the incidence of late diabetic complications. As the amount of HbA1c also depends on the total quantity of hemoglobin, the reported HbA1c value is indicated as a percentage of the total hemoglobin concentration. Falsely low values (low HbA1c despite high blood glucose) may occur in people with conditions with shortened red blood cell survival (hemolytic diseases) or significant recent blood loss (higher fraction of young erythrocytes. Falsely high values (high HbA1c despite normal blood glucose) have been reported in iron deficiency anemia (high proportion of old erythrocytes). These circumstances have to be considered in clinical interpretation of HbA1c values

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 22:16:59)

Checked By -

----- End Of Report -----





Preeti Jaiswar Senior Technician ADMLT

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971



UNIVERSAL DIAGNOSTIC CENTRE

S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

	 MONICI	
10891 070		

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:44

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) Sent By : UNIVERSAL DIAGNOSTIC CENTRE

		EXAMINATION OF	URINE	
Test		Result		Biological Ref. Range
PHYSICAL EXAMINATI	<u>on</u>			
QUANTITY (URINE)	:	30	ML	
Colour	:	Pale Yellow		
Appearance	:	Clear		
Reaction (pH)	:	6.0		4.5 - 8.0
Specific Gravity	:	1.020		1.010 - 1.030
CHEMICAL EXAMINATI	<u>ON</u>			
Protein	:	Absent		Absent
Glucose	:	Absent		Abesnt
Ketone	:	Absent		Abesnt
Occult Blood	:	Absent		Absent
Bilirubin	:	Absent		Absent
Urobilinogen	:	Absent		Normal
MICROSCOPIC EXAMIN	ATION			
Epithelial Cells	:	0 - 1	/ hpf	
Pus cells	:	1 - 2	/ hpf	
Red Blood Cells	:	Absent	/ hpf	
Casts	:	Absent	/ lpf	Absent / lpf
Crystals	:	Absent		Absent
OTHER FINDINGS				
Amorphous Deposits	:	Absent		Absent
Yeast Cells	:	Absent		Absent
Bacteria	:	Absent		Absent
Mucus Threads	:	Absent		
Spermatozoa	:	Absent		

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:44:51)

----- End Of Report -----



Checked By -

Preeti Jaiswar

ADMLT

Senior Technician

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:34

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO)

Sent By : UNIVERSAL DIAGNOSTIC CENTRE

BLOOD GROUP					
Test		Result	<u>Unit</u>	Biological Ref. Range	
ABO Group	:	А			
RH Factor	:	POSITIVE			
Slide agglutination test					

Slide Aggllutination Test

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:34:49)

RENAL FUNCTION TESTS						
Test	Result	Unit	Biological Ref. Range			
Blood Urea Method: Urease UV/GLDH	: 32.10	mg/dl	10-50 mg/dl			
Blood Urea Nitrogen	: 14.96	mg/dl	5-18 mg/dl			
S. Creatinine Method: Modified Jaffe's	: 1.02	mg/dl	0.7-1.3 mg/dl			
S. Uric Acid	: 5.0	mg/dl	3.5-7.2 mg/dl			
Total Proteins	: 7.5	gm/dl	6.0-8.0 gm/dl			
S. Albumin	: 3.9	gm/dl	3.5-5.0 gm/dl			
S. Globulin	: 3.6	gm/dl	2.3-3.5 gm/dl			
A/G Ratio	: 1.08		0.90-2.00			
Calcium	: 9.40	mg/dl	8.5-11.0 mg/dl			
S. Phosphorus	: 3.8	mg/dl	2.5-5.0 mg/dl			
S. Sodium	: 139.60	mmol/L	135-155 mmol/L			
S. Potassium	: 3.87	mmol/L	3.5-5.0 mmol/L			
S. Chloride	: 98.50	mmol/L	98-110 mmol/L			
BIOCHEMISTRY TEST DONE ON	FULLY-AUTOMATED ANALYZER	BS120				

ELECTROLYTE TEST DONE ON EL-120 ANALYZER

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:35:48)

Checked By -





Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

Preeti Jaiswar Senior Technician ADMLT



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

Name : MR. MONISH MITHANI

LABID: 10891

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:34

Sent By : UNIVERSAL DIAGNOSTIC CENTRE

		Vitamin - H	312	
Test		<u>Result</u>	<u>Unit</u>	Biological Ref. Range
Serum B12	:	275.3	pg/ml	183 - 822 pg/ml

Method:ELISA method

Interpretation:-

Vitamin B12 deficiency impacts red blood cell synthesis, resulting in megaloblastic anemia due to abnormal DNA synthesis.

In addition it impairs neurological function, in particular de-myelination of nerves in part due to abnormal methylation, leading to peripheral neuropathy, dementia, poor cognitive performance and depression.

Other effects of Vitamin B12 deficiency or depletion are increased risk of neural tubular defects, osteoporosis, cerebro-vascular and cardiovascular diseases.

Vit B12 levels are decreased in megalobstic anemia, partial/total gastrectomy, perniciuos anemia, peripheral neuropathies, chronic alcoholism, senile dementia and treated epilepsy.

An associated increase in homocysteine levels is an independent risk marker for cardiovascular disease and deep vein thrombosis.

Holo Transcobalamin II levels are more accurate marker of active Vitamin B12 component.

High levels of Vitamin B12 may be due to exogenous supplementation.

Checked By -

Note :-

Tests marked with ^ are included in NABL scope. Test results relate to the sample as received. Heterophilc antibodies and rheumatoid factors in samples may interfere with the test results. Patients routinely exposed to animal and animal serum products can be prone to this interference and anamolous values may be observed.

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:36:28)

------ End Of Report ------





Preeti Jaiswar

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

Senior Technician ADMLT



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:36

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO)

Sent By : UNIVERSAL DIAGNOSTIC CENTRE

ERYTHROCYTE SEDIMENTATION RATE (WESTERGREN'S)				
<u>Test</u>		<u>Result</u>	<u>Unit</u>	Biological Ref. Range
E.S.R (Westergren)	:	17	mm at 1hr	0-20 mm at 1hr

Method : Westergren`s

Done with: ErySed Random Access ESR analyzer

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:36:25)

		VITAMIN D3	
Test	Result	Unit	Biological Ref. Range
25 (OH) VIT D	: 14.3	ng/ml	Deficiency: < 20
			Insufficiency: 20-30 Sufficiency:30-100
			Hypervitaminosis: > 100
ELISA method			

Interpretation:

1. Vitamin D is a fat soluble vitamin and exists in two main forms as cholecalciferol (vitamin D3) which is synthesized in skin from 7dehydrocholesterol in response to sunlight exposure & Ergocalciferol (vitamin D2) which is taken up with fortified food or given by supplements. 2. Vitamin D is biologically inert and must undergo two successive hydroxylations in the liver and kidney to become biologically active 1,25dihydroxyvitamin D.

3. Testing for 25(OH) Vitamin D is recommended as it is the best indicator of vitamin D nutritional status as obtained from sunlight exposure & dietary intake.

4. For diagnosis of vitamin D deficiency it is recommended to have clinical correlation with serum 25(OH) Vitamin D, serum calcium, serum PTH & serum alkaline phosphatase.

5 Deficiency causes: • Bone malformation, known as rickets. • Reduced efficiency in utilization of dietary calcium. • Muscle weakness: • Secondary hyperparathyroidism. • Lower bone mineral density.

6. An inverse relationship exists between PTH and 25(OH)D levels, Parathyroid hormone levels start to rise at 25(OH)D levels below 31 ng/mL & usually decrease after the correction of vitamin D insufficiency. Thus, restoration of PTH and 25 (OH)D levels to normalcy after adequate vitamin D replacement therapy is a useful monitoring strategy.

Note

Tests marked with ^ are included in NABL scope. Test results relate to the sample as received. Vitamin D toxicity is known, but rare. Heterophilic antibodies and rheumatoid factors in the samples may interfere with the test results.Patients routinely exposed to animals or animal serum products can be prone to this interference and anamolous values may be observed. Kindly correlate clinically and repeat with fresh sample if indicated.

----- End Of Report

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:36:22)



Checked By -

Preeti Jaiswar Senior Technician ADMLT

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:36

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO)

Sent By : UNIVERSAL DIAGNOSTIC CENTRE

REPORT ON PROSTATE SPECIFIC ANTIGEN						
Test		<u>Result</u>	<u>Unit</u>	Biological Ref. Range		
PSA IN PATIENT'S SERUM	:	1.25	ng/ml	0.00-4.00 ng/ml		
TEST DONE WITH	:	ELISA METHOD				

NOTE :

Prostate specific antigen is a seminal fluid protein produced by normal and malignant epithelial cells of prostate gland and is recognized as a tumour marker for evaluation of prostate cancer activity.

In normal individuals, S.PSA levels do not exceed 4.0 ng/ml.

S.PSA level is useful in detection of cancer of prostate gland and in detection of recurrence of prostate cancer after radical prostatectomy. Serum PSA levels may also be elevated in conditions like BPH, UTI, Digital rectal examination, Transurethral ultrasonography. Confirmation of prostate cancer can be done by transrectal ultrasonography and prostate biopsy.

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:36:40)

----- End Of Report -----



Checked By -



Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

Preeti Jaiswar Senior Technician ADMLT



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:37

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) **Sent By :** UNIVERSAL DIAGNOSTIC CENTRE

LIPID PROFILE				
Test	<u>Result</u>	<u>Unit</u>	Referance Range	
Total Cholesterol	: 198.5	mg/dl	Desirable <200	
			Borderline high 200 - 239	
			High >240	
S. Triglyceride	: 132.50	mg/dl	Desirable <150	
			Borderline high 150 - 199	
			High 200 - 499	
			Very high >500	
HDL Cholesterol	: 35.90	mg/dl	Desirable >60	
			Borderline 40 - 60	
			Low <40	
LDL Cholesterol	: <u>136.1</u> 0	mg/dl	Optimal <100	
			Near optimal 100 - 129	
			Borderline high 130 - 159	
			High 160 - 189	
			Very high >190	
VLDL Cholesterol	: 26.5	mg/dl	<mark>5 - 3</mark> 0 mg/dl	
TC/HDL Ratio	: 5.5		0 - 4.5	
LDL/HDL Ratio	: 3.8		0-3.5	

BIOCHEMISTRY TEST DONE ON FULLY-AUTOMATED ANALYZER BS120.

Checked By -

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:37:11)

----- End Of Report -----





Preeti Jaiswar Senior Technician ADMLT

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:41

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) **Sent By :** UNIVERSAL DIAGNOSTIC CENTRE

SERUM CALCIUM					
<u>Test</u>		<u>Result</u>	<u>Unit</u>	Biological Ref. Range	
Calcium	:	9.87	mg/dl	8.5-11.0 mg/dl	

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:41:19)

----- End Of Report -----





Checked By -



Preeti Jaiswar Senior Technician ADMLT **Dr. Shobha Shetty** M.D. (PATH.) Reg No : MMC89971



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:44

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) **Sent By :** UNIVERSAL DIAGNOSTIC CENTRE

LIVER FUNCTION TEST						
Test			Result	<u>Unit</u>	Biological Ref. Range	
S. Bilirubin (Tota	al)	:	0.58	mg/dl	0-1.2 mg/dl	
S. Bilirubin (Dire	ect)	:	0.24	mg/dl	0-0.40 mg/dl	
S. Bilirubin (Indi	rect)	:	0.34	mg/dl	0-0.55 mg/dl	
S. G. O.T		:	31.40	IU/L	0-42 IU/L	
S. G. P. T		:	27.00	IU/L	0-42 IU/L	
S. Alkaline Phos	phatase	:	216.30	IU/L	40-306 IU/L	
Total Proteins		:	7.50	gm/dl	68 gm/dl	
S. Albumin		:	3.9	gm/dl	3.5-5.0 gm/dl	
S. Globulin		:	3.6	gm/dl	2.3-3.5 gm/dl	
A/G Ratio		:	1.08		0.90-2.00	
BIOCHEMISTRY TEST DONE ON FULLY-AUTOMATED ANALYZER BS120						
(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:44:35)						

------ End Of Report ------




Checked By -




Preeti Jaiswar Senior Technician ADMLT Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

S-1, Vedant Complex, Vartak Nagar, Thane (W)-400606, Tel.: Corporate Health Centr	2588 3531//151 Date: 7 8 24
Blood Urine Stool Vaccine ECG 2D Echo T Employee's Name : <u>Monub Mithani</u> Blood Group : <u>A+</u>	With Glass / Without Glasses Rt. Lt. NEAR NG NG DISTANT 616 676
Age/Sex Contact No. <u>9561604777</u> <u>PHYSIOLOGIC PARAMETERS :</u>	COLOUR VISIONAAGENERAL EXAMINATIONSP02.1.1007.Pulse (Min):80 M. BP (mm Hg): 130/80
Ht. (Cms.) Wt. (Kgs.) BMI 171 Cm 84.50 kg. 28.7 kg1m ² Over weight COMPLAINTS: (Specify if any) - No Specific complants.	R.R. (Min) : 20 m Temp. :98''/. Pallor : Icterus : Clubbing :
- NOH 10 chert pin. PAST HISTORY: NO Specific.	ENT EXAMINATION (Specify if Abnormal)EarNoseTongueTeethTonsilsGums
FAMILY HISTORY: Mothy - HTN, DM Father - HTN, DM.	SYSTEMIC EXAMINATION LOCOMOTOR SYSTEM RESPIRATORY SYSTEM
SURGICAL HISTORY: Lap Appendectory	CARDIOVASCULAR SYSTEM CENTRAL NERVOUS SYSTEM ABDOMEN GENITAL SYSTEM
Chronic / Frequent / Occasional : Smoker / Tobacco Chewer / Alcohlic :	MUSCULOSKELETAL SYSTEM
PFT MEANS SVC PVC FEV1/FVC Remark	PRED % PRED
500 1000 2000 Right Ear Left Ear Remark	- He is clinically
TMC/ZONE-C/	- He is clinically fit at procent to reciene Regular duties.

1 10



PULMONARY FUNCTION TEST



					Shloka Divine Magic of healing DIAGNOSTIC CENTRE
Patient ID.	PAT000273	Name	MONISH PITHANI	Sex/Age M	1/034Y
Date	07-08-2024	Ref by	SIDDHIVINAYAK HOSPITAL	CHEST PA	

RADIOGRAPH OF CHEST PA VIEW

FINDINGS :-

The lungs on either side show equal translucency.

The peripheral pulmonary vasculature is normal.

No focal lung lesion is seen.

Bilateral CP angles are normal.

Both hila are normal in size, have equal density, and bear normal relationships.

The heart and trachea are central in position and no mediastinal abnormality is visible.

The cardiac size is normal.

The domes of the diaphragms are normal in position and show a smooth outline.

IMPRESSION :-

No significant abnormality detected. •

ADVICE :- Clinical correlation and follow up.

Dr. MANISH JOSHI MBBS, DMRE CONSULTANT RADIOLOGIST Reg.no.2018041145

Disclaimer : It is an online interpretation of medical imaging based on clinical data. All modern machines/procedures have their own limitation. If there is any clinical discrepancy, this investigation may be repeated or reassessed by other tests. Patients identification in online reporting is not established, so in no way can this report be utilized for any medico legal purpose. Any error in typing should be corrected immediately.

SHLOKA DIAGNOSTIC CENTRE Venture of Vedant Multi-speciality Hospital and Institute

O Gate No, S-2, Vedant Commercial Complex, Vartak Nagar, Thane (W), 400 606. 😳 022-6848 4848 📵 8097370719 🞯 info@sholkahospital.com



Siddhivinayak Hospital



Imaging Department Sonography | Colour Doppler | 3D / 4D USG

Name - Mr. Manish Mithari	Age - 34 Y/M
Ref by Dr Siddhivinayak Hospital	Date - 07/08/2024

USG ABDOMEN & PELVIS

FINDINGS: -

The liver dimension is enlarged in size (16.9 cm) . It appears normal in morphology with raised echogenicity. No evidence of intrahepatic ductal dilatation.

The **GB**-gallbladder is distended normally. Wall thickness is normal.

The CBD- common bile duct is normal. The portal vein is normal.

The **pancreas** appears normal in morphology.

The spleen is normal in size (11.8 CM) and show normal morphology.

Both kidneys demonstrate normal morphology.

Both kidneys show normal cortical echogenicity.

The right kidney measures 10.8 X 4.2 cm

The left kidney measures 10.7 X 5.5 cm.

Urinary bladder: -normally distended. Wall thickness - normal.

Prostate is normal in size and morphology Size:15.0 grams.

No **free fluid** is seen.

IMPRESSION:-

• Hepatomegaly with fatty liver (Grade I

DR. AMOL BENDRE MBBS; DMRE CONSULTANT RADIOLOGIST







Siddhivinayak Hospital



Imaging Department Sonography | Colour Doppler | 3D / 4D USG

ECHOCARDIOGRAM

NAME	MR. MANISH MITHARI	
AGE/SEX	34 YRS/M	
REFERRED BY	SIDDHIVINAYAK HOSPITAL	
DATE OF EXAMINATION	07/08/2024	

2D/M-MODE ECHOCARDIOGRAPHY

VALVES: MITRAL VALVE:	CHAMBERS:
• AML: Normal	LEFT ATRIUM: Normal
PML: Normal	 Left atrial appendage: Normal
Sub-valvular deformity: Absent	LEFT VENTRICLE: Normal
AORTIC VALVE: Normal	RWMA: No
• No. of cusps: 3	Contraction: Normal
PULMONARY VALVE: Normal	RIGHT ATRIUM: Normal
TRICUSPID VALVE: Normal	RIGHT VENTRICLE: Normal
	RWMA: No
CDD / m / m	Contraction: Normal
• AORTA: Normal	SEPTAE:
	IAS: Intact
PULMONARY ARTERY: Normal	IVS: Intact
ORONARIES: Proximal coronaries normal	VENACAVAE:
ORONARY SINUS: Normal	SVC: Normal
	 IVC: Normal and collapsing >20% with respiration
ULMONARY VEINS: Normal	PERICARDIUM: Normal

MEASUREMENTS:

AORT PARAMETER		LEFT VENTR	RICLE STUDY		
Aortic annulus	OBSERVED VALUE	PARAMETER	OBSERVED VALUE	RIGHT VENTE PARAMETER	OBSERVED
Aortic sinus	21 mm	Left atrium LYIDd	34 mm	Right atrium	VALUE
Sino-tubular junction Ascending aorta	mm	LVIDs	43.1 mm	RVd (Base)	mm
Arch of aorta	mm mm	IVSd	27.0 mm 9.9 mm	RVEF TAPSE	%
Desc. thoracic aorta	mm	LVPWd LVEF	9.9 mm	MPA	mm
louonnai aorta	mm	LVOT	67 % mm	RVOT	nın
				IVC	14.3 mm





COLOR - FLOW & DOPPLER ECHOCARDIOGRAPHY

NAME	MR. MANISH MITHARI	
AGE/SEX	34 YRS/M	
REFERRED BY	SIDDHIVINAYAK HOSPITAL	
DATE OF EXAMINATION	07/08/2024	

	MITRAL	TRICUSPID	AORTIC	PULMONARY
	MITRAL	Thectoric	1.4	1.2
FLOW VELOCITY (m/s)				-
PPG (mmHg)				
MPG (mmHg)				
VALVE AREA (cm ²)				
DVI (ms)				
PR END DIASTOLIC VELOCITY (m/s)				-
ACCELERATION/				
DECELERATION TIME (ms)				
PHT (ms)				
VENA CONTRACTA (mm)		TRJV= m/s		
REGURGITATION		PASP = mmHg		
E/A	1.4		_	
E/E'	8.3			

FINAL IMPRESSION: NORMAL STUDY

- No RWMA
- Normal LV systolic function (LVEF 67 %)
- Good RV systolic function
- Normal diastolic function
- All cardiac valves are normal
- All cardiac chambers are normal
- IAS/IVS intact
- · No pericardial effusion/ clot/vegetations

ADVICE: Nil

ECHOCARDIOGRAPHER: Dr. ANANT MUNDE

DNB, DM (CARDIOLOGY)

INTERVENTIONAL CARDIOLOGIST

Dr. Anant Ramkishanrao Munde MBBS, DNB, DM (Cardiology) Reg. No. 2005021228



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:30

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) **Sent By :** UNIVERSAL DIAGNOSTIC CENTRE

THYROID FUNCTION TEST						
Test	<u>Result</u>	<u>Unit</u>	Biological Ref. Range			
Т3	: 1.2	ng/dl	0.60-2.0 ng/dl			
T4	: 5.44	μg/dl	5.0-13.0 μg/dl			
TOL	2.45	177/ 1				
TSH	: 3.47	µlU/ml	0.4 - 6.0 µlU/ml			

Method:ELISA METHOD

Interpretation

Decreased TSH with raised or within range T3 and T4 is seen in primary hyperthyroidism, toxic thyroid nodule, subclinical hyper-thyroidism, on thyroxine ingestion, post-partum and gestational thyrotoxicosis Raised TSH with decreased T3 and T4 is seen in hypothyroidism and with intermittent T4 therapy. Alterations in TSH are also seen in non-thyroidal illnesses like HIV infection, chronic active hepatitis, estrogen producing tumors, pregnancy, new-born, steroids, glucocorticoids and may cause false thyroid levels for thyroid function tests as with increased age ,marked variations in thyroid hormones are seen. In pregnancy T3 and T4 levels are raised, hence FT3 and Ft4 is to be done to determine hyper or hypothyroidism

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:30:31)



Checked By -



Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

Preeti Jaiswar Senior Technician ADMLT



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:30

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO)

Sent By: UNIVERSAL DIAGNOSTIC CENTRE

FASTING AND POSTPRANDIAL PLASMA GLUCOSE						
Test		Result	<u>Unit</u>	Biological Ref. Range		
Fasting Plasma Glucose Method: Hexokinase	:	129.30	mg/dl	70-110 mg/dl		
Fasting Urine Glucose	:	Absent		Absent		
Fasting Urine Ketone	:	Absent		Absent		
Post Prandial Plasma Glucose (2	:	163.70	mg/dl	70 to 140 mg/dl		
Hrs.after lunch)						
PP Urine Glucose	:	Sample Not Received				
PP Urine Ketone	:	Sample Not Received				
Method : Glucose Oxidase Peroxid	Method : Glucose Oxidase Peroxidase (GOD/POD)					

AS PER AMERICAN DIABETES ASSOCIATION 2010 UPDATE

FASTING GLUCOSE LEVEL-

- Normal glucose tolerance : 70-110 mg/dl
- Impaired Fasting glucose (IFG) : 110-125 mg/dl
- Diabetes mellitus : >=126 mg/dl POSTPRANDIAL/POST GLUCOSE (75 grams)
- Normal glucose tolerance : 70-139 mg/dl Impaired glucose tolerance : 140-199 mg/dl
- Diabetes mellitus : >=200 mg/dl CRITERIA FOR DIAGNOSIS OF DIABETES MELLITUS Fasting plasma glucose
- >=126 mg/dl Classical symptoms +Random plasma glucose >=200 mg/dl
- Plasma glucose >=200 mg/dl (2 hrs after 75 grams of glucose)

Checked By -

- Glycosylated haemoglobin > 6.5% ***Any positive criteria should be tested on subsequent day with same or other criteria.

BIOCHEMISRTY TEST DONE ON MERILYZER CLINIQUANT BIOCHEMISRTY ANALYZER

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:50:09)





Preeti Jaiswar Senior Technician ADMLT

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:30

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) **Sent By :** UNIVERSAL DIAGNOSTIC CENTRE

		COMPLET	E BLOOD COUN	Т		
Test		<u>Result</u>	<u>Unit</u>	Reference Range		
Haemoglobin	:	13.6	gm/dl	14.0-18.0 gm/dl		
<u>RBC PARAMETERS</u>						
Total R.B.C. Count	:	5.11	mill/cumm	4.5-6.5 mill/cumm		
PCV	:	39.7	%	40-54 %		
MCV	:	77.7	fl	76-90 fl		
MCH	:	26.6	Pg	27-32 Pg		
MCHC	:	34.3	gm/dl	30-35 gm/dl		
RDW	:	11.7	%	11-14.5 %		
WBC PARAMETERS						
Total W.B.C. Count	:	7800	per cumm	4000-11000 per cumm		
Neutrophils	:	67	%	40-75 %		
Lymphocytes	:	23	%	20-40 %		
Monocytes	:	08	%	0 - 10 %		
Eosoniphils	:	02	%	0 - 6 %		
Basophils	:	00	%	0-1 %		
Band Forms	:	00	%	0 - 0 %		
PLATELET PARAMET	<u>'ERS</u>					
Platelet Count	:	338000	per cu.mm.	150000 - 450000 per cu.mm.		
MPV	:	10.0	fL	3-12 fL		
PERIPHERIAL SMEAN	R FINDINGS:					
WBC Morphology	•	Normal				
RBC Morphology	:	Mild Hyp	ochromasia.			
Platelets on Smear	:		Adequate on smear.			
EDTA Sample Procesed On	a Fully Automated 3-I	-				

EDTA Sample Procesed On a Fully Automated 3-Part Analyzer H-360

Checked By -

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 21:15:11)





Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

Preeti Jaiswar Senior Technician ADMLT



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:30

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO)

Sent By : UNIVERSAL DIAGNOSTIC CENTRE

	GLYCOS	YLATED-HAEMOGI	OBIN (GHb)/ HbA	1C BY HPLC	
Test		<u>Result</u>	<u>Unit</u>	Referance Range	
HbA1C	:	5.7	%	Normal : 4 - 6.2% Prediabetic : < 7 %	
Estimated averag	e Glucose:	116.89	mg / dl	Diabetes : > 8 % 70-140 mg / dl	
(eAG)					

Method: Particle enhanced immunoturbidimetric test

NOTE:

CLINICAL SIGNIFICANCE

Hemoglobin A1c (HbA1c) is a glycated hemoglobin which is formed by the non enzymatic reaction of glucose with native hemoglobin. This process runs continuously throughout the circulatory life of the red cell (average life time 100 - 120 days).

The rate of glycation is directly proportional to the concentration of glucose in the blood. The blood level of HbA1c represents the average blood glucose level over the preceding 6 to 8 weeks (due to the kinetics of erythrocyte turnover this period is more affected by the blood glucose level than the preceding weeks).

Therefore, HbA1c is suitable for retrospective long term monitoring of blood glucose concentration in individuals with diabetes mellitus. Clinical studies have shown that lowering of HbA1c level can help to prevent or delay the incidence of late diabetic complications. As the amount of HbA1c also depends on the total quantity of hemoglobin, the reported HbA1c value is indicated as a percentage of the total hemoglobin concentration. Falsely low values (low HbA1c despite high blood glucose) may occur in people with conditions with shortened red blood cell survival (hemolytic diseases) or significant recent blood loss (higher fraction of young erythrocytes. Falsely high values (high HbA1c despite normal blood glucose) have been reported in iron deficiency anemia (high proportion of old erythrocytes). These circumstances have to be considered in clinical interpretation of HbA1c values

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 22:16:59)

Checked By -

----- End Of Report -----





Preeti Jaiswar Senior Technician ADMLT

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971



UNIVERSAL DIAGNOSTIC CENTRE

S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

	 MONICI	
10891 070		

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:44

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) Sent By : UNIVERSAL DIAGNOSTIC CENTRE

		EXAMINATION OF	URINE	
Test		Result		Biological Ref. Range
PHYSICAL EXAMINATI	<u>on</u>			
QUANTITY (URINE)	:	30	ML	
Colour	:	Pale Yellow		
Appearance	:	Clear		
Reaction (pH)	:	6.0		4.5 - 8.0
Specific Gravity	:	1.020		1.010 - 1.030
CHEMICAL EXAMINATI	<u>ON</u>			
Protein	:	Absent		Absent
Glucose	:	Absent		Abesnt
Ketone	:	Absent		Abesnt
Occult Blood	:	Absent	Absent	
Bilirubin	:	Absent		Absent
Urobilinogen	:	Absent		Normal
MICROSCOPIC EXAMIN	ATION			
Epithelial Cells	:	0 - 1	/ hpf	
Pus cells	:	1 - 2	/ hpf	
Red Blood Cells	:	Absent	/ hpf	
Casts	:	Absent	/ lpf	Absent / lpf
Crystals	:	Absent		Absent
OTHER FINDINGS				
Amorphous Deposits	:	Absent		Absent
Yeast Cells	:	Absent		Absent
Bacteria	:	Absent		Absent
Mucus Threads	:	Absent		
Spermatozoa	:	Absent		

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:44:51)

----- End Of Report -----



Checked By -

Preeti Jaiswar

ADMLT

Senior Technician

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:34

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO)

Sent By : UNIVERSAL DIAGNOSTIC CENTRE

		BLOOD GR	OUP	
Test		<u>Result</u>	<u>Unit</u>	Biological Ref. Range
ABO Group	:	А		
RH Factor	:	POSITIVE		
Slide agglutination test				

Slide Aggllutination Test

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:34:49)

RENAL FUNCTION TESTS					
Test	Result	Unit	Biological Ref. Range		
Blood Urea Method: Urease UV/GLDH	: 32.10	mg/dl	10-50 mg/dl		
Blood Urea Nitrogen	: 14.96	mg/dl	5-18 mg/dl		
S. Creatinine Method: Modified Jaffe's	: 1.02	mg/dl	0.7-1.3 mg/dl		
S. Uric Acid	: 5.0	mg/dl	3.5-7.2 mg/dl		
Total Proteins	: 7.5	gm/dl	6.0-8.0 gm/dl		
S. Albumin	: 3.9	gm/dl	3.5-5.0 gm/dl		
S. Globulin	: 3.6	gm/dl	2.3-3.5 gm/dl		
A/G Ratio	: 1.08		0.90-2.00		
Calcium	: 9.40	mg/dl	8.5-11.0 mg/dl		
S. Phosphorus	: 3.8	mg/dl	2.5-5.0 mg/dl		
S. Sodium	: 139.60	mmol/L	135-155 mmol/L		
S. Potassium	: 3.87	mmol/L	3.5-5.0 mmol/L		
S. Chloride	: 98.50	mmol/L	98-110 mmol/L		
BIOCHEMISTRY TEST DONE ON	FULLY-AUTOMATED ANALYZER	BS120			

ELECTROLYTE TEST DONE ON EL-120 ANALYZER

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:35:48)

Checked By -





Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

Preeti Jaiswar Senior Technician ADMLT



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

Name : MR. MONISH MITHANI

LABID: 10891

Age : 34 Yrs. **Sex** : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:34

 $\textbf{Ref. By}: \texttt{SIDDHIVINAYAK} \ \texttt{HOSPITAL} \ (\texttt{APOLLO})$

Sent By : UNIVERSAL DIAGNOSTIC CENTRE

Vitamin - B12				
Test		<u>Result</u>	<u>Unit</u>	Biological Ref. Range
Serum B12	:	275.3	pg/ml	183 - 822 pg/ml

Method:ELISA method

Interpretation:-

Vitamin B12 deficiency impacts red blood cell synthesis, resulting in megaloblastic anemia due to abnormal DNA synthesis.

In addition it impairs neurological function, in particular de-myelination of nerves in part due to abnormal methylation, leading to peripheral neuropathy, dementia, poor cognitive performance and depression.

Other effects of Vitamin B12 deficiency or depletion are increased risk of neural tubular defects, osteoporosis, cerebro-vascular and cardiovascular diseases.

Vit B12 levels are decreased in megalobstic anemia, partial/total gastrectomy, perniciuos anemia, peripheral neuropathies, chronic alcoholism, senile dementia and treated epilepsy.

An associated increase in homocysteine levels is an independent risk marker for cardiovascular disease and deep vein thrombosis.

Holo Transcobalamin II levels are more accurate marker of active Vitamin B12 component.

High levels of Vitamin B12 may be due to exogenous supplementation.

Checked By -

Note :-

Tests marked with ^ are included in NABL scope. Test results relate to the sample as received. Heterophilc antibodies and rheumatoid factors in samples may interfere with the test results. Patients routinely exposed to animal and animal serum products can be prone to this interference and anamolous values may be observed.

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:36:28)

------ End Of Report ------





Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

Preeti Jaiswar Senior Technician ADMLT



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:36

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO)

Sent By : UNIVERSAL DIAGNOSTIC CENTRE

ERYTHROCYTE SEDIMENTATION RATE (WESTERGREN'S)				
<u>Test</u>		<u>Result</u>	<u>Unit</u>	Biological Ref. Range
E.S.R (Westergren)	:	17	mm at 1hr	0-20 mm at 1hr

Method : Westergren`s

Done with: ErySed Random Access ESR analyzer

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:36:25)

		VITAMIN D3	
Test	Result	Unit	Biological Ref. Range
25 (OH) VIT D	: 14.3	ng/ml	Deficiency: < 20
			Insufficiency: 20-30 Sufficiency:30-100
			Hypervitaminosis: > 100
ELISA method			

Interpretation:

1. Vitamin D is a fat soluble vitamin and exists in two main forms as cholecalciferol (vitamin D3) which is synthesized in skin from 7dehydrocholesterol in response to sunlight exposure & Ergocalciferol (vitamin D2) which is taken up with fortified food or given by supplements. 2. Vitamin D is biologically inert and must undergo two successive hydroxylations in the liver and kidney to become biologically active 1,25dihydroxyvitamin D.

3. Testing for 25(OH) Vitamin D is recommended as it is the best indicator of vitamin D nutritional status as obtained from sunlight exposure & dietary intake.

4. For diagnosis of vitamin D deficiency it is recommended to have clinical correlation with serum 25(OH) Vitamin D, serum calcium, serum PTH & serum alkaline phosphatase.

5 Deficiency causes: • Bone malformation, known as rickets. • Reduced efficiency in utilization of dietary calcium. • Muscle weakness: • Secondary hyperparathyroidism. • Lower bone mineral density.

6. An inverse relationship exists between PTH and 25(OH)D levels, Parathyroid hormone levels start to rise at 25(OH)D levels below 31 ng/mL & usually decrease after the correction of vitamin D insufficiency. Thus, restoration of PTH and 25 (OH)D levels to normalcy after adequate vitamin D replacement therapy is a useful monitoring strategy.

Note

Tests marked with ^ are included in NABL scope. Test results relate to the sample as received. Vitamin D toxicity is known, but rare. Heterophilic antibodies and rheumatoid factors in the samples may interfere with the test results.Patients routinely exposed to animals or animal serum products can be prone to this interference and anamolous values may be observed. Kindly correlate clinically and repeat with fresh sample if indicated.

----- End Of Report

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:36:22)



Checked By -

Preeti Jaiswar Senior Technician ADMLT

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:36

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO)

Sent By : UNIVERSAL DIAGNOSTIC CENTRE

REPORT ON PROSTATE SPECIFIC ANTIGEN					
Test Result Unit Biological Ref. Range					
PSA IN PATIENT'S SERUM	:	1.25	ng/ml	0.00-4.00 ng/ml	
TEST DONE WITH	:	ELISA METHOD			

NOTE :

Prostate specific antigen is a seminal fluid protein produced by normal and malignant epithelial cells of prostate gland and is recognized as a tumour marker for evaluation of prostate cancer activity.

In normal individuals, S.PSA levels do not exceed 4.0 ng/ml.

S.PSA level is useful in detection of cancer of prostate gland and in detection of recurrence of prostate cancer after radical prostatectomy. Serum PSA levels may also be elevated in conditions like BPH, UTI, Digital rectal examination, Transurethral ultrasonography. Confirmation of prostate cancer can be done by transrectal ultrasonography and prostate biopsy.

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:36:40)

----- End Of Report -----



Checked By -



Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971

Preeti Jaiswar Senior Technician ADMLT



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:37

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) **Sent By :** UNIVERSAL DIAGNOSTIC CENTRE

LIPID PROFILE					
Test	<u>Result</u>	<u>Unit</u>	Referance Range		
Total Cholesterol	: 198.5	mg/dl	Desirable <200		
			Borderline high 200 - 239		
			High >240		
S. Triglyceride	: 132.50	mg/dl	Desirable <150		
			Borderline high 150 - 199		
			High 200 - 499		
			Very high >500		
HDL Cholesterol	: 35.90	mg/dl	Desirable >60		
			Borderline 40 - 60		
			Low <40		
LDL Cholesterol	: <u>136.1</u> 0	mg/dl	Optimal <100		
			Near optimal 100 - 129		
			Borderline high 130 - 159		
			High 160 - 189		
			Very high >190		
VLDL Cholesterol	: 26.5	mg/dl	<mark>5 - 3</mark> 0 mg/dl		
TC/HDL Ratio	: 5.5		0 - 4.5		
LDL/HDL Ratio	: 3.8		0-3.5		

BIOCHEMISTRY TEST DONE ON FULLY-AUTOMATED ANALYZER BS120.

Checked By -

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:37:11)

----- End Of Report -----





Preeti Jaiswar Senior Technician ADMLT

Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:41

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) **Sent By :** UNIVERSAL DIAGNOSTIC CENTRE

SERUM CALCIUM							
Test		<u>Result</u>	<u>Unit</u>	Biological Ref. Range			
Calcium	:	9.87	mg/dl	8.5-11.0 mg/dl			

(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:41:19)

----- End Of Report -----





Checked By -



Preeti Jaiswar Senior Technician ADMLT **Dr. Shobha Shetty** M.D. (PATH.) Reg No : MMC89971



S3/57, Vedant Complex, Pokharan Road No. 1, Vartak Nagar, Thane (W) 400 606. Contact No: 022 47488444 / +91 9930081525. Email: udcpath@gmail.com

LABID: 10891

Name : MR. MONISH MITHANI

Age : 34 Yrs. Sex : M

Sample Collection : 07/08/2024 13:34 Sample Received : 07/08/2024 13:34 Report Released : 07/08/2024 15:44

Ref. By : SIDDHIVINAYAK HOSPITAL (APOLLO) **Sent By :** UNIVERSAL DIAGNOSTIC CENTRE

LIVER FUNCTION TEST								
<u>Test</u>				Result	<u>Unit</u>	Biological Ref. Range		
S. Bilirubin (Total)		:	0.58	mg/dl	0-1.2 mg/dl			
S. Bilirubin (Direct)		:	0.24	mg/dl	0-0.40 mg/dl			
S. Bilirubin (Indirect)		:	0.34	mg/dl	0-0.55 mg/dl			
S. G. O.T		:	31.40	IU/L	0-42 IU/L			
S. G. P. T		:	27.00	IU/L	0-42 IU/L			
S. Alkaline Phosphatase		:	216.30	IU/L	40-306 IU/L			
Total Proteins			:	7.50	gm/dl	68 gm/dl		
S. Albumin			:	3.9	gm/dl	3.5-5.0 gm/dl		
S. Globulin			:	3.6	gm/dl	2.3-3.5 gm/dl		
A/G Ratio			:	1.08		0.90-2.00		
BIOCHEMISTRY TEST DONE ON FULLY-AUTOMATED ANALYZER BS120								
(Collected At: 07/08/2024 13:34:44, Received At: 07/08/2024 13:34:44, Reported At: 07/08/2024 15:44:35)								

------ End Of Report ------



Checked By -



Preeti Jaiswar Senior Technician ADMLT Dr. Shobha Shetty M.D. (PATH.) Reg No : MMC89971