
#### **Chandan Diagnostic**



Age / Gender:45/MaleDate and Time:16th Sep 24 11:57 AMPatient ID:CVAR0065062425Patient Name:Mr.RAKESH KUMAR - 35E7589







Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name Age/Gender UHID/MR NO Visit ID Ref Doctor	: Mr.RAKESH KUMAR - 35E : 45 Y 8 M 11 D /M : CVAR.0000055673 : CVAR0065062425 : Dr.MEDIWHEEL VNS -	7589	Registered C Collected Received Reported Status	On : 16/Sep/2024 0 : 16/Sep/2024 1 : 16/Sep/2024 1 : 16/Sep/2024 1 : Final Report	1:00:54 1:55:53
		DEPARTMENT (			
				EABOVE 40 YRS	
Test Name		Result	Unit	Bio. Ref. Interval	Method
Blood Group (AF	3O & Rh typing) ** , <i>Blood</i>				
• •	, <i>Biood</i>	0			Ερντμρορντη
Blood Group Rh ( Anti-D)		OPOSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood	Count (CBC) ** , Whole Blo	od			
Haemoglobin		12.80	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC)		4,600.00	/Cu mm	4000-10000	IMPEDANCE METHOD
<u>DLC</u> Bolymorphs (Nou	itrophile \	60.00	0/	40.80	
Polymorphs (Neu Lymphocytes	au ophilis )	68.00 28.00	% %	40-80 20-40	FLOW CYTOMETRY FLOW CYTOMETRY
Monocytes		28.00	%	2-10	FLOW CYTOMETRY
Eosinophils		2.00	%	1-6	FLOW CYTOMETRY
Basophils ESR		0.00	%	< 1-2	FLOW CYTOMETRY
Observed		10.00	MM/1H	10-19 Yr 8.0 20-29 Yr 10.8 30-39 Yr 10.4 40-49 Yr 13.6 50-59 Yr 14.2 60-69 Yr 16.0 70-79 Yr 16.5 80-91 Yr 15.8	











Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name Age/Gender	: Mr.RAKESH KUMAR - 35E7589 : 45 Y 8 M 11 D /M	Registered On Collected	: 16/Sep/2024 08:40:48 : 16/Sep/2024 11:00:54
UHID/MR NO	: CVAR.0000055673	Received	: 16/Sep/2024 11:55:53
Visit ID	: CVAR0065062425	Reported	: 16/Sep/2024 13:40:59
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

#### DEPARTMENT OF HAEM ATOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Pregnancy Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	6.00	Mm for 1st hr.	<9	
PCV (HCT)	40.60	%	40-54	
Platelet count				
Platelet Count	1.60	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.90	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	43.70	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.20	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume) RBC <i>C</i> ount	12.20	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count	4.28	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)		<i>c</i> ,		
MCV	94.80	fl	80-100	CALCULATED PARAMETER
MCH	29.90	pg	27-32	CALCULATED PARAMETER
МСНС	31.60	%	30-38	CALCULATED PARAMETER
RDW-CV	15.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	53.00	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,128.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	92.00	/cu mm	40-440	

S.N. Sinton Dr.S.N. Sinha (MD Path)

Page 2 of 13

View Reports on









Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name	: Mr.RAKESH KUMAR - 35E7589	Registered On	: 16/Sep/2024 08:40:49
Age/Gender	: 45 Y 8 M 11 D /M	Collected	: 16/Sep/2024 11:00:54
UHID/MR NO	: CVAR.0000055673	Received	: 16/Sep/2024 11:55:53
Visit ID	: CVAR0065062425	Reported	: 16/Sep/2024 14:13:26
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report
	DEPARTM	ENT OF BIOCHEMIST	۲Y

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interv	val	Method
GLUCOSE FASTING ** , Plasma					
Glucose Fasting	89.90	100	00 Normal )-125 Pre-diabetes 26 Diabetes	GOD POI	)

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

**CLINICAL SIGNIFICANCE:-** Glucose is the major source of energy in the body. Lack of insulin or resistance to it section at the cellular level causes diabetes. Therefore, the blood glucose levels are very high. Elevated serum glucose levels are observed in diabetes mellitus and may be associated with pancreatitis, pituitary or thyroid dysfunction and liver disease. Hypoglycaemia occurs most frequently due to over dosage of insulin.

Glucose PP * *	110.00	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impaired Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \*\* , EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.00	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	31.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	97	mg/dl	

#### Interpretation:

#### <u>NOTE</u>:-

• eAG is directly related to A1c.



Chandan 24x7 App

Page 3 of 13







Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name	: Mr.RAKESH KUMAR - 35E7589	Registered On	: 16/Sep/2024 08:40:49
Age/Gender	: 45 Y 8 M 11 D /M	Collected	: 16/Sep/2024 11:00:54
UHID/MR NO	: CVAR.0000055673	Received	: 16/Sep/2024 11:55:53
Visit ID	: CVAR0065062425	Reported	: 16/Sep/2024 14:13:26
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Result

Unit

Bio. Ref. Interval Method

- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B. : Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) **	9.90	mg/dL	7.0-23.0	CALCULATED
Sample:Serum				



Page 4 of 13









Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name	: Mr.RAKESH KUMAR - 3	5E7589	Registere		: 16/Sep/202		
Age/Gender	: 45 Y 8 M 11 D /M		Collected		: 16/Sep/202		
UHID/MR NO	: CVAR.0000055673		Received		: 16/Sep/202		
Visit ID	: CVAR0065062425		Reported	1	: 16/Sep/202		
Ref Doctor	: Dr.MEDIWHEEL VNS -		Status		: Final Report	-	
		DEPARTMEN HEEL BANK OF					
Test Name		Result			Bio. Ref. Interv	al Method	
Interpretation: Note: Elevated BU	N levels can be seen in tl	ne following:					
High-protein diet, De	hydration, Aging, Certain n	nedications, Burns	s, Gastrointestim	nal (GI) b	leeding.		
Low BUN levels ca	n be seen in the following	g:					
Low-protein diet, ove	erhydration, Liver disease.						
					-		
Creatinine * * Sample:Serum		1.10	mg/dl	0.7-1.3	0	MODIFIED JAFFES	
Eample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co	ngle creatinine value must b er creatinine concentration. oncentration. Serum creatini dly and may result in anoma	e interpreted in lig The trend of seru ne concentrations	ght of the patien m creatinine con may increase v	ts muscle ncentratio vhen an A	e mass. A patient v ons over time is m ACE inhibitor (AC	with a greater muscle fore important than CE) is taken. The assay	
Eample:Serum Interpretation: The significance of si mass will have a high absolute creatinine cc could be affected mile	er creatinine concentration. oncentration. Serum creating	e interpreted in lig The trend of seru ne concentrations	ght of the patien m creatinine con may increase v	ts muscle ncentratio vhen an A	e mass. A patient v ons over time is m ACE inhibitor (A0 hilic antibodies, h	with a greater muscle fore important than CE) is taken. The assay	
Eample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. Jric Acid ** Eample:Serum Interpretation: Note:-	er creatinine concentration. oncentration. Serum creating	e interpreted in lig The trend of seru ine concentrations alous values if seru 6.50	ght of the patien m creatinine con may increase v im samples have	ts muscle ncentratio vhen an A e heteropl	e mass. A patient v ons over time is m ACE inhibitor (A0 hilic antibodies, h	with a greater muscle fore important than CE) is taken. The assay temolyzed, icteric or	
Eample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. Jric Acid ** Eample:Serum Interpretation: Note:- Elevated uric acid I	er creatinine concentration. oncentration. Serum creatini dly and may result in anoma	e interpreted in lig The trend of seru ne concentrations alous values if seru 6.50 <b>6.50</b>	ght of the patien m creatinine con may increase v um samples have mg/dl	ts muscle ncentratio vhen an <i>A</i> e heterop 3.4-7.0	e mass. A patient v ons over time is m ACE inhibitor (A0 hilic antibodies, h	with a greater muscle fore important than CE) is taken. The assay temolyzed, icteric or	
Eample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mile lipemic. Jric Acid ** Eample:Serum Interpretation: Note:- Elevated uric acid I	er creatinine concentration. oncentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic	e interpreted in lig The trend of seru ne concentrations alous values if seru 6.50 <b>6.50</b>	ght of the patien m creatinine con may increase v um samples have mg/dl	ts muscle ncentratio vhen an <i>A</i> e heterop 3.4-7.0	e mass. A patient v ons over time is m ACE inhibitor (A0 hilic antibodies, h	with a greater muscle fore important than CE) is taken. The assay temolyzed, icteric or	
The significance of si         The significance of si         mass will have a high         absolute creatinine cc         could be affected mild         lipemic.         Jric Acid **         Sample:Serum         Interpretation:         Note:-         Elevated uric acid I         Drugs, Diet (high-pro         FT (WITH GAMMA	er creatinine concentration. oncentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic	e interpreted in lig The trend of seru ne concentrations alous values if seru 6.50 <b>6.50</b>	ght of the patien m creatinine con may increase v um samples have mg/dl	ts muscle ncentratio vhen an <i>A</i> e heterop 3.4-7.0	e mass. A patient v ons over time is m ACE inhibitor (A0 hilic antibodies, h	with a greater muscle fore important than CE) is taken. The assay temolyzed, icteric or	
Eample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mild lipemic. Jric Acid ** Eample:Serum Interpretation: Note:- Elevated uric acid I Drugs, Diet (high-pro JFT (WITH GAMMA SGOT / Aspartate Am SGPT / Alanine Amir	er creatinine concentration. oncentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic AGT) ** , <i>Serum</i> ninotransferase (AST)	e interpreted in lig The trend of seru ine concentrations alous values if seru 6.50 <b>Collowing:</b> kidney disease, F	ght of the patien m creatinine cor may increase v um samples have mg/dl Hypertension, O U/L U/L	ts muscle ncentratio vhen an A e heteroph 3.4-7.0 besity.	e mass. A patient v ons over time is m ACE inhibitor (A0 hilic antibodies, h	with a greater muscle fore important than CE) is taken. The assay temolyzed, icteric or URICASE	
ample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mild lipemic. Jric Acid ** ample:Serum Interpretation: Note:- Elevated uric acid I Drugs, Diet (high-pro FT (WITH GAMMA SGOT / Aspartate Am SGPT / Alanine Amir Gamma GT (GGT)	er creatinine concentration. oncentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic AGT) ** , <i>Serum</i> ninotransferase (AST)	e interpreted in lig The trend of seru ne concentrations ilous values if seru 6.50 <b>Collowing:</b> kidney disease, F 21.30 13.70 42.80	ght of the patien m creatinine con may increase v im samples have mg/dl Hypertension, O U/L U/L IU/L	ts muscle ncentratio vhen an A e heteroph 3.4-7.0 besity. < 35 < 40 11-50	e mass. A patient v ons over time is m ACE inhibitor (AC hilic antibodies, h	with a greater muscle fore important than CE) is taken. The assay molyzed, icteric or URICASE	
ample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mild lipemic. Jric Acid ** ample:Serum Interpretation: Note:- Elevated uric acid I Drugs, Diet (high-pro FT (WITH GAMMA SGOT / Aspartate Am SGPT / Alanine Amir Gamma GT (GGT) Protein	er creatinine concentration. oncentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic AGT) ** , <i>Serum</i> ninotransferase (AST)	e interpreted in lig The trend of seru ine concentrations alous values if seru 6.50 <b>Collowing:</b> kidney disease, F 21.30 13.70 42.80 6.10	ght of the patien m creatinine cor may increase v im samples have mg/dl Hypertension, O U/L U/L IU/L gm/dl	ts muscle ncentratio vhen an <i>A</i> e heteroph 3.4-7.0 besity. < 35 < 40 11-50 6.2-8.0	e mass. A patient v ons over time is m ACE inhibitor (AC hilic antibodies, h	vith a greater muscle fore important than (CE) is taken. The assay memolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET	
ample:Serum Interpretation: The significance of si mass will have a high absolute creatinine co could be affected mild lipemic. Jric Acid ** ample:Serum Interpretation: Note:- Elevated uric acid I Drugs, Diet (high-pro FT (WITH GAMMA SGOT / Aspartate Amis SGPT / Alanine Amir Gamma GT (GGT) Protein Albumin	er creatinine concentration. oncentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic AGT) ** , <i>Serum</i> ninotransferase (AST)	e interpreted in lig The trend of seru ine concentrations alous values if seru 6.50 <b>Following:</b> kidney disease, F 21.30 13.70 42.80 6.10 3.70	ght of the patien m creatinine con may increase v im samples have mg/dl Hypertension, O U/L U/L U/L IU/L gm/dl gm/dl	ts muscle ncentratio vhen an <i>A</i> e heteroph 3.4-7.0 besity. < 35 < 40 11-50 6.2-8.0 3.4-5.4	e mass. A patient v ons over time is m ACE inhibitor (AC hilic antibodies, h	with a greater muscle fore important than CE) is taken. The assay remolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET B.C.G.	
The significance of si         mass will have a high         absolute creatinine cc         could be affected mild         lipemic.         Jric Acid **         Sample:Serum         Interpretation:         Note:-         Elevated uric acid I         Drugs, Diet (high-proc         FT (WITH GAMMA         SGOT / Aspartate Am         SGPT / Alanine Amir         Gamma GT (GGT)         Protein	er creatinine concentration. oncentration. Serum creatini dly and may result in anoma levels can be seen in the f otein diet, alcohol), Chronic AGT) ** , <i>Serum</i> ninotransferase (AST)	e interpreted in lig The trend of seru ine concentrations alous values if seru 6.50 <b>Collowing:</b> kidney disease, F 21.30 13.70 42.80 6.10	ght of the patien m creatinine cor may increase v im samples have mg/dl Hypertension, O U/L U/L IU/L gm/dl	ts muscle ncentratio vhen an <i>A</i> e heteroph 3.4-7.0 besity. < 35 < 40 11-50 6.2-8.0	e mass. A patient v ons over time is m ACE inhibitor (AC hilic antibodies, h	vith a greater muscle fore important than (CE) is taken. The assay memolyzed, icteric or URICASE IFCC WITHOUT P5P IFCC WITHOUT P5P IFCC WITHOUT P5P OPTIMIZED SZAZING BIURET	









Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name	: Mr.RAKESH KUMAR - 35E7589	Registered On	: 16/Sep/2024 08:40:49
Age/Gender	: 45 Y 8 M 11 D /M	Collected	: 16/Sep/2024 11:00:54
UHID/MR NO	: CVAR.0000055673	Received	: 16/Sep/2024 11:55:53
Visit ID	: CVAR0065062425	Reported	: 16/Sep/2024 14:13:26
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	nit Bio. Ref. Inter	val Method
Alkaline Phosphatase (Total)	104.60	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	1.60	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.60	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	1.00	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) ** , Serum				
Cholesterol (Total)	134.00	mg/dl	<200 Desirable 200-239 Borderline Hij > 240 High	CHOD-PAP gh
HDL Cholesterol (Good Cholesterol)	34.60	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	71	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	28.60	mg/dl	10-33	CALCULATED
Triglycerides	143.00	mg/dl	< 150 Normal 150-199 Borderline Hi <sub>l</sub> 200-499 High >500 Very High	GPO-PAP gh

S.n. Sinta Dr.S.N. Sinha (MD Path)

Page 6 of 13





View Reports on Chandan 24x7 App







Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

DEPARTMENT OF CUINICAL PATHOLOGY MEDIWHEEL BANK OF BARDDA MALE ABOVE 40 YRS Ted Name Pesult Unit Bio Ref. Interval Method URINE EXAMINATION, ROUTINE**, Urine Color YELLOW Specific Gravity 1.015 Reaction PH Acidic (6.0) UIPSTICK Appearance CLEAR Protein ABSENT mg % <10 Absent DIPSTICK 200 500 (+++) 200 500 (++) 200 500 (++) 20	Patient Name Age/Gender UHID/MR NO Visit ID Ref Doctor	: Mr.RAKESH KUMAR - 35E : 45 Y 8 M 11 D /M : CVAR.0000055673 : CVAR0065062425 : Dr.MEDIWHEEL VNS -	57589	Registered On Collected Received Reported Status	: 16/Sep/2024 08 : 16/Sep/2024 17 : 16/Sep/2024 17 : 16/Sep/2024 17 : Final Report	:30:40 :31:30
Test Name     Result     Unit     Bio. Ref. Interval     Method       URINE EXAMINATION, ROUTINE ** , Unite     VELLOW     Specific Gravity     1.015       Specific Gravity     1.015     DIPSTICK       Appearance     CLEAR     DIPSTICK       Protein     ABSENT     mg % <10 Absent     DIPSTICK       Sugar     ABSENT     mg % <10 Absent     DIPSTICK       Sugar     ABSENT     gms% <05 (+)     DIPSTICK       Sugar     ABSENT     gms% <05 (+)     DIPSTICK       Bile Salts     ABSENT     BIOCHEMISTRY     Urine -014.0       Bile Salts     ABSENT     DIPSTICK       Bile Salts     ABSENT     DIPSTICK       Bile Salts     ABSENT     DIPSTICK       Uroe0.0-14.0     DIPSTICK     DIPSTICK       Bile Salts     ABSENT     DIPSTICK       Bile Salts     ABSENT     DIPSTICK       Bile Salts     ABSENT     DIPSTICK       Bilrubin     ABSENT     DIPSTICK       Urobilingen(1:20 dilution)     ABSENT     DIPSTICK       Bilod     A						
URINE EXAMINATION, ROUTINE**, Urine Color YELLOW Specific Gravity 1.015 Reaction PH Acidic (6.0) DIPSTICK Appearance CLEAR Protein ABSENT mg % <10 Absent DIPSTICK 10-40 (+) 40-200 (++) 200-500 (+++) 5000 (++) 5000	Test Name	MEDIWH				Method
Color Specific GravityYELLOW 1.015DIPSTICKReaction PHAcidic (6.0)DIPSTICKAppearanceCLEARDIPSTICKProteinABSENTmg % Ac220 (++) 200-500 (+++) 200-500 (+++) <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>						
Specific Gravity       1.015         Reaction PH       Acidic (6.0)         Appearance       CLEAR         Protein       ABSENT       mg %       <10 Absent	URINE EXAMIN/	ATION, ROUTINE** , Urine	9			
Reaction PH     Acidic (6.0)     DIPSTICK       Appearance     CLEAR     DIPSTICK       Protein     ABSENT     mg %     <10 Absent	Color		YELLOW			
Appearance       CLEAR         Protein       ABSENT       mg %       <10 Absent	Specific Gravity		1.015			
Protein     ABSENT     mg %     <10 Absent     DIPSTICK       Sugar     ABSENT     gms%     <10 Absent	Reaction PH					DIPSTICK
Sugar       ABSENT       gms%       <0.5 (+) >S00 (++++) >S00 (++++) >S00 (++++) -S00 (++++) -S0 (-+++) +12 (+++) +2 (+++) >2 (++++)       DIPSTICK         Ketone       ABSENT       gms%       <0.5 (+) -1.2 (+++) +2 (+++) >2 (++++)       BIOCHEMISTRY         Bile Salts       ABSENT       BIOCHEMISTRY       DIPSTICK         Bile Pigments       ABSENT       DIPSTICK       DIPSTICK         Bile Pigments       ABSENT       DIPSTICK       DIPSTICK         Leucocyte Esterase       ABSENT       DIPSTICK       DIPSTICK         Urobilinogen(1:20 dilution)       ABSENT       DIPSTICK       DIPSTICK         Nitrite       ABSENT       DIPSTICK       DIPSTICK         Blood       ABSENT       DIPSTICK       DIPSTICK         Blood       ABSENT       DIPSTICK       EXAMINATION         Pus cells       1-2/h.p.f       MICROSCOPIC       EXAMINATION         Pus cells       1-2/h.p.f       MICROSCOPIC       EXAMINATION         Cast       ABSENT       MICROSCOPIC       EXAMINATION         Cast       ABSENT       MICROSCOPIC       EXAMINATION         Chers       ABSENT       MICROSCOPIC       EXAMINATION         Chers       ABSENT       MICROSCOPIC       EXAMINATION <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
Notesting       0.5-1.0 (++) 1-2 (+++) > 2 (+++) > 2 (+++)       1-2 (+++) > 2 (+++)         Ketone       ABSENT       BIOCHEMISTRY Urine-0.0-14.0       BIOCHEMISTRY         Bile Salts       ABSENT       DIPSTICK         Bile Pigments       ABSENT       DIPSTICK         Bilirubin       ABSENT       DIPSTICK         Urine-0.0-14.0       DIPSTICK       DIPSTICK         Bilirubin       ABSENT       DIPSTICK         Bilood       ABSENT       DIPSTICK         Bilood       ABSENT       DIPSTICK         Blood       ABSENT       MICROSCOPIC         Examination:       EXAMINATION       EXAMINATION         Pus cells       1-2/h.p.f       MICROSCOPIC         RBCs       ABSENT       MICROSCOPIC         Cast       ABSENT       MICROSCOPIC         Crystals       ABSENT       MICROSCOPIC         Others       ABSENT       EXAMINATION         SUGAR, FASTING STACE** , Urine <td>Protein</td> <td></td> <td>ABSENT</td> <td>mg %</td> <td>10-40 (+) 40-200 (++) 200-500 (+++)</td> <td>DIPSTICK</td>	Protein		ABSENT	mg %	10-40 (+) 40-200 (++) 200-500 (+++)	DIPSTICK
Bile Salts     ABSENT       Bile Pigments     ABSENT       Bilirubin     ABSENT       Leucocyte Esterase     ABSENT       Urobilinogen(1:20 dilution)     ABSENT       Nitrite     ABSENT       Blood     ABSENT       DIPSTICK     DIPSTICK       Blood     ABSENT       Diroscopic Examination:     DIPSTICK       Epithelial cells     0-2/h.p.f       RBCs     ABSENT       Cast     ABSENT       Crystals     ABSENT       Others     ABSENT	Sugar		ABSENT	gms%	0.5-1.0 (++) 1-2 (+++)	DIPSTICK
Bile PigmentsABSENTBilirubinABSENTDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Epithelial cells-2/h.p.fMICROSCOPIC EXAMINATIONRBCsABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONChersABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATION	Ketone		ABSENT	mg/dl		BIOCHEMISTRY
BilirubinABSENTDIPSTICKLeucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Epithelial cells0-2/h.p.fPus cells1-2/h.p.fMICROSCOPIC EXAMINATIONRBCsABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATIONSUGAR, FASTING STAGE**, UrineUrine	Bile Salts		ABSENT			
Leucocyte EsteraseABSENTDIPSTICKUrobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Epithelial cells0-2/h.p.fMICROSCOPIC EXAMINATIONPus cells1-2/h.p.fMICROSCOPIC EXAMINATIONRBCsABSENTMICROSCOPIC EXAMINATIONCastABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATION	-		ABSENT			
Urobilinogen(1:20 dilution)ABSENTDIPSTICKNitriteABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Image: Comparison of the second						
NitriteABSENTDIPSTICKBloodABSENTDIPSTICKBloodABSENTDIPSTICKMicroscopic Examination:Import Note Note Note Note Note Note Note Not						DIPSTICK
Blood     ABSENT     DIPSTICK       Microscopic Examination:		20 dilution)				
Microscopic Examination:Epithelial cells0-2/h.p.fMICROSCOPIC EXAMINATIONPus cells RBCs1-2/h.p.f ABSENTMICROSCOPIC EXAMINATIONCast CrystalsABSENT ABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATIONSUGAR, FASTING STAGE** , UrineUrine						
Epithelial cells0-2/h.p.fMICROSCOPIC EXAMINATIONPus cells1-2/h.p.fRBCsABSENTCastABSENTCastABSENTCrystalsABSENTOthersABSENTSUGAR, FASTING STAGE** , Urine			ABSENT			DIPSTICK
Pus cells     1-2/h.p.f       RBCs     ABSENT       Cast     ABSENT       Crystals     ABSENT       Others     ABSENT       SUGAR, FASTING STAGE** , Urine	-	mination.				
Pus cells RBCs1-2/h.p.f ABSENTMICROSCOPIC EXAMINATIONCast CrystalsABSENTMICROSCOPIC EXAMINATIONOthersABSENTMICROSCOPIC EXAMINATIONSUGAR, FASTING STAGE** , UrineUrine	Epithelial cells		0-2/h.p.f			
RBCs     ABSENT     MICROSCOPIC EXAMINATION       Cast     ABSENT       Crystals     ABSENT       Others     ABSENT       SUGAR, FASTING STAGE** , Urine	Pus colle		1.2/h.n.f			EXAMINATION
Cast     ABSENT       Crystals     ABSENT       Others     ABSENT   SUGAR, FASTING STAGE**, Urine						MICROSCOPIC
CastABSENTCrystalsABSENTOthersABSENTSUGAR, FASTING STAGE** , Urine	NDC3		/ BOEINT			
Others     ABSENT       SUGAR, FASTING STAGE** , Urine	Cast		ABSENT			
SUGAR, FASTING STAGE * * , Urine	Crystals		ABSENT			
	Others		ABSENT			
Sugar, Fasting stage ABSENT gms%	SUGAR, FASTIN	G STAGE** , Urine				
	Sugar, Fasting st	age	ABSENT	gms%		











Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name	: Mr.RAKESH KUMAR - 35E7589	Registered On	: 16/Sep/2024 08:40:49
Age/Gender	: 45 Y 8 M 11 D /M	Collected	: 16/Sep/2024 17:30:40
UHID/MR NO	: CVAR.0000055673	Received	: 16/Sep/2024 17:31:30
Visit ID	: CVAR0065062425	Reported	: 16/Sep/2024 17:44:09
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

#### DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name

Result

Unit

Bio. Ref. Interval Method

Interpretation:

 $\begin{array}{ll} (+) & < 0.5 \\ (++) & 0.5 \\ (++) & 1 \\ (+++) & 1 \\ (++++) & > 2 \end{array}$ 

#### SUGAR, PP STAGE\*\* , Urine

Sugar, PP Stage

ABSENT

#### Interpretation:

(+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%

> S.N. Sinta Dr.S.N. Sinha (MD Path)

Page 8 of 13

View Reports on









Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name	: Mr.RAKESH KUMAR - 35E7589	Registered On	: 16/Sep/2024 08:40:49	
Age/Gender	: 45 Y 8 M 11 D /M	Collected	: 16/Sep/2024 11:00:54	
UHID/MR NO	: CVAR.0000055673	Received	: 16/Sep/2024 11:55:53	
Visit ID	: CVAR0065062425	Reported	: 16/Sep/2024 15:42:28	
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report	
DEPARTMENT OF IMMUNOLOGY				

IVI	EDIVINEEL BAINK OF BAROL		BOVE 40 TRS	
	Result	Unit	Bio. Ref. Interval	

PSA (Prostate Specific Antigen), Total **	0.53	ng/mL <4.1	CLIA
Sample:Serum			

#### Interpretation:

Test Name

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone<sup>-</sup>
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

#### THYROID PROFILE - TOTAL \*\* , Serum

T3, Total (tri-iodothyronine)	125.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.57	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	0.800	μlU/mL	0.27 - 5.5	CLIA

#### Interpretation:

0.3-4.5	µIU/mL	First Trimest	er	
0.5-4.6	µIU/mL	Second Trimester		
0.8-5.2	µIU/mL	Third Trimester		
0.5-8.9	µIU/mL	Adults	55-87 Years	
0.7-27	µIU/mL	Premature	28-36 Week	
2.3-13.2	µIU/mL	Cord Blood	> 37Week	
0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)	
1-39	µIU/mL	Child	0-4 Days	
1.7-9.1	µIU/mL	Child	2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or



Page 9 of 13

Method







Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name	: Mr.RAKESH KUMAR - 35E7589	Registered On	: 16/Sep/2024 08:40:49
Age/Gender	: 45 Y 8 M 11 D /M	Collected	: 16/Sep/2024 11:00:54
UHID/MR NO	: CVAR.0000055673	Received	: 16/Sep/2024 11:55:53
Visit ID	: CVAR0065062425	Reported	: 16/Sep/2024 15:42:28
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

**6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

S.N. Sinton Dr.S.N. Sinha (MD Path)

View Reports on









Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name	: Mr.RAKESH KUMAR - 35E7589	Registered On	: 16/Sep/2024 08:40:49
Age/Gender	: 45 Y 8 M 11 D /M	Collected	: 2024-09-16 11:04:59
UHID/MR NO	: CVAR.0000055673	Received	: 2024-09-16 11:04:59
Visit ID	: CVAR0065062425	Reported	: 16/Sep/2024 11:05:36
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

## DEPARTMENT OF X-RAY

## MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

#### X-RAY DIGITAL CHEST PA

## X- Ray Digital Chest P.A. View


- Lung fields are clear.
- Pleural spaces are clear.
- Both hilar shadows appear normal.
- Trachea and carina appear normal.
- Heart size within normal limits.
- Both the diaphragms appear normal.
- Soft tissues and Bony cage appear normal.

## **IMPRESSION**

# **\* NO OBVIOUS DETECTABLE ABNORMALITY SEEN**



Dr Raveesh Chandra Roy (MD-Radio)









Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Patient Name	: Mr.RAKESH KUMAR - 35E7589	Registered On	: 16/Sep/2024 08:40:49
Age/Gender	: 45 Y 8 M 11 D /M	Collected	: 2024-09-16 09:17:42
UHID/MR NO	: CVAR.0000055673	Received	: 2024-09-16 09:17:42
Visit ID	: CVAR0065062425	Reported	: 16/Sep/2024 09:23:43
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

## DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

### ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER)

# WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

## LIVER

• The liver is normal in size (**12.9 cm in midclavicular line**) and has a normal homogenous echo texture. No focal lesion is seen.

# PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is ( **12.6 mm in caliber**) not dilated.
- Porta hepatis is normal.

## **BILIARY SYSTEM**

- The intra-hepatic biliary radicles are normal.
- Common bile duct is ( **4.2 mm in caliber**) not dilated.
- The gall bladder is **normal** in size and has regular walls. Lumen of the gall bladder is anechoic.

# PANCREAS

• The pancreas is **normal** in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

# KIDNEYS

# • <u>Right kidney:-</u>

- Right kidney is normal in size, measuring ~ 9.4 x 3.8 cms.
- Cortical echogenicity is normal. Pelvicalyceal system is not dilated.
- Cortico-medullary demarcation is maintained. Parenchymal thickness appear normal.

# • Left kidney:-

- Left kidney is normal in size, measuring ~ 10.0 x 4.3 cms.
- Cortical echogenicity is normal. Pelvicalyceal system is not dilated.
- Cortico-medullary demarcation is maintained. Parenchymal thickness appear normal.

# SPLEEN









Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-4501413 CIN: U85110UP2003PLC193493

Mr.RAKESH KUMAR - 35E7589	Registered On	: 16/Sep/2024 08:40:49
45 Y 8 M 11 D /M	Collected	: 2024-09-16 09:17:42
CVAR.0000055673	Received	: 2024-09-16 09:17:42
CVAR0065062425	Reported	: 16/Sep/2024 09:23:43
Dr.MEDIWHEEL VNS -	Status	: Final Report
	45 Y 8 M 11 D /M CVAR.0000055673 CVAR0065062425	45 Y 8 M 11 D /MCollectedCVAR.0000055673ReceivedCVAR0065062425Reported

### DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

• The spleen is normal in size (~ 11.7 cm in its long axis) and has a normal homogenous echotexture.

## ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or large mass.

## URINARY BLADDER

- The urinary bladder is **partially filled.** Bladder wall is normal in thickness and regular.
- Pre-void urine volume is ~ 20 cc.

## PROSTATE

• The prostate gland is normal in size (~ 35 x 25 x 22 mm / 11 gms) and normal in echotexture with smooth outline. No median lobe indentation is seen.

# FINAL IMPRESSION:-

• No significant sonological abnormality noted.

### Adv : Clinico-pathological-correlation /further evaluation & Follow up

\*\*\* End Of Report \*\*\*

 $(^{\star\,\star})$  Test Performed at CHANDAN DIAGNOSTIC CENTRE, VARANASI, MAHMOORGANJ

Result/s to Follow: STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)





Dr Raveesh Chandra Roy (MD-Radio)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days. Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography,

Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location Page 13 of 13



Home Sample Collection 08069366666



# CHANDAN HEALTH CARE LTD

15

99-SHIVAJI NAGAR MAHMOORGANJ VARANASI-9839703068

Mr. MR RAKESH KUMAR Age/Sex : 45/M Ref. by MEDIWHEEL Indication1 : Indication2 : Indication3 :		。ID:65072425 Ht/Wt:173/81 Recorded:16-09-2024			TREADMILL TEST SUMMARY REPORT Protocol: BRUCE History. Medication1 : Medication2 : Medication3 :						
PHASE	PHASE TIME	STAGE TIM	SPEED (Km./Hr.)	GRADE (%)	H.R. (BPM)	B.P. (mmHg)	RPP X100		ST LEVEL (mm) . V2	V5	METS
SUPINE HYPERVENT VALSALVA STANDING	0:01	0:01			72 71 71 71 71	110/78 110/78 110/78 110/78 110/78	79, 78 78 78 78 78	1,3 1,3 1,3 1,3 1,3	0.7 0.7 0.7 0.7	-11 1.1 1.1 1.1	
STAGE 1 STAGE 2 STAGE 3 EVENT STAGE 4	2:59 5:59 8:59 9:27 9:29	2:59 2:59 2:59 0:27 0:29	2.70 4.00 5.40 6.70 6.70	10.00 12.00 14.00 16.00 16.00	103 119 141 152 152	120/78 130/78 140/80 150/82 150/82	123 154 197 228 228	0.9 -0.1 -1.1 -1.7 -1.7	0.8 0.5 0.9 1.1 1.1	0.8 -0.1 -0.8 -1.1 -1.1	4.80 7.10 10.00 10.60 10.65
PEAK EXER	9:30	0:30			152	150/82	228	-1.7	1.3	-1.2	10.67
EVENT EVENT EVENT RECOVERY	0:30 1:00 2:00 2:59	0:30 1:00 2:00 2:59	0.00 0.00 0.00 0.00	·· 0.00 0.00 0.00 , 0.00	, 126 , 108 , 94 ,	148/82 - 146/80 144/80 142/80	186 157 135 124	-0.8 0.3 0.1 -0.1	12 1.4 0.7 0.4	-0.6 0.2 0.0 0.0	

#### RESULTS

Exercise Duration Max Heart Rate Max Blood Pressure Max Work Load Reason of Termination

9:30 Minutes 152 bpm 86 % of target heart rate 175 bpm 150/82 mmHg 10.67 METS

#### IMPRESSIONS


positive TM T 21 1schaemia l.D 0


good Andianal capacity chronohysic response of w annihunti


cl. icely Concell


.OcarBialogiși Lohiya MBBS, MD (MED) DM-(CARDIO) MC1-114859


Paren kamar CardiCom. INDIA Ph :091-731-2620740, TeleFax:091-731-2431214 MEDISEARCH, MEDIACT SYSTEMS
















Computer Corrected Basell





25mm/sec 10mm/mh


Filtered


**Computer Corrected Baseline** 



























# <u>3211 6021 4352</u> मेरा आधार, मेरी पहचान



Name of Company Medi When Name of Executive: Mg. Rallah Kumag Sex: Male (Female Height: ........CMs Weight: .....KGs BMI (Body Mass Index) : 27.7 Chest (Expiration / Inspiration) \_9.6....../...9.9.....CMs Abdomen: 98. CMs Pulse: .....8.)......BPM - Regular/Irregular Ident Mark: cut Mark an Jore Head Any Allergies: No Vertigo : No Any Medications: No Any Surgical History: Mo Habits of alcoholism/smoking/tobacco: 5 years Chief Complaints if any: 100 Lab Investigation Reports: Mo Eye Check up vision & Color vision: Name & Pawar glass 1 years Left eye: Right eye:



Jul.





Near vision: # 19
Far vision : 619
Dental check up : Men
ENT Check up : Man
Eye Checkup: Man

## Final impression

Certified that	I examinedRakosh kumon	S/o	or	D/o
	is presently in good health and f			
cardio-respirator	ry/communicable ailment, hetshe is fit / Unfit	to	join	any
organization.				-

Client Signature :-

Dr. R.C. ROY MBBS., MD. (Radio Diagnosis) Reg. No. - 26918 Chandan Diagnostic Center 99, Shivaji Nagar, Mahmoorganj Varanasi-221010 (U.P.) Phone No.:0542-2223232

Home Sample Collection

08069366666

2024

Jul.

Signature of Medical Examiner

<u>Name & Qualification</u> - Dr. R. C. Roy (MBBS,MD) <u>Date</u>.../.6../.p.9. /2024

Place - VARANASI

