

SRI PARVATHI OPTICS

Multi Branded Opticals Store

Computerized Eye Testing & Spectacles Clinic

333.8th Main 5th Cross Near Combridge & Mirando School HAL 3rd Stope Behind Vishveshvariah Park New Thiopasandra, Banaglare - 560075.

Email: parvathiopticals@gmail.com SPECTACLE PRESCRIPTION

Name: Wivek Enadi Pudo

No. 4602

Date: 10/2/2014

Mobil No:

Ref. No. // 20 68633/

Age / Gender Pay / H

RICHT EVE

LEFT EVE CHL AND VISIO

CIL AXIS 125300

PD RSHH

Advice to use glasses for

FIDINIANCE | FAR A NEAR | READING | COMPUTER PURFOSE

We Care Your Eyes

SRI PARVATHI OPTICS NEW THIPPASANDRA



CLUMAX DIAGNOSTICS


MEDALL HEALTHCARE PVT LTD

CUSTOMER CHECKLIST



Custo	mer Name	: MR. VIVEK GUDIPUDI			
Ref Dr	Name	: MediWheel		25333	
Custo	mer Id	: MED112068633 Visi	: ID :	42400	7759
Age		: 28Y/MALE Pho	ne No	05031	00884
				93021	00884
DOB		: 09 Nov 1995 Visi	Date :	10/02	/2024
Comp	any Name	: MediWheel			
Packa	ge Name : I	dediwheel Full Body Health Checku	p Male Below 40		
S.No	Modality	Study	AccessionNo	Time	Signature
1	LAB	BLOOD UREA NITROGEN (BUN)			
2	LAB	CREATININE	1 (65)		
3	LAB	GLUCOSE - FASTING			
4	LAB	GLUCOSE - POSTPRANDIAL (2 HRS)			
5	LAB	GLYCOSYLATED HAEMOGLOBIN (HbA1c)			
6	LAB	URIC ACID			
7	LAB	LIPID PROFILE			
8	LAB	LIVER FUNCTION TEST (LFT)			
9	LAB	THYROID PROFILE/ TFT(T3, T4, TSH)			_
10	LAB	URINE GLUCOSE - FASTING			
11	LAB	URINE GLUCOSE - POSTPRANDIAL (2 Hrs)	paces		
12	LAB	COMPLETE BLOOD COUNT WITH ESR	11/		
13	LAB	STOOL ANALYSIS - ROUTINE			
14	LAB	URINE ROUTINE			
15	LAB	BUN/CREATININE RATIO			
16	LAB	BLOOD GROUP & RH TYPE (Forward Reverse)			
17	ECG	ECG	IND14481621138		1
18	OTHERS	70x336mit / 2D Echo	IND144816214690		- do
19	OTHERS	physical examination	IND144816215279	-	COL
20	US	ULTRASOUND ABDOMEN	IND144816215292		-
21	OTHERS	EYE CHECKUP	IND144816217756		
	X-RAY	X RAY CHEST	IND144816218659	-	
23	OTHERS	Consultation Physician	IND144816218736		

176 107 - 69.0 BP- 130/80 Plu- 82



Name	VIVEK GUDIPUDI	ID	MED112068633
Age & Gender	28Year(s)/MALE	Visit Date	2/10/2024 12:00:00 AM
Ref Doctor Name	MediWheel	-	-

2 D ECHOCARDIOGRAPHIC STUDY

M mode measurement:

AORTA : 3.4cms

LEFT ATRIUM : 3.7cms

AVS :----

LEFT VENTRICLE (DIASTOLE) : 4.3cms

(SYSTOLE) : 2.9cms

VENTRICULAR SEPTUM (DIASTOLE) : 0.7cms

(SYSTOLE) : 1.4cms

POSTERIOR WALL (DIASTOLE) : 0.9cms

(SYSTOLE) : 1.5cms

EDV : 84ml

ESV : 33ml

FRACTIONAL SHORTENING : 32%

EJECTION FRACTION : 61%

EPSS :---

RVID : 1.9cms

DOPPLER MEASUREMENTS:

MITRAL VALVE : E' 0.95 m/s A' 0.56 m/s NO MR

AORTIC VALVE : 1.09 m/s NO AR

TRICUSPID VALVE : E' - m/s A' - m/s NO TR

PULMONARY VALVE : 0.86 m/s NO PR

Name	VIVEK GUDIPUDI	ID	MED112068633
Age & Gender	28Year(s)/MALE	Visit Date	2/10/2024 12:00:00 AM
Ref Doctor Name	MediWheel	-	

2D ECHOCARDIOGRAPHY FINDINGS:

Left ventricle : Normal size, Normal systolic function.

No regional wall motion abnormalities.

Left Atrium : Normal.

Right Ventricle : Normal.

Right Atrium : Normal.

Mitral valve : Normal, No mitral valve prolapsed.

Aortic valve : Normal, Trileaflet.

Tricuspid valve : Normal.

Pulmonary valve : Normal.

IAS : Intact.

IVS : Intact.

Pericardium : No pericardial effusion.

IMPRESSION:

- > NORMAL SIZED CARDIAC CHAMBERS.
- > NORMAL LV SYSTOLIC FUNCTION. EF:61 %.
- > NO REGIONAL WALL MOTION ABNORMALITIES.
- > NORMAL VALVES.
- > NO CLOTS / PERICARDIAL EFFUSION / VEGETATION.

DR. K.S. SUBRAMANI. MBBS, MD, DM (CARDIOLOGY) FESC SENIOR CONSULTANT INTERVENTIONAL CARDIOLOGIST SRI JAYADEVA INSTITUTE OF CARDIOLOGY, BANGALORE

Note:

* Report to be interpreted by qualified medical professional.

* To be correlated with other clinical findings.

Name	VIVEK GUDIPUDI	ID	MED112068633
Age & Gender	28Year(s)/MALE	Visit Date	2/10/2024 12:00:00 AM
Ref Doctor Name	MediWheel	-	

^{*} Parameters may be subjected to inter and intra observer variations.
* Any discrepancy in reports due to typing errors should be corrected as soon as possible.

Name	VIVEK GUDIPUDI	ID	MED112068633
Age & Gender	28Year(s)/MALE	Visit Date	2/10/2024 12:00:00 AM
Ref Doctor Name	MediWheel	_	

ABDOMINO-PELVIC ULTRASONOGRAPHY

LIVER is normal in shape, size and has uniform echopattern. No evidence of focal lesion or intrahepatic biliary ductal dilatation. Hepatic and portal vein radicals are normal.

GALL BLADDER shows normal shape and has clear contents. Gall bladder wall is of normal thickness. CBD is of normal calibre.

PANCREAS has normal shape, size and uniform echopattern. No evidence of ductal dilatation or calcification.

SPLEEN shows normal shape, size and echopattern.

No demonstrable Para -aortic lymphadenopathy.

KIDNEYS move well with respiration and have normal shape, size and echopattern. Cortico- medullary differentiations are well madeout. No evidence of calculus or hydronephrosis.

The kidney measures as follows:

•	Bipolar length (cms)	Parenchymal thickness (cms)
Right Kidney	10.2	1.2
Left Kidney	10.8	1.5

URINARY BLADDER shows normal shape and wall thickness. It has clear contents. No evidence of diverticula.

PROSTATE shows normal shape, size and echopattern. It measures 2.9 x 3.3 x 3.7cms (Vol:14cc).

No evidence of ascites / pleural effusion.

IMPRESSION:

> NO SIGNIFICANT ABNORMALITY DETECTED.

DR. APARNA CONSULTANT RADIOLOGIST A/vp

Name	VIVEK GUDIPUDI	ID	MED112068633
Age & Gender	28Year(s)/MALE	Visit Date	2/10/2024 12:00:00 AM
Ref Doctor Name	MediWheel	-	-

Name	Mr. VIVEK GUDIPUDI	Customer ID	MED112068633
Age & Gender	28Y/M	Visit Date	Feb 10 2024 9:18AM
Ref Doctor MediWheel			

X - RAY CHEST PA VIEW

Bilateral lung fields appear normal.

Cardiac size is within normal limits.

Bilateral hilar regions appear normal.

Bilateral domes of diaphragm and costophrenic angles are normal.

Visualised bones and soft tissues appear normal.

Impression: Essentially normal study.

DR. APARNA

CONSULTANT RADIOLOGIST

 PID No.
 : MED112068633
 Register On
 : 10/02/2024 9:19 AM

 SID No.
 : 424007759
 Collection On
 : 10/02/2024 10:41 AM

 Age / Sex
 : 28 Year(s) / Male
 Report On
 : 10/02/2024 7:38 PM

 Type
 : OP
 Printed On
 : 12/02/2024 2:14 PM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
BLOOD GROUPING AND Rh TYPING	'A' 'Positive'		
(EDTA Blood/Agglutination) Complete Blood Count With - ESR			
Haemoglobin (EDTA Blood/Spectrophotometry)	15.3	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood)	46.8	%	42 - 52
RBC Count (EDTA Blood)	5.36	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood)	87.4	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood)	28.5	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood)	32.6	g/dL	32 - 36
RDW-CV (EDTA Blood)	13.6	%	11.5 - 16.0
RDW-SD (EDTA Blood)	42.0	fL	39 - 46
Total Leukocyte Count (TC) (EDTA Blood)	7300	cells/cu.mm	4000 - 11000
Neutrophils (EDTA Blood)	57.4	%	40 - 75
Lymphocytes (EDTA Blood)	31.3	%	20 - 45
Eosinophils (EDTA Blood)	3.9	%	01 - 06
Monocytes (EDTA Blood)	6.7	%	01 - 10







The results pertain to sample tested.

 PID No.
 : MED112068633
 Register On
 : 10/02/2024 9:19 AM

 SID No.
 : 424007759
 Collection On
 : 10/02/2024 10:41 AM

 Age / Sex
 : 28 Year(s) / Male
 Report On
 : 10/02/2024 7:38 PM

 Type
 : OP
 Printed On
 : 12/02/2024 2:14 PM

Ref. Dr : MediWheel

Investigation	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Basophils (Blood)	0.7	%	00 - 02
INTERPRETATION: Tests done on Automated I	Five Part cell count	er. All abnormal results	are reviewed and confirmed microscopically.
Absolute Neutrophil count (EDTA Blood)	4.2	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood)	2.3	10^3 / μl	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood)	0.3	10^3 / μl	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood)	0.5	10^3 / μl	< 1.0
Absolute Basophil count (EDTA Blood)	0.1	10^3 / μl	< 0.2
Platelet Count (EDTA Blood)	324	10^3 / μl	150 - 450
MPV (EDTA Blood)	8.3	fL	7.9 - 13.7
PCT (EDTA Blood/Automated Blood cell Counter)	0.270	%	0.18 - 0.28
ESR (Erythrocyte Sedimentation Rate) (Citrated Blood)	11	mm/hr	< 15
Glucose Fasting (FBS) (Plasma - F/GOD-PAP)	92.37	mg/dL	Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Glucose, Fasting (Urine)	Negative		Negative
(Urine - F/GOD - POD)			
Glucose Postprandial (PPBS)	75.52	mg/dL	70 - 140
(Plasma - PP/GOD-PAP)			







 PID No.
 : MED112068633
 Register On
 : 10/02/2024 9:19 AM

 SID No.
 : 424007759
 Collection On
 : 10/02/2024 10:41 AM

 Age / Sex
 : 28 Year(s) / Male
 Report On
 : 10/02/2024 7:38 PM

 Type
 : OP
 Printed On
 : 12/02/2024 2:14 PM

Ref. Dr : MediWheel

<u>Investigation</u>	Observed Unit	<u>Biological</u>
	<u>Value</u>	Reference Interval

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Blood Urea Nitrogen (BUN) (Serum/Urease UV / derived)	8.3	mg/dL	7.0 - 21
Creatinine	0.71	mg/dL	0.9 - 1.3

(Serum/Modified Jaffe)

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin ,cefazolin, ACE inhibitors ,angiotensin II receptor antagonists,N-acetylcyteine , chemotherapeutic agent such as flucytosine etc.

etc.	1		,
Uric Acid	5.44	mg/dL	3.5 - 7.2
(Serum/Enzymatic)			
Liver Function Test			
Bilirubin(Total)	0.66	mg/dL	0.1 - 1.2
(Serum/DCA with ATCS)			
Bilirubin(Direct)	0.29	mg/dL	0.0 - 0.3
(Serum/Diazotized Sulfanilic Acid)			
Bilirubin(Indirect)	0.37	mg/dL	0.1 - 1.0
(Serum/Derived)			
SGOT/AST (Aspartate	17.43	U/L	5 - 40
Aminotransferase)			
(Serum/Modified IFCC)			
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	28.87	U/L	5 - 41
GGT(Gamma Glutamyl Transpeptidase)	40.54	U/L	< 55
(Serum/IFCC / Kinetic)	40.54	U/L	\33
Alkaline Phosphatase (SAP)	66.6	U/L	53 - 128
(Serum/Modified IFCC)			
Total Protein	7.65	gm/dl	6.0 - 8.0
(Serum/Biuret)			







APPROVED BY

 PID No.
 : MED112068633
 Register On
 : 10/02/2024 9:19 AM

 SID No.
 : 424007759
 Collection On
 : 10/02/2024 10:41 AM

 Age / Sex
 : 28 Year(s) / Male
 Report On
 : 10/02/2024 7:38 PM

 Type
 : OP
 Printed On
 : 12/02/2024 2:14 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Albumin (Serum/Bromocresol green)	5.02	gm/dl	3.5 - 5.2
Globulin (Serum/Derived)	2.63	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.91		1.1 - 2.2
<u>Lipid Profile</u>			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	212.30	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides (Serum/GPO-PAP with ATCS)	93.33	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the `usual_circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)	45.74	mg/dL	Optimal(Negative Risk Factor): >= 60 Borderline: 40 - 59 High Risk: < 40
LDL Cholesterol (Serum/Calculated)	147.9	mg/dL	Optimal: < 100 Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190
VLDL Cholesterol (Serum/Calculated)	18.7	mg/dL	< 30







APPROVED BY

 PID No.
 : MED112068633
 Register On
 : 10/02/2024 9:19 AM

 SID No.
 : 424007759
 Collection On
 : 10/02/2024 10:41 AM

 Age / Sex
 : 28 Year(s) / Male
 Report On
 : 10/02/2024 7:38 PM

 Type
 : OP
 Printed On
 : 12/02/2024 2:14 PM

Ref. Dr : MediWheel

Investigation	<u>Observed</u> <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Non HDL Cholesterol (Serum/Calculated)	166.6	mg/dL	Optimal: < 130 Above Optimal: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2. It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio (Serum/Calculated)	4.6	Optimal: < 3.3 Low Risk: 3.4 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0
Triglyceride/HDL Cholesterol Ratio (TG/HDL) (Serum/Calculated)	2	Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0
LDL/HDL Cholesterol Ratio (Serum/Calculated)	3.2	Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)

HbA1C 5.1 % Normal: 4.5 - 5.6 (Whole Blood/HPLC) Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control: 6.1 - 7.0 %, Fair control: 7.1 - 8.0 %, Poor control >= 8.1 %

Estimated Average Glucose 99.67 mg/dL

(Whole Blood)







APPROVED BY

 PID No.
 : MED112068633
 Register On
 : 10/02/2024 9:19 AM

 SID No.
 : 424007759
 Collection On
 : 10/02/2024 10:41 AM

 Age / Sex
 : 28 Year(s) / Male
 Report On
 : 10/02/2024 7:38 PM

 Type
 : OP
 Printed On
 : 12/02/2024 2:14 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values.

Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

THYROID PROFILE / TFT

T3 (Triiodothyronine) - Total 1.35 ng/ml 0.7 - 2.04

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total 8.35 µg/dl 4.2 - 12.0

(Serum/ECLIA)

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone) 4.06 µIU/mL 0.35 - 5.50

(Serum/ECLIA)

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester : 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

- 1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.
- 2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%, hence time of the day has influence on the measured serum TSH concentrations.
- 3. Values & amplt 0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.

PHYSICAL EXAMINATION (URINE

COMPLETE)







APPROVED BY

The results pertain to sample tested.

Page 6 of 9

 PID No.
 : MED112068633
 Register On
 : 10/02/2024 9:19 AM

 SID No.
 : 424007759
 Collection On
 : 10/02/2024 10:41 AM

 Age / Sex
 : 28 Year(s) / Male
 Report On
 : 10/02/2024 7:38 PM

 Type
 : OP
 Printed On
 : 12/02/2024 2:14 PM

Ref. Dr : MediWheel

Investigation	Observed Value	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Colour (Urine)	Pale yellow		Yellow to Amber
Appearance (Urine)	Clear		Clear
Volume(CLU) (Urine)	20		
<u>CHEMICAL EXAMINATION (URINE COMPLETE)</u>			
pH (Urine)	7		4.5 - 8.0
Specific Gravity (Urine)	1.003		1.002 - 1.035
Ketone (Urine)	Negative		Negative
Urobilinogen (Urine)	Normal		Normal
Blood (Urine)	Negative		Negative
Nitrite (Urine)	Negative		Negative
Bilirubin (Urine)	Negative		Negative
Protein (Urine)	Negative		Negative
Glucose (Urine/GOD - POD)	Negative		Negative
Leukocytes(CP) (Urine)	Negative		
MICROSCOPIC EXAMINATION			







The results pertain to sample tested.

(URINE COMPLETE)

 PID No.
 : MED112068633
 Register On
 : 10/02/2024 9:19 AM

 SID No.
 : 424007759
 Collection On
 : 10/02/2024 10:41 AM

 Age / Sex
 : 28 Year(s) / Male
 Report On
 : 10/02/2024 7:38 PM

 Type
 : OP
 Printed On
 : 12/02/2024 2:14 PM

Ref. Dr : MediWheel

<u>Investigation</u>	Observed <u>Value</u>	<u>Unit</u>	<u>Biological</u> <u>Reference Interval</u>
Pus Cells (Urine)	0-1	/hpf	NIL
Epithelial Cells (Urine)	0-1	/hpf	NIL
RBCs (Urine)	NIL	/HPF	NIL
Others (Urine)	NIL		

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically.

Casts NIL /hpf NIL (Urine)

Crystals (Urine) NIL /hpf NIL (Urine)







 PID No.
 : MED112068633
 Register On
 : 10/02/2024 9:19 AM

 SID No.
 : 424007759
 Collection On
 : 10/02/2024 10:41 AM

 Age / Sex
 : 28 Year(s) / Male
 Report On
 : 10/02/2024 7:38 PM

 Type
 : OP
 Printed On
 : 12/02/2024 2:14 PM

Ref. Dr : MediWheel

InvestigationObservedUnitBiologicalValueReference Interval

URINE ROUTINE





-- End of Report --