

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHISH KUMAR Registered On : 25/Nov/2023 11:11:34

 Age/Gender
 : 30 Y 9 M 22 D /M
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000131355
 Received
 : N/A

Visit ID : ALDP0288592324 Reported : 26/Nov/2023 12:44:27

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD - Status : Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ECG / EKG *

1. Machnism, Rhythm Sinus, Regular

2. Atrial Rate 63 /mt

3. Ventricular Rate 63 /mt

4. P - Wave Normal

5. P R Interval Normal

6. Q R S

Axis: Normal R/S Ratio: Normal Configuration: Normal

7. Q T c Interval Normal

8. S - T Segment Normal

9. T – Wave Normal

FINAL IMPRESSION

Abnormal: Sinus Rhythm, Sinus Arrhythmia Seen, Short PR Interval. Please correlate clinically.

Dr. R K VERMA MBBS, PGDGM











Test Name

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Method

Patient Name : Mr. ASHISH KUMAR Registered On : 25/Nov/2023 11:11:32 Age/Gender : 30 Y 9 M 22 D /M Collected : 25/Nov/2023 11:30:15 UHID/MR NO : ALDP.0000131355 Received : 25/Nov/2023 12:07:47 Visit ID Reported : 25/Nov/2023 16:14:07 : ALDP0288592324

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF HAEMATOLOGY

Result

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Unit

Rio Ref Interval

Blood Group (ABO & Rh typing) * , Blood Blood Group A A Rh (Anti-D) POSITIVE POSITIVE POSITIVE A Rh (Anti-D) POSITIVE Rh (Anti-D) POSITIVE A RR (Anti-D) POSITIVE Complete Blood Count (CBC) * , Whole Blood Haemoglobin 16.10 G/dl 1 Day- 14.5-22.5 g/dl 1 Mo- 10.0-18.0 g/dl 1 Mo- 10.0-18.0 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 95-13.5 g/dl 0-5-2 Yr- 10.5-13.5 g/dl 0-5-2 Yr- 10.5-13.5 g/dl 0-52 Yr- 10.5-13.5 g/dl 0-612 Yr- 11.5-15.5 g/dl 1-218 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 1-218 Yr 13.0-16.0 g/dl TLC (WBC) 6,800.00 A TLC (WBC) 6,800.00 A TLC (WBC) Polymorphs (Neutrophils) 47.00 A 40.00 A 55-70 ELECTRONIC IMPEDANCE Lymphocytes 48.00 A 55-70 ELECTRONIC IMPEDANCE Ess Monocytes 40.00 A 55-70 ELECTRONIC IMPEDANCE Ess Observed 4.00 Mm for 1st hr. Corrected	Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group A POSITIVE POSITIVE Rh (Anti-D) POSITIVE POSITIV	Blood Group (ABO & Rh typing) * Blood	1			
Rh (Anti-D) POSITIVE PO					
Rh (Anti-D)					TECHNOLOGY / TUBE
TECHNOLOGY / TUBE AGGLUTINA AGGLUTINA	Rh (Anti-D)	POSITIVE	,		ERYTHROCYTE
Complete Blood Count (CBC) * , Whole Blood					TECHNOLOGY / TUBE
Haemoglobin					AGGLUTINA
1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 3-6 Mo- 9.5-13.5 g/dl 3-6 Mo- 9.5-13.5 g/dl 3-6 Wo- 9.5-13.5 g/dl 3-6 Wo- 9.5-13.5 g/dl 3-6 Wr- 11.5-15.5 g/dl 3-6	Complete Blood Count (CBC) * , Whole Bl	lood			
1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 0.5-2 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-15	Haemoglobin	16.10	g/dl		
3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl Female- 12.0-15					
2-6 Yr- 11.5-15.5 g/dl					
Contracted Con				0	
12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/					
Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl F					
TLC (WBC) 6,800.00 /Cu mm 4000-10000 ELECTRONIC IMPEDANCE DLC Polymorphs (Neutrophils) 47.00 % 55-70 ELECTRONIC IMPEDANCE Lymphocytes 48.00 % 25-40 ELECTRONIC IMPEDANCE Monocytes 4.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR Observed 4.00 Mm for 1st hr. <9 PCV (HCT) 49.00 % 40-54 Platelet count Platelet Count 0.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE I					
DLCPolymorphs (Neutrophils)47.00%55-70ELECTRONIC IMPEDANCELymphocytes48.00%25-40ELECTRONIC IMPEDANCEMonocytes4.00%3-5ELECTRONIC IMPEDANCEEosinophils1.00%1-6ELECTRONIC IMPEDANCEBasophils0.00%<1					
Polymorphs (Neutrophils) 47.00 % 55-70 ELECTRONIC IMPEDANCE Lymphocytes 48.00 % 25-40 ELECTRONIC IMPEDANCE Monocytes 4.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR Observed 4.00 Mm for 1st hr. Corrected - Mm for 1st hr. <9 PCV (HCT) 49.00 % 40-54 Platelet count Platelet Count 0.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE OR IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE IMPEDANCE	TLC (WBC)	6,800.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Lymphocytes 48.00 % 25-40 ELECTRONIC IMPEDANCE Monocytes 4.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR Observed 4.00 Mm for 1st hr. Corrected - Mm for 1st hr. <9 PCV (HCT) 49.00 % 40-54 Platelet count Platelet Count O.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE IMPEDANCE/MICROSCOPIC	DLC				
Monocytes 4.00 % 3-5 ELECTRONIC IMPEDANCE Eosinophils 1.00 % 1-6 ELECTRONIC IMPEDANCE Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR Observed 4.00 Mm for 1st hr. Corrected - Mm for 1st hr. <9 PCV (HCT) 49.00 % 40-54 Platelet count Platelet Count 0.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE PDW (Platelet Distribution width) 17.60 fL 9-17 ELECTRONIC IMPEDANCE	Polymorphs (Neutrophils)	47.00	%	55-70	ELECTRONIC IMPEDANCE
Eosinophils Basophils 0.00 % 1-6 ELECTRONIC IMPEDANCE ESR Observed 4.00 Mm for 1st hr. Corrected - Mm for 1st hr. < 9 PCV (HCT) Platelet count Platelet Count 0.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE IMPEDANCE			%		ELECTRONIC IMPEDANCE
Basophils 0.00 % <1 ELECTRONIC IMPEDANCE ESR Observed 4.00 Mm for 1st hr. Corrected - Mm for 1st hr. <9 PCV (HCT) 49.00 % 40-54 Platelet count Platelet Count 0.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE	3				
ESR Observed 4.00 Mm for 1st hr. Corrected - Mm for 1st hr. < 9 PCV (HCT) 49.00 % 40-54 Platelet count Platelet Count 0.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE OF COURT O	·				
Observed 4.00 Mm for 1st hr. Corrected - Mm for 1st hr. < 9	•	0.00	%	<1	ELECTRONIC IMPEDANCE
Corrected - Mm for 1st hr. <9 PCV (HCT) 49.00 % 40-54 Platelet count Platelet Count 0.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE IMP					
PCV (HCT) 49.00 % 40-54 Platelet count Platelet Count 0.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE IMP		4.00			
Platelet count Platelet Count 0.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC IMPEDANCE/MICROSCOPIC IMPEDANCE PDW (Platelet Distribution width) 17.60 fL 9-17 ELECTRONIC IMPEDANCE		,4 -			
Platelet Count 0.82 LACS/cu mm 1.5-4.0 ELECTRONIC IMPEDANCE/MICROSCOPIC PDW (Platelet Distribution width) 17.60 fL 9-17 ELECTRONIC IMPEDANCE		49.00	%	40-54	
PDW (Platelet Distribution width) 17.60 18.60 19					
,	Platelet Count	0.82	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
P-LCR (Platelet Large Cell Ratio) - % 35-60 ELECTRONIC IMPEDANCE	PDW (Platelet Distribution width)	17.60	fL	9-17	ELECTRONIC IMPEDANCE
	P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHISH KUMAR Registered On : 25/Nov/2023 11:11:32 Age/Gender : 30 Y 9 M 22 D /M Collected : 25/Nov/2023 11:30:15 UHID/MR NO : ALDP.0000131355 Received : 25/Nov/2023 12:07:47 Visit ID : ALDP0288592324 Reported : 25/Nov/2023 16:14:07

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.10	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.20	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	5.02	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	97.70	fl	80-100	CALCULATED PARAMETER
MCH	32.20	pg	28-35	CALCULATED PARAMETER
MCHC	32.90	%	30-38	CALCULATED PARAMETER
RDW-CV	14.70	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	52.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,196.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	68.00	/cu mm	40-440	

Dr. Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHISH KUMAR : 25/Nov/2023 11:11:33 Registered On Age/Gender : 30 Y 9 M 22 D /M Collected : 25/Nov/2023 11:30:14 UHID/MR NO : ALDP.0000131355 Received : 25/Nov/2023 12:07:47 Visit ID : ALDP0288592324 Reported : 25/Nov/2023 13:21:19

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
GLUCOSE FASTING * . Plasma					

SLUCUSE FASTING , Plasma

Glucose Fasting 98.10 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP * 142.80 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.00	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	31.30	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	97	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHISH KUMAR Registered On : 25/Nov/2023 11:11:33 Collected Age/Gender : 30 Y 9 M 22 D /M : 25/Nov/2023 11:30:14 UHID/MR NO : ALDP.0000131355 Received : 25/Nov/2023 12:07:47 Visit ID : ALDP0288592324 Reported : 25/Nov/2023 13:21:19

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	8.50	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.00	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	6.70	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) *, Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHISH KUMAR Registered On : 25/Nov/2023 11:11:33 Age/Gender : 30 Y 9 M 22 D /M Collected : 25/Nov/2023 11:30:14 UHID/MR NO : ALDP.0000131355 Received : 25/Nov/2023 12:07:47 Visit ID Reported : 25/Nov/2023 13:21:19 : ALDP0288592324

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Uı	nit Bio. Ref. Interva	al Method
SGOT / Aspartate Aminotransferase (AST)	116.10	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	128.80	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	100.90	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.30	gm/dl	6.2-8.0	BIURET
Albumin	4.20	gm/dl	3.4-5.4	B.C.G.
Globulin	3.10	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.35		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	237.40	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.90	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.60	mg/dl	< 0.8	JENDRASSIK & GROF
Result Rechecked				
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	115.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	32.60	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	48	mg/dl	< 100 Optimal	CALCULATED
VLDL Triglycerides	34.82 174.10	mg/dl mg/dl	100-129 Nr. Optimal/Above Optimal 130-159 Borderline High 160-189 High > 190 Very High 10-33 < 150 Normal 150-199 Borderline High 200-499 High >500 Very High	CALCULATED GPO-PAP

Result Rechecked

Dr. Akanksha Singh (MD Pathology)











Test Name

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Method

Patient Name : Mr.ASHISH KUMAR Registered On : 25/Nov/2023 11:11:33 Age/Gender Collected : 30 Y 9 M 22 D /M : 25/Nov/2023 14:28:34 UHID/MR NO : ALDP.0000131355 Received : 25/Nov/2023 14:48:40 Visit ID Reported : 25/Nov/2023 15:16:15 : ALDP0288592324

Result

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Unit

Rio Ref Interval

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE *	, Urine			
Color	PALE YELLOW			
Specific Gravity	1.030			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			Dil OTTOR
Protein	TRACE	, mg %	< 10 Absent	DIPSTICK
Trotom	110102	mg 70	10-40 (+)	Dil OTTOR
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
Katana	ADCENIT	Anna (all	>2 (++++)	DIOCHEN MICTRY
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile P <mark>igme</mark> nts Bilirubin	ABSENT			DIDCTICK
	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution) Nitrite	ABSENT ABSENT			DIPSTICK
Blood				DIPSTICK
	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
December 11	0.075			EXAMINATION
Pus cells	0-2/h.p.f			MICDOCCODIO
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			LAAMINATION
Crystals	ABSENT			MICROSCOPIC
Gi yataia	ADSLIVI			EXAMINATION
Others	ABSENT			L/V IIVIII V/ VI I O I V
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			

Urine Microscopy is done on centrifuged urine sediment.

STOOL, ROUTINE EXAMINATION *, Stool

Color YELLOWISH







UHID/MR NO

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHISH KUMAR Age/Gender : 30 Y 9 M 22 D /M

: ALDP.0000131355 : ALDP0288592324 Collected Received Reported

Registered On

: 25/Nov/2023 11:11:33 : 25/Nov/2023 14:28:34 : 25/Nov/2023 14:48:40

: ALDP0288592324 : Dr. MEDIWHEEL-ARCOFEMI HEALTH : 25/Nov/2023 15:16:15

Ref Doctor : Dr. MEDIN CARE LTD - Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Consistency	SEMI SOLID			
Reaction (PH)	Neutral (7.0)			
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
		7 4		

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr.Akanksha Singh (MD Pathology)











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHISH KUMAR : 25/Nov/2023 11:11:33 Registered On Age/Gender Collected : 30 Y 9 M 22 D /M : 25/Nov/2023 11:30:14 UHID/MR NO : ALDP.0000131355 Received : 25/Nov/2023 12:07:47 Visit ID : ALDP0288592324 Reported : 25/Nov/2023 15:31:16 : Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	110.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	5.20	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	7.500	μIU/mL	0.27 - 5.5	CLIA
		y.		
Interpretation:				
		0.3-4.5 $\mu IU/r$	nL First Trimes	ter
		0.5-4.6 μIU/r	nL Second Trin	nester
		0.8-5.2 μIU/r	nL Third Trime	ster
		0.5-8.9 μIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/r		> 37Week
		0.7-64 μIU/r		- 20 Yrs.)
			/mL Child	0-4 Days
		1.7-9.1 μIU/r		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 9 of 11









Age/Gender

UHID/MR NO

Ref Doctor

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.ASHISH KUMAR

: 30 Y 9 M 22 D /M

: ALDP.0000131355

: ALDP0288592324

CARE LTD -

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Reported

Collected

Received

Registered On

: N/A : 25/Nov/2023 14:34:11

: 25/Nov/2023 11:11:35

Status : Final Report

: N/A

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) **CHEST P-A VIEW**

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

DR K N SINGH (MBBS, DMRE)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name

: Mr.ASHISH KUMAR

Registered On

: 25/Nov/2023 11:11:35

Age/Gender

: 30 Y 9 M 22 D /M

Collected

: N/A

UHID/MR NO

: ALDP.0000131355 : ALDP0288592324

Received Reported

: 25/Nov/2023 13:11:24

Visit ID

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

Ref Doctor

CARE LTD -

Status

: Final Report

: N/A

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (cm), shape and shows diffuse increase in the liver parenchymal echogenicity with patchy attenuation of portal venous walls, suggestive of grade II fatty changes. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: - Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size (10.2 cm), shape and echogenicity. A calculus measuring ~ 7.2 mm is seen in middle calyx. Mild hydronephrosis with hydroureter, one calculus measuring ~ 6.7 mm is seen in lower part of ureter causing incomplete obstruction.

LEFT KIDNEY: - Normal in size (9.7 cm), shape and echogenicity. Few tiny concretions are seen. Pelvicalyceal system is not dilated.

URINARY BLADDER: Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE: Normal in size (3.0 x 3.0 x 2.2 cm vol - 10.7 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

- Grade II fatty liver.
- Right renal and ureteric calculi causing mild hydronephrosis with hydroureter.
- Left renal concretions.

🖳 ate clinically

*** End Of Report ***

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open *Facilities Available at Select Location





