Rate	64	. Sinus rhythm
PR	200	. ST elev, probable normal early repol patternST elevation, age<55
QRSD	92	
QT	389	
QTc	402	
AXIS		
P QRS	-1 -6	- NORMAL ECG -
T	10	
12 Lead;	; Stand	ard Placement Unconfirmed Diagnosis
		avr.
		and or a second property of the second proper
- June - Jeropa	The many of	and have broken and the formal properties of t
+ + +		\mathbf{v}_2
		aVI. V2 V5 V4 V5 V6 V7 V7 V7 V7 V7 V7 V7 V7 V7
maham	many m	resolver res
TTT		aVF V3
	~~~~	may remarkably many many many many many many many man
month	nda men dans	rankaramanahalmanamanahamanamankaramanamankaramanamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahamanahama
Device:		Speed: 25 mm/sec Limb: 10 mm/mV Chest: 10.0 mm/mV F 60~ 0.15-100 Hz 100B CL? P?

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR , RAJESH GULIA	STUDY DATE	24/02/2024 3:35PM
AGE / SEX	52 y / M	HOSPITAL NO.	MH005146817
ACCESSION NO.	NM12419072	MODALITY	US
REPORTED ON	24/02/2024 3:55PM	REFERRED BY	Health Check MHD

# **2D Echocardiography Report**

	End diastole	End systole
IVS thickness (cm)	1.2	1.5
Left Ventricular Dimension (cm)	4.5	2.8
Left Ventricular Posterior Wall thickness (cm)	1.1	1.3

Aortic Root Diameter (cm)	3.1
Left Atrial Dimension (cm)	3.4
Left Ventricular Ejection Fraction (%)	55 %

LEFT VENTRICLE Mild LVH present. Jerky septum. LVEF=55 %

Normal in size. Normal RV function. RIGHT VENTRICLE

LEFT ATRIUM Normal in size

RIGHT ATRIUM Normal in size

MITRAL VALVE Mild MR.

**AORTIC VALVE** Normal.

TRICUSPID VALVE Trace TR, PASP~ 27 mmHg.

PULMONARY VALVE Normal

MAIN PULMONARY ARTERY & Appears normal.

**ITS BRANCHES** 

INTERATRIAL SEPTUM Intact.

INTERVENTRICULAR SEPTUM Intact.

**PERICARDIUM** No pericardial effusion or thickening











NABH Accredited Hospital

NABL Accredited Hospital

Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR, RAJESH GULIA	STUDY DATE	24/02/2024 3:35PM
AGE / SEX	52 y / M	HOSPITAL NO.	MH005146817
ACCESSION NO.	NM12419072	MODALITY	US
REPORTED ON	24/02/2024 3:55PM	REFERRED BY	Health Check MHD

#### **DOPPLER STUDY**

VALVE	Peak Velocity	Maximum P.G. (mmHg)	Mean P. G. (mmHg)	Regurgitation	Stenosis
	(cm/sec)				
MITRAL	E= 60	-	-	Mild	Nil
	A=89				
AORTIC	118	-	-	Nil	Nil
TRICUSPID	-	N	N	Trace	Nil
PULMONARY	75	N	N	Nil	Nil

### **SUMMARY & INTERPRETATION:**

- Jerky septum with LVEF = 55 %
- Mild LVH present. Normal sized RA/RV/LA. Normal RV function.
- Mild MR.
- Trace TR, PASP~ 27 mmHg.
- Grade- I diastolic dysfunction
- IVC normal in size, >50% collapse with inspiration, suggestive of normal RA pressure.
- No clot/vegetation/pericardial effusion.

Please correlate clinically.

Dr. Sarita Gulati MD, DM DMC No.22600

**Senior Interventional Cardiologist** 

*****End Of Report*****











Awarded Emergency Excellence Services MC/3228/04/09/2019-03/09/2021 E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019

Awarded Clean & Green Hospital

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR RAJESH GULIA Age : 52 Yr(s) Sex :Male **Registration No** : MH005146817 Lab No 32240214163 **Patient Episode** : H03000060281 **Collection Date:** 24 Feb 2024 11:28 **Referred By** : HEALTH CHECK MHD **Reporting Date:** 24 Feb 2024 15:49

**Receiving Date** : 24 Feb 2024 12:15

#### **BIOCHEMISTRY**

THYROID PROFILE, Serum		Sp	ecimen Type : Serum
T3 - Triiodothyronine (ECLIA)	1.370	ng/ml	[0.400-1.810]
T4 - Thyroxine (ECLIA)	7.180	μg/dl	[4.600-10.500]
Thyroid Stimulating Hormone (ECLIA)	2.290	μIU/mL	[0.340-4.250]

Note: TSH levels are subject to circadian variation, reaching peak levels between 2-4.a.m.and at a minimum between 6-10 pm.Factors such as change of seasons hormonal fluctuations, Ca or Fe supplements, high fibre diet, stress and illness affect TSH results.

- * References ranges recommended by the American Thyroid Association
- 1) Thyroid. 2011 Oct; 21(10):1081-125.PMID .21787128
- 2) http://www.thyroid-info.com/articles/tsh-fluctuating.html

Test Name	Result	Unit	Biological Ref. Interval
LIVER FUNCTION TEST (Serum)			
BILIRUBIN-TOTAL (Diazonium Ion)	0.44	mg/dl	[0.10-1.20]
BILIRUBIN - DIRECT (Diazotization)	0.15	mg/dl	[0.00-0.30]
BILIRUBIN - INDIRECT (Calculated)	0.29	mg/dl	[0.20-1.00]
SGOT/ AST (UV without P5P)	21.9	U/L	[10.0-50.0]
SGPT/ ALT (UV without P5P)	34.8	U/L	[0.0-41.0]
ALP (p-NPP, kinetic) *	72	U/L	[45-135]
TOTAL PROTEIN (Biuret)	7.8	g/dl	[6.0-8.2]
SERUM ALBUMIN (BCG-dye)	4.8	g/dl	[3.5-5.2]
SERUM GLOBULIN (Calculated)	3.0	g/dl	[1.8-3.4]
ALB/GLOB (A/G) Ratio(Calculated)	1.60		[1.10-1.80]

Page1 of 7



Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

 Name
 : MR RAJESH GULIA
 Age
 : 52 Yr(s) Sex :Male

 Registration No
 : MH005146817
 Lab No
 : 32240214163

**Referred By**: HEALTH CHECK MHD **Reporting Date**: 24 Feb 2024 15:42

**Receiving Date** : 24 Feb 2024 12:15

#### **BIOCHEMISTRY**

#### Technical Notes:

Liver function test aids in diagnosis of various pre hepatic, hepatic and post hepatic causes of dysfunction like hemolytic anemia's, viral and alcoholic hepatitis and cholestasis of obstructive causes.

Test Name	Result	Unit Bi	ological Ref. Interval
KIDNEY PROFILE (Serum)			
BUN (Urease/GLDH)	10.00	mg/dl	[6.00-20.00]
SERUM CREATININE (Jaffe's method)	0.94	mg/dl	[0.80-1.60]
SERUM URIC ACID (Uricase)	6.7	mg/dl	[3.5-7.2]
SERUM CALCIUM (NM-BAPTA)	9.63	mg/dl	[8.00-10.50]
SERUM PHOSPHORUS (Molybdate, UV)	3.2	mg/dl	[2.5-4.5]
SERUM SODIUM (ISE)	140.0	mmol/l	[134.0-145.0]
SERUM POTASSIUM (ISE)	5.01	mmol/l	[3.50-5.20]
SERUM CHLORIDE (ISE Indirect)	102.9	mmol/L	[95.0-105.0]
eGFR	92.8	ml/min/1.73sq.	m [>60.0]
Technical Note			

eGFR which is primarily based on Serum Creatinine is a derivation of CKD-EPI 2009 equation normalized to1.73 sq.m BSA and is not applicable to individuals below 18 years. eGFR tends to be less accurate when Serum Creatinine estimation is indeterminate e.g. patients at extremes of muscle mass, on unusual diets etc. and samples with severe Hemolysis / Icterus / Lipemia.

Page 2 of 7

-----END OF REPORT-----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY



Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR RAJESH GULIA Age : 52 Yr(s) Sex : Male

Referred By : HEALTH CHECK MHD Reporting Date : 24 Feb 2024 13:44

**Receiving Date** : 24 Feb 2024 12:24

#### **BIOCHEMISTRY**

Specimen Type : Serum/Plasma

Plasma GLUCOSE-Fasting (Hexokinase) 88 mg/dl [74-106]

Page 3 of 7

----END OF REPORT-----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR RAJESH GULIA Age : 52 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD Reporting Date: 24 Feb 2024 14:17

**Receiving Date** : 24 Feb 2024 12:05

#### HAEMATOLOGY

#### ERYTHROCYTE SEDIMENTATION RATE (Automated) Specimen-Whole Blood

ESR 6.0 mm/1sthour [0.0-12.0]

#### Interpretation :

Erythrocyte sedimentation rate (ESR) is a non-specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants (e.g. pyogenic infections, inflammation and malignancies). The ESR is increased in pregnancy from about the 3rd month and returns to normal by the 4th week postpartum.

ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives).

It is especially low (0 - 1mm) in polycythemia, hypofibrinogenemia or congestive cardiac failure and when there are abnormalities of the red cells such as poikilocytosis, spherocytosis or sickle cells.

Test Name	Result	Unit Bio	ological Ref. Interval
COMPLETE BLOOD COUNT (EDTA Blood)			
WBC Count (Flow cytometry)	8500	/cu.mm	[4000-10000]
RBC Count (Impedence)	5.92 #	million/cu.mm	[4.50-5.50]
Haemoglobin (SLS Method)	17.6 #	g/dL	[13.0-17.0]
Haematocrit (PCV)	53.2 #	8	[40.0-50.0]
(RBC Pulse Height Detector Method)			
MCV (Calculated)	89.9	fL	[83.0-101.0]
MCH (Calculated)	29.7	pg	[25.0-32.0]
MCHC (Calculated)	33.1	g/dL	[31.5-34.5]
Platelet Count (Impedence)	266000	/cu.mm	[150000-410000]
RDW-CV (Calculated)	12.7	%	[11.6-14.0]
DIFFERENTIAL COUNT			
Neutrophils (Flowcytometry)	47.6	%	[40.0-80.0]
Lymphocytes (Flowcytometry)	39.1	%	[20.0-40.0]

Page 4 of 7



Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR RAJESH GULIA Age : 52 Yr(s) Sex : Male

Referred By: HEALTH CHECK MHD Reporting Date: 24 Feb 2024 12:32

**Receiving Date** : 24 Feb 2024 12:05

Basophil Absolute (Flouroscence flow cytometry)

#### HAEMATOLOGY

Monocytes (Flowcytometry)	6.9	용		[2.0-10.0]
Eosinophils (Flowcytometry)	5.8	%		[1.0-6.0]
Basophils (Flowcytometry)	0.6 #	8		[1.0-2.0]
IG	0.10	%		
Neutrophil Absolute (Flouroscence f	low cytometry)	4.1	/cu mm	$[2.0-7.0] \times 10^{3}$
Lymphocyte Absolute (Flouroscence f	low cytometry)	3.3 #	/cu mm	$[1.0-3.0] \times 10^{3}$
Monocyte Absolute (Flouroscence flo	w cytometry)	0.6	/cu mm	$[0.2-1.2] \times 10^{3}$
Eosinophil Absolute (Flouroscence f	low cytometry)	0.5	/cu mm	$[0.0-0.5] \times 10^{3}$

Complete Blood Count is used to evaluate wide range of health disorders, including anemia, infection, and leukemia. Abnormal increase or decrease in cell counts as revealed may indicate that an underlying medical condition that calls for further evaluation.

-----END OF REPORT-----

Dr.Lakshita singh

/cu mm

 $[0.0-0.1] \times 10^{3}$ 

Page 5 of 7

0.1



Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

 Name
 : MR RAJESH GULIA
 Age
 : 52 Yr(s) Sex :Male

 Registration No
 : MH005146817
 Lab No
 : 38240203249

Referred By : HEALTH CHECK MHD Reporting Date : 24 Feb 2024 22:28

**Receiving Date** : 24 Feb 2024 15:01

#### **CLINICAL PATHOLOGY**

ROUTINE URINE ANALYSIS MACROSCOPIC DESCRIPTION  Colour (Visual) PALE YELLOW (Pale Yellow - Yellow) Appearance (Visual) CLEAR  CHEMICAL EXAMINATION  Reaction[pH] 6.0 (5.0-9.0) (Reflectancephotometry(Indicator Method)) Specific Gravity 1.015 (1.003-1.035) (Reflectancephotometry(Indicator Method)) Bilirubin Negative NEGATIVE Protein/Albumin Negative NEGATIVE Protein/Albumin Negative (NEGATIVE-TRACE)  (Reflectance photometry(Indicator Method) / Manual SSA) Glucose NOT DETECTED (NEGATIVE)  (Reflectance photometry (GOD-POD/Benedict Method)) Ketone Bodies NOT DETECTED (NEGATIVE)  (Reflectance photometry (Legal's Test) / Manual Rotheras) Urobilinogen NORMAL (NORMAL)  Reflactance photometry/Diazonium salt reaction Nitrite NEGATIVE NEGATIVE  Reflactance photometry/Griess test Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase BLOOD NIL NEGATIVE
Colour (Visual) PALE YELLOW (Pale Yellow - Yellow) Appearance (Visual) CLEAR  CHEMICAL EXAMINATION  Reaction[pH] 6.0 (5.0-9.0) (Reflectancephotometry(Indicator Method)) Specific Gravity 1.015 (1.003-1.035) (Reflectancephotometry(Indicator Method)) Bilirubin Negative NEGATIVE Protein/Albumin Negative (NEGATIVE-TRACE) (Reflectance photometry(Indicator Method)/Manual SSA) Glucose NOT DETECTED (NEGATIVE) (Reflectance photometry (GOD-POD/Benedict Method)) Ketone Bodies NOT DETECTED (NEGATIVE) (Reflectance photometry(Legal's Test)/Manual Rotheras) Urobilinogen NORMAL (NORMAL) Reflactance photometry/Diazonium salt reaction Nitrite NEGATIVE NEGATIVE Reflactance photometry/Griess test Leukocytes NIL NEGATIVE Reflactance photometry/Action of Esterase BLOOD NIL NEGATIVE
Appearance (Visual) CLEAR  CHEMICAL EXAMINATION  Reaction[pH] 6.0 (5.0-9.0) (Reflectancephotometry(Indicator Method)) Specific Gravity 1.015 (1.003-1.035) (Reflectancephotometry(Indicator Method)) Bilirubin Negative NEGATIVE Protein/Albumin Negative (NEGATIVE-TRACE) (Reflectance photometry(Indicator Method)/Manual SSA) Glucose NOT DETECTED (NEGATIVE) (Reflectance photometry (GOD-POD/Benedict Method)) Ketone Bodies NOT DETECTED (NEGATIVE) (Reflectance photometry(Legal's Test)/Manual Rotheras) Urobilinogen NORMAL (NORMAL) Reflactance photometry/Diazonium salt reaction Nitrite NEGATIVE Reflactance photometry/Griess test Leukocytes NIL NEGATIVE Reflactance photometry/Action of Esterase BLOOD NIL NEGATIVE
Reaction[pH] 6.0 (5.0-9.0)  (Reflectancephotometry(Indicator Method)) Specific Gravity 1.015 (1.003-1.035)  (Reflectancephotometry(Indicator Method)) Bilirubin Negative NEGATIVE Protein/Albumin Negative (NEGATIVE-TRACE)  (Reflectance photometry(Indicator Method)/Manual SSA) Glucose NOT DETECTED (NEGATIVE)  (Reflectance photometry (GOD-POD/Benedict Method))  Ketone Bodies NOT DETECTED (NEGATIVE)  (Reflectance photometry (Legal's Test)/Manual Rotheras) Urobilinogen NORMAL (NORMAL)  Reflactance photometry/Diazonium salt reaction Nitrite NEGATIVE  Reflactance photometry/Griess test Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase  BLOOD NIL NEGATIVE
Reaction[pH] 6.0 (5.0-9.0)  (Reflectancephotometry(Indicator Method))  Specific Gravity 1.015 (1.003-1.035)  (Reflectancephotometry(Indicator Method))  Bilirubin Negative NEGATIVE  Protein/Albumin Negative (NEGATIVE-TRACE)  (Reflectance photometry(Indicator Method)/Manual SSA)  Glucose NOT DETECTED (NEGATIVE)  (Reflectance photometry (GOD-POD/Benedict Method))  Ketone Bodies NOT DETECTED (NEGATIVE)  (Reflectance photometry (Legal's Test)/Manual Rotheras)  Urobilinogen NORMAL (NORMAL)  Reflactance photometry/Diazonium salt reaction  Nitrite NEGATIVE  Reflactance photometry/Griess test  Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase  BLOOD NIL NEGATIVE
<pre>(Reflectancephotometry(Indicator Method)) Specific Gravity</pre>
Specific Gravity 1.015 (1.003-1.035)  (Reflectancephotometry(Indicator Method))  Bilirubin Negative NEGATIVE  Protein/Albumin Negative (NEGATIVE-TRACE)  (Reflectance photometry(Indicator Method)/Manual SSA)  Glucose NOT DETECTED (NEGATIVE)  (Reflectance photometry (GOD-POD/Benedict Method))  Ketone Bodies NOT DETECTED (NEGATIVE)  (Reflectance photometry(Legal's Test)/Manual Rotheras)  Urobilinogen NORMAL (NORMAL)  Reflactance photometry/Diazonium salt reaction  Nitrite NEGATIVE NEGATIVE  Reflactance photometry/Griess test  Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase  BLOOD NIL NEGATIVE
<pre>(Reflectancephotometry(Indicator Method)) Bilirubin</pre>
Bilirubin Negative NEGATIVE Protein/Albumin Negative (NEGATIVE-TRACE)  (Reflectance photometry(Indicator Method)/Manual SSA) Glucose NOT DETECTED (NEGATIVE)  (Reflectance photometry (GOD-POD/Benedict Method))  Ketone Bodies NOT DETECTED (NEGATIVE)  (Reflectance photometry(Legal's Test)/Manual Rotheras)  Urobilinogen NORMAL (NORMAL)  Reflactance photometry/Diazonium salt reaction  Nitrite NEGATIVE NEGATIVE  Reflactance photometry/Griess test  Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase  BLOOD NIL NEGATIVE
Protein/Albumin Negative (NEGATIVE-TRACE)  (Reflectance photometry(Indicator Method)/Manual SSA)  Glucose NOT DETECTED (NEGATIVE)  (Reflectance photometry (GOD-POD/Benedict Method))  Ketone Bodies NOT DETECTED (NEGATIVE)  (Reflectance photometry(Legal's Test)/Manual Rotheras)  Urobilinogen NORMAL (NORMAL)  Reflactance photometry/Diazonium salt reaction  Nitrite NEGATIVE NEGATIVE  Reflactance photometry/Griess test  Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase  BLOOD NIL NEGATIVE
(Reflectance photometry(Indicator Method)/Manual SSA) Glucose NOT DETECTED (NEGATIVE) (Reflectance photometry (GOD-POD/Benedict Method)) Ketone Bodies NOT DETECTED (NEGATIVE) (Reflectance photometry(Legal's Test)/Manual Rotheras) Urobilinogen NORMAL (NORMAL) Reflactance photometry/Diazonium salt reaction Nitrite NEGATIVE NEGATIVE Reflactance photometry/Griess test Leukocytes NIL NEGATIVE Reflactance photometry/Action of Esterase BLOOD NIL NEGATIVE
Glucose NOT DETECTED (NEGATIVE)  (Reflectance photometry (GOD-POD/Benedict Method))  Ketone Bodies NOT DETECTED (NEGATIVE)  (Reflectance photometry(Legal's Test)/Manual Rotheras)  Urobilinogen NORMAL (NORMAL)  Reflactance photometry/Diazonium salt reaction  Nitrite NEGATIVE NEGATIVE  Reflactance photometry/Griess test  Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase  BLOOD NIL NEGATIVE
(Reflectance photometry (GOD-POD/Benedict Method))  Ketone Bodies NOT DETECTED (NEGATIVE)  (Reflectance photometry(Legal's Test)/Manual Rotheras)  Urobilinogen NORMAL (NORMAL)  Reflactance photometry/Diazonium salt reaction  Nitrite NEGATIVE NEGATIVE  Reflactance photometry/Griess test  Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase  BLOOD NIL NEGATIVE
Ketone Bodies NOT DETECTED (NEGATIVE)  (Reflectance photometry(Legal's Test)/Manual Rotheras)  Urobilinogen NORMAL (NORMAL)  Reflactance photometry/Diazonium salt reaction  Nitrite NEGATIVE NEGATIVE  Reflactance photometry/Griess test  Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase  BLOOD NIL NEGATIVE
(Reflectance photometry(Legal's Test)/Manual Rotheras) Urobilinogen NORMAL (NORMAL) Reflactance photometry/Diazonium salt reaction Nitrite NEGATIVE NEGATIVE Reflactance photometry/Griess test Leukocytes NIL NEGATIVE Reflactance photometry/Action of Esterase BLOOD NIL NEGATIVE
Urobilinogen NORMAL (NORMAL)  Reflactance photometry/Diazonium salt reaction  Nitrite NEGATIVE NEGATIVE  Reflactance photometry/Griess test  Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase  BLOOD NIL NEGATIVE
Reflactance photometry/Diazonium salt reaction Nitrite NEGATIVE NEGATIVE Reflactance photometry/Griess test Leukocytes NIL NEGATIVE Reflactance photometry/Action of Esterase BLOOD NIL NEGATIVE
Nitrite NEGATIVE  Reflactance photometry/Griess test  Leukocytes NIL NEGATIVE  Reflactance photometry/Action of Esterase  BLOOD NIL NEGATIVE
Reflactance photometry/Griess test Leukocytes NIL NEGATIVE Reflactance photometry/Action of Esterase BLOOD NIL NEGATIVE
Leukocytes NIL NEGATIVE Reflactance photometry/Action of Esterase BLOOD NIL NEGATIVE
Reflactance photometry/Action of Esterase BLOOD NIL NEGATIVE
BLOOD NIL NEGATIVE
(Reflectance photometry(peroxidase))
MICROSCOPIC EXAMINATION (Manual) Method: Light microscopy on centrifuged urine
WBC/Pus Cells 1-2 /hpf (4-6)
Red Blood Cells NIL (1-2)
Epithelial Cells 2-4 /hpf (2-4)
Casts NIL (NIL)
Crystals NIL (NIL)
Bacteria NIL
Yeast cells NIL

Page 6 of 7



Interpretation:

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR RAJESH GULIA Age : 52 Yr(s) Sex : Male

Referred By: HEALTH CHECK MHD Reporting Date: 24 Feb 2024 22:28

**Receiving Date** : 24 Feb 2024 15:01

#### **CLINICAL PATHOLOGY**

 $\textit{URINALYSIS-Routine urine analysis assists in screening and diagnosis of various metabolic , urological, kidney and liver disorders \\$ 

Protein: Elevated proteins can be an early sign of kidney disease. Urinary protein excretion can also be temporarily elevated by strenuous exercise, orthostatic proteinuria, dehydration, urina tract infections and acute illness with fever

Glucose: Uncontrolled diabetes mellitus can lead to presence of glucose in urine.

Other causes include pregnancy, hormonal disturbances, liver disease and certain medications.

Ketones: Uncontrolled diabetes mellitus can lead to presence of ketones in urine.

Ketones can also be seen in starvation, frequent vomiting, pregnancy and strenuous exercise.

Blood: Occult blood can occur in urine as intact erythrocytes or haemoglobin, which can occur in various urological, nephrological and bleeding disorders.

Leukocytes: An increase in leukocytes is an indication of inflammation in urinary tract or kidneys Most Common cause is bacterial urinary tract infection.

Nitrite: Many bacteria give positive results when their number is high. Nitrite concentration duri infection increases with length of time the urine specimen is retained in bladder prior to collection.

pH: The kidneys play an important role in maintaining acid base balance of the body. Conditions of the body producing acidosis/alkalosis or ingestion of certain type of food can affect the pH of urine.

Specific gravity: Specific gravity gives an indication of how concentrated the urine is. Increased Specific gravity is seen in conditions like dehydration, glycosuria and proteinuria while decrease Specific gravity is seen in excessive fluid intake, renal failure and diabetes insipidus.

Bilirubin: In certain liver diseases such as biliary obstruction or hepatitis,

bilirubin gets excreted in urine.

Urobilinogen: Positive results are seen in liver diseases like hepatitis and cirrhosis and in case of hemolytic anemia.

-----END OF REPORT-----

luganto

Dr. Priyanka Bhatia CONSULTANT PATHOLOGY



Page 7 of 7

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR RAJESH GULIA Age : 52 Yr(s) Sex :Male

Referred By : HEALTH CHECK MHD Reporting Date : 24 Feb 2024 14:05

**Receiving Date** : 24 Feb 2024 12:06

#### **Department of Transfusion Medicine (Blood Bank)**

BLOOD GROUPING, RH TYPING & ANTIBODY SCREEN (TYPE & SCREEN) Specimen-Blood

Blood Group & Rh Typing (Agglutinaton by gel/tube technique)

Blood Group & Rh typing AB Rh(D) Positive

Antibody Screening (Microtyping in gel cards using reagent red cells)

Final Antibody Screen Result Negative

#### Technical Note:

ABO grouping and Rh typing is done by cell and serum grouping by microplate / gel technique. Antibody screening is done using a 3 cell panel of reagent red cells coated with Rh, Kell, Duffy, Kidd, Lewis, P, MNS, Lutheran and Xg antigens using gel technique.

Page 1 of 4

-----END OF REPORT------

Dampa

Dr Himanshu Lamba

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR RAJESH GULIA **:** 52 Yr(s) Sex :Male Age

32240214163 **Registration No** : MH005146817 Lab No

**Patient Episode** : H03000060281 **Collection Date :** 24 Feb 2024 11:28

Referred By : HEALTH CHECK MHD 25 Feb 2024 07:18 **Reporting Date:** 

: 24 Feb 2024 16:21 **Receiving Date** 

#### **BIOCHEMISTRY**

Specimen: EDTA Whole blood

As per American Diabetes Association (ADA) 2010 6.1 HbA1c (Glycosylated Hemoglobin)

[4.0-6.5]

HbA1c in %

Non diabetic adults : < 5.7 %

Prediabetes (At Risk ) : 5.7 % - 6.4 %

Diabetic Range : > 6.5 %

Estimated Average Glucose (eAG) 128 mg/dl

#### Use :

- 1. Monitoring compliance and long-term blood glucose level control in patients with diabetes.
- 2. Index of diabetic control (direct relationship between poor control and development of complications).
- 3. Predicting development and progression of diabetic microvascular complications.

#### Limitations :

- 1. AlC values may be falsely elevated or decreased in those with chronic kidney disease.
- 2. False elevations may be due in part to analytical interference from carbamylated hemoglobin formed in the presence of elevated concentrations of urea, with some assays.
- 3. False decreases in measured A1C may occur with hemodialysis and altered red cell turnover, especially in the setting of erythropoietin treatment

References: Rao.L.V., Michael snyder.L. (2021). Wallach's Interpretation of Diagnostic Tests. 11th Edition. Wolterkluwer. NaderRifai, Andrea Rita Horvath, Carl T. wittwer. (2018) Teitz Text book

of Clinical Chemistry and Molecular Diagnostics. First edition, Elsevier, South Asia.

Page 2 of 4

P 011 4967 4967 E info@manipalhospitals.com Emergency 011 4040 7070

www.hcmct.in www.manipalhospitals.com/delhi/

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR RAJESH GULIA Age : 52 Yr(s) Sex :Male **Registration No** : MH005146817 Lab No 32240214163 **Patient Episode** : H03000060281 **Collection Date:** 24 Feb 2024 11:28 Referred By : HEALTH CHECK MHD **Reporting Date:** 25 Feb 2024 07:18 **Receiving Date** : 24 Feb 2024 12:15

#### **BIOCHEMISTRY**

#### Lipid Profile (Serum)

TOTAL CHOLESTEROL (CHOD/POD)	211 #	mg/dl	[<200] Moderate risk:200-239 High risk:>240
TRIGLYCERIDES (GPO/POD)	163 #	mg/dl	[<150] Borderline high:151-199 High: 200 - 499 Very high:>500
HDL - CHOLESTEROL (Direct) Methodology: Homogenous Enzymatic	54	mg/dl	[30-60]
VLDL - Cholesterol (Calculated)	33	mg/dl	[10-40]
(CALCULATED) LDL- CHOLE	STEROL	124 #mg/dl	[<100]
			Near/Above optimal-100-129 Borderline High:130-159 High Risk:160-189
T.Chol/HDL.Chol ratio	3.9		Borderline High:130-159

#### Note:

Reference ranges based on ATP III Classifications. Recommended to do fasting Lipid Profile after a minimum of 8 hours of overnight fasting.

#### Technical Notes:

Lipid profile is a panel of blood tests that serves as initial broad medical screening tool for abnormalities in lipids, the results of these tests can identify certain genetic

Page 3 of 4

P 011 4967 4967 **E** info@manipalhospitals.com **Emergency** 011 4040 7070

www.hcmct.in www.manipalhospitals.com/delhi/

Registered Office: Sector-6, Dwarka, New Delhi 110 075

#### Department Of Laboratory Medicine

Name : MR RAJESH GULIA Age : 52 Yr(s) Sex :Male

Referred By: HEALTH CHECK MHD: Reporting Date: 25 Feb 2024 07:18

**Receiving Date** : 24 Feb 2024 12:15

#### **BIOCHEMISTRY**

diseases and determine approximate risks for cardiovascular disease, certain forms of pancreatitis and other diseases.

Test Name Result Unit Biological Ref. Interval

TOTAL PSA, Serum (ECLIA) 5.010 # ng/mL [<3.500]

Note: PSA is a glycoprotein that is produced by the prostate gland. Normally, very little PSA is secreted in the blood. Increases in glandular size and tissue damage caused by BPH, prostatitis, or prostate cancer may increase circulating PSA levels.

Caution : Serum markers are not specific for malignancy, and values may vary by method.

Immediate PSA testing following digital rectal examination, ejaculation, prostate massage urethral instrumentation, prostate biopsy may increase PSA levels.

Some patients who have been exposed to animal antigens, may have circulating anti-animal antibodies present. These antibodies may interfere with the assay reagents to produce unreliable results.

Page 4 of 4

----END OF REPORT-----

Dr. Neelam Singal

CONSULTANT BIOCHEMISTRY

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR , RAJESH GULIA	STUDY DATE	24/02/2024 1:48PM
AGE / SEX	52 y / M	HOSPITAL NO.	MH005146817
ACCESSION NO.	R6940256	MODALITY	US
REPORTED ON	24/02/2024 2:57PM	REFERRED BY	Health Check MHD

### **USG WHOLE ABDOMEN**

#### Results:

Liver is enlarged in size (~16.7 cm)and shows grade II fatty changes. No focal intrahepatic lesion is detected. Intra-hepatic biliary radicals are not dilated. Portal vein is normal in calibre.

Gall bladder appears echofree with normal wall thickness. Common bile duct is normal in calibre.

Pancreas is normal in size and echopattern.

Spleen is normal in size (7.9 cm) and echopattern.

Both kidneys are normal in position, size (RK ~ 10.7 x 4.2 cm and LK ~ 11 x 5.4 cm) and outline. Cortico-medullary differentiation of both kidneys is maintained. Central sinus echoes are compact. Left kidney shows a cortical cyst of size approx 2.3 x 2.8 cm in interpolar **region.** No calculus seen. Bilateral pelvicalyceal systems are not dilated.

Urinary bladder is normal in wall thickness with clear contents. No significant intra or extraluminal mass is seen.

Prostate is enlarged in size and normal in echopattern. (volume 34.5 cc).

No significant free fluid is detected.

### IMPRESSION: Findings are suggestive of :


- Hepatomegaly with grade II fatty liver.
- Left renal cortical cyst.
- Prostatomegaly.

Kindly correlate clinically.











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021



Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018- 04/12/2019



Awarded Clean & Green Hospital

Sector-6, Dwarka, New Delhi 110 075



GST: 07AAAAH3917LIZM PAN NO: AAAAH3917L

NAME	MR , RAJESH GULIA	STUDY DATE	24/02/2024 1:48PM
AGE / SEX	52 y / M	HOSPITAL NO.	MH005146817
ACCESSION NO.	R6940256	MODALITY	US
REPORTED ON	24/02/2024 2:57PM	REFERRED BY	Health Check MHD

Dr. Nipun Gumber MBBS, MD DMC No.90272 **ASSOCIATE CONSULTANT** 

*****End Of Report****











Awarded Emergency Excellence Services E-2019-0026/27/07/2019-26/07/2021

Awarded Nursing Excellence Services N-2019-0113/27/07/2019-26/07/2021 IND18.6278/05/12/2018-04/12/2019

Awarded Clean & Green Hospital