

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:42
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000133054	Received	: N/A
Visit ID	: ALDP0323832324	Reported	: 01/Jan/2024 14:31:40
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG / EKG *

1. Machnism, Rhythm	Sinus, Regular	
2. Atrial Rate	69	/mt
3. Ventricular Rate	69	/mt
4. P - Wave	Normal	
5. P R Interval	Normal	
6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
7. Q T c Interval	Normal	
8. S - T Segment	Normal	
9. T – Wave <u>FINAL IMPRESSION</u>	Normal	

ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.





1800-419-0002

Page 1 of 12



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:39
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: 31/Dec/2023 10:31:59
UHID/MR NO	: ALDP.0000133054	Received	: 31/Dec/2023 11:52:15
Visit ID	: ALDP0323832324	Reported	: 31/Dec/2023 13:29:44
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS							
Test Name							
Blood Group (ABO & Rh typing) * , BI	ood						
Blood Group	A			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA			
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA			
Complete Blood Count (CBC) * , Whole	e Blood						
Haemoglobin	15.60	g/dl	1 Day- 14.5-22.5 g/ 1 Wk- 13.5-19.5 g/ 1 Mo- 10.0-18.0 g/ 3-6 Mo- 9.5-13.5 g/ 0.5-2 Yr- 10.5-13.5 2-6 Yr- 11.5-15.5 g/ 6-12 Yr- 11.5-15.5 g/ 12-18 Yr 13.0-16.0 Male- 13.5-17.5 g/ Female- 12.0-15.5	dl dl /dl g/dl g/dl g/dl dl			
TLC (WBC) DLC	6,700.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE			
Polymorphs (Neutrophils)	57.00	%	55-70	ELECTRONIC IMPEDANCE			
Lymphocytes	36.00	%	25-40	ELECTRONIC IMPEDANCE			
Monocytes	5.00	%	3-5	ELECTRONIC IMPEDANCE			
Eosinophils	2.00	%	1-6	ELECTRONIC IMPEDANCE			
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE			
Observed	2.00	Mm for 1st hr					
Corrected	2.00	Mm for 1st hr					
PCV (HCT)	47.00	%	40-54				
Platelet count Platelet Count	2.76	LACS/cu mm	1.5-4.0	ELECTRONIC			
	14.00	CI	0.17				

PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)

Page 2 of 12

ELECTRONIC IMPEDANCE

ELECTRONIC IMPEDANCE



16.20

-

9-17

35-60

fL

%





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:39
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: 31/Dec/2023 10:31:59
UHID/MR NO	: ALDP.0000133054	Received	: 31/Dec/2023 11:52:15
Visit ID	: ALDP0323832324	Reported	: 31/Dec/2023 13:29:44
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 VPS

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS							
Test Name	Result	Unit	Bio. Ref. Interval	Method			
PCT (Platelet Hematocrit)	0.32	%	0.108-0.282	ELECTRONIC IMPEDANCE			
MPV (Mean Platelet Volume)	11.80	fL	6.5-12.0	ELECTRONIC IMPEDANCE			
RBC Count							
RBC Count	5.45	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE			
Blood Indices (MCV, MCH, MCHC)							
MCV	86.60	fl	80-100	CALCULATED PARAMETER			
MCH	28.60	pg	28-35	CALCULATED PARAMETER			
MCHC	33.00	%	30-38	CALCULATED PARAMETER			
RDW-CV	13.40	%	11-16	ELECTRONIC IMPEDANCE			
RDW-SD	43.50	fL	35-60	ELECTRONIC IMPEDANCE			
Absolute Neutrophils Count	3,819.00	/cu mm	3000-7000				
Absolute Eosinophils Count (AEC)	134.00	/cu mm	40-440				

AS

Dr.Akanksha Singh (MD Pathology)

Page 3 of 12





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:41
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: 31/Dec/2023 10:31:58
UHID/MR NO	: ALDP.0000133054	Received	: 31/Dec/2023 11:52:15
Visit ID	: ALDP0323832324	Reported	: 31/Dec/2023 13:38:22
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING * , Plasma				
Glucose Fasting	96.70	1	100 Normal G 00-125 Pre-diabetes 126 Diabetes	GOD POD
Interpretation: a) Kindly correlate clinically with intake of		0	e	

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP * Sample:Plasma After Meal	151.10	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) * , EDTA BLOOD						
Glycosylated Haemoglobin (HbA1c)	5.90	% NGSP	HPLC (NGSP)			
Glycosylated Haemoglobin (HbA1c)	41.00	mmol/mol/IFCC				
Estimated Average Glucose (eAG)	123	mg/dl				

Interpretation:

<u>NOTE</u>:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:41
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: 31/Dec/2023 10:31:58
UHID/MR NO	: ALDP.0000133054	Received	: 31/Dec/2023 11:52:15
Visit ID	: ALDP0323832324	Reported	: 31/Dec/2023 13:38:22
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
-----------	--------	------	--------------------	--------

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	9.25	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.20	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	5.04	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) * , Serum



Page 5 of 12



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:41
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: 31/Dec/2023 10:31:58
UHID/MR NO	: ALDP.0000133054	Received	: 31/Dec/2023 11:52:15
Visit ID	: ALDP0323832324	Reported	: 31/Dec/2023 13:38:22
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	Jnit	Bio. Ref. Interva	al Method
SGOT / Aspartate Aminotransferase (AST)	38.10	U/L	< 35		IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	63.10	U/L	< 40		IFCC WITHOUT P5P
Gamma GT (GGT)	34.70	IU/L	11-50		OPTIMIZED SZAZING
Protein	6.20	gm/dl	6.2-8.0)	BIURET
Albumin	4.60	gm/dl	3.4-5.4		B.C.G.
Globulin	1.60	gm/dl	1.8-3.6		CALCULATED
A:G Ratio	2.87	,	1.1-2.0		CALCULATED
Alkaline Phosphatase (Total)	54.50	U/L	42.0-1		IFCC METHOD
Bilirubin (Total)	0.50	mg/dl	0.3-1.2		JENDRASSIK & GROF
Bilirubin (Direct)	0.20	mg/dl	< 0.30		JENDRASSIK & GROF
Bilirubin (Indirect)	0.30	mg/dl	< 0.8		JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum					
Cholesterol (Total)	158.00	mg/dl		esirable 9 Borderline High High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	55.00	mg/dl	30-70	AAAA	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	74	mg/dl	100-12 Optim 130-15 160-18	al/Above Optima 9 Borderline High	
VLDL	28.96	mg/dl	10-33	<i></i>	CALCULATED
Triglycerides	144.80	mg/dl	< 150 M 150-19 200-49	9 Borderline High	GPO-PAP

AS

Dr.Akanksha Singh (MD Pathology)





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:41
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: 31/Dec/2023 13:35:50
UHID/MR NO	: ALDP.0000133054	Received	: 31/Dec/2023 13:43:27
Visit ID	: ALDP0323832324	Reported	: 31/Dec/2023 14:42:53
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

	DEPARTMENT OF CLI	NICAL PATH	OLOGY	
ME	DIWHEEL BANK OF BAR	ODA MALE A	ABOVE 40 YRS	
Test Name	Result	Unit	Bio. Ref. Interval	Method
JRINE EXAMINATION, ROUTINE *	, Urine			
Color	PALE YELLOW			
Specific Gravity	1.025			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	[′] mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Current and a second	ADCENIT		> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++) 1-2 (+++)	
		and the second	>2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTR
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			

Urine Microscopy is done on centrifuged urine sediment.

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage	ABSENT	gms%	
----------------------	--------	------	--





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:41
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: 31/Dec/2023 13:35:50
UHID/MR NO	: ALDP.0000133054	Received	: 31/Dec/2023 13:43:27
Visit ID	: ALDP0323832324	Reported	: 31/Dec/2023 14:42:53
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2 (++++) > 2				
(+++) > 2				
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Interpretation:				
(+) < 0.5 gms%				
(++) 0.5-1.0 gms%		1997		
(+++) 1-2 gms% (++++) > 2 gms%				
$(++++) > 2 \text{ gms/}_0$				
			in the second	

AS

Dr.Akanksha Singh (MD Pathology)

Page 8 of 12





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:43
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: 31/Dec/2023 10:31:58
UHID/MR NO	: ALDP.0000133054	Received	: 01/Jan/2024 17:59:23
Visit ID	: ALDP0323832324	Reported	: 01/Jan/2024 18:41:43
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total **	1.05	na/mL	<4.1	CLIA	
Sample:Serum	1.00	rig/file	\$1.1	0Ell (

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Dr. Anupam Singh (MBBS MD Pathology)

Page 9 of 12







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:41
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: 31/Dec/2023 10:31:58
UHID/MR NO	: ALDP.0000133054	Received	: 31/Dec/2023 11:52:15
Visit ID	: ALDP0323832324	Reported	: 31/Dec/2023 14:38:23
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	131.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	6.00	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	2.500	µIU/mL	0.27 - 5.5	CLIA
Interpretation:				

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr.Akanksha Singh (MD Pathology)





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:42
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000133054	Received	: N/A
Visit ID	: ALDP0323832324	Reported	: 31/Dec/2023 14:05:29
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.

Icrohilh

DR K N SINGH (MBBS, DMRE)

Page 11 of 12







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr.SHAILENDRA KUMAR -183107	Registered On	: 31/Dec/2023 10:03:42
Age/Gender	: 40 Y 10 M 25 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000133054	Received	: N/A
Visit ID	: ALDP0323832324	Reported	: 31/Dec/2023 11:36:14
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (14.9 cm), shape and **shows diffuse increase in the liver parenchymal echogenicity suggestive of grade I/II fatty changes**. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size, shape and echogenicity.

RIGHT KIDNEY: - Normal in size (9.5 cm), shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size (9.6 cm), shape and echogenicity. A cortical cyst measuring ~ 1.6 cm in diameter is seen in lower pole. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE :- Normal in size (3.3 x 3.3 x 2.7 cm vol - 16.5 cc), shape and echo pattern.


Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION:

- Grade I/II fatty liver.
- Left renal cortical cyst.

Please correlate clinically



Page 12 of 12

