



Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAJU PARIHAR Registered On : 10/Aug/2024 08:44:29 Age/Gender Collected : 10/Aug/2024 09:02:08 : 36 Y 1 M 16 D /M UHID/MR NO Received : CHLD.0000113113 : 10/Aug/2024 10:18:31 Visit ID : CHLD0092562425 Reported : 10/Aug/2024 12:43:51

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing), Blood				
Blood Group	В			ERYTHROCYTE
Blood Group	J			MAGNETIZED
				TECHNOLOGY / TUBE
				AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE
				MAGNETIZED
				TECHNOLOGY / TUBE AGGLUTINA
				AGGLOTINA
Complete Blood Count (CBC), Whole Blood				
Haemoglobin	14.60	g/dl	1 Day- 14.5-22.5 g/dl	
		Section 1964	1 Wk- 13.5-19.5 g/dl	
		N. W.	1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl	
			6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC)	4,200.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC	,	•		
Polymorphs (Neutrophils)	44.00	%	40-80	ELECTRONIC IMPEDANCE
Lymphocytes	52.00	%	20-40	ELECTRONIC IMPEDANCE
Monocytes	1.00	%	2-10	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	< 1-2	ELECTRONIC IMPEDANCE
ESR				
Observed	20.00	MM/1H	10-19 Yr 8.0	
			20-29 Yr 10.8	
			30-39 Yr 10.4	
			40-49 Yr 13.6	
			50-59 Yr 14.2	
			60-69 Yr 16.0	
			70-79 Yr 16.5 80-91 Yr 15.8	
			Pregnancy	







Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAJU PARIHAR Registered On : 10/Aug/2024 08:44:29 Age/Gender Collected : 10/Aug/2024 09:02:08 : 36 Y 1 M 16 D /M UHID/MR NO Received : CHLD.0000113113 : 10/Aug/2024 10:18:31 Visit ID : CHLD0092562425 Reported : 10/Aug/2024 12:43:51

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
			Early gestation - 48 (62 if anaemic) Leter gestation - 70 (95 if anaemic)	
Corrected	16.00	Mm for 1st hr.	<9	
PCV (HCT) Platelet count	45.00	%	40-54	
Platelet Count	1.98	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.20	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	40.80	%	35-60	ELECTRONIC IMPEDANCE
PCT (Platelet Hematocrit)	0.23	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume) RBCCount	12.00	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count Blood Indices (MCV, MCH, MCHC)	4.75	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
MCV	92.70	fl	80-100	CALCULATED PARAMETER
MCH	30.80	pg	27-32	CALCULATED PARAMETER
MCHC	33.20	%	30-38	CALCULATED PARAMETER
RDW-CV	12.50	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	42.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	1,848.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	126.00	/cu mm	40-440	











Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name : M Age/Gender : 3

: Mr.RAJU PARIHAR : 36 Y 1 M 16 D /M Registered On Collected : 10/Aug/2024 08:44:31 : 10/Aug/2024 09:02:07

UHID/MR NO
Visit ID

: CHLD.0000113113 : CHLD0092562425 Received Reported

: 10/Aug/2024 10:18:32 : 10/Aug/2024 11:35:02

Ref Doctor

: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -

Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

GLUCOSE FASTING, Plasma

Glucose Fasting

92.60

mg/dl

< 100 Normal

GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impaired Glucose Tolerance.

Glucose PP

80.30

mg/dl

<140 Normal

GOD POD

140-199 Pre-diabetes

>200 Diabetes

Interpretation:

Sample:Plasma After Meal

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impaired Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.50	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	37.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	111	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy









Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAJU PARIHAR : 10/Aug/2024 08:44:31 Registered On Age/Gender : 36 Y 1 M 16 D /M Collected : 10/Aug/2024 09:02:07 UHID/MR NO : CHLD.0000113113 Received : 10/Aug/2024 10:18:32 Visit ID : CHLD0092562425 Reported : 10/Aug/2024 11:35:02

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

BUN (Blood Urea Nitrogen) Sample:Serum

12.30

mg/dL

7.0-23.0

CALCULATED

Interpretation:

Note: Elevated BUN levels can be seen in the following:

High-protein diet, Dehydration, Aging, Certain medications, Burns, Gastrointestimal (GI) bleeding.

Low BUN levels can be seen in the following:

Page 4 of 13





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

^{*}Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

^{*}With optimal control, the HbA 1c moves toward normal levels.

^{*}A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.





Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAJU PARIHAR Registered On : 10/Aug/2024 08:44:31 Collected Age/Gender : 36 Y 1 M 16 D /M : 10/Aug/2024 09:02:07 UHID/MR NO : CHLD.0000113113 Received : 10/Aug/2024 10:18:32 Visit ID : 10/Aug/2024 11:35:02 : CHLD0092562425 Reported

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report CARE LTD HLD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Low-protein diet, overhydration, Liver disease.

Creatinine 0.94 mg/dl 0.7-1.30 MODIFIED JAFFES

Sample:Serum

Interpretation:

The significance of single creatinine value must be interpreted in light of the patients muscle mass. A patient with a greater muscle mass will have a higher creatinine concentration. The trend of serum creatinine concentrations over time is more important than absolute creatinine concentration. Serum creatinine concentrations may increase when an ACE inhibitor (ACE) is taken. The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic.

Uric Acid 4.25 mg/dl 3.4-7.0 URICASE Sample:Serum

Interpretation:

Note:-

Elevated uric acid levels can be seen in the following:

Drugs, Diet (high-protein diet, alcohol), Chronic kidney disease, Hypertension, Obesity.

LFT (WITH GAMMA GT), Serum

SGOT / Aspartate Aminotransferase (AST)	23.70	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	36.90	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	32.80	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.69	gm/dl	6.2-8.0	BIURET
Albumin	4.50	gm/dl	3.4-5.4	B.C.G.
Globulin	2.19	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.05		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	83.98	U/L	42.0-165.0	PNP/AMP KINETIC
Bilirubin (Total)	1.12	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.48	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.64	mg/dl	< 0.8	JENDRASSIK & GROF

LIPID PROFILE (MINI), Serum

Cholesterol (Total) 157.00 mg/dl <200 Desirable CHOD-PAP

200-239 Borderline High

> 240 High









Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAJU PARIHAR Registered On : 10/Aug/2024 08:44:31 Age/Gender : 36 Y 1 M 16 D /M Collected : 10/Aug/2024 09:02:07 UHID/MR NO : CHLD.0000113113 Received : 10/Aug/2024 10:18:32 Visit ID : CHLD0092562425 Reported : 10/Aug/2024 11:35:02

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

M EDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Ur	nit Bio. Ref. Interv	al Method
HDL Cholesterol (Good Cholesterol) LDL Cholesterol (Bad Cholesterol)	36.20 101	mg/dl mg/dl	30-70 < 100 Optimal 100-129 Nr.	DIRECT ENZYMATIC CALCULATED
			Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	19.60	mg/dl	10-33	CALCULATED
Triglycerides	98.00	mg/dl	< 150 Normal	GPO-PAP
			150-199 Borderline Hig 200-499 High >500 Very High	h













Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAJU PARIHAR Registered On : 10/Aug/2024 08:44:30 Age/Gender Collected : 10/Aug/2024 09:15:07 : 36 Y 1 M 16 D /M UHID/MR NO : CHLD.0000113113 Received : 10/Aug/2024 10:18:32 Visit ID : CHLD0092562425 Reported : 10/Aug/2024 17:52:11

: Dr.MEDIWHEEL ARCOFEMI HEALTH Ref Doctor Status : Final Report CARE LTD HLD -

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE, Urine				
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Curan	ADCENIT	ave a0/	> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++)	DIPSTICK
			1-2 (+++)	
			>2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	1-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	1-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
Others	ADCENIT			EXAMINATION
Others	ABSENT			
STOOL, ROUTINE EXAMINATION, Stool				
Color	BROWNISH			
Consistency	SEMI SOLID			
Reaction (PH)	Acidic (6.0)			







Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAJU PARIHAR Registered On : 10/Aug/2024 08:44:30 Age/Gender : 36 Y 1 M 16 D /M Collected : 10/Aug/2024 09:15:07 UHID/MR NO : CHLD.0000113113 Received : 10/Aug/2024 10:18:32 Visit ID : CHLD0092562425 Reported : 10/Aug/2024 17:52:11

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

M EDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	1-2/h.p.f			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT			
Others	ABSENT			

Dr.Pankaj Punetha DNB(Pathology)







Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name

: Mr.RAJU PARIHAR : 36 Y 1 M 16 D /M

Collected

: 10/Aug/2024 08:44:30 : 10/Aug/2024 09:15:07

Age/Gender UHID/MR NO

: CHLD.0000113113

Received

Registered On

: 10/Aug/2024 10:18:32

Visit ID

: CHLD0092562425

Reported

: 11/Aug/2024 10:21:53

Ref Doctor

: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, FASTING STAGE, Urine

Sugar, Fasting stage

ABSENT

gms%

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

Dr.Pankaj Punetha DNB(Pathology)





Page 9 of 13



Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name

: Mr.RAJU PARIHAR

Registered On

: 10/Aug/2024 08:44:30

Age/Gender

: 36 Y 1 M 16 D /M

Collected

: 10/Aug/2024 14:29:46 : 10/Aug/2024 15:02:17

UHID/MR NO Visit ID : CHLD.0000113113 : CHLD0092562425 Received Reported

: 10/Aug/2024 18:22:31

Ref Doctor

: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

SUGAR, PP STAGE, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr.Pankaj Punetha DNB(Pathology)











Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAJU PARIHAR Registered On : 10/Aug/2024 08:44:31 Age/Gender Collected : 36 Y 1 M 16 D /M : 10/Aug/2024 09:02:07 UHID/MR NO : CHLD.0000113113 Received : 10/Aug/2024 10:18:32 Visit ID : 10/Aug/2024 11:51:48 : CHLD0092562425 Reported

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL , Serum				
T3, Total (tri-iodothyronine) T4, Total (Thyroxine)	97.70 9.10	0,	84.61–201.7 3.2-12.6	CLIA CLIA
TSH (Thyroid Stimulating Hormone)	1.600	_	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 μIU/mI 0.5-4.6 μIU/mI 0.8-5.2 μIU/mI 0.5-8.9 μIU/mI 0.7-27 μIU/mI 2.3-13.2 μIU/mI	Second Trimester Third Trimester Adults 55 Premature	r -87 Years 28-36 Week > 37Week
		0.7-64 μIU/mI 1-39 μIU/mI 1.7-9.1 μIU/mI	Child(21 wk - 20 nL Child 0-	

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.



Page 11 of 13







Visit ID

Ref Doctor

Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name : Mr.RAJU PARIHAR Age/Gender : 36 Y 1 M 16 D /M

UHID/MR NO : CHLD.0000113113 : CHLD0092562425

> : Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -

Collected Received

Registered On

: 2024-08-10 10:37:22 : 2024-08-10 10:37:22

: 10/Aug/2024 08:44:32

Reported : 10/Aug/2024 10:38:55

Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER) **

ULTRASOUND WHOLE ABDOMEN

LIVER: Is borderline enlarged in size (~15.6cms) and normal in echotexture. No SOL seen. No dilatation of IHBR seen. Hepatic vessels are normal. Portal vein is patent.

GALL BLADDER: Lumen anechoic, wall is normal in thickness (~3 mm). No pericholecystic fluid seen.

<u>CBD:</u> Normal in caliber and smoothly tapering towards its lower end.

PANCREAS: Normal in size and echotexture.

SPLEEN: Normal in size and echotexture.

KIDNEYS:-

Right kidney is normal in size, shape and echotexture with maintained CM differentiation. No dilatation of PC system is seen.

Concretion of size measuring ~2mm is seen in middle calyx of right kidney.

Left kidney is normal in size, shape and echotexture with maintained CM differentiation.

No dilatation of PC system is seen.

No calculus seen.

URINARY BLADDER: Normal capacity bladder with anechoic lumen and smooth regular walls of normal thickness.

PROSTATE: Is normal in size and echotexture. No focal lesion seen.

No evidence of any free fluid/retroperitoneal lymphadenopathy.

IMPRESSION:-

- Borderline hepatomegaly.
- Tiny right renal concretion.

(Adv:- Clinico-pathological correlation and further evaluation).

End Of Report ***



1800-419-0002





Ph: ,9235400975

CIN: U85110UP2003PLC193493



Patient Name

: Mr.RAJU PARIHAR

Registered On

: 10/Aug/2024 08:44:32

Age/Gender UHID/MR NO : 36 Y 1 M 16 D /M

Collected

: 2024-08-10 10:37:22 : 2024-08-10 10:37:22

Visit ID

: CHLD.0000113113 : CHLD0092562425

CARE LTD HLD -

Received Reported

: 10/Aug/2024 10:38:55

Ref Doctor

: Dr.MEDIWHEEL ARCOFEMI HEALTH

Status

: Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

(**) Test Performed at CHANDAN DIAGNOSTIC CENTRE, Haldwani, Heera Nagar

Result/s to Follow:

ECG / EKG, X-RAY DIGITAL CHEST PA





Sul

Dr Sushil Pandev(MD Radiodignosis)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location

Page 13 of 13







Chandan Diagnostic



Age / Gender: 36/Male Date and Time: 10th Aug 24 10:00 AM

CHLD0092562425 Patient ID:





ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

AUTHORIZED BY

REPORTED BY

Dr. Charit MD, DM: Cardiology Dr Jameel ahammad gandikota

63382

KMC 171992

Disclaimer: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.