

Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH Registered On : 24/Feb/2024 09:53:13 Age/Gender Collected : 52 Y O M O D /M : 24/Feb/2024 10:32:56 UHID/MR NO : CDCA.0000123905 Received : 24/Feb/2024 13:20:26 Visit ID Reported : 24/Feb/2024 19:34:17 : CDCA0362872324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|--------------------------------------|--------------|--|--|---|
| | | | | |
| Blood Group (ABO & Rh typing) *, BI | ood | | | |
| Blood Group | 0 | | | ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA |
| Rh (Anti-D) | POSITIVE | - constitution of the cons | | ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA |
| Complete Blood Count (CBC) * , Whole | e Blood | | | |
| Haemoglobin | 13.30 | g/dl | 1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl | |
| | | | 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl | |
| | | | 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl | |
| TLC (WBC) DLC | 8,900.00 | /Cu mm | 4000-10000 | ELECTRONIC IMPEDANCE |
| Polymorphs (Neutrophils) | 52.00 | % | 55-70 | ELECTRONIC IMPEDANCE |
| Lymphocytes | 35.00 | % | 25-40 | ELECTRONIC IMPEDANCE |
| Monocytes | 6.00 | % | 3-5 | ELECTRONIC IMPEDANCE |
| Eosinophils | 7.00 | % | 1-6 | ELECTRONIC IMPEDANCE |
| Basophils | 0.00 | % | <1 | ELECTRONIC IMPEDANCE |
| ESR | | | | |
| Observed | 18.00 | Mm for 1st hr. | | |
| Corrected | 12.00 | Mm for 1st hr. | < 9 | |
| PCV (HCT) | 40.00 | % | 40-54 | |
| Platelet count | .5.55 | ,, | | |
| Platelet Count | 2.0 | LACS/cu mm | 1.5-4.0 | ELECTRONIC IMPEDANCE/MICROSCOPIC |
| PDW (Platelet Distribution width) | 15.50 | fL | 9-17 | ELECTRONIC IMPEDANCE |
| P-LCR (Platelet Large Cell Ratio) | 53.40 | % | 35-60 | ELECTRONIC IMPEDANCE |
| , | | | | |









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH Registered On : 24/Feb/2024 09:53:13 Age/Gender : 52 Y O M O D /M Collected : 24/Feb/2024 10:32:56 UHID/MR NO : CDCA.0000123905 Received : 24/Feb/2024 13:20:26 Visit ID : CDCA0362872324 Reported : 24/Feb/2024 19:34:17

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|----------------------------------|----------|-------------|--------------------|----------------------|
| | | | | |
| PCT (Platelet Hematocrit) | 0.28 | % | 0.108-0.282 | ELECTRONIC IMPEDANCE |
| MPV (Mean Platelet Volume) | 13.80 | fL | 6.5-12.0 | ELECTRONIC IMPEDANCE |
| RBC Count | | | | |
| RBC Count | 4.30 | Mill./cu mm | 4.2-5.5 | ELECTRONIC IMPEDANCE |
| Blood Indices (MCV, MCH, MCHC) | | | | |
| MCV | 93.00 | fΙ | 80-100 | CALCULATED PARAMETER |
| MCH | 30.90 | pg | 28-35 | CALCULATED PARAMETER |
| MCHC | 33.25 | % | 30-38 | CALCULATED PARAMETER |
| RDW-CV | 12.40 | % | 11-16 | ELECTRONIC IMPEDANCE |
| RDW-SD | 41.90 | fL | 35-60 | ELECTRONIC IMPEDANCE |
| Absolute Neutrophils Count | 4,628.00 | /cu mm | 3000-7000 | |
| Absolute Eosinophils Count (AEC) | 623.00 | /cu mm | 40-440 | |

Dr. R.K. Khanna (MBBS,DCP)









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH Registered On : 24/Feb/2024 09:53:14 Age/Gender : 52 Y O M O D /M Collected : 24/Feb/2024 10:32:56 UHID/MR NO : CDCA.0000123905 Received : 24/Feb/2024 11:53:30 Visit ID Reported : CDCA0362872324 : 24/Feb/2024 13:13:07

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|----------------------------|--------|-------|--|---------|
| | | | | |
| GLUCOSE FASTING * , Plasma | | | | |
| Glucose Fasting | 121.89 | mg/dl | < 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes | GOD POD |

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Dr. R.K. Khanna (MBBS,DCP)









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH Registered On : 24/Feb/2024 09:53:14 Age/Gender : 52 Y O M O D /M Collected : 24/Feb/2024 10:32:56 UHID/MR NO : CDCA.0000123905 Received : 24/Feb/2024 17:00:07 Visit ID : CDCA0362872324 Reported : 24/Feb/2024 18:18:15

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit Bio. | Ref. Interval | Method | |
|----------------------------------|-----------------|---------------|---------------|-------------|--|
| | | | | | |
| GLYCOSYLATED HAEMOGLOBIN (HBA1C) | ** , EDTA BLOOD | | | | |
| Glycosylated Haemoglobin (HbA1c) | 7.00 | % NGSP | | HPLC (NGSP) | |
| Glycosylated Haemoglobin (HbA1c) | 53.00 | mmol/mol/IFCC | | | |
| Estimated Average Glucose (eAG) | 154 | ma/dl | | | |

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

| Haemoglobin A1C (%)NGSP | mmol/mol / IFCC Unit | eAG (mg/dl) | Degree of Glucose Control Unit |
|-------------------------|----------------------|-------------|---------------------------------------|
| > 8 | >63.9 | >183 | Action Suggested* |
| 7-8 | 53.0 -63.9 | 154-183 | Fair Control |
| < 7 | <63.9 | <154 | Goal** |
| 6-7 | 42.1 -63.9 | 126-154 | Near-normal glycemia |
| < 6% | <42.1 | <126 | Non-diabetic level |

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy







^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH : 24/Feb/2024 09:53:14 Registered On Age/Gender : 52 Y O M O D /M Collected : 24/Feb/2024 10:32:56 UHID/MR NO : CDCA.0000123905 Received : 24/Feb/2024 17:00:07 Visit ID : CDCA0362872324 Reported : 24/Feb/2024 18:18:15

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

c. Alcohol toxicity d. Lead toxicity



Dr. Anupam Singh (MBBS MD Pathology)







^{*}Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

^{*}Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH Registered On : 24/Feb/2024 09:53:15 Age/Gender : 52 Y O M O D /M Collected : 24/Feb/2024 10:32:55 UHID/MR NO : CDCA.0000123905 Received : 24/Feb/2024 15:54:05 Visit ID Reported : 24/Feb/2024 17:42:35 : CDCA0362872324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|--|--------|----------------|---|-------------------------------------|
| | | | | |
| BUN (Blood Urea Nitrogen) * Sample:Serum | 11.60 | mg/dL | 7.0-23.0 | CALCULATED |
| Creatinine * Sample:Serum | 1.24 | mg/dl | 0.6-1.30 | MODIFIED JAFFES |
| Uric Acid * Sample:Serum | 4.80 | mg/dl | 3.4-7.0 | URICASE |
| LFT (WITH GAMMA GT) * , Serum | | | | |
| SGOT / Aspartate Aminotransferase (AST) | 27.25 | U/L | < 35 | IFCC WITHOUT P5P |
| SGPT / Alanine Aminotransferase (ALT) | 16.35 | U/L | < 40 | IFCC WITHOUT P5P |
| Gamma GT (GGT) | 39.72 | IU/L | 11-50 | OPTIMIZED SZAZING |
| Protein | 6.86 | gm/dl | 6.2-8.0 | BIURET |
| Albumin | 3.96 | gm/dl | 3.4-5.4 | B.C.G. |
| Globulin | 2.90 | gm/dl | 1.8-3.6 | CALCULATED |
| A:G Ratio | 1.37 | | 1.1-2.0 | CALCULATED |
| Alkaline Phosphatase (Total) | 97.18 | U/L | 42.0-165.0. | IFCC METHOD |
| Bilirubin (Total) | 0.60 | mg/dl | 0.3-1.2 | JENDRASSIK & GROF |
| Bilirubin (Direct) | 0.23 | mg/dl | < 0.30 | JENDRASSIK & GROF |
| Bilirubin (Indirect) | 0.37 | 37 mg/dl < 0.8 | | JENDRASSIK & GROF |
| LIPID PROFILE (MINI) *, Serum | | | | |
| Cholesterol (Total) | 346.50 | mg/dl | <200 Desirable 200-239 Borderline High > 240 High | CHOD-PAP |
| HDL Cholesterol (Good Cholesterol) | 65.74 | mg/dl | 30-70 | DIRECT ENZYMATIC |
| LDL Cholesterol (Bad Cholesterol) | 238 | mg/dl | < 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High | |
| | | A | > 190 Very High | |
| VLDL | 43.00 | mg/dl | 10-33 | CALC: |
| Triglycerides | 215.00 | mg/dl | < 150 Normal 150-199 Borderline High 200-499 High >500 Very High | GPO- Sz. Dr. R.K. Khanna (MBBS,DCP) |

Page 6 of 11







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH Registered On : 24/Feb/2024 09:53:14 Age/Gender Collected : 52 Y O M O D /M : 24/Feb/2024 10:05:56 UHID/MR NO : CDCA.0000123905 Received : 24/Feb/2024 12:45:57 Visit ID Reported : 24/Feb/2024 18:39:47 : CDCA0362872324

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|--------------------------------|--------------|-----------|---------------------------|--------------|
| | | | | |
| URINE EXAMINATION, ROUTINE * , | Urine | | | |
| Color | LIGHT YELLOW | | | |
| Specific Gravity | 1.020 | | | |
| Reaction PH | Acidic (5.0) | | | DIPSTICK |
| Appearance | ABSENT | | | |
| Protein | ABSENT | mg % | < 10 Absent | DIPSTICK |
| | | | 10-40 (+) | |
| | | | 40-200 (++) | |
| | | | 200-500 (+++) | |
| Curan | ADCENT | auga a 0/ | > 500 (++++) | DIDCTICK |
| Sugar | ABSENT | gms% | < 0.5 (+) 0.5-1.0 (++) | DIPSTICK |
| | | | 1-2 (+++) | |
| | | | > 2 (++++) | |
| Ketone | ABSENT | mg/dl | 0.1-3.0 | BIOCHEMISTRY |
| Bile Salts | ABSENT | | | |
| Bile Pigments | ABSENT | | | |
| Bilirubin | ABSENT | | | DIPSTICK |
| Leucocyte Esterase | ABSENT | | | DIPSTICK |
| Urobilinogen(1:20 dilution) | ABSENT | | | |
| Nitrite | ABSENT | | | DIPSTICK |
| Blood | ABSENT | | | DIPSTICK |
| Microscopic Examination: | | | | |
| Epithelial cells | OCCASIONAL | | | MICROSCOPIC |
| | | | | EXAMINATION |
| Pus cells | OCCASIONAL | | | |
| RBCs | ABSENT | | | MICROSCOPIC |
| | | | | EXAMINATION |
| Cast | ABSENT | | | |
| Crystals | ABSENT | | | MICROSCOPIC |
| Others | ABSENT | | | EXAMINATION |
| | - | | | |
| SUGAR, FASTING STAGE * , Urine | | | | |
| Sugar, Fasting stage | ABSENT | gms% | | |
| | | - | | |

Interpretation:







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH Age/Gender : 52 Y 0 M 0 D

: 52 Y O M O D /M

Collected Received : 24/Feb/2024 09:53:14 : 24/Feb/2024 10:05:56 : 24/Feb/2024 12:45:57

UHID/MR NO Visit ID

: CDCA.0000123905 : CDCA0362872324

Reported

Registered On

: 24/Feb/2024 18:39:47

Ref Doctor

Dr.Mediwheel - Arcofemi Health Care Ltd.

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

Dr. R.K. Khanna

(MBBS,DCP)

Page 8 of 11







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH : 24/Feb/2024 09:53:15 Registered On Age/Gender : 52 Y O M O D /M Collected : 24/Feb/2024 10:32:55 UHID/MR NO : CDCA.0000123905 Received : 24/Feb/2024 16:10:17 Visit ID : CDCA0362872324 Reported : 24/Feb/2024 18:16:02

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

| Test Name | Result | Unit | Bio. Ref. Interval | Method |
|--|--------|-------|--------------------|--------|
| PSA (Prostate Specific Antigen), Total ** Sample:Serum | 0.52 | ng/mL | <4.1 | CLIA |

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone:
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

| T3, Total (tri-iodothyronine) | 112.25 | ng/dl | 84.61-201.7 | CLIA |
|-----------------------------------|--------|--------|-------------|------|
| T4, Total (Thyroxine) | 6.60 | ug/dl | 3.2-12.6 | CLIA |
| TSH (Thyroid Stimulating Hormone) | 2.240 | μIU/mL | 0.27 - 5.5 | CLIA |

Interpretation:

| 0.3 - 4.5 | μIU/mL | First Trimester | | | |
|-----------|-------------|------------------|-------------|--|--|
| 0.5-4.6 | $\mu IU/mL$ | Second Trimester | | | |
| 0.8 - 5.2 | $\mu IU/mL$ | Third Trimester | | | |
| 0.5 - 8.9 | $\mu IU/mL$ | Adults | 55-87 Years | | |
| 0.7 - 27 | $\mu IU/mL$ | Premature | 28-36 Week | | |
| 2.3-13.2 | $\mu IU/mL$ | Cord Blood | > 37Week | | |
| 0.7-64 | μIU/mL | Child(21 wk | - 20 Yrs.) | | |
| 1-39 | $\mu IU/mL$ | Child | 0-4 Days | | |
| 1.7-9.1 | $\mu IU/mL$ | Child | 2-20 Week | | |
| | | | | | |

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH : 24/Feb/2024 09:53:15 Registered On Age/Gender : 52 Y O M O D /M Collected : 24/Feb/2024 10:32:55 UHID/MR NO : CDCA.0000123905 Received : 24/Feb/2024 16:10:17 Visit ID : CDCA0362872324 Reported : 24/Feb/2024 18:16:02

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Print

Dr. Anupam Singh (MBBS MD Pathology)

Page 10 of 11







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707,

CIN: U85110DL2003PLC308206



Patient Name : Mr.MUKESH Registered On : 24/Feb/2024 09:53:16

 Age/Gender
 : 52 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CDCA.0000123905
 Received
 : N/A

Visit ID : CDCA0362872324 Reported : 24/Feb/2024 15:04:21

Ref Doctor : Dr. Mediwheel - Arcofemi Health Care Ltd. Status : Final Report

DEPARTMENT OF X-RAY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

(300 mA COMPUTERISED UNIT SPOT FILM DEVICE)

CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION

NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, ECG / EKG, ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER), Tread Mill Test (TMT)





This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





