
Chandan Diagnostic

Date and Time: 24th Feb 24 11:51 AM



Age / Gender:35/MalePatient ID:CVAR0119132324Patient Name:Mr.RAJU KUMAR -BOBS10736



	CHANDAN DIA	AGNOST	IC CENT	RE	
(Chaudau) A	Add: 99, Shivaji Nagar Mahmo	organj,Varanasi			30
	Ph: 9235447795,0542-350022′ CIN : U85110DL2003PLC308				YEARS SINCE 1991
Since 1991		200			Chauker
Patient Name : Mr.R/	AJU KUMAR -BOBS10736	5	Registered O	n : 24/Feb/2024 10	:47:19
-	11 M 17 D /M		Collected	: 24/Feb/2024 12	
,	R.0000047882		Received	: 24/Feb/2024 13	
	R0119132324 EDIWHEEL VNS -		Reported Status	: 25/Feb/2024 10 : Final Report	15:54
	-		FHAEMATO	-	
				IOGY MALEBELOW 40 YRS	
Test Name		Result	Unit	Bio. Ref. Interval	Method
		1 localt	0 m		
Blood Group (ABO & Rh	ıtyping) * , <i>Blood</i>				
Blood Group		А			ERYTHROCYTE
					TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)		POSITIVE	,		ERYTHROCYTE
		1 OSINITE			MAGNETIZED
					TECHNOLOGY / TUBE
					AGGLUTINA
Complete Blood Count	(CBC) * Whole Blood				
		45.00		4.5. 445.225. (4	
Haemoglobin		15.20	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl	
			and the second	1 Mo- 10.0-18.0 g/dl	
				3-6 Mo- 9.5-13.5 g/dl	
				0.5-2 Yr- 10.5-13.5 g/dl	
				2-6 Yr- 11.5-15.5 g/dl	
				6-12 Yr- 11.5-15.5 g/dl	
				12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl	
				Female- 12.0-15.5 g/dl	
TLC (WBC)	. 6	,700.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC			-		
Polymorphs (Neutrophils)	60.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes		26.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes		3.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils		11.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils		0.00	%	<1	ELECTRONIC IMPEDANCE
ESR					
Observed		10.00	Mm for 1st hr.		
Corrected		6.00	Mm for 1st hr.	<9	
PCV (HCT)		43.50	%	40-54	
Platelet count					
Platelet Count		1.50	LACS/cu mm	1.5-4.0	ELECTRONIC
					IMPEDANCE/MICROSCOPIC
PDW (Platelet Distributio		16.90	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell	Ratio)	nr	%	35-60	ELECTRONIC IMPEDANCE



Customer Care No.: +91-9918300637 E-mail: customercare.diagnostic@chandan.co.in Web.: www.chandan.co.in

Home Sample Collection 1800-419-0002



Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-3500227 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJU KUMAR -BOBS10736	Registered On	: 24/Feb/2024 10:47:19
Age/Gender	: 35 Y 11 M 17 D /M	Collected	: 24/Feb/2024 12:46:29
UHID/MR NO	: CVAR.0000047882	Received	: 24/Feb/2024 13:20:38
Visit ID	: CVAR0119132324	Reported	: 25/Feb/2024 10:15:54
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF HAEM ATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	nr	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume) RBCCount	nr	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count Blood Indices (MCV, MCH, MCHC)	4.51	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
MCV	96.50	۶I	80-100	CALCULATED PARAMETER
MCH	33.60	pg	28-35	CALCULATED PARAMETER
MCHC	34.80	%	30-38	CALCULATED PARAMETER
RDW-CV	14.10	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	53.20	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,020.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	134.00	/cu mm	40-440	

S.n. Sinta

Dr.S.N. Sinha (MD Path)





Add: 99, Shivaji Nagar Mahmoorganj, Varanasi



Add: 99, Shivaji Nagar Mahmoorganj, Varana Ph: 9235447795,0542-3500227 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJU KUMAR -BOBS10736	Registered On	: 24/Feb/2024 10:47:20	
Age/Gender	: 35 Y 11 M 17 D /M	Collected	: 24/Feb/2024 15:57:21	
UHID/MR NO	: CVAR.0000047882	Received	: 24/Feb/2024 15:58:33	
Visit ID	: CVAR0119132324	Reported	: 24/Feb/2024 17:48:06	
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report	

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING , Plasma				
Glucose Fasting	76.30	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP Sample:Plasma After Meal	125.00	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

S.n. Sinta

Dr.S.N. Sinha (MD Path)

ISO 8001:2015



Home Sample Collection 1800-419-0002



Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-3500227 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJU KUMAR -BOBS10736	Registered On	: 24/Feb/2024 10:47:21
Age/Gender	: 35 Y 11 M 17 D /M	Collected	: 24/Feb/2024 12:46:29
UHID/MR NO	: CVAR.0000047882	Received	: 25/Feb/2024 12:37:06
Visit ID	: CVAR0119132324	Reported	: 25/Feb/2024 13:55:50
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLYCOSYLATED HAEM OGLOBIN (HBA1C)	** , EDTA BLOOD			
Glycosylated Haemoglobin (HbA1c)	5.40	% NGSP		HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	36.00	mmol/mol/IFCC		

mg/dl

Interpretation:

NOTE:-

Estimated Average Glucose (eAG)

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.

108

• eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

Page 4 of 12





Chandan Since 1991	Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-3500227 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJU KUMAR -BOBS10736	Registered On	: 24/Feb/2024 10:47:21	
Age/Gender	: 35 Y 11 M 17 D /M	Collected	: 24/Feb/2024 12:46:29	
UHID/MR NO	: CVAR.0000047882	Received	: 25/Feb/2024 12:37:06	
Visit ID	: CVAR0119132324	Reported	: 25/Feb/2024 13:55:50	
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report	
Ref Doctor	-	ENT OF BIOCHEM IST		
MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS				

Method Unit Bio. Ref. Interval

Test Name

Result

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

Dr. Anupam Singh (MBBS MD Pathology)

Page 5 of 12





Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-3500227 CIN : U85110DL2003PLC308206



Patient Name Age/Gender UHID/MR NO Visit ID Ref Doctor	: Mr.RAJU KUMAR -BOBS107 : 35 Y 11 M 17 D /M : CVAR.0000047882 : CVAR0119132324 : Dr.MEDIWHEEL VNS -	736	Registered On Collected Received Reported Status	: 24/Feb/2024 10:47 : 24/Feb/2024 12:46 : 24/Feb/2024 13:20 : 24/Feb/2024 13:20 : 24/Feb/2024 14:44 : Final Report	:28 :38
			OF BIOCHEM IST		
To at Niews a	MEDIWHEEL BAN			ALE BELOW 40 YRS	
Test Name		Result	Unit	Bio. Ref. Interval	Method
BUN (Blood Urea N Sample:Serum	litrogen)	9.50	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum		0.90	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum		6.70	∽ mg/dl	3.4-7.0	URICASE
LFT (WITH GAMN	MAGT) * <mark>, </mark>				
SGOT / Aspartate	Aminotransferase (AST)	30.50	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Ar	minotransferase (ALT)	50.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)		36.00	IU/L	11-50	OPTIMIZED SZAZING
Protein		7.30	gm/dl	6.2-8.0	BIURET
Albumin		4.20	gm/dl	3.4-5.4	B.C.G.
Globulin		3.10	gm/dl	1.8-3.6	CALCULATED
A:G Ratio		1.35		1.1-2.0	CALCULATED
Alkaline Phospha	tase (Total)	112.00	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)		0.60	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	Part of the Party of the second second	0.20	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect		0.40	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (N	, ·				
Cholesterol (Tota	1)	151.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	64.20	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (I	Bad Cholesterol)	56	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High	
				160-189 High > 190 Very High	
VLDL		31.28	mg/dl	10-33	CALCU
Triglycerides		156.40	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-P S.N. Sinha (MD Pi

SO 9001:2015

Page 6 of 12

Chanda Since 1991	Add: 99, Shivaji Nagar Mahmoorganj,Vara Ph: 9235447795,0542-3500227 CIN : U85110DL2003PLC308206						
Patient Name	: Mr.RAJU KUMAR -BOBS10736	Registered On	: 24/Feb/2024 10:47:20				
Age/Gender	: 35 Y 11 M 17 D /M	Collected	: 24/Feb/2024 12:46:29				
UHID/MR NO	: CVAR.0000047882	Received	: 24/Feb/2024 13:20:38				
Visit ID	: CVAR0119132324	Reported	: 24/Feb/2024 16:04:56				
		Status	: Final Report				

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE*, Urine	e			
Color	PALE YELLOW			
Specific Gravity	1.030			
Reaction PH	Acidic (6.5)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++) > 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	ing/u	0.1-3.0	BIOCHLIVIISTRY
Bile Pigments	ABSENT			
Bilirubin	ABSENT		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			Bir Strek
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:	, BOLITI			Dirottok
Epithelial cells	2-3/h.p.f			MICROSCOPIC
	2 3/11.5.1			EXAMINATION
Puscells	2-4/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE*, Urine				
Sugar, Fasting stage	ABSENT	gms%		

Interpretation:

Page 7 of 12







Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-3500227 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJU KUMAR -BOBS10736	Registered On	: 24/Feb/2024 10:47:20
Age/Gender	: 35 Y 11 M 17 D /M	Collected	: 24/Feb/2024 12:46:29
UHID/MR NO	: CVAR.0000047882	Received	: 24/Feb/2024 13:20:38
Visit ID	: CVAR0119132324	Reported	: 24/Feb/2024 16:04:56
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				

(++++) > 2



Dr.S.N. Sinha (MD Path)

Page 8 of 12





Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-3500227 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJU KUMAR -BOBS10736	Registered On	: 24/Feb/2024 10:47:21
Age/Gender	: 35 Y 11 M 17 D /M	Collected	: 24/Feb/2024 12:46:28
UHID/MR NO	: CVAR.0000047882	Received	: 24/Feb/2024 13:20:38
Visit ID	: CVAR0119132324	Reported	: 24/Feb/2024 21:49:13
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL*, Serum				
T3, Total (tri-iodothyronine)	142.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.70	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.900	μlU/mL	0.27 - 5.5	CLIA
Interpretation:				
		0.3-4.5 μIU/n	nL First Trimester	
		0.5-4.6 μIU/n		
		0.8-5.2 µIU/m		

1) Patients having low	T3 and T4 I	levels but high	TSH levels	suffer from	primary	hypothyroidism,	cretinism,	juvenile	myxedema	or
autoimmune disorders.						State of the state				

0.5-8.9

0.7-27

0.7-64

1-39

1.7-9.1

µIU/mL

µIU/mL

µIU/mL

µIU/mL

µIU/mL

2.3-13.2 µIU/mL

Adults

Child

Child

Premature

Cord Blood

Child(21 wk - 20 Yrs.)

55-87 Years

0-4 Days

2-20 Week

28-36 Week

> 37Week

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

S.n. Sinta

Dr.S.N. Sinha (MD Path)

Page 9 of 12





Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-3500227 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJU KUMAR -BOBS10736	Registered On	: 24/Feb/2024 10:47:22
Age/Gender	: 35 Y 11 M 17 D /M	Collected	: N/A
UHID/MR NO	: CVAR.0000047882	Received	: N/A
Visit ID	: CVAR0119132324	Reported	: 24/Feb/2024 16:29:08
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

X- Ray Digital Chest P.A. View

- Lung fields are clear.
- Pleural spaces are clear.
- Both hilar shadows appear normal.
- Trachea and carina appear normal.
- Heart size within normal limits.
- Both the diaphragms appear normal.
- Soft tissues and Bony cage appear normal.

IMPRESSION

*** NO OBVIOUS DETECTABLE ABNORMALITY SEEN**

Dr Raveesh Chandra Roy (MD-Radio)

Page 10 of 12







Add: 99, Shivaji Nagar Mahmoorganj,Varanasi Ph: 9235447795,0542-3500227 CIN : U85110DL2003PLC308206



Patient Name	: Mr.RAJU KUMAR -BOBS10736	Registered On	: 24/Feb/2024 10:47:23	
Age/Gender	: 35 Y 11 M 17 D /M	Collected	: N/A	
UHID/MR NO	: CVAR.0000047882	Received	: N/A	
Visit ID	: CVAR0119132324	Reported	: 24/Feb/2024 12:33:01	
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report	

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOM EN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver measuring **14.4 cm in midclavicular line.Mild diffuse increase in liver echogenicity noted** No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is (10 mm in caliber) not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common bile duct is (**3.3 mm in caliber**) not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- <u>Right kidney:-</u>
 - Right kidney is normal in size, measuring ~ 9.8 x 3.5 cms.
 - Cortical echogenicity is normal. Pelvicalyceal system is not dilated.
 - Cortico-medullary demarcation is maintained. Parenchymal thickness appear normal.

• Left kidney:-

- Left kidney is normal in size, measuring ~ 10.4 x 5.3 cms.
- Cortical echogenicity is normal. Pelvicalyceal system is not dilated.
- Cortico-medullary demarcation is maintained. Parenchymal thickness appear normal.

SPLEEN

• The spleen is normal in size (~ 8.8 cm in its long axis) and has a normal homogenous echotexture.

ISO 9001:2015





Add: 99, Shivaji Nagar Mahmoorganj, Varanasi Ph: 9235447795,0542-3500227 CIN: U85110DL2003PLC308206



Patient Name	: Mr.RAJU KUMAR -BOBS10736	Registered On	: 24/Feb/2024 10:47:23
Age/Gender	: 35 Y 11 M 17 D /M	Collected	: N/A
UHID/MR NO	: CVAR.0000047882	Received	: N/A
Visit ID	: CVAR0119132324	Reported	: 24/Feb/2024 12:33:01
Ref Doctor	: Dr.MEDIWHEEL VNS -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or large mass.

URETERS

- The upper parts of both the ureters are normal.
- Bilateral vesicoureteric junctions are normal.

URINARY BLADDER

- The urinary bladder is **partially filled**. Bladder wall is normal in thickness and regular.
- Pre-void urine volume is ~ 13 cc.

PROSTATE

• The prostate gland is normal in size (~ 30 x 30 x 29 mm / 14 gms) and normal in echotexture with smooth outline. No median lobe indentation is seen.

FINAL IMPRESSION:-

- FATTY LIVER GRADE I
- REST OF THE ABDOMINAL ORGANS ARE NORMAL.

Adv: Clinico-pathological-correlation /further evaluation & Follow up

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow: STOOL, ROUTINE EXAMINATION, SUGAR, PP STAGE, ECG / EKG



Raveesh Chandra Roy (MD-Radio)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing 365 Days Open *Facilities Available at Select Location

Page 12 of 12



