

PATIENT NAME: SHASHANK UPENDRA UPADHYAY REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138364
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 EL PATIENT ID : SHASM230188321

CLIENT PATIENT ID:

ACCESSION NO: 0321XB003092

ABHA NO :

AGE/SEX : 36 Years

RECEIVED : 27/02/2024 08:50:40 REPORTED : 28/02/2024 14:57:28

Test Report Status <u>Final</u> Results Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

XRAY-CHEST

IMPRESSION NO ABNORMALITY DETECTED

ECG

ECG NORMAL SINUS RHYTHM

MEDICAL HISTORY

RELEVANT PRESENT HISTORY

RELEVANT PAST HISTORY

RELEVANT PERSONAL HISTORY

RELEVANT FAMILY HISTORY

OCCUPATIONAL HISTORY

HISTORY

HISTORY

NOT SIGNIFICANT

NOT SIGNIFICANT

NOT SIGNIFICANT

NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS

WEIGHT IN KGS.

64.6

Kgs

BMI & Weight Status as follows/sqm

BMI & Weight Status as follows/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal

18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE NORMAL PHYSICAL ATTITUDE NORMAL

Dr.Sahil .N.Shah Consultant Radiologist P. V. Repedia

Dr.Priyank Kapadia Physician





Page 1 Of 25

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





PATIENT NAME: SHASHANK UPENDRA UPADHYAY REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138364
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO : **0321XB003092**

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO : AGE/SEX : DRAWN :

RECEIVED: 27/02/2024 08:50:40

:36 Years

RECEIVED: 27/02/2024 08:50:40 REPORTED: 28/02/2024 14:57:28

Test Report Status <u>Final</u> Results Biological Reference Interval Units

OVERWEIGHT

GENERAL APPEARANCE / NUTRITIONAL

STATUS

BUILT / SKELETAL FRAMEWORK AVERAGE
FACIAL APPEARANCE NORMAL
SKIN NORMAL
UPPER LIMB NORMAL
LOWER LIMB NORMAL
NECK NORMAL

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

THYROID GLAND NOT ENLARGED

TEMPERATURE NORMAL PULSE 70/MIN RESPIRATORY RATE NORMAL

CARDIOVASCULAR SYSTEM

PERICARDIUM

BP 124/82 MM HG mm/Hg

(SITTING) NORMAL

APEX BEAT NORMAL

HEART SOUNDS S1, S2 HEARD NORMALLY

MURMURS ABSENT

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST

MOVEMENTS OF CHEST

BREATH SOUNDS INTENSITY

NORMAL

NORMAL

BREATH SOUNDS QUALITY VESICULAR (NORMAL)

ADDED SOUNDS ABSENT

Dr. Cabil N. Chab

Dr.Sahil .N.Shah Consultant Radiologist P. V. Kapadia

Dr.Priyank Kapadia Physician





Page 2 Of 25

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





PATIENT ID

ABHA NO

CLIENT PATIENT ID:

CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

8800465156

NEW DELHI 110030

ACCESSION NO: 0321XB003092 AGE/SEX :36 Years Male

> : SHASM230188321 DRAWN

> > RECEIVED: 27/02/2024 08:50:40 REPORTED :28/02/2024 14:57:28

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

PER ABDOMEN

NORMAL APPEARANCE

LIVER NOT PALPABLE NOT PALPABLE SPLEEN

CENTRAL NERVOUS SYSTEM

NORMAL HIGHER FUNCTIONS CRANIAL NERVES **NORMAL NORMAL** CEREBELLAR FUNCTIONS SENSORY SYSTEM **NORMAL** MOTOR SYSTEM **NORMAL REFLEXES NORMAL**

MUSCULOSKELETAL SYSTEM

NORMAL **SPINE NORMAL** JOINTS

BASIC EYE EXAMINATION

DISTANT VISION RIGHT EYE WITH GLASSES 6/12 DISTANT VISION LEFT EYE WITH GLASSES 6/6 NEAR VISION RIGHT EYE WITHOUT GLASSES N/6 NEAR VISION LEFT EYE WITHOUT GLASSES N/10 COLOUR VISION **NORMAL**

SUMMARY

NOT SIGNIFICANT RELEVANT HISTORY RELEVANT GP EXAMINATION FINDINGS NOT SIGNIFICANT

Dr.Sahil .N.Shah **Consultant Radiologist** P. V. Capadia

Dr.Priyank Kapadia **Physician**





Page 3 Of 25

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS : C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0321XB003092** AGE/SEX

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO : DRAWN :

RECEIVED : 27/02/2024 08:50:40

:36 Years

REPORTED :28/02/2024 14:57:28

Test Report Status <u>Final</u> Results Biological Reference Interval Units

RELEVANT LAB INVESTIGATIONS HBA1C:- PRE-DIABETIC, MEAN PLASMA GLUCOSE:- HIGH

S.CHOLESTEROL:- HIGH, LDL:- HIGH

T3:- LOW

RELEVANT NON PATHOLOGY DIAGNOSTICS REMARKS / RECOMMENDATIONS

NO ABNORMALITIES DETECTED

1) HBA1C:- PRE-DIABETIC, MEAN PLASMA GLUCOSE:- HIGH

ADV:- REDUCE INTAKE OF SWEET, SUGAR, STARCH IN DIET, REGULAR PHYSICAL EXERCISE, REPEAT FBS, PPBS AND HBA1C AND PHYSICIAN

OPINION SOS

2) S.CHOLESTEROL:- HIGH, LDL:- HIGH

ADV: - LOW FAT DIET, REGULAR PHYSICAL EXERCISE

3) T3:- LOW

ADV:- COMPLETE THYROID PROFILE

Comments

OUR PANEL DOCTORS FOR NON-PATHOLOGY TESTS:-

CHECK UP DONE BY: - DR. NAMRATA AGRAWAL (M.B.B.S)

REPORT REVIEWED BY: - DR. PRIYANK KAPADIYA (M.B.B.S DNB MEDICINE)

RADIOLOGIST: - DR. SAHIL N SHAH (M.D.RADIOLOGY)

Dr.Sahil .N.Shah Consultant Radiologist P. V. Kapadia

Dr.Priyank Kapadia Physician





Page 4 Of 25

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015





PATIENT NAME: SHASHANK UPENDRA UPADHYAY REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO : **0321XB003092** AGE/SEX

| |PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO : DRAWN :

:

RECEIVED : 27/02/2024 08:50:40 REPORTED : 28/02/2024 14:57:28

:36 Years

Test Report Status <u>Final</u> Results Units

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

NO ABNORMALITIES DETECTED

TMT OR ECHO

CLINICAL PROFILE

2D ECHO:-

- 1) NORMAL CHAMBERS AND VALVES.
- 2) GOOD LV SYSTOLIC FUNCTION. LVEF 60%. NO RWMA AT REST.
- 3) NO MR, AR, TR.
- 4) NORMAL LV COMPLIANCE.
- 5) NO PAH.
- 6) NO LV CLOT, VEGETATION OR PERICARDIAL EFFUSION.
- 7) IAS/IVS INTACT.

Interpretation(s)

MEDICAL

Dr.Sahil .N.Shah

Dr.Priyank Kapadia Physician

P. V. Kapadia





Page 5 Of 25

View Details

View Report



Consultant Radiologist

Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB003092

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO

AGE/SEX

:36 Years

DRAWN

RECEIVED: 27/02/2024 08:50:40 REPORTED :28/02/2024 14:57:28

Test Report Status Final Results **Biological Reference Interval** Units

н	IAEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECK UP B	ELOW 40 MALE		
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN (HB)	13.8	13.0 - 17.0	g/dL
METHOD: PHOTOMETRIC MEASUREMENT RED BLOOD CELL (RBC) COUNT METHOD: COULTER PRINCIPLE	6.59 High	4.5 - 5.5	mil/μL
WHITE BLOOD CELL (WBC) COUNT METHOD: COULTER PRINCIPLE	5.57	4.0 - 10.0	thou/μL
PLATELET COUNT METHOD: COULTER PRINCIPLE	278	150 - 410	thou/μL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD: CALCULATED	42.0	40.0 - 50.0	%
MEAN CORPUSCULAR VOLUME (MCV)	66.3 Low	83.0 - 101.0	fL
METHOD: DERIVED PARAMETER FROM RBC HISTOGRAM MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED	23.4 Low	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD: CALCULATED	33.2	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD: DERIVED PARAMETER FROM RBC HISTOGRAM	19.0 High	11.6 - 14.0	%
MENTZER INDEX METHOD: CALCULATED PARAMETER	10.1		
MEAN PLATELET VOLUME (MPV) METHOD: DERIVED PARAMETER FROM PLATELET HISTOGRAM	7.8	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS METHOD: OPTICAL IMPEDENCE & MICROCSOPY	57	40 - 80	%
LYMPHOCYTES	34	20 - 40	%

Dr.Miral Gajera Consultant Pathologist



Page 6 Of 25





Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India

Tel: 079-48912999,079-48913999,079-48914999 Email: customer care. ahmed abad@agilus. in

METHOD: OPTICAL IMPEDENCE & MICROCSOPY





CODE/NAME & ADDRESS: C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO: **0321XB003092** AGE/SEX

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO : DRAWN :

RECEIVED : 27/02/2024 08:50:40 REPORTED : 28/02/2024 14:57:28

:36 Years

	į	į	
Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
MONOCYTES	7	2.0 - 10.0	%
METHOD: OPTICAL IMPEDENCE & MICROCSOPY			
EOSINOPHILS	2	1.0 - 6.0	%
METHOD: OPTICAL IMPEDENCE & MICROCSOPY			
BASOPHILS	0	0 - 1	%
METHOD: IMPEDANCE			
ABSOLUTE NEUTROPHIL COUNT	3.17	2.0 - 7.0	thou/µL
METHOD: CALCULATED			
ABSOLUTE LYMPHOCYTE COUNT	1.89	1.0 - 3.0	thou/µL
METHOD: CALCULATED PARAMETER			
ABSOLUTE MONOCYTE COUNT	0.39	0.2 - 1.0	thou/µL
METHOD: CALCULATED PARAMETER			
ABSOLUTE EOSINOPHIL COUNT	0.11	0.02 - 0.50	thou/µL
METHOD: CALCULATED			
ABSOLUTE BASOPHIL COUNT	0.00 Low	0.02 - 0.10	thou/µL
METHOD: CALCULATED			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.7		
METHOD: CALCULATED PARAMETER			

MORPHOLOGY

RBC

METHOD: MICROSCOPIC EXAMINATION

WBC

METHOD: MICROSCOPIC EXAMINATION

PLATELETS

METHOD: MICROSCOPIC EXAMINATION

IMPRESSION

METHOD: MICROSCOPIC EXAMINATION

REMARKS

METHOD: MICROSCOPIC EXAMINATION

RBCs ARE MICROCYTIC HYPOCHROMIC WITH ANISOPOIKILOCYTOSIS.

ELLIPTOCYTES AND TARGET CELLS PRESENT ON SMEAR.

NORMAL MORPHOLOGY

ADEQUATE

MICROCYTIC HYPOCHROMIC PICTURE

ADVICE: HEMOGLOBIN STUDY BY HPLC/HB ELECTROPHORESIS

NO PREMATURE CELLS ARE SEEN. MALARIAL PARASITE NOT DETECTED.

Interpretation(s)

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

Dr.Miral Gajera Consultant Pathologist





Page 7 Of 25

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB003092 AGE/SEX

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO

DRAWN

RECEIVED: 27/02/2024 08:50:40 REPORTED :28/02/2024 14:57:28

:36 Years

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR =

3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients
A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr.Miral Gajera **Consultant Pathologist**



Page 8 Of 25

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015

Email: customercare.ahmedabad@agilus.in



Gujrat, India Tel: 079-48912999,079-48913999,079-48914999



CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB003092

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO

AGE/SEX DRAWN

RECEIVED: 27/02/2024 08:50:40

:36 Years

REPORTED :28/02/2024 14:57:28

Test Report Status Results **Biological Reference Interval Final** Units

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R 02 0 - 14

METHOD: WESTERGREN METHOD

mm at 1 hr

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE **BLOOD**

Non-diabetic: < 5.7 HBA1C 5.7 %

> Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5Therapeutic goals: < 7.0 Action suggested : > 8.0

(ADA Guideline 2021)

METHOD: HPLC

ESTIMATED AVERAGE GLUCOSE(EAG) 116.9 High < 116.0 mg/dL

Interpretation(s)
ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD-TEST DESCRIPTION :-

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an ondition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change

TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy,

Earloger infection, agring. Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc.), Hypercholesterolemia False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

Dr.Miral Gaiera Consultant Pathologist



Page 9 Of 25

View Report



Agilus Diagnostics Ltd. Grand Malı, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





REF. DOCTOR: SELF PATIENT NAME: SHASHANK UPENDRA UPADHYAY

CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB003092 AGE/SEX

:36 Years

PATIENT ID : SHASM230188321 DRAWN

CLIENT PATIENT ID: RECEIVED: 27/02/2024 08:50:40 REPORTED :28/02/2024 14:57:28 ABHA NO

Test Report Status Results **Biological Reference Interval** <u>Final</u> Units

- 1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

 GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:
- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes.
- 3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

- 2. eAG gives an evaluation of blood glucose levels for the last couple of months. 3. eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

HbA1c Estimation can get affected due to :

- 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days. 2. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.
- 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

 4. Interference of hemoglobinopathies in HbA1c estimation is seen in
- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
- b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
- c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c. Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr.Miral Gajera **Consultant Pathologist**





Page 10 Of 25

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





CODE/NAME & ADDRESS : C000138364
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO : **0321XB003092**

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO : AGE/SEX :

N :

RECEIVED : 27/02/2024 08:50:40 REPORTED : 28/02/2024 14:57:28

:36 Years

Test Report Status <u>Final</u> Results Biological Reference Interval Units

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP TYPE O

METHOD: TUBE AGGLUTINATION

RH TYPE POSITIVE

METHOD: TUBE AGGLUTINATION

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr.Miral Gajera Consultant Pathologist



Page 11 Of 25

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015





CODE/NAME & ADDRESS : C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156

METHOD: HEXOKINASE

METHOD: HEXOKINASE

ACCESSION NO : **0321XB003092**

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO : AGE/SEX : DRAWN :

RECEIVED : 27/02/2024 08:50:40 REPORTED : 28/02/2024 14:57:28

:36 Years

Test Report Status <u>Final</u> Results Biological Reference Interval Units

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR)

95

74 - 99

mg/dL

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR)

91

70 - 140

mg/dL

LIPID PROFILE WITH CALCULATED LDL

CHOLESTEROL, TOTAL **268 High** Desirable: < 200 mg/dL

BorderlineHigh: 200 - 239

High: > or = 240

mg/dL

METHOD: ENZYMATIC, COLORIMETRIC

TRIGLYCERIDES 149 Desirable: < 150

BorderlineHigh: 150 - 199

High: 200 - 499 Very High: > or = 500

METHOD : ENZYMATIC, COLORIMETRIC

HDL CHOLESTEROL 46 < 40 Low

ow mg/dL

> or = 60 High

CHOLESTEROL LDL 192 High Adult levels: mg/dL

Optimal < 100

Near optimal/above optimal:

100-129

Borderline high: 130-159

High: 160-189

Very high: = 190

NON HDL CHOLESTEROL **222 High** Desirable: Less than 130 mg/dL

29.8

Above Desirable: 130 - 159 Borderline High: 160 - 189

High: 190 - 219

Very high: > or = 220

< or = 30

mg/dL

Dr.Miral Gajera Consultant Pathologist



Page 12 Of 25

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India

Tel: 079-48912999,079-48913999,079-48914999 Email: customercare.ahmedabad@agilus.in

VERY LOW DENSITY LIPOPROTEIN





PATIENT NAME: SHASHANK UPENDRA UPADHYAY REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321XB003092 AGE/SEX :36 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : SHASM230188321 F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED: 27/02/2024 08:50:40 DELHI ABHA NO REPORTED :28/02/2024 14:57:28 **NEW DELHI 110030**

Test Report Status	<u>Final</u>	Results	Biological Reference Interval Units
CHOL/HDL RATIO		5.8 High	3.3 - 4.4
LDL/HDL RATIO		4.2 High	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk

Interpretation(s)

8800465156

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category			
Extreme risk group	A.CAD with > 1 feature of high risk group		
	B. CAD with > 1 feature of Very high risk g	group or recurrent ACS (within 1 year) despite LDL-C < or =	
	50 mg/dl or polyvascular disease		
Very High Risk		major risk factors or evidence of end organ damage 3.	
	Familial Homozygous Hypercholesterolemi	a	
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ		
	damage. 3. CKD stage 3B or 4. 4. LDL > 190 mg/dl 5. Extreme of a single risk factor. 6. Coronary		
	Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque		
Moderate Risk	2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Ath	erosclerotic cardiovascular disease) Risk Fa	actors	
1. Age > or = 45 years in males and > or = 55 years in females 3. Current Cigarette smoking or tobacco use			
2. Family history of p	2. Family history of premature ASCVD 4. High blood pressure		
5. Low HDL			

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal < OR = 30)	< 80 (Optional goal <or 60)<="" =="" td=""><td>>OR = 50</td><td>>OR = 80</td></or>	>OR = 50	>OR = 80
Extreme Risk Group Category B	<or 30<="" =="" td=""><td>$\langle OR = 60 \rangle$</td><td>> 30</td><td>>60</td></or>	$\langle OR = 60 \rangle$	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR= 130*	>OR= 160

^{*}After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

Dr.Miral Gajera Consultant Pathologist





Page 13 Of 25

iew Details

View Report

PERFORMED AT:

Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030 8800465156

ACCESSION NO: 0321XB003092

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO

AGE/SEX

RECEIVED: 27/02/2024 08:50:40

:36 Years

REPORTED :28/02/2024 14:57:28

Test Report Status <u>Final</u>	Results	Biological Reference Interv	al Units
			/ II
BILIRUBIN, TOTAL	0.28	Upto 1.2	mg/dL
BILIRUBIN, DIRECT METHOD: DIAZO COLORIMETRIC	0.13	Upto 0.2	mg/dL
BILIRUBIN, INDIRECT	0.15	0.00 - 1.00	mg/dL
TOTAL PROTEIN METHOD: COLORIMETRIC	7.4	6.4 - 8.3	g/dL
ALBUMIN METHOD: BROMOCRESOL GREEN	5.0	3.5 - 5.2	g/dL
GLOBULIN	2.4	2.0 - 4.1	g/dL
ALBUMIN/GLOBULIN RATIO	2.1 High	1.0 - 2.0	RATIO
ASPARTATE AMINOTRANSFERASE(AST/SGOT) METHOD: IFCC WITHOUT PYRIDOXAL-5-PHOSPHATE	19	0 - 40	U/L
ALANINE AMINOTRANSFERASE (ALT/SGPT) METHOD: IFCC WITHOUT PYRIDOXAL-5-PHOSPHATE	23	0 - 41	U/L
ALKALINE PHOSPHATASE METHOD: COLORIMETRIC	87	40 - 129	U/L
GAMMA GLUTAMYL TRANSFERASE (GGT) METHOD: ENZYMATIC, COLORIMETRIC	29	8 - 61	U/L
LACTATE DEHYDROGENASE METHOD: UV ASSAY METHOD	167	135 - 225	U/L
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	7	6 - 20	mg/dL
CREATININE, SERUM			
CREATININE METHOD: JAFFE ALKALINE PICRATE	0.73	0.70 - 1.30	mg/dL
BUN/CREAT RATIO			
BUN/CREAT RATIO	9.59	5.0 - 15.0	

Dr.Miral Gajera Consultant Pathologist





Page 14 Of 25

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





PATIENT NAME: SHASHANK UPENDRA UPADHYAY REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030 8800465156 ACCESSION NO : **0321XB003092**

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO : AGE/SEX : DRAWN :

RECEIVED : 27/02/2024 08:50:40 REPORTED : 28/02/2024 14:57:28

:36 Years

Test Report Status <u>Final</u> Results Biological Reference Interval Units

URIC ACID, SERUM

URIC ACID 5.4 3.4 - 7.0 mg/dL

TOTAL PROTEIN, SERUM

TOTAL PROTEIN 7.4 6.4 - 8.3 g/dL

 ${\tt METHOD}: {\tt COLORIMETRIC}$

ALBUMIN, SERUM

ALBUMIN 5.0 3.5 - 5.2 g/dL

METHOD: BROMOCRESOL GREEN

GLOBULIN

GLOBULIN 2.4 2.0 - 4.1 g/dL

ELECTROLYTES (NA/K/CL), SERUM

 SODIUM, SERUM
 139.1
 136- 145
 mmol/L

 POTASSIUM, SERUM
 4.78
 3.50- 5.10
 mmol/L

 CHLORIDE, SERUM
 105.9
 98 - 107
 mmol/L

Interpretation(s)

Sodium Potassium Chloride

Dr.Miral Gajera Consultant Pathologist



Page 15 Of 25

View Details

View Repor



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS : C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

REIT DOCTOR 1 SE

ACCESSION NO: 0321XB003092 AGE/SEX: 36 Years Male

PATIENT ID : SHASM230188321 DRAWN

CLIENT PATIENT ID: RECEIVED : 27/02/2024 08:50:40
ABHA NO : REPORTED : 28/02/2024 14:57:28

Test Report Status <u>Final</u> Results Biological Reference Interval Units

Decreased in: CCF. cirrhosis. Decreased in: Low potassium Decreased in: Vomiting, diarrhea. vomiting, diarrhea, excessive intake, prolonged vomiting or diarrhea, renal failure combined with salt sweating, salt-losing RTA types I and II, deprivation, over-treatment with nephropathy, adrenal insufficiency, hyperaldosteronism, Cushing's diuretics, chronic respiratory acidosis, nephrotic syndrome, water syndrome, osmotic diuresis (e.g. diabetic ketoacidosis, excessive intoxication, SIADH. Drugs: hyperglycemia), alkalosis, familial sweating, SIADH, salt-losing thiazides, diuretics, ACE inhibitors, periodic paralysis, trauma nephropathy, porphyria, expansion of chlorpropamide,carbamazepine,anti (transient). Drugs: Adrenergic agents, extracellular fluid volume, depressants (SSRI), antipsychotics. adrenalinsufficiency, diuretics. hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics. Increased in: Dehydration Increased in: Massive hemolysis, Increased in: Renal failure, nephrotic (excessivesweating, severe severe tissue damage, rhabdomyolysis, syndrome, RTA, dehydration, vomiting or diarrhea).diabetes acidosis, dehydration, renal failure. overtreatment with Addison's disease, RTA type IV, mellitus, diabetesinsipidus, saline, hyperparathyroidism, diabetes hyperaldosteronism, inadequate hyperkalemic familial periodic insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory water intake. Drugs: steroids. paralysis. Drugs: potassium salts, licorice.oral contraceptives. potassium- sparing diuretics.NSAIDs. alkalosis.hyperadrenocorticism. beta-blockers, ACE inhibitors, high-Drugs: acetazolamide.androgens. dose trimethoprim-sulfamethoxazole hydrochlorothiazide, salicylates. Interferences: Severe lipemia or Interferences: Hemolysis of sample, Interferences:Test is helpful in hyperproteinemi, if sodium analysis delayed separation of serum, assessing normal and increased anion involves a dilution step can cause prolonged fist clenching during blood gap metabolic acidosis and in spurious results. The serum sodium drawing, and prolonged tourniquet distinguishing hypercalcemia due to falls about 1.6 mEq/L for each 100 placement. Very high WBC/PLT counts hyperparathyroidism (high serum mg/dL increase in blood glucose. may cause spurious. Plasma potassium chloride) from that due to malignancy levels are normal. (Normal serum chloride)

Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides.

Decreased in:Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease,

Decreased in : Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopitultarism, dirtuse liver disease, malignancy (adrenocortical, stomach, fibrosarcoma), infant of a diabetic mother, enzyme deficiency diseases (e.g. galactosemia), Drugs-insulin, ethanol, propranolol sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver,liver cancer,kidney failure,hemolytic anemia,pancreatitis,hemochromatosis. AST levels may also increase after a heart attack or strenuous activity.ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys,heart,muscles, and pancreas.It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic

Dr.Miral Gajera Consultant Pathologist





Page 16 Of 25

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015





REF. DOCTOR: SELF PATIENT NAME: SHASHANK UPENDRA UPADHYAY

CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO : 0321XB003092

PATIENT ID : SHASM230188321

CLIENT PATIENT ID:

ABHA NO

AGE/SEX DRAWN

RECEIVED: 27/02/2024 08:50:40

:36 Years

REPORTED :28/02/2024 14:57:28

Test Report Status Results **Biological Reference Interval Final** Units

hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic

syndrome, Protein-losing enteropathy etc. **Albumin** is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to: Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to: Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels: Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic

syndrome Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. **Higher-than-normal levels may be due to:** Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr.Miral Gajera **Consultant Pathologist**





Page 17 Of 25

View Report



Agilus Diagnostics Ltd. Grand Malī, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





PATIENT NAME: SHASHANK UPENDRA UPADHYAY REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138364

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL
F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

PH

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB003092

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO : DRAWN :

AGE/SEX : 36 Years

:

RECEIVED : 27/02/2024 08:50:40 REPORTED : 28/02/2024 14:57:28

Test Report Status <u>Final</u> Results Biological Reference Interval Units

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR Yellow APPEARANCE Clear

CHEMICAL EXAMINATION, URINE

METHOD: REFLECTANCE SPECTROPHOTOMETRY

SPECIFIC GRAVITY	<=1.005	1.003 - 1.035
METHOD: REFLECTANCE SPECTROPHOTOMETRY PROTEIN	NOT DETECTED	NEGATIVE
METHOD: REFLECTANCE SPECTROPHOTOMETRY GLUCOSE	NOT DETECTED	NOT DETECTED
METHOD: REFLECTANCE SPECTROPHOTOMETRY KETONES	NOT DETECTED	NOT DETECTED
METHOD: REFLECTANCE SPECTROPHOTOMETRY BLOOD	NOT DETECTED	NEGATIVE
METHOD: REFLECTANCE SPECTROPHOTOMETRY BILIRUBIN	NOT DETECTED	NOT DETECTED

6.0

UROBILINOGEN

METHOD: REFLECTANCE SPECTROPHOTOMETRY

METHOD: REFLECTANCE SPECTROPHOTOMETRY

NITRITE

METHOD: REFLECTANCE SPECTROPHOTOMETRY LEUKOCYTE ESTERASE

METHOD: REFLECTANCE SPECTROPHOTOMETRY

NORMAL NORMAL

NOT DETECTED NOT DETECTED

4.7 - 7.5

NOT DETECTED NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
METHOD: MICROSCOPIC EXAMINATION			
PUS CELL (WBC'S)	1-2	0-5	/HPF
METHOD: MICROSCOPIC EXAMINATION			
EPITHELIAL CELLS	1-2	0-5	/HPF

Dr.Miral Gajera Consultant Pathologist





Page 18 Of 25

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321XB003092 AGE/SEX :36 Years Male

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : SHASM230188321

DRAWN F-703, LADO SARAI, MEHRAULISOUTH WEST

CLIENT PATIENT ID: RECEIVED: 27/02/2024 08:50:40 DELHI

ABHA NO REPORTED :28/02/2024 14:57:28 **NEW DELHI 110030** 8800465156

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED **CASTS**

METHOD: MICROSCOPIC EXAMINATION

CRYSTALS NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

METHOD: MICROSCOPIC EXAMINATION

BACTERIA NOT DETECTED NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

YEAST **NOT DETECTED** NOT DETECTED

MICROSCOPIC EXAMINATION OF URINE IS CARRIED OUT ON REMARKS

CENTRIFUGED URINARY SEDIMENT.

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind
	of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary
	tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either
	acute or chronic, polycystic kidney disease, urolithiasis, contamination by
	genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or
	bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration,
	interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal
	diseases

Dr.Miral Gajera **Consultant Pathologist**



Page 19 Of 25

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





CODE/NAME & ADDRESS : C000138364 ACCESSION NO : **0321XB003092** AGE/SEX : 36 Years Male

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : SHASM230188321 DRAWN

F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED: 27/02/2024 08:50:40

DELHI

NEW DELHI 110030

ABHA NO : REPORTED : 28/02/2024 14:57:28

8800465156

Test Report Status Final Results Biological Reference Interval Units

Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

Dr.Miral Gajera Consultant Pathologist





Page 20 Of 25

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





PATIENT NAME: SHASHANK UPENDRA UPADHYAY REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138364 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHI

NEW DELHI 110030

8800465156

ACCESSION NO: 0321XB003092

PATIENT ID : SHASM230188321

CLIENT PATIENT ID: ABHA NO

AGE/SEX DRAWN

RECEIVED: 27/02/2024 08:50:40 REPORTED :28/02/2024 14:57:28

:36 Years

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

PHYSICAL EXAMINATION, STOOL

COLOUR BROWN

CONSISTENCY WELL FORMED

MUCUS NOT DETECTED NOT DETECTED

VISIBLE BLOOD **ABSENT ABSENT**

ADULT PARASITE NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

CHEMICAL EXAMINATION, STOOL

STOOL PH **NEGATIVE**

OCCULT BLOOD NOT DETECTED NOT DETECTED

METHOD: HEMOSPOT

MICROSCOPIC EXAMINATION, STOOL

NOT DETECTED /hpf **PUS CELLS**

NOT DETECTED /HPF RED BLOOD CELLS **NOT DETECTED**

NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED NOT DETECTED **CYSTS**

METHOD: MICROSCOPIC EXAMINATION

OVA METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED NOT DETECTED LARVAE

METHOD: MICROSCOPIC EXAMINATION

TROPHOZOITES NOT DETECTED NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

ABSENT FAT VEGETABLE CELLS ABSENT CHARCOT LEYDEN CRYSTALS **ABSENT**

Dr.Miral Gaiera Consultant Pathologist



Page 21 Of 25



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015

Gujrat, India





PATIENT NAME: SHASHANK UPENDRA UPADHYAY REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321XB003092 AGE/SEX :36 Years Male ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : SHASM230188321 DRAWN F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED: 27/02/2024 08:50:40 DELHI ABHA NO REPORTED :28/02/2024 14:57:28 **NEW DELHI 110030** 8800465156

Test Report Status Results **Biological Reference Interval** Units **Final**

Interpretation(s)

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF	CONDITION
Pus cells	Pus in the stool is an indication of infection
Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as ulcerative colitis
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.
Charcot-Leyden crystal	Parasitic diseases.
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.
Frank blood	Bleeding in the rectum or colon.
Occult blood	Occult blood indicates upper GI bleeding.
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show up in stool when there is inflammation or infection.
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.
pН	Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have an acidic stool.

ADDITIONAL STOOL TESTS:

- Stool Culture:- This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if 1. treatment for GI infection worked.
- 2. Fecal Calprotectin: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) from Irritable Bowel Syndrome (IBS).
- 3. Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia.
- Clostridium Difficile Toxin Assay: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to overuse of broad spectrum antibiotics which alter the normal GI flora.

Dr.Miral Gajera **Consultant Pathologist**



Page 22 Of 25







Agilus Diagnostics Ltd. Grand Malī, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

Email: customercare.ahmedabad@agilus.in





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321XB003092 AGE/SEX :36 Years ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

PATIENT ID DRAWN : SHASM230188321

F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID:

RECEIVED: 27/02/2024 08:50:40 DELHI ABHA NO REPORTED :28/02/2024 14:57:28 **NEW DELHI 110030** 8800465156

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

5. Biofire (Film Array) GI PANEL: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array Test, (Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria, fungi, virus, parasite and other opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.

6. Rota Virus Immunoassay: This test is recommended in severe gastroenteritis in infants & children associated with watery diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

Dr.Miral Gajera **Consultant Pathologist**



Page 23 Of 25





Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office, Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





CODE/NAME & ADDRESS: C000138364 ACCESSION NO: 0321XB003092 AGE/SEX :36 Years

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : SHASM230188321 DRAWN

F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID:

RECEIVED: 27/02/2024 08:50:40 DELHI REPORTED :28/02/2024 14:57:28 ABHA NO **NEW DELHI 110030** 8800465156

Biological Reference Interval **Test Report Status** Results Units <u>Final</u>

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECK UP BELOW 40 MALE

THYROID PANEL, SERUM

T3	66.84 Low	80.0 - 200.0	ng/dL
METHOD: ECLIA			
T4	5.74	5.10 - 14.10	μg/dL
METHOD: ECLIA			
TSH (ULTRASENSITIVE)	1.340	0.270 - 4.200	μIU/mL

METHOD : ECLIA

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSH are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, Free T4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism

Dr.Miral Gaiera Consultant Pathologist



Page 24 Of 25

View Report



Agilus Diagnostics Ltd. Grand Malī, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015 Gujrat, India





 CODE/NAME & ADDRESS : C000138364
 ACCESSION NO : 0321XB003092
 AGE/SEX : 36 Years
 Male

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : SHASM230188321 DRAWN :

F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 27/02/2024 08:50:40

DELHI

NEW DELHI 110030

ABHA NO : REPORTED : 28/02/2024 14:57:28

8800465156

Test Report Status <u>Final</u> Results Biological Reference Interval Units

6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. **NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.**TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

End Of Report
Please visit www.agilusdiagnostics.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr.Miral Gajera Consultant Pathologist





Page 25 Of 25

View Details

View Report



Agilus Diagnostics Ltd. Grand Mall, Opposite Sbi Zonal Office,Sm Road, Ambawadi, Ahmedabad, 380015

