

Name : Mrs. SOLANKI BANERJEE MAITI (35 /F)

Date : 23/03/2024

Address : FLAT FT-2 AMARNATH RESIDENCY,C-16,SARATPALLY,PS-KOTWALI, MEDINIPUR,
MEDINIPUR, WEST BENGAL, INDIA

Examined by :

UHID : AGHL.0001560429

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH201329



CHIEF COMPLAINTS

For corporate health checkup
No specific complaints

PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,
Hypertension,
Dyslipidemia, Thyroid
disorder, Heart disease,
Stroke, Asthma



DRUG ALLERGY

NO KNOWN ALLERGY

:23/03/2024



SYSTEMIC REVIEW

Cardiovascular system

- Nil Significant

Respiratory system

- Nil Significant

Gastrointestinal system

- Nil Significant

Genitourinary system

- Nil Significant

Gynaec history

Last menstrual period - 9/3/2024; Periods - regular;
No of Children - 1; Deliveries - LSCS; Number of
abortions - 1

Eyes

Vision - normal with glasses

ENT

- Nil Significant

Musculoskeletal system

Spine and joints

Back - pain

Skin

- Nil Significant



Present medications

- Nil



Past medical history

Do you have any - No
allergies?

Do you have any drug - No
allergies?

Covid 19 - Yes

Hospitalization for - No
Covid 19



Surgical history

Caesarian section - 2020

Others - Resection of uterine
septum in 2019



Personal history

Marital status - Married

No. of children - 1

Diet - Non Vegetarian

Alcohol - does not consume alcohol

Smoking - No

Chews tobacco - No

Physical activity - Moderate



Family history

Father - alive

Mother - has expired

Diabetes - father, mother

Coronary artery - none
disease

Cancer - mother

Type - Breast

Name : Mrs. SOLANKI BANERJEE MAITI (35 /F)

UHID : AGHL.0001560429

Date : 23/03/2024

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH201329

PHYSICAL EXAMINATION



General

Build - over weight
Height - 162
Weight - 73
BMI - 27.82
Pallor - No
Oedema - no



Cardiovascular system

Heart rate (Per minute) - 77
Rhythm - Regular
- B.P. Sitting
Systolic(mm of Hg) - 110
Diastolic(mm of Hg) - 70
Heart sounds - S1S2+

Respiratory system

Breath sounds - Normal vesicular breath sounds



Abdomen

Organomegaly - No
Tenderness - No
Scars - Pfannenstiel



Skin

- No significant finding

Name : Mrs. SOLANKI BANERJEE MAITI (35 /F)

UHID : AGHL.0001560429

Date : 23/03/2024

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH201329

COMPLETE HAEMOGRAM PROFILE

Test Name	Result	Unit	Level	Range
Hemoglobin	12.9	g/dl	●	12.0-15.0
RBC COUNT	4.81 *	Million/ ul	●	3.8-4.8
Hematocrit - Hct:	40.0	%	●	36-46
MCV	83.0	fl	●	83-101
MCH	26.8 *	pg	●	27-32
MCHC	32.3	%	●	31.5-34.5
RDW	15.2 *	%	●	11.8-14.0
WBC Count	6800	/cu mm	●	4000-10000
Platelet Count	1.58	lacs/cu mm	●	1.5-4.0
Neutrophils	57	%	●	40-80
Lymphocytes	32	%	●	20-40
Monocytes	08	%	●	2-10
Eosinophils	03	%	●	01-06
Basophils	00	%	●	0-0
RBC:	Normocytic Normochromic cells			
Platelets:	Adequate on the smear			
ERYTHROCYTE SEDIMENTATION RATE (ESR)	4	mm/1st hr	●	0-20

URINE ROUTINE AND MICROSCOPY

Test Name	Result	Unit	Level	Range
Volume:	50	mL		
Colour:	Pale Straw			
Appearance	Slightly Turbid			
Specific Gravity	1.005			
pH:	6.5			
Albumin:	Not Detected			
Glucose	Not Detected			
Ketone:	Not Detected			
Bile Pigments	Not Detected			
RBC	Nil	/hpf		
Pus Cells	Occasional	/hpf		

Epithelial Cells	1-3
Casts:	Not Found
Crystals:	Not Found

URINE SUGAR - POST PRANDIAL (QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(POST PRANDIAL)	Nil			

URINE SUGAR- FASTING(QUALITATIVE)

Test Name	Result	Unit	Level	Range
URINE GLUCOSE(FASTING)	Nil			

BLOOD GROUPING AND TYPING (ABO AND RH)

Test Name	Result	Unit	Level	Range
ABO Group:	O			
Rh (D) Type:	POSITIVE			

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
ALT(SGPT) - SERUM	23	U/L	●	0-35
ALBUMIN - SERUM	4.7	g/dL	●	3.5-5.1
ALKALINE PHOSPHATASE - SERUM	67	U/L	●	33-98
AST (SGOT) - SERUM	24	U/L	●	0-35
BILIRUBIN TOTAL - SERUM	0.8	mg/dL	●	0.3-1.2

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
CHOLESTEROL - SERUM	148	mg/dL	●	0-200

CREATININE - SERUM

Test Name	Result	Unit	Level	Range
CREATININE - SERUM	0.7	mg/dL	●	0.6-1.1

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mrs. SOLANKI BANERJEE MAITI (35 /F)

UHID : AGHL.0001560429

Date : 23/03/2024

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH201329

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
GGTP: GAMMA GLUTAMYL TRANSPEPTIDASE - SERUM	22	U/L	●	0-38

GLUCOSE - PLASMA (FASTING)

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (FASTING)	99	mg/dL	●	70-99

GLUCOSE - PLASMA (POST PRANDIAL)

Test Name	Result	Unit	Level	Range
GLUCOSE - PLASMA (POST PRANDIAL)	175 *	mg/dL	●	70-140

HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHOLE BLOOD

Test Name	Result	Unit	Level	Range
HBA1C (GLYCOSYLATED HAEMOGLOBIN)-WHO LE BLOOD	5.4	%	●	Nondiabetic : 4 - 5.6 % Prediabetics : 5.7 - 6.4% Diabetes : >= 6.5% ADA Therapeutic goal : <7%

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
HDL CHOLESTEROL - SERUM	40	mg/dL	●	30-70
LDL CHOLESTEROL -SERUM	98	mg/dL	●	0-100
VLDL CHOLESTEROL - SERUM (Calculated)	10	mg/dL	●	0-35

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
PROTEIN TOTAL - SERUM	7.7	g/dL	●	6.4-8.3
GLOBULIN: (CALCULATED) - SERUM	3.0	g/dL	●	1.8-3.6

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name	Result	Unit	Level	Range
TOTAL T3: TRI IODOTHYRONINE - SERUM	1.15	ng/ml	●	0.87-1.78
TOTAL T4: THYROXINE - SERUM	12.22	µg/dL	●	5.48-14.28

LIPID PROFILE TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
TRIGLYCERIDES - SERUM	156 *	mg/dL	●	0-150

THYROID PROFILE - I(T3,T4 AND TSH)

Test Name	Result	Unit	Level	Range
TSH: THYROID STIMULATING HORMONE - SERUM	3.13	µIU/mL	●	0.38-5.33

URIC ACID - SERUM

Test Name	Result	Unit	Level	Range
URIC ACID - SERUM	5.3	mg/dL	●	2.4-5.7

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
BILIRUBIN CONJUGATED (DIRECT) - SERUM	0.2	mg/dL	●	0.0-0.2

BUN (BLOOD UREA NITROGEN)

Test Name	Result	Unit	Level	Range
BUN (BLOOD UREA NITROGEN)	7.2	mg/dL	●	7.0-18.0

LIVER FUNCTION TEST (PACKAGE)

Test Name	Result	Unit	Level	Range
A/G - RATIO	1.6		●	1.0-2.0

BUN/CREATININE RATIO

Test Name	Result	Unit	Level	Range
BUN/CREATININE RATIO	10.4			

PAP SMEAR /CERVICAL SMEAR

● Within Normal Range ● Borderline High/Low ● Out of Range

Name : Mrs. SOLANKI BANERJEE MAITI (35 /F)

UHID : AGHL.0001560429

Date : 23/03/2024

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH201329

Ref No:

AG01.C2402476

SPECIMEN TYPE:

Conventional cervical smear (Papanicolaou stain) x 1

SPECIMEN ADEQUACY:

Satisfactory for evaluation without endocervical cells.

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy, with no organism

ECG

SINUS RHYTHM.

LOW VOLTAGE "QRS" & T WAVES.

LEFT AXIS DEVIATION.

ULTRASOUND SCREENING WHOLE ABDOMEN

* Bulky uterus.

[NOTE: At times pelvic structures are not well visualized due to inadequate patient preparation / excess bowel gas shadow. However suggested clinical correlation and other investigations if clinically indicated.]

X-RAY CHEST PA

* Chest skiagram does not reveal any significant abnormality.

CARDIOLOGY

TREADMILL TEST / STRESS TEST



Within Normal Range



Borderline High/Low



Out of Range

Name : Mrs. SOLANKI BANERJEE MAITI (35 /F)

UHID : AGHL.0001560429

Date : 23/03/2024

Package : MEDIWHEEL - FULL BODY HEALTH ANNUAL PLUS HCK

AHC No : AMHLAH201329

Printed By :

AHC Physician / Consultant Internal Medicine

Note :- The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

AICVD RISK SCORE REPORT

RISK STATUS

Low Risk

YOUR SCORE

2

ACCEPTABLE SCORE

3

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on **lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.**
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding **follow up tests, consults and annual health assessment**

DISCLAIMER

1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician's or cardiologist's discretion.
3. To ensure the information in the report is up to date, accurate and correct, doctor shall be consulted for interpretation of the report.
4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side.
5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical AI Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515