

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SANTOSH KUMAR SINGH - 199283 Registered On : 29/Mar/2024 07:57:32

 Age/Gender
 : 40 Y 10 M 14 D /M
 Collected
 : N/A

 UHID/MR NO
 : ALDP.0000073598
 Received
 : N/A

Visit ID : ALDP0412142324 Reported : 30/Mar/2024 15:25:35

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG / EKG *

1. Machnism, Rhythm Sinus, Regular

2. Atrial Rate 71 /mt

3. Ventricular Rate 71 /mt

4. P - Wave Normal

5. P R Interval Normal

6. Q R S

Axis: Normal R/S Ratio: Normal Configuration: Normal

7. Q T c Interval Normal

8. S - T Segment Normal

9. T – Wave Normal

FINAL IMPRESSION

Abnormal: Sinus Rhythm, Borderline Left Ventricular Hypertrophy suspected, Incomplete Right Bundle Branch Block. Please correlate clinically.













Age/Gender

UHID/MR NO

Ref Doctor

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.SANTOSH KUMAR SINGH - 199283

: 40 Y 10 M 14 D /M

: ALDP.0000073598

: ALDP0412142324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Registered On

: 29/Mar/2024 07:57:28 : 29/Mar/2024 08:12:02

Collected Received : 29/Mar/2024 09:54:49

Reported : 29/Mar/2024 15:55:29

Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , Blo	ood			
Blood Group	АВ			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
				AGGLUTINA
Complete Blood Count (CBC) * , Whole	e Blood			
TLC (WBC) DLC Polymorphs (Neutrophils) Lymphocytes Monocytes	4,400.00 55.00 37.00 5.00	g/dl /Cu mm % %	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000 55-70 25-40 3-5	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	4.00	Mm for 1st hr.		
Corrected	,45	Mm for 1st hr.	< 9	
PCV (HCT) Platelet count	43.00	%	40-54	
Platelet Count	0.72	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)	17.60 -	fL %	9-17 35-60	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SANTOSH KUMAR SINGH - 199283 Registered On : 29/Mar/2024 07:57:28 Age/Gender Collected : 29/Mar/2024 08:12:02 : 40 Y 10 M 14 D /M UHID/MR NO : ALDP.0000073598 Received : 29/Mar/2024 09:54:49 Visit ID : ALDP0412142324 Reported : 29/Mar/2024 15:55:29

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report

CARE LTD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.08	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	14.10	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.54	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	96.20	fl	80-100	CALCULATED PARAMETER
MCH	32.20	pg	28-35	CALCULATED PARAMETER
MCHC	33.50	%	30-38	CALCULATED PARAMETER
RDW-CV	12.40	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	43.40	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,420.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	132.00	/cu mm	40-440	

Dr.Akanksha Singh (MD Pathology)









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name : Mr.SANTOSH KUMAR SINGH - 199283 : 29/Mar/2024 07:57:31 Registered On Age/Gender : 40 Y 10 M 14 D /M Collected : 29/Mar/2024 08:12:02

UHID/MR NO : ALDP.0000073598 Received : 29/Mar/2024 09:54:50 Visit ID : ALDP0412142324 Reported : 29/Mar/2024 13:28:28

: Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor Status : Final Report

CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Uı	nit Bio. Ref. Inter	rval Method	
GLUCOSE FASTING * , Plasma					
Glucose Fasting	82.00	mg/dl	< 100 Normal 100-125 Pre-diabetes	GOD POD	

≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP *	99.00	mg/dl	<140 Normal	GOD POD
Sample:Plasma After Meal			140-199 Pre-diabetes	
			>200 Diabetes	

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.80	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	29.20	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	92	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- · eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



1800-419-0002





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206

CARE LTD -



Patient Name : Mr.SANTOSH KUMAR SINGH - 199283 Registered On : 29/Mar/2024 07:57:31 Age/Gender : 40 Y 10 M 14 D /M Collected : 29/Mar/2024 08:12:02 UHID/MR NO : ALDP.0000073598 Received : 29/Mar/2024 09:54:50 Visit ID : ALDP0412142324 Reported : 29/Mar/2024 13:28:28 : Dr. MEDIWHEEL-ARCOFEMI HEALTH Ref Doctor

Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:

^{*}Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	11.39	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	0.70	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	5.15	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) *, Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SANTOSH KUMAR SINGH - 199283 Registered On : 29/Mar/2024 07:57:31 Age/Gender Collected : 29/Mar/2024 08:12:02 : 40 Y 10 M 14 D /M UHID/MR NO : ALDP.0000073598 Received : 29/Mar/2024 09:54:50 Visit ID : ALDP0412142324 Reported : 29/Mar/2024 13:28:28

Ref Doctor : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status : Final Report CARE LTD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	ι	Jnit Bio. Ref. Interv	val Method
SGOT / Aspartate Aminotransferase (AST)	46.10	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	80.70	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	21.30	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.30	gm/dl	6.2-8.0	BIURET
Albumin	4.10	gm/dl	3.4-5.4	B.C.G.
Globulin	3.20	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.28	¥	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	89.60	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.20	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.40	mg/dl	< 0.30	Jendrassik & Grof
Bilirubin (Indirect)	0.80	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum				
Cholesterol (Total)	182.00	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	51.60	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	116	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	
VLDL	13.98	mg/dl	10-33	CALCULATED
Triglycerides	69.90	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP h

Dr.Akanksha Singh (MD Pathology)











Age/Gender

UHID/MR NO

Ref Doctor

Test Name

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj

Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Method

Patient Name : Mr.SANTOSH KUMAR SINGH - 199283

: 40 Y 10 M 14 D /M

: ALDP.0000073598

: ALDP0412142324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Registered On

Unit

Collected

: 29/Mar/2024 07:57:30

: 29/Mar/2024 12:05:47

Bio. Ref. Interval

Received : 29/Mar/2024 13:53:15 Reported : 29/Mar/2024 15:21:27

Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

Result

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

est ivallie	Result	Oilit	DIO. NEI. IIILEI VAI	ivietilou
RINE EXAMINATION, ROUTINE * , Urine				
Color	PALE YELLOW			
Specific Gravity	1.025			DIDOTION
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR	, 0,	40.41	DIDOTION
Protein	ABSENT	mg %	< 10 Absent 10-40 (+)	DIPSTICK
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT			
Bile P <mark>igments</mark>	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC
				EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
Others	ABSENT			EXAMINATION
Others	ADSEIVI			
Urine Microscopy is done on centrifuged urine	sediment			





Sugar, Fasting stage



ABSENT

gms%



Age/Gender

UHID/MR NO

Ref Doctor

Visit ID

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SANTOSH KUMAR SINGH - 199283

: 40 Y 10 M 14 D /M

: ALDP.0000073598

: ALDP0412142324

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Registered On

Collected

: 29/Mar/2024 07:57:30

: 29/Mar/2024 12:05:47

Received : 29/Mar/2024 13:53:15 Reported : 29/Mar/2024 15:21:27

Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

Interpretation:

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE *, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(+++++) > 2 gms%

45

Dr. Akanksha Singh (MD Pathology)

Page 8 of 12









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SANTOSH KUMAR SINGH - 199283

Registered On

: 29/Mar/2024 07:57:32

Age/Gender

: 40 Y 10 M 14 D /M

Collected

: 29/Mar/2024 08:12:02 : 30/Mar/2024 09:59:46

UHID/MR NO Visit ID : ALDP.0000073598 : ALDP0412142324 Received Reported

: 30/Mar/2024 11:52:32

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

Status

: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.69	ng/mL	<4.1	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone:
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Bring

Dr. Anupam Singh (MBBS MD Pathology)

Page 9 of 12









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SANTOSH KUMAR SINGH - 199283 Registered On : 29/Mar/2024 07:57:31 Age/Gender Collected : 40 Y 10 M 14 D /M : 29/Mar/2024 08:12:02 UHID/MR NO : ALDP.0000073598 Received : 29/Mar/2024 09:54:50 Visit ID : ALDP0412142324 Reported : 29/Mar/2024 16:14:53 : Dr. MEDIWHEEL-ARCOFEMI HEALTH Status

Ref Doctor CARE LTD -

: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	136.00	O .	84.61–201.7	CLIA
T4, Total (Thyroxine)	5.40	3	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.900	μIU/mL	0.27 - 5.5	CLIA
		,		
Interpretation:		0.2.4.5	D' (D'	
		0.3-4.5 μIU/ml 0.5-4.6 μIU/ml 0.8-5.2 μIU/ml	Second Trim	ester
		0.5-8.9 μIU/mI		55-87 Years
		0.7-27 μIU/ml 2.3-13.2 μIU/mI		28-36 Week > 37Week
		0.7-64 μIU/mI	Child(21 wk	- 20 Yrs.)
		1-39 μIU/n 1.7-9.1 μIU/ml		0-4 Days 2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- 4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- 6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Akanksha Singh (MD Pathology)

Page 10 of 12









Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name : Mr.SANTOSH KUMAR SINGH - 199283

Collected

: 29/Mar/2024 07:57:32

Age/Gender UHID/MR NO : 40 Y 10 M 14 D /M : ALDP.0000073598

Received

Registered On

: 29/Mar/2024 09:31:24

Visit ID

: ALDP0412142324

Reported

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -

Status

: Final Report

: N/A

: N/A

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) **CHEST P-A VIEW**

- Subtle fibrotic changes are seen in the left lower zone.
- Trest of both lung field appear normal.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.











Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261

CIN: U85110DL2003PLC308206



Patient Name

: Mr.SANTOSH KUMAR SINGH - 199283

Registered On

: 29/Mar/2024 07:57:32

Age/Gender UHID/MR NO : 40 Y 10 M 14 D /M : ALDP.0000073598 Collected Received : N/A

Visit ID

: ALDP0412142324

Reported

: 29/Mar/2024 10:12:55

Ref Doctor

: Dr. MEDIWHEEL-ARCOFEMI HEALTH

CARE LTD -

3

Status

: Final Report

: N/A

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (13.8 cm), shape and echogenicity. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER: Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD:- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size (9.4 cm), shape and echogenicity.

RIGHT KIDNEY: - Normal in size, shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and echogenicity. **One simple cyst measuring** ~ **15.7 x 16.7 mm is seen at upper pole**. Pelvicalyceal system is not dilated.

URINARY BLADDER: Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE: Normal in size (2.8 x 3.1 x 4.0 cm vol - 18.6 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION: No significant abnormality seen.

Please correlate clinically

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

EXAMINATION, Tread Mill Test (TMT)

Dr.Aishwarya Neha

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





