

CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809 Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By	:	

Report Status -Preliminary			
Test Name	Result	Biological Ref. Interval	Unit
	KIDNEY PR	OFILE	
	BIOCHEM	ISTRY	
Blood Urea Nitrogen Sample : Serum Method : Spectrophotometry	9.21	8.87 - 20.50	mg/dL
Blood Urea Sample : Serum Method : Spectrophotometry	19.71	19.00 - 44.00	mg/dL
Creatinine Sample : Serum Method : Spectrophotometry	0.76	0.70 - 1.30	mg/dL
BUN Creatinine Ratio Sample : Serum Method : Calculated	12.12	10.00 - 20.00	Ratio
Total Protein Sample : Serum Method : Spectrophotometry	7.32	6.40 - 8.30	gm/dL
Uric Acid Sample : Serum Method : Spectrophotometry	4.94	3.40 - 7.00	mg/dL
Sodium sample : Serum Method : ISE	137.60	136.00 - 145.00	mmol/L
Potassium	4.28	3.50 - 5.10	mmol/L



121220243090012

NATIONAL REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD. Plot No. 55-56, Udyog Vihar, Phase-4, Gurugram care@pathkindlabs.com | @ www.pathkindlabs.com Customer Care: 75000-75111





CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809 Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By	:	


	Report Status -Pre	eliminary	
Test Name	Result	Biological Ref. Interval	Unit
Sample : Serum Method : ISE			
Chloride Sample : Serum Method : ISE	109.30 H	98.00 - 107.00	mmol/L
Albumin Sample : Serum Method : Spectrophotometry	4.83	3.97 - 4.94	gm/dL
Globulin Sample : Serum Method : Calculated	2.49	1.90 - 3.70	gm/dL
Albumin Globulin A/G Ratio Sample : Serum Method : Calculated	1.94	1.00 - 2.10	Ratio
	CLINICAL PATH	IOLOGY	
Urine Routine & Microscopic Examination Sample : Urine, Random			

Colour, Urine <i>Method</i> : Manual	Yellow	Pale Yellow	
Appearance Method : Manual	Clear	Clear	
Specific Gravity <i>Method</i> : Ionic concentration method	1.020	1.00 - 1.04	
pH <i>Method</i> : Double indicator principle	5.00	4.70 - 7.50	



Please scan the QR code to check authenticity of report

121220243090012





CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809 Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By	:	


Report Status -Preliminary			
Test Name	Result	Biological Ref. Interval	Unit
Glucose Method : Bendict's Method	Not Detected	Not Detected	
Protein Method : Sulphosalicyclic acid Method	Not Detected	Not Detected	
Ketones <i>Method :</i> Rothera's Method	Not Detected	Not Detected	
Blood Method : Peroxidase	Not Detected	Not Detected	
Bilirubin <i>Method</i> : Diazo-Reaction / Fouchets Test	Not Detected	Not Detected	
Urobilinogen Method : Ehrlich's Reaction	Normal	Normal	
Nitrite <i>Method</i> : Nitrite Test	Not Detected	Not Detected	
Pus Cells Method : Microscopy	2-3	0-5	/hpf
RBC Method : Microscopy	Not Detected	Not Detected	/hpf
Epithelial Cells Method : Microscopy	2-3	0-5	/hpf
Casts Method : Microscopy	Not Detected	Not Detected	
Crystals Method : Microscopy	Not Detected	Not Detected	
Bacteria Method : Microscopy	Not Detected	Not Detected	
Remarks	Microscopic exami	nation has been performed on	urine

Remarks Method : Manual Microscopic examination has been performed on urine sediment.



121220243090012







CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809 Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By	:	

Report Status -Preliminary			
Test Name	Result	Biological Ref. Interval	Unit
	<u>HAEMATOL</u>	<u>.OGY</u>	
Complete Blood Count (CBC) Sample : Whole Blood, EDTA			
Haemoglobin (Hb) Method : Photometric	17.10 H	13.00 - 17.00	gm/dL
Total WBC Count / TLC Method : Impedance	4.71	4.00 - 10.00	thou/µL
RBC Count <i>Method : Impedance</i>	5.47	4.50 - 5.50	million/µl
PCV / Hematocrit <i>Method : Impedance</i>	50.10 H	40.00 - 50.00	%
MCV Method : Calculated	91.70	83.00 - 101.00	fL
MCH Method : Calculated	31.30	27.00 - 32.00	pg
MCHC Method : Calculated	34.20	31.50 - 34.50	gm/dL
RDW (Red Cell Distribution Width) Method : Calculated	15.10	11.80 - 15.60	%
Neutrophils Method : VCS Technology & Microscopy	77.00	40.00 - 80.00	%
Lymphocytes Method : VCS Technology & Microscopy	18.00 L	20.00 - 40.00	%
Eosinophils Method : VCS Technology & Microscopy	2.00	1.00 - 6.00	%
Monocytes Method : VCS Technology & Microscopy	3.00	2.00 - 10.00	%



121220243090012





CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809 Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By	:	

Test Name	Report Status -Pro	Biological Ref. Interval	Unit
Basophils Method : VCS Technology & Microscopy	0.00	0.00 - 2.00	%
Absolute Neutrophil Count (ANC) Method : Calculated	3626.70	2000.00 - 7000.00	/µL
Absolute Lymphocyte Count Method : Calculated	847.80 L	1000.00 - 3000.00	/µL
Absolute Eosinophil Count (AEC) Method : Calculated	94.20	20.00 - 500.00	/µL
Absolute Monocyte Count Method : Calculated	141.30 L	200.00 - 1000.00	/µL
Absolute Basophil Count Method : Calculated	0.00 L	20.00 - 100.00	/µL
Platelet Count Method : Impedance	135.00 L	150.00 - 410.00	thou/µL
MPV (Mean Platelet Volume) Method : Calculated	11.00 H	6.80 - 10.90	fL
Erythrocyte Sedimentation Rate (ESR) Sample : Whole Blood, EDTA Method : Modified Westergren Method Blood Group	19.00 H	0.00 - 10.00	mm Ist Hour
Sample : Whole Blood, EDTA			
Blood Grouping Method : Slide and tube agglutination	0		
Rh (D) Typing Method : Forward/Reverse by tube agglutinatic	Positive		
HbA1C (Glycosylated Hemoglobin) Sample : Whole Blood, EDTA			
HbA1c	5.41	Non Diabetic : <	%



121220243090012





CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809 Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By	:	

Report Status -Preliminary			
Test Name	Result	Biological Ref. Interval	Unit
Method : High Performance Liquid Chromatography (HPLC)		5.7 Pre Diabetic Range: 5.7 - 6.4 Diabetic Range: > 6.5 Goal of Therapy: < 7.0 Action Suggested: > 8.0	
Mean Plasma Glucose Method : Calculated	108.57	0.00 - 116.00	mg/dL
	BIOCHEMIS	STRY	
Fasting Plasma Glucose Sample : Plasma Fluoride - Fasting Method : Hexokinase			
Plasma Glucose, Fasting	103.03 H	Normal : 74 - 99 Impaired Fasting Glucose : 100 - 125 Diabetes : > 126	mg/dL
<u>Glucose Post Prandial</u> Sample : Plasma Fluoride - Post Prandial Method : Hexokinase			
Glucose, Post-Prandial	154.28 H	70.00 - 140.00	mg/dL
Thyroid Profile Total Sample : Serum Method : ECLIA			
Total T3 (Triiodothyronine)	1.26	0.80 - 2.00	ng/mL
Total T4 (Thyroxine)	9.27	5.10 - 14.10	µg/dL 回於表道系统



121220243090012





CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809 Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By	:	

Report Status -Preliminary			
Test Name	Result	Biological Ref. Interval	Unit
TSH 3rd Generation	3.780	0.27 - 4.20	µIU/mL
Lipid Profile Sample : Serum			
Total Cholesterol <i>Method : Spectrophotometry</i>	141.90	No Risk : < 200 Moderate Risk : 200 - 239 High Risk : > 240	mg/dL
Triglycerides <i>Method : Spectrophotometry</i>	215.07 H	Desirable : < 150 Boderline High : 150 - 199 High : 200 - 499 Very High : >= 500	mg/dL
LDL Cholesterol (Calculated) Method : Calculated	62.80	0.00 - 100.00	mg/dL
HDL Cholesterol Method : Spectrophotometry	36.09 L	Low : < 40 Optimal : 40 - 60 High > 60	mg/dL
VLDL Cholesterol Method : Calculated	43.01 H	Desirable : 10 - 35	mg/dL
Total Cholesterol / HDL Ratio <i>Method : Calculated</i>	3.93	Low Risk : $3.3 - 4.4$ Average Risk : $4.5 - 7.0$ Moderate Risk : 7.1 - 11.0 High Risk : > 11.0	Ratio
LDL / HDL Ratio Method : Calculated	1.74	Low Risk : 0.5 - 3.0 Moderate Risk : 3.1 - 6.0	Ratio



121220243090012





CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809 Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By	:	

Report Status -Preliminary			
Test Name	Result	Biological Ref. Interval	Unit
		High Risk : > 6.0	
Non HDL Cholesterol Method : Manual	105.81	0.00 - 130.00	mg/dL
Liver Function Test (LFT) Sample : Serum			
Bilirubin Total Method : Spectrophotometry	0.83	0.00 - 1.20	mg/dL
Bilirubin Direct Method : Spectrophotometry	0.27 H	0.00 - 0.20	mg/dL
Serum Bilirubin (Indirect) Method : Calculated	0.56	0.00 - 0.90	mg/dL
SGOT / AST Method : Spectrophotometry	50.31 H	0.00 - 40.00	U/L
SGPT / ALT Method : Spectrophotometry	100.79 H	0.00 - 41.00	U/L
AST / ALT Ratio Method : Calculated	0.50	-	Ratio
Alkaline Phosphatase Method : Spectrophotometry	123.38	40.00 - 129.00	U/L
Total Protein Method : Spectrophotometry	7.32	6.40 - 8.30	gm/dL
Albumin Method : Spectrophotometry	4.83	3.97 - 4.94	gm/dL
Globulin Method : Calculated	2.49	1.90 - 3.70	gm/dL
Albumin Globulin A/G Ratio Method : Calculated	1.94	1.00 - 2.10	Ratio
Prostate Specific Antigen (PSA) Total			



Please scan the QR code to check authenticity of report

121220243090012





CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809

Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By	:	

Report Status -Preliminary			
Test Name	Result	Biological Ref. Interval	Unit
Sample : Serum Method : ECLIA			
Prostate Specific Antigen (PSA), Total	0.89	0.00 - 2.00	ng/mL
• "			

Sodium

Clinical Significance : Serum Sodium estimation is performed to assess acid-base balance, water balance, water intoxication, and dehydration.

Creatinine

Clinical Significance :

Serum creatinine is inversely correlated with glomerular filtration rate (GFR). Increased levels of Serum Creatinine is associated with renal dysfunction.

Glucose Post Prandial

The diagnosis of Diabetes requires a fasting plasma glucose of > or = 126 mg/dL and/or a random / 2 hr post glucose value of > or = 200 mg/dL on at least 2 occasions. If fasting plasma glucose values are between 100 to 125 mg/dL, then patient is considered to be prediabetic and should look at lifestyle modifications and be on follow up

Prostate Specific Antigen (PSA) Total

This is a recommended test for detection of prostate cancer in males above 50 years of age. Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization, ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels PSA values. All values should be correlated with clinical findings and results of other investigations.

Potassium

Clinical Significance :

Potassium (K+) is the major intracellular cation. It regulates neuromuscular excitability, heart contractility, intracellular fluid volume, and hydrogen ion concentration. High levels of serum Potassium is seen in acute renal disease and end-stage renal failure due to decreased excretion. Levels are also high during the diuretic phase of acute tubular necrosis, during administration of non-potassium sparing diuretic therapy, and during states of excess mineralocorticoid or glucocorticoid.

Chloride



121220243090012

Page No: 9 of 12





CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809 Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By		

Report Status -Preliminary			
Test Name	Result	Biological Ref. Interval	Unit

Chloride (Cl) is the major extracellular anion and it has an important role in maintaining proper body water distribution, osmotic pressure, and normalanion-cation balance in the extracellular fluid compartment. Chloride is increased in dehydration, renal tubular acidosis, acute renal failure, metabolic acidosis associated with prolonged diarrhea and loss of sodium bicarbonate, diabetes insipidus, adrenocortical hyperfuction, salicylate intoxication and with excessive infusion of isotonic saline or extremely high dietary intake of salt. Hyperchloremia acidosis may be a sign of severe renal tubular pathology. Chloride is decreased inoverhydration, chronic respiratory acidosis, salt-losing nephritis, metabolic alkalosis, congestive heart failure, Addisonian crisis, certain types of metabolic acidosis, persistent gastric secretion and prolonged vomiting, aldosteronism, bromide intoxication, syndrome of inappropriate antidiuretic hormone secretion, and conditions associated with expansion of extracellular fluid volume.

Thyroid Profile Total

- Patient preparation is particularly important for hormone studies, results of which may be markedly affected by many factors such as stress, position, fasting state, time of the day, preceding diet & drug therapy.
- T3 is one of the thyroid hormones derived due to peripheral conversion of T4. The levels of T3 helps in the diagnosis of T3 Thyrotoxicosis and monitoring the course of hypothyroidism.
 However, T3 is not recommended for diagnosis of hyperthyroidism as decreased values have minimal clinical significance. Values below the lower limits can be caused by a number of conditions including non-thyroidal illness, acute and chronic stress and hypothyroidism.
- Elevated level of T4 is seen in hyperthyroidism, pregnancy, euthyroid patients with increased serum TBG. Decreased levels are noted in hypothyroidism, hypoproteinemia, euthyroid sick syndrome, decrease in TBG.
- TSH controls biosynthesis and release of thyroid hormones T3 & T4. TSH levels are increased in primary hypothyroidism, insufficient thyroid hormone replacement therapy, Hashimotos thyroiditis, use of amphetamines, dopamine antagonists, iodine containing agents, lithium, and iodide induced or deficiency goiter.

Uric Acid

Clinical Significance

Uric acid is the final product of purine metabolism. Serum uric acid levels are raised in case of increased purine synthesis, inherited metabolic disorder, excess dietary purine intake, increased nucleic acid turnover, malignancy and cytotoxic drugs. Decreased levels are seen in chronic renal failure, severe hepatocellular disease with reduced purine synthesis, defective renal tubular reabsorption, overtreatment of hyperuricemia with allopurinol, as well as some cancer therapies.

Liver Function Test (LFT)

Indications for liver function assessment includes:

- Screen for liver infections, such as hepatitis
- · Monitor the progression of a disease, such as viral or alcoholic hepatitis, and determine how well a treatment is working
- Measure the severity of a disease, particularly scarring of the liver (cirrhosis)
- · Monitor possible side effects of medications

Total Protein

Clinical Significance :

High levels of Serum Total Protein is seen in increased acute phase reactants in inflammation, late-stage liver disease, infections, multiple myeloma and other malignant paraproteinemias.n.



121220243090012

NATIONAL REFERENCE LAB PATHKIND DIAGNOSTICS PVT. LTD. Plot No. 55-56, Udyog Vihar, Phase-4, Gurugram care@pathkindlabs.com | @www.pathkindlabs.com Customer Care: 75000-75111





CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809

Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, -211003Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date	: 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on	: 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on	: 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on	: 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF		
Referred By	:		

Report Status -Preliminary			
Test Name	Result	Biological Ref. Interval	Unit

Hypoproteinemia is seen in hypogammaglobulinemia, nephrotic syndrome and protein-losing enteropathy.

Albumin

"Hypoalbuminemia can be caused by impaired synthesis due to liver disease (primary) or due to diminished protein intake (secondary), increased catabolism due to tissue damage and inflammation: malabsorption of amino acids; and increased renal excretion (eg, nephrotic syndrome). Hyperalbuminemia is seen in dehydration."

Lipid Profile

COMMENTS / INTERPRETATION :

Lipid Profile consist of Triglycerides, Cholesterol and other lipoprotein fractions in serum. The levels reflect the status of Lipid metabolism in the body, collectively they aid in the diagnosis of various abnormal hyper lipidaemias. Analysis of Lipids has assumed greater importance due to increasing prevalence rates of Ischaemic Heart Diseases (IHD).

NCEP (ATP III) Guidelines.

Urine Routine & Microscopic Examination

Urine routine examination and microscopy comprises of a set of screening tests that can detect some common diseases like urinary tract infections, kidney disorders, liver problems, diabetes or other metabolic conditions. Physical characteristics (colour and appearance), chemical composition(glucose, protein, ketone, blood, bilirubin and urobilinogen) and microscopic content (pus cells, epithelial cells, RBCs, casts and crystals) are analyzed and reported.

Erythrocyte Sedimentation Rate (ESR)

The erythrocyte sedimentation rate (ESR) is a simple but non-specific test that helps to detect inflammation associated with conditions such as infections, cancers, and autoimmune diseases.

HbA1C (Glycosylated Hemoglobin)

Hemoglobin A1c (HbA1c) level reflects the mean glucose concentration over the previous period (approximately 8-12 weeks) and provides a much better indication of long-term glycemic control than blood and urinary glucose determinations. American Diabetes Association (ADA) include the use of HbA1c to diagnose diabetes, using a cutpoint of 6.5%. The ADA recommends measurement of HbA1c 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to assess whether a patient's metabolic control has remained continuously within the target range. Falsely low HbA1c results may be seen in conditions that shorten erythrocyte life span. and may not reflect glycemic control in these cases accurately.

Blood Group

NATIONAL REFERENCE LAB

PATHKIND DIAGNOSTICS PVT. LTD.

(Customer Care: 75000-75111

Plot No. 55-56, Udyog Vihar, Phase-4, Gurugram



121220243090012





CGHS Arpit Hospital Limited Unit of Jeevan Jyoti Hospital, 163, Lowther Road, Bai Ka Bagh, Prayagraj, UP- 211003, - 211003 Contact No. -9532988809 Processed By Jeevan Jyoti HLM, Pathkind Diagnostics Pvt. Ltd., 162, Lowther Road, Bai Ka Bagh, Prayagraj, Uttar Pradesh-211003, - 211003 Contact No. -7500075111

Name	: Mr. BHUPENDRA BAHADUR SINGH REG 331709 OPD	Billing Date : 09/03/2024 10:56:20 AM
Age/Gender	: 45 Yrs/Male	Sample Collected on : 09/03/2024 03:03:50 PM
P. ID No.	: 12122024309292	Sample Received on : 09/03/2024 03:42:55 PM
Accession No	: 121220243090012	Report Released on : 09/03/2024 04:07:35 PM
Referring Doctor	: DR SELF	
Referred By	:	

Report Status -Preliminary			
Test Name	Result	Biological Ref. Interval	Unit

Blood group ABO & Rh test identifies your blood group & type of Rh factor. There are four major blood groups- A, B, AB, and O. It is important to know your blood group as you may need a transfusion of blood or blood components; you may want to donate your blood; before or during a woman's pregnancy to determine the risk of Rh mismatch with the fetus.

Complete Blood Count (CBC)

CBC comprises of estimation of the cellular components of blood including RBCs, WBCs and Platelets. Mean corpuscular volume (MCV) is a measure of the size of the average RBC, MCH is a measure of the hemoglobin cointent of the average RBC and MCHC is the hemoglobin concentration per RBC. The red cell distribution width (RDW) is a measure of the degree of variation in RBC size (anisocytosis) and is helpful in distinguishing between some anemias. CBC examination is used as a screening tool to confirm a hematologic disorder, to establish or rule out a diagnosis, to detect an unsuspected hematologic disorder, or to monitor effects of radiation or chemotherapy. Abnormal results may be due to a primary disorder of the cell-producing organs or an underlying disease. Results should be interpreted in conjunction with the patient's clinical picture and appropriate additional testing performed.

** End of Report **

Authenticated By

Dr. Saloni Dwivedi MBBS MD (Pathology) Lab Head

NATIONAL REFERENCE LAB

PATHKIND DIAGNOSTICS PVT. LTD.

(Customer Care: 75000-75111

Plot No. 55-56, Udyog Vihar, Phase-4, Gurugram

R care@pathkindlabs.com | @ www.pathkindlabs.com



121220243090012

