Bill No.	:	APHHC240000388	Bill Date	:	08-03-2024 11:40		
Patient Name	:	MR. ANIL PASWAN	UHID	:	APH000021263		
Age / Gender	:	29 Yrs / MALE	Patient Type	:	OPD	If PHC	:
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	1		
Sample ID	:	APH24008405	Current Ward / Bed	:	1		
	:		Receiving Date & Time	:	08-03-2024 16:09		
			Reporting Date & Time	:	08-03-2024 17:07		

#### **BIOCHEMISTRY REPORTING**

Test (Methodology)		Result	UOM	Biological Reference Interval				
Sample Type: EDTA Whole Blood, Plasma, Serum								
MEDIWHEEL FULL BODY HEALTH CHECKUP_MALE(BELOW-40)@2400								
BLOOD UREA Urease-GLDH, Kinetic		15	mg/dL	15 - 45				

		15	ing/ac	10 - 40					
BUN (CALCULATED)		7.0	mg/dL	7 - 21					
CREATININE-SERUM (Modified Jaffe s Kinetic)	L	0.5	mg/dL	0.9 - 1.3					
GLUCOSE-PLASMA (FASTING) (UV Hexokinase)		72.0	mg/dL	70 - 100					
te. A diagnosis of diabetes mellitus is made if fastin	· A diagnosis of diabetes mellitus is made if fasting blood glucose exceeds 126 mg/dl								

Note: A diagnosis of diabetes mellitus is made if fasting blood glucose exceeds 126 mg/dL. (As per American Diabetes Association recommendation)

	GLUCOSE-PLASMA (POST PRANDIAL) (UV Hexokinase)		104.0	mg/dL	70 - 140					
~+~	to A diagnosis of diabetes mellitus is made if 0 hour post load glucess sysseds 200 mg/dl									

Note: A diagnosis of diabetes mellitus is made if 2 hour post load glucose exceeds 200 mg/dL. (As per American Diabetes Association recommendation)

LIPID PROFILE

CHOLESTROL-TOTAL (CHO-POD)	Н	185	mg/dL	0 - 160
HDL CHOLESTROL Enzymatic Immunoinhibition		52	mg/dL	>40
CHOLESTROL-LDL DIRECT Enzymatic Selective Protection	Н	115	mg/dL	0 - 100
S.TRIGLYCERIDES (GPO - POD)		94	mg/dL	0 - 160
NON-HDL CHOLESTROL	Н	133.0	mg/dL	0 - 125
TOTAL CHOLESTROL / HDL CHOLESTROL		3.6		1∕₂Average Risk <3.3 Average Risk 3.3-4.4 2 Times Average Risk 4.5-7.1 3 Times Average Risk 7.2-11.0
LDL CHOLESTROL / HDL CHOLESTROL		2.2		1∕xAverage Risk <1.0 Average Risk 1.0-3.6 2 Times Average Risk 3.7-6.3 3 Times Average Risk 6.4-8.0
CHOLESTROL-VLDL		19	mg/dL	10 - 35

Comments:

• Disorders of Lipid metabolism play a major role in atherosclerosis and coronary heart disease.

There is an established relationship between increased total cholesterol & LDL cholesterol and myocardial infarction.
HDL cholesterol level is inversely related to the incidence of coronary artery disease.

• Major risk factors which adversely affect the lipid levels are:

1. Cigarette smoking.

2. Hypertension.

3. Family history of premature coronary heart disease.

4. Pre-existing coronary heart disease.

### LIVER FUNCTION TESTS (LFT)

BILIRUBIN-TOTAL (DPD)	0.67	mg/dL	0.2 - 1.0
BILIRUBIN-DIRECT (DPD)	0.11	mg/dL	0 - 0.2
BILIRUBIN-INDIRECT	0.56	mg/dL	0.2 - 0.8
S.PROTEIN-TOTAL (Biuret)	6.6	g/dL	6 - 8.1

ill No.	ill No. : APHHC240000388			Bill Date			:	08-03-2024 11:40	)
atient Name : MR. ANIL PASWAN				UHID			APH000021263	21263	
ge / Gender	:	29 Yrs / MALE			Patient Type		:	OPD	If PHC :
ef. Consultant : MEDIWHEEL				Ward / Bed		:	1	· · ·	
ample ID	:	APH24008405			Current Ward / Bed		:	1	
ALBUMIN-SERI S.GLOBULIN					Receiving Date & Time		:	08-03-2024 16:09 08-03-2024 17:07	
					Reporting Date & Tin	ne	:		
		(Dye Binding-Bromocresol Green)		4.3		g/dL			
			L	2.	3	g/dL		2.8-3	8
A/G RATIO				1.87				1.5 - 1	2.5
ALKALINE PHO	DSF	PHATASE IFCC AMP BUFFER		57	8	IU/L		53 - 13	28
ASPARTATE A	MII	NO TRANSFERASE (SGOT) (IFCC)	30	30	6	IU/L		10 - 43	2
ALANINE AMIN	10	TRANSFERASE(SGPT) (IFCC)	Н	49	.9	IU/L		10 - 4	C
GAMMA-GLUT	٩M	YLTRANSPEPTIDASE (IFCC)		29	3	IU/L		11 - 5	C
LACTATE DEH		ROGENASE (IFCC; L-P)		19	D.1	IU/L		0 - 24	8
S.PROTEIN-TO		L (Biuret)		6.6		g/dL		6 - 8.	1
						1 -			
	ise -	Trinder		5.4		mg/dl	L	2.6 -	7.2

# \*\* End of Report \*\*

IMPORTANT INSTRUCTIONS CL - Critical Low, CH - Critical High, H - High, L - Low

Ashish

Bill No.	:	APHHC240000388	Bill Date	:	08-03-2024 11:40	
Patient Name	:	MR. ANIL PASWAN	UHID	:	APH000021263	
Age / Gender	:	29 Yrs / MALE	Patient Type	:	OPD If PHC :	
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	1	
Sample ID	:	APH24008405	Current Ward / Bed	:	1	
	:		Receiving Date & Time	:	08-03-2024 16:09	
			Reporting Date & Time	:	08-03-2024 17:07	

Sample Type: EDTA Whole Blood, Plasma, Serum

#### MEDIWHEEL FULL BODY HEALTH CHECKUP\_MALE(BELOW-40)@2400

 HBA1C (Turbidimetric Immuno-Inhibition)
 5.5
 %
 4.0 - 6.2

 INTERPRETATION:

HbA1c %	Degree of Glucose Control
>8%	Action suggested due to high risk of developing long term complications like Retinopathy, Nephropathy, Cardiopathy and Neuropathy
7.1 - 8.0	Fair Control
<7.0	Good Control

Note:

1.A three monthly monitoring is recommended in diabetics.

2. Since HbA1c concentration represents the integrated values for blood glucose over the preceding 6 - 10 weeks and is not affected by daily glucose fluctuation, exercise and recent food intake, it is a more useful tool for monitoring diabetics.

#### \*\* End of Report \*\*

# IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

Ashish

Bill No.	:	APHHC240000388	Bill Date	:	08-03-2024 11:40	
Patient Name	:	MR. ANIL PASWAN	UHID	:	APH000021263	
Age / Gender	:	29 Yrs / MALE	Patient Type	:	OPD	If PHC :
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	1	
Sample ID	:	APH24008374	Current Ward / Bed	:	1	
	:		Receiving Date & Time	:	08-03-2024 13:49	
			Reporting Date & Time	:	08-03-2024 14:14	

### **CLINICAL PATH REPORTING**

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
--------------------	------	--------	-----	----------------------------------

#### Sample Type: Urine

# MEDIWHEEL FULL BODY HEALTH CHECKUP\_MALE(BELOW-40)@2400

### URINE, ROUTINE EXAMINATION

#### PHYSICAL EXAMINATION

QUANTITY	30 mL	
COLOUR	Pale yellow	Pale Yellow
TURBIDITY	Clear	

#### CHEMICAL EXAMINATION

PH (Double pH indicator method)	6.0	5.0 - 8.5
PROTEINS (Protein-error-of-indicators)	Negative	Negative
SUGAR (GOD POD Method)	Negative	Negative
SPECIFIC GRAVITY, URINE (Apparent pKa change)	1.025	1 005 - 1 030

#### **MICROSCOPIC EXAMINATION**

LEUCOCYTES		0 - 5							
RBC's	Nil								
EPITHELIAL CELLS	1-2								
CASTS		Nil							
CRYSTALS Nil									
URINE-SUGAR		NEGATIVE							

#### \*\* End of Report \*\*

IMPORTANT INSTRUCTIONS CL - Critical Low, CH - Critical High, H - High, L - Low

Ashish

Bill No.	:	APHHC240000388	Bill Date	:	08-03-2024 11:40		
Patient Name	:	MR. ANIL PASWAN	UHID	:	APH000021263		
Age / Gender	:	29 Yrs / MALE	Patient Type	:	OPD	If PHC :	
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	1		
Sample ID	:	APH24008363	Current Ward / Bed	:	1		
	:		Receiving Date & Time	:	08-03-2024 12:28		
			Reporting Date & Time	:	08-03-2024 15:59		

#### **HAEMATOLOGY REPORTING**

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: EDTA Whole Blood				

# MEDIWHEEL FULL BODY HEALTH CHECKUP\_MALE(BELOW-40)@2400

### CBC -1 (COMPLETE BLOOD COUNT)

TOTAL LEUCOCYTE COUNT (Flow Cytometry)		4.8	thousand/cumm	4 - 11
RED BLOOD CELL COUNT (Hydro Dynamic Focussing)	L	4.1	million/cumm	4.5 - 5.5
HAEMOGLOBIN (SLS Hb Detection)	L	12.4	g/dL	13 - 17
PACK CELL VOLUME (Cumulative Pulse Height Detection)		40.6	%	40 - 50
MEAN CORPUSCULAR VOLUME		98.6	fL	83 - 101
MEAN CORPUSCULAR HAEMOGLOBIN		30.2	pg	27 - 32
MEAN CORPUSCULAR HAEMOGLOBIN CONCENTRATION	L	30.6	g/dL	31.5 - 34.5
PLATELET COUNT (Hydro Dynamic Focussing)		158	thousand/cumm	150 - 400
RED CELL DISTRIBUTION WIDTH (S.D - RDW) (Particle Size Distribution)	Н	51.4	fL	39 - 46
RED CELL DISTRIBUTION WIDTH (C.V.)	Н	14.4	%	11.6 - 14

#### DIFFERENTIAL LEUCOCYTE COUNT

NEUTROPHILS	Н	88	%	40 - 80
LYMPHOCYTES	L	10	%	20 - 40
MONOCYTES	L	0	%	2 - 10
EOSINOPHILS		2	%	1 - 5
BASOPHILS		0	%	0 - 1
ESR (Westergren)	Н	24	mm 1st hr	0 - 10

\*\* End of Report \*\*

IMPORTANT INSTRUCTIONS CL - Critical Low, CH - Critical High, H - High, L - Low

Ashish

Bill No.	:	APHHC240000388	Bill Date		:	08-03-2024 11:40		
Patient Name	:	MR. ANIL PASWAN	UHID		:	APH000021263		
Age / Gender	:	29 Yrs / MALE	Patient Type		:	OPD	If PHC	:
Ref. Consultant	:	MEDIWHEEL	Ward / Bed		:	1		
Sample ID	:	APH24008364	Current Ward / B	ed	:	1		
	:		Receiving Date &	Time	:	08-03-2024 12:28		
			Reporting Date &	Time	:	08-03-2024 13:28		

# **BLOOD BANK REPORTING**

st (Methodology)	Flag	Result	UOM	Biological Reference Interval				
ample Type: EDTA Whole Blood								
MEDIWHEEL FULL BODY HEALTH CHECKUP_MALE(BELOW-40)@2400								
BLOOD GROUP (ABO) "O"								
BLOOD GROUP (ABO)		"O"						

IMPORTANT INSTRUCTIONS CL - Critical Low, CH - Critical High, H - High, L - Low

Ashish

# **DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING**

Report : XRAY

Patient Name	:	MR. ANIL PASWAN	IPD No.	:	
Age	:	29 Yrs	UHID	:	APH000021263
Gender	:	MALE	Bill No.	:	APHHC240000388
Ref. Doctor	:	MEDIWHEEL	Bill Date	:	08-03-2024 11:40:56
Ward	:		Room No.	:	
			Print Date	:	09-03-2024 12:43:48

#### **CHEST PA VIEW:**

Cardiac shadow appears normal.

Both lung fields appear clear.

Both domes of diaphragm and both CP angles are clear.

Both hila appear normal.

Soft tissues and bony cage appear normal.

Please correlate clinically.

.....End of Report.....

Prepare By. MD.SALMAN DR. MUHAMMAD SERAJ, MD Radiodiagnosis,FRCR (London) BCMR/46075 CONSULTANT

**Note :** The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.

# **DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING**

Report : ULTRASOUND

Patient Name	:	MR. ANIL PASWAN	IPD No.	:	
Age	:	29 Yrs	UHID	:	APH000021263
Gender	:	MALE	Bill No.	:	APHHC240000388
Ref. Doctor	:	MEDIWHEEL	Bill Date	:	08-03-2024 11:40:56
Ward	:		Room No.	:	
			Print Date	:	08-03-2024 12:16:35

# WHOLE ABDOMEN:

Both the hepatic lobes are normal in size and echotexture (Liver measures 11.8 cm)

No focal lesion seen. Intrahepatic biliary radicals are not dilated.

Portal vein is normal in calibre.

Gall bladder is well distended. Wall thickness is normal. No calculus seen.

CBD is normal in calibre.

Pancreas is normal in size and echotexture.

Spleen is normal in size (10.4 cm) and echotexture.

Both kidneys are normal in size and echotexture (Right kidney (11.9 cm), Left kidney (11.7 cm). Cortico-

medullary distinction is maintained. No calculus or hydronephrosis seen.

Urinary bladder appears normal.

Prostate appears normal in size (Vol. 13.7 cc), outline and echotexture.

No free fluid or collection seen. No basal pleural effusion seen.

No significant lymphadenopathy seen.

No dilated bowel loop seen.

# **IMPRESSION:-** No significant abnormality detected.

Please correlate clinically.....

.....End of Report.....

Prepare By. MD.SALMAN DR. MUHAMMAD SERAJ, MD Radiodiagnosis,FRCR (London) BCMR/46075 CONSULTANT

**Note :** The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.