



Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRANAY SHARMA Registered On : 09/Mar/2024 09:25:15 Age/Gender Collected : 09/Mar/2024 09:44:23 : 32 Y O M O D /M UHID/MR NO : CHLD.0000104332 Received : 09/Mar/2024 10:05:12 Visit ID : CHLD0192762324 Reported : 09/Mar/2024 12:52:27

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , BIG	and			
Blood Group	В			ERYTHROCYTE
ыооч өгөчр	В			MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED
				TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole	e Blood			
Haemoglobin	14.00	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl	
			1 Mo- 10.0-18.0 g/dl	
			3-6 Mo- 9.5-13.5 g/dl	
			0.5-2 Yr- 10.5-13.5 g/dl	
			2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl	
			12-18 Yr 13.0-16.0 g/dl	
			Male- 13.5-17.5 g/dl	
			Female- 12.0-15.5 g/dl	
TLC (WBC)	8,100.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
DLC				
Polymorphs (Neutrophils)	54.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	42.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	1.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	8.00	Mm for 1st hr.		
Corrected	2.00	Mm for 1st hr.	< 9	
PCV (HCT)	44.00	%	40-54	
Platelet count				
Platelet Count	2.42	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	15.90	, fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	49.70	%	35-60	ELECTRONIC IMPEDANCE
-				











Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRANAY SHARMA Registered On : 09/Mar/2024 09:25:15 Age/Gender Collected : 09/Mar/2024 09:44:23 : 32 Y O M O D /M UHID/MR NO Received : CHLD.0000104332 : 09/Mar/2024 10:05:12 Visit ID : CHLD0192762324 Reported : 09/Mar/2024 12:52:27

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.32	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	13.40	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.54	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	93.00	fl	80-100	CALCULATED PARAMETER
MCH	30.90	pg	28-35	CALCULATED PARAMETER
MCHC	33.20	%	30-38	CALCULATED PARAMETER
RDW-CV	13.70	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	48.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	4,374.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	243.00	/cu mm	40-440	













Ph: ,9235400975

CIN: U85110DL2003PLC308206



 Patient Name
 : Mr.PRANAY SHARMA
 Registered On
 : 09/Mar/2024 09:25:17

 Age/Gender
 : 32 Y 0 M 0 D /M
 Collected
 : 09/Mar/2024 09:44:22

 UHID/MR NO
 : CHLD.0000104332
 Received
 : 09/Mar/2024 10:05:12

Visit ID : CHLD0192762324 Reported : 09/Mar/2024 13:03:48

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

GLUCOSE FASTING, Plasma

Glucose Fasting 83.20 mg/dl < 100 Normal GOD POD 100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP 89.50 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.70	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	38.60	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	116	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRANAY SHARMA Registered On : 09/Mar/2024 09:25:17 Collected Age/Gender : 32 Y O M O D /M : 09/Mar/2024 09:44:22 UHID/MR NO : CHLD.0000104332 Received : 09/Mar/2024 10:05:12 Visit ID : CHLD0192762324 Reported : 09/Mar/2024 13:03:48

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report CARE LTD HLD -

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	16.25	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	1.24	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	6.70	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) *, Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRANAY SHARMA Registered On : 09/Mar/2024 09:25:17 Age/Gender Collected : 09/Mar/2024 09:44:22 : 32 Y O M O D /M UHID/MR NO : CHLD.0000104332 Received : 09/Mar/2024 10:05:12 Visit ID : CHLD0192762324 Reported : 09/Mar/2024 13:03:48

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	Init Bio. Ref. Interva	al Method
SGOT / Aspartate Aminotransferase (AST)	30.29	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	34.80	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	20.80	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.27	gm/dl	6.2-8.0	BIURET
Albumin	4.12	gm/dl	3.4-5.4	B.C.G.
Globulin	2.15	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.92	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	118.86	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.53	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.25	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.28	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) , Serum				
Cholesterol (Total)	265.00	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	90.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	112	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
· VLDL	63.32	mg/dl	7 190 very riigit 10-33	CALCULATED
Triglycerides	316.60	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP













Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRANAY SHARMA Registered On : 09/Mar/2024 09:25:16 Age/Gender Collected : 32 Y O M O D /M : 09/Mar/2024 17:34:26 UHID/MR NO : CHLD.0000104332 Received : 09/Mar/2024 17:54:02 : CHLD0192762324 Visit ID Reported : 09/Mar/2024 19:16:34

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , Ur	ine			
Color	PALE YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
	ADOSTAT		> 500 (++++)	DIRECTION
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++) 1-2 (+++)	
			> 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	mg/ ar	0.1 0.0	DIOONEIVIIOTICI
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	2-3/h.p.f			MICROSCOPIC
•	ı			EXAMINATION
Pus cells	0-1/h.p.f			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
	,40			EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
3 . 3 3		J		

Interpretation:







Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRANAY SHARMA

: 32 Y O M O D /M

Collected

Registered On

: 09/Mar/2024 09:25:16 : 09/Mar/2024 17:34:26

Age/Gender UHID/MR NO

: CHLD.0000104332

Received : 09/Mar/2024 17:54:02

Visit ID

: CHLD0192762324

Reported

: 09/Mar/2024 19:16:34

Ref Doctor

: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -

Status

: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr.Pankaj Punetha DNB(Pathology)









Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRANAY SHARMA Registered On : 09/Mar/2024 09:25:17 Age/Gender Collected : 32 Y O M O D /M : 09/Mar/2024 09:44:22 UHID/MR NO : CHLD.0000104332 Received : 09/Mar/2024 10:05:12 Visit ID : CHLD0192762324 Reported : 09/Mar/2024 10:57:24 : Dr.MEDIWHEEL ARCOFEMI HEALTH

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	110.80	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	8.50	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.700	μIU/mL	0.27 - 5.5	CLIA
Interpretation:				
. •		0.3-4.5 μIU/m	L First Trimes	ter
		0.5-4.6 μIU/m	L Second Trim	nester
		0.8-5.2 μIU/m	L Third Trimes	ster
		0.5-8.9 μIU/m	L Adults	55-87 Years
		0.7-27 μIU/m	L Premature	28-36 Week
		2.3-13.2 μIU/m	L Cord Blood	> 37Week
		0.7-64 μIU/m	L Child(21 wk	- 20 Yrs.)
		1-39 μIU/		0-4 Days
		1.7-9.1 μIU/m		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.



Page 8 of 11







Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRANAY SHARMA

: 32 Y O M O D /M

Collected

: 09/Mar/2024 09:25:18

Age/Gender UHID/MR NO

: 32 Y 0 M 0 D /M : CHLD.0000104332

Received

Registered On

: N/A

Visit ID

: CHLD0192762324

Reported

: 09/Mar/2024 18:50:43

Ref Doctor

: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -

Status

: Final Report

: N/A

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA **

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW:-

- Bilateral lung fields appear grossly unremarkable.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Bilateral hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Soft tissue shadow appears normal.

IMPRESSION:-

No significant abnormality is seen.

Adv:-Clinico-pathological correlation.











Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRANAY SHARMA Registered On : 09/Mar/2024 09:25:18

 Age/Gender
 : 32 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CHLD.0000104332
 Received
 : N/A

Visit ID : CHLD0192762324 Reported : 09/Mar/2024 11:59:55

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) **

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver is normal in size and has a normal homogenous echo texture. No focal lesion is seen. (Note: - Small isoechoic focal lesion cannot be ruled out).

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common bile duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS (Note- CT is more sensitive to detect renal calculi).

- Right kidney:-
 - Right kidney is normal in size, measuring ~8.8x4.0 cms.
 - Cortical echogenicity is normal.
 - Pelvicalyceal system is not dilated.
 - Cortico-medullary demarcation is maintained.
 - Parenchymal thickness appear normal.
- Left kidney:-
 - Left kidney is normal in size, measuring ~8.9x5.7 cms.
 - Cortical echogenicity is normal.
 - Pelvicalyceal system is not dilated.
 - Cortico-medullary demarcation is maintained.
 - Parenchymal thickness appear normal.

SPLEEN

• The spleen is normal in size (~8.5 cms) and has a normal homogenous echo-texture.



Home Sample Collection 1800-419-0002



Add: Opp. Vishal Megamart, Nainital Road, Haldwani

Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRANAY SHARMA

: Mr.PRANAY SHARMA Registered On : 32 Y O M O D /M Collected

Age/Gender : 32 Y 0 M 0 D /M UHID/MR NO : CHLD.0000104332

Received : N/A

Visit ID

: CHLD0192762324

Reported : 09/Mar/2024 11:59:55

: N/A

: 09/Mar/2024 09:25:18

Ref Doctor : Dr.MEDIWHEEL ARCOFEMI HEALTH
CARE LTD HLD -

Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or large mass.
- No free fluid is noted in peritoneal cavity.

URETERS

- The upper parts of both the ureters are normal.
- Bilateral vesicoureteric junctions are normal.

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular.

PROSTATE

• The prostate gland is normal in size (~3.1x3.4x3.3 cms & volume ~17cc) and normal in echotexture with smooth outline. No median lobe indentation is seen.

FINAL IMPRESSION:-

• No significant sonological abnormality noted.

Adv: Clinico-pathological & CT Abdomen correlation for further evaluation.

Note:-

- In case of any typing error, patient is requested to immediately inform to the doctor (radiologist), as the report is digitally signed.
- Discrepancy of laterality/side can be seen in 0.08% cases therefore review is advised before any operative procedure.
- This report is not for medico legal purpose as the patient identity is not confirmed.

*** End Of Report ***

(**) Test Performed at CHANDAN DIAGNOSTIC CENTRE, HALDWANI-2

Result/s to Follow:

EXAMINATION, ECG / EKG

DR AZIM ILYAS

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

Facilities Available at Select Location





