



भारत सरकार
GOVT. OF INDIA
आयकर विभाग
INCOME TAX DEPARTMENT
JATIN SURESH JADHAV
SURESH KUNDLIK JADHAV
22/02/1990
 Permanent Account Number
BAZP16653G
 Signature 


भारत सरकार
GOVT. OF INDIA

 30012015


बँक ऑफ बरोडा
Bank of Baroda


जतिन सुरेश जाधव
Jatin Suresh Jadhav
 181158
 Signature of Jatin Suresh Jadhav 



जतिन सुरेश जाधव
 Signature of Jatin Suresh Jadhav 

SUBURBAN DIAGNOSTIC (I) PVT LTD.
FLAT NO.101 ANAND SAGAR CHS
ABOVE RAJKAMAL SHOP
SECTOR - 17, VASHI,
NAVI MUMBAI - 400703

Dr. Alka Patnaik
M.B.B.S. C.G.O., Nagpur Reg. No.73367
Dip. Psysextherapy-U.K. Reg. No.OF395
PGDHM



PHYSICAL EXAMINATION REPORT

Patient Name	Mr. Jatin S. Jadhav	Sex/Age	M/34
Date	29/03/24	CID	2408913392

History and Complaints

No de

EXAMINATION FINDINGS:

Height (cms):	177	Temp (0c):	Normal
Weight (kg):	88	Skin:	Normal
Blood Pressure	110/70	Nails:	Normal
Pulse	64	Lymph Node:	NP
BMI	28.1		

Systems :

Cardiovascular:	S, S Level no murmur
Respiratory:	ABBS
Genitourinary:	Normal
GI System:	Abdomen soft
CNS:	Normal

Impression: High BMI

Advice: Dietary Restriction
Lifestyle modification


CHIEF COMPLAINTS:

1)	Hypertension:	NO
2)	IHD	NO
3)	Arrhythmia	NO
4)	Diabetes Mellitus	NO
5)	Tuberculosis	NO
6)	Asthama	NO
7)	Pulmonary Disease	NO
8)	Thyroid/ Endocrine disorders	NO
9)	Nervous disorders	NO
10)	GI system	NO
11)	Genital urinary disorder	NO
12)	Rheumatic joint diseases or symptoms	NO
13)	Blood disease or disorder	NO
14)	Cancer/lump growth/cyst	NO
15)	Congenital disease	NO
16)	Surgeries	scrotal Hentel Separd
17)	Musculoskeletal System	NAD

PERSONAL HISTORY:

1)	Alcohol	NO
2)	Smoking	NO
3)	Diet	NO
4)	Medication	NO

SUBURBAN DIAGNOSTIC (I) PVT LTD.
FLAT NO. 101 ANAND SAGAR CHS
ABOVE RAJKAMAL SHOP
SECTOR - 17, VASHI.
NAVI MUMBAI - 400703

Dr.  Alka Patnaik
M.B.B.S. C.G.O., Nagpur Reg. No. 73367
Dip. Psysextherapy-U.K. Reg. No. OF395
PGDHM

Date:- 29/03/24

CID: 2408913392

Name:- Mr. Satish Suresh
Jadhav

Sex / Age: M 33

EYE CHECK UP

Chief complaints: NO

Systemic Diseases: NO

Past history: NO

Unaided Vision: 4/6

Aided Vision: NO

Refraction: without glasses

(Right Eye)


(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	<u>6/6</u>				<u>6/6</u>			
Near	<u>12/6</u>				<u>12/6</u>			

Colour Vision: Normal / Abnormal

Remark:

SUBURBAN DIAGNOSTIC (I) PVT LTD.
FLAT NO.101 ANAND SAGAR CHS
ABOVE RAJKAMAL SHOP
SECTOR - 17, VASHI,
NAVI MUMBAI - 400703


Dr. Alka Patnaik
M.B.B.S. C.G.O., Nagpur Reg. No.73367
Dip. Psysextherapy-U.K. Reg. No.OF395
PGDHM

Age 34 NA NA
years months days

Gender Male


Heart Rate 70bpm

Patient Vitals

BP: 110/70 mmHg
Weight: 88 kg
Height: 177 cm
Pulse: NA
Spo2: NA
Resp: NA
Others:

Measurements

QRSD: 86ms
QT: 352ms
QTcB: 380ms
PR: 146ms
P-R-T: 50° 15° 37°



ECG Within Normal Limits: Sinus Rhythm Sinus Arrhythmia Seen. Please correlate clinically.

REPORTED BY

daigupia

Dr Anirban Dasgupta
MBBS DNB
Reg. 2005/02/0920

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient Vitals are as entered by the clinician and not derived from the ECG.



CID : 2408913392
Name : MR.JATIN SURESH JADHAV
Age / Gender : 34 Years / Male
Consulting Dr. : -
Reg. Location : Vashi (Main Centre)

Collected : 29-Mar-2024 / 09:47
Reported : 29-Mar-2024 / 15:29

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>RBC PARAMETERS</u>			
Haemoglobin	13.1	13.0-17.0 g/dL	Spectrophotometric
RBC	4.62	4.5-5.5 mil/cmm	Elect. Impedance
PCV	38.6	40-50 %	Measured
MCV	84	80-100 fl	Calculated
MCH	28.4	27-32 pg	Calculated
MCHC	34.0	31.5-34.5 g/dL	Calculated
RDW	13.3	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	7690	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	24.6	20-40 %	
Absolute Lymphocytes	1891.7	1000-3000 /cmm	Calculated
Monocytes	6.1	2-10 %	
Absolute Monocytes	469.1	200-1000 /cmm	Calculated
Neutrophils	64.8	40-80 %	
Absolute Neutrophils	4983.1	2000-7000 /cmm	Calculated
Eosinophils	3.8	1-6 %	
Absolute Eosinophils	292.2	20-500 /cmm	Calculated
Basophils	0.7	0.1-2 %	
Absolute Basophils	53.8	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	260000	150000-400000 /cmm	Elect. Impedance
MPV	8.3	6-11 fl	Calculated
PDW	13.9	11-18 %	Calculated
<u>RBC MORPHOLOGY</u>			
Hypochromia	-		
Microcytosis	-		



CID : 2408913392
Name : MR.JATIN SURESH JADHAV
Age / Gender : 34 Years / Male
Consulting Dr. : -
Reg. Location : Vashi (Main Centre)

Collected : 29-Mar-2024 / 09:47
Reported : 29-Mar-2024 / 14:14

Use a QR Code Scanner
Application To Scan the Code

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR **32** 2-15 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigiden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East

*** End Of Report ***

Dr. IMRAN MUJAWAR
M.D (Path)
Pathologist



CID : 2408913392
Name : MR.JATIN SURESH JADHAV
Age / Gender : 34 Years / Male
Consulting Dr. : -
Reg. Location : Vashi (Main Centre)

Use a QR Code Scanner
Application To Scan the Code
Collected : 29-Mar-2024 / 09:47
Reported : 29-Mar-2024 / 15:56

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	93.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >= 126 mg/dl	Hexokinase
GLUCOSE (SUGAR) PP, Fluoride Plasma PP/R	101.0	Non-Diabetic: < 140 mg/dl Impaired Glucose Tolerance: 140-199 mg/dl Diabetic: >= 200 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.38	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.17	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.21	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.0	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.7	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.3	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	2	1 - 2	Calculated
SGOT (AST), Serum	12.9	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	16.6	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	17.8	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	72.0	40-130 U/L	Colorimetric
BLOOD UREA, Serum	18.0	12.8-42.8 mg/dl	Kinetic
BUN, Serum	8.4	6-20 mg/dl	Calculated
CREATININE, Serum	0.90	0.67-1.17 mg/dl	Enzymatic



CID : 2408913392
Name : MR.JATIN SURESH JADHAV
Age / Gender : 34 Years / Male
Consulting Dr. : -
Reg. Location : Vashi (Main Centre)

Collected : 29-Mar-2024 / 13:49
Reported : 29-Mar-2024 / 19:09

Use a QR Code Scanner
Application To Scan the Code

eGFR, Serum	115	(ml/min/1.73sqm)	Calculated
		Normal or High: Above 90	
		Mild decrease: 60-89	
		Mild to moderate decrease: 45-59	
		Moderate to severe decrease: 30-44	
		Severe decrease: 15-29	
		Kidney failure: <15	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

URIC ACID, Serum	5.7	3.5-7.2 mg/dl	Enzymatic
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	
Urine Sugar (PP)	Absent	Absent	
Urine Ketones (PP)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
*** End Of Report ***

J. Mujawar

Dr.IMRAN MUJAWAR
M.D (Path)
Pathologist



CID : 2408913392
Name : MR.JATIN SURESH JADHAV
Age / Gender : 34 Years / Male
Consulting Dr. : -
Reg. Location : Vashi (Main Centre)

Collected : 29-Mar-2024 / 09:47
Reported : 29-Mar-2024 / 18:55

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.7	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	116.9	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Anupa

Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director



CID : 2408913392
Name : MR.JATIN SURESH JADHAV
Age / Gender : 34 Years / Male
Consulting Dr. : -
Reg. Location : Vashi (Main Centre)

Collected : 29-Mar-2024 / 09:47
Reported : 29-Mar-2024 / 16:37

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>PHYSICAL EXAMINATION</u>			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	Acidic (6.0)	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.020	1.001-1.030	Chemical Indicator
Transparency	Slight hazy	Clear	-
Volume (ml)	25	-	-
<u>CHEMICAL EXAMINATION</u>			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
<u>MICROSCOPIC EXAMINATION</u>			
Leukocytes(Pus cells)/hpf	3-4	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	8-10	Less than 20/hpf	

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ =75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East

*** End Of Report ***

J. Mujawar

Dr.IMRAN MUJAWAR
M.D (Path)
Pathologist



CID : 2408913392
Name : MR.JATIN SURESH JADHAV
Age / Gender : 34 Years / Male
Consulting Dr. : -
Reg. Location : Vashi (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 29-Mar-2024 / 09:47
Reported : 29-Mar-2024 / 15:51

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	A
Rh TYPING	Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:
ABO system is most important of all blood group in transfusion medicine


Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

References:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr. Vrushi Shroff

Dr.VRUSHALI SHROFF
M.D.(PATH)
Pathologist



CID : 2408913392
Name : MR.JATIN SURESH JADHAV
Age / Gender : 34 Years / Male
Consulting Dr. : -
Reg. Location : Vashi (Main Centre)

Use a QR Code Scanner
Application To Scan the Code
Collected : 29-Mar-2024 / 09:47
Reported : 29-Mar-2024 / 15:56

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
CHOLESTEROL, Serum	188.4	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	109.7	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	30.7	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	157.7	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	136.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	21.7	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	6.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	4.4	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Panvel Lab, Panvel East
*** End Of Report ***

J. Mujawar

Dr.IMRAN MUJAWAR
M.D (Path)
Pathologist



CID : 2408913392
 Name : MR.JATIN SURESH JADHAV
 Age / Gender : 34 Years / Male
 Consulting Dr. : -
 Reg. Location : Vashi (Main Centre)

Collected : 29-Mar-2024 / 09:47
 Reported : 29-Mar-2024 / 20:36

Use a QR Code Scanner
 Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	5.0	3.5-6.5 pmol/L	CLIA
Free T4, Serum	13.2	11.5-22.7 pmol/L	CLIA
sensitiveTSH, Serum	2.561	0.55-4.78 microIU/ml	CLIA



CID : 2408913392
Name : MR.JATIN SURESH JADHAV
Age / Gender : 34 Years / Male
Consulting Dr. : -
Reg. Location : Vashi (Main Centre)

Use a QR Code Scanner Application To Scan the Code
Collected : 29-Mar-2024 / 09:47
Reported : 29-Mar-2024 / 20:36

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be transiently altered because of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:


1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Anupa

Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director



CID : 2408913392
Name : Mr JATIN SURESH JADHAV
Age / Sex : 34 Years/Male
Ref. Dr :
Reg. Location : Vashi Main Centre

Reg. Date : 29-Mar-2024
Reported : 29-Mar-2024/12:08

USG WHOLE ABDOMEN

LIVER:

The liver is normal in size, shape and smooth margins. It shows normal parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal. No evidence of gall stones or mass lesions seen.

PANCREAS:

The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen. Right kidney measures 9.7 x 3.3 cm. Left kidney measures 10.7 x 4.8 cm.

SPLEEN:

The spleen is normal in size and echotexture. No evidence of focal lesion is noted. Gaseous distention of bowel loops is noted.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality.

PROSTATE:

The prostate is normal in size. It measures 3.4 x 2.1 x 2.4 cm and volume is 9.5 cc.

IMPRESSION:

No significant abnormality is seen.

-----End of Report-----

Dr Shilpa Beri
MBBS DMRE
Reg No 2002/05/2302
Consultant Radiologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2408913392
Name : Mr JATIN SURESH JADHAV
Age / Sex : 34 Years/Male
Ref. Dr :
Reg. Location : Vashi Main Centre

Reg. Date : 29-Mar-2024
Reported : 29-Mar-2024/12:08



CID : 2408913392
Name : Mr JATIN SURESH JADHAV
Age / Sex : 34 Years/Male
Ref. Dr :
Reg. Location : Vashi Main Centre
Reg. Date : 29-Mar-2024
Reported : 29-Mar-2024/18:17

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.


The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

Dr. Swapnil Nisal
MBBS, DMRE
MMC Reg. No.2015/06/3297



Use a QR Code Scanner
Application To Scan the Code

CID : 2408913392
Name : Mr JATIN SURESH JADHAV
Age / Sex : 34 Years/Male
Ref. Dr :
Reg. Location : Vashi Main Centre

Reg. Date : 29-Mar-2024
Reported : 29-Mar-2024/18:17