

CHANDAN DIAGNOSTIC CENTRE Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973, CIN: U85110DL2003PLC308206



Patient Name	: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:28
Age/Gender	: 34 Y 7 M 15 D /M	Collected	: 17/Mar/2024 09:39:42
UHID/MR NO	: CHFD.0000287005	Received	: 17/Mar/2024 10:40:41
Visit ID	: CHFD0653542324	Reported	: 17/Mar/2024 13:32:45
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

# 

	DEPARTMENT	OF HAEMATO	LOGY				
MEDIWHEE	MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS						
Test Name	Result	Unit	Bio. Ref. Interval	Method			
Blood Group (ABO & Rh typing) * , Blo	ood						
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA			
Rh ( Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE			
				AGGLUTINA			
Complete Blood Count (CBC) * , Whole	Blood						
Haemoglobin	7.70	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl				
TLC (WBC) <u>DLC</u>	5,600.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE			
Polymorphs (Neutrophils )	52.00	%	55-70	ELECTRONIC IMPEDANCE			
Lymphocytes	45.00	%	25-40	ELECTRONIC IMPEDANCE			
Monocytes	2.00	%	3-5	ELECTRONIC IMPEDANCE			
Eosinophils	1.00	%	1-6	ELECTRONIC IMPEDANCE			
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE			
ESR							
Observed	36.00	Mm for 1st hr.					
Corrected	18.00	Mm for 1st hr.					
PCV (HCT)	27.60	%	40-54				
Platelet count							
Platelet Count	3.40	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC			
PDW (Platelet Distribution width)	15.90	fL	9-17	ELECTRONIC IMPEDANCE			
P-LCR (Platelet Large Cell Ratio)	27.30	%	35-60	ELECTRONIC IMPEDANCE			





Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:28
Age/Gender	: 34 Y 7 M 15 D /M	Collected	: 17/Mar/2024 09:39:42
UHID/MR NO	: CHFD.0000287005	Received	: 17/Mar/2024 10:40:41
Visit ID	: CHFD0653542324	Reported	: 17/Mar/2024 13:32:45
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

# DEPARTMENT OF HAEMATOLOGY

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.32	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	9.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.00	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	67.10	fl	80-100	CALCULATED PARAMETER
MCH	22.60	pg	28-35	CALCULATED PARAMETER
MCHC	21.40	%	30-38	CALCULATED PARAMETER
RDW-CV	17.70	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	44.40	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	2,912.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	56.00	/cu mm	40-440	

Dr. R. B. Varshney M.D. Pathology

Page 2 of 11





Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:29
Age/Gender	: 34 Y 7 M 15 D /M	Collected	: 17/Mar/2024 09:39:41
UHID/MR NO	: CHFD.0000287005	Received	: 17/Mar/2024 10:32:35
Visit ID	: CHFD0653542324	Reported	: 17/Mar/2024 11:54:58
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
<b>GLUCOSE FASTING</b> , <i>Plasma</i> Glucose Fasting	108.78	100-	0 Normal G 125 Pre-diabetes 6 Diabetes	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

#### GLYCOSYLATED HAEMOGLOBIN (HBA1C) \* , EDTA BLOOD

	1		
Glycosylated Haemoglobin (HbA1c)	4.40	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	24.30	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	79	mg/dl	

#### Interpretation:

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level





Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:29
Age/Gender	: 34 Y 7 M 15 D /M	Collected	: 17/Mar/2024 09:39:41
UHID/MR NO	: CHFD.0000287005	Received	: 17/Mar/2024 10:32:35
Visit ID	: CHFD0653542324	Reported	: 17/Mar/2024 11:54:58
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

### **DEPARTMENT OF BIOCHEMISTRY**

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	10.70	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.91	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample:Serum	3.58	mg/dl	3.4-7.0	URICASE
LFT (WITH GAMMA GT) * , Serum				
SGOT / Aspartate Aminotransferase (AST)	22.80	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	19.22	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	28.22	IU/L	11-50	OPTIMIZED SZAZING
Protein	7.07	gm/dl	6.2-8.0	BIURET
Albumin	3.73	gm/dl	3.4-5.4	B.C.G.
Globulin	3.34	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.12		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	83.18	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.90	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.40	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.50	mg/dl	< 0.8	JENDRASSIK & GROF





Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:29
Age/Gender	: 34 Y 7 M 15 D /M	Collected	: 17/Mar/2024 09:39:41
UHID/MR NO	: CHFD.0000287005	Received	: 17/Mar/2024 10:32:35
Visit ID	: CHFD0653542324	Reported	: 17/Mar/2024 11:54:58
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

# DEPARTMENT OF BIOCHEMISTRY

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Inte	erval Method
LIPID PROFILE ( MINI ) * , Serum				
Cholesterol (Total)	91.18	mg/dl	<200 Desirable 200-239 Borderline H > 240 High	CHOD-PAP ligh
HDL Cholesterol (Good Cholesterol)	36.24	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	46	mg/dl	< 100 Optimal 100-129 Nr.	CALCULATED
			Optimal/Above Opti 130-159 Borderline H 160-189 High > 190 Very High	
VLDL	12.82	mg/dl	10-33	CALCULATED
Triglycerides	64.10	mg/dl	< 150 Normal 150-199 Borderline H 200-499 High >500 Very High	GPO-PAP ligh

Dr. R. B. Varshney M.D. Pathology







Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:28
Age/Gender	: 34 Y 7 M 15 D /M	Collected	: 17/Mar/2024 12:36:28
UHID/MR NO	: CHFD.0000287005	Received	: 17/Mar/2024 12:43:36
Visit ID	: CHFD0653542324	Reported	: 17/Mar/2024 13:32:25
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , $\upsilon$	Irine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic ( 5.0 )			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	<sup>′</sup> mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++) >2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	nig/ui	0.1-3.0	DIOGHEIWIISTIKT
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and the second second	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			DIFSTICK
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:	ADJENT			DIPSTICK
-				
Epithelial cells	OCCASIONAL			MICROSCOPIC
Due es lle				EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC EXAMINATION
Cast	ABSENT			EXAMINATION
				MICDOSCODIC
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
Othors				
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		
Suyai, i astilly staye	ADJLINI	yms /0		

#### Interpretation:

Page 6 of 11







Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:28
Age/Gender	: 34 Y 7 M 15 D /M	Collected	: 17/Mar/2024 12:36:28
UHID/MR NO	: CHFD.0000287005	Received	: 17/Mar/2024 12:43:36
Visit ID	: CHFD0653542324	Reported	: 17/Mar/2024 13:32:25
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
$\begin{array}{ll} (+) &< 0.5 \\ (++) & 0.5 - 1.0 \\ (+++) & 1 - 2 \\ (++++) &> 2 \end{array}$				

Dr. R. B. Varshney M.D. Pathology

Page 7 of 11







Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:29
Age/Gender	: 34 Y 7 M 15 D /M	Collected	: 17/Mar/2024 09:39:41
UHID/MR NO	: CHFD.0000287005	Received	: 17/Mar/2024 10:16:01
Visit ID	: CHFD0653542324	Reported	: 17/Mar/2024 11:12:18
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL * , Serum					
T3, Total (tri-iodothyronine)	168.00	ng/dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	6.20	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	0.400	µIU/mL	0.27 - 5.5	CLIA	
Interpretation:					

	0.5-8.9	µIU/mL	Adults	22-8	/ Years
	0.7-27	µIU/mL	Premature	28-	-36 Week
	2.3-13.2	µIU/mL	Cord Blood	>	37Week
	0.7-64	µIU/mL	Child(21 wk	- 20 Y	rs.)
	1-39	µIU/mL	Child	0-4	Days
	1.7-9.1	µIU/mL	Child	2-20	Week
ow T3 and T4 levels but high TSH levels suffer	from prin	hary hypothy	roidism, creti	nism,	juvenile myxeden

0.3-4.5

0.8-5.2

µIU/mL

µIU/mL

0.5-4.6 µIU/mL

First Trimester Second Trimester

Third Trimester

A dulta

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

**6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. R. B. Varshney M.D. Pathology

Page 8 of 11







Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:30
Age/Gender	: 34 Y 7 M 15 D /M	Collected	: N/A
UHID/MR NO	: CHFD.0000287005	Received	: N/A
Visit ID	: CHFD0653542324	Reported	: 17/Mar/2024 12:58:38
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

# **DEPARTMENT OF X-RAY**

# MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### X-RAY DIGITAL CHEST PA \*

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

#### **IMPRESSION :**

#### • NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation.

Manvandra **MD** Radiodiagnosis







Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:30
: 34 Y 7 M 15 D /M	Collected	: N/A
: CHFD.0000287005	Received	: N/A
: CHFD0653542324	Reported	: 17/Mar/2024 10:31:04
: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report
	: 34 Y 7 M 15 D /M : CHFD.0000287005 : CHFD0653542324 : Dr.MEDIWHEEL ACROFEMI	: 34 Y 7 M 15 D /M Collected : CHFD.0000287005 Received : CHFD0653542324 Reported : Dr.MEDIWHEEL ACROFEMI Status

# DEPARTMENT OF ULTRASOUND

### MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

### ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

# WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

#### LIVER

• Liver is normal in size14.34cm and shows diffuse increase in echogenecity s/o fatty liver grade-I. No obvious focal lesion is seen.

# PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

# **BILIARY SYSTEM**

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size. GB Wall thicknes is normal.

# PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

# GREAT VESSELS

• Great vessels are normal.

### **KIDNEYS**

- Both the kidneys are normal in size and cortical echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

### **SPLEEN**

• The spleen is normal in size and has a normal homogenous echo-texture.

# LYMPH NODES

• No pre- or para - aortic lymph node mass is seen.

# RETROPERITONEUM

• Retroperitoneum is free.

# ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or mass.

Page 10 of 11







Add: Mukut Complex, Rekabganj,Faizabad Ph: 9235400973, CIN : U85110DL2003PLC308206



Patient Name	: Mr.SWAMI PRASAD JAISWAL	Registered On	: 17/Mar/2024 09:16:30
Age/Gender	: 34 Y 7 M 15 D /M	Collected	: N/A
UHID/MR NO	: CHFD.0000287005	Received	: N/A
Visit ID	: CHFD0653542324	Reported	: 17/Mar/2024 10:31:04
Ref Doctor	: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -	Status	: Final Report

## DEPARTMENT OF ULTRASOUND

## MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

• No free fluid is noted in peritoneal cavity.

# URETERS

- The upper parts of both the ureters are normal.
- Thevesico ureteric junctions are normal.

# URINARY BLADDER

• The urinary bladder is normal.

# PROSTATE

• The Prostate gland is normal in size.

# FINAL IMPRESSION:-

• GRADE-I FATTY LIVER.

### Adv: Clinico-pathological correlation and follow-up.

\*\*\* End Of Report \*\*\*

Result/s to Follow: STOOL, ROUTINE EXAMINATION, GLUCOSE PP, SUGAR, PP STAGE, ECG / EKG



Ultrasonologist

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days. Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing \* 365 Days Open \*Facilities Available at Select Location

Page 11 of 11



