## **Medical Summary**



Name: MV- Antony

Date of Birth: 25/4/A63

Customer ID:

Ref Doctor:

Sex: M/ 40

Date: 27/7/25

Present Complaints:

Past Illness:

Major medical Illness:

Surgery:

Accident: Others: -

Personal history:

Smoking: -

Tobacco: \_ Alcohol: \_

Menstrual history:

Obstetric history:

Diet:

Exercise: 🕞

Personality:

Marital status: Children:

Family history:

Tuberclosis: \_\_

Diabetes: -

Asthma: -

Drug history:

Hypertension:

Heart Disease:

Others:

Present Medications:

**General Examination:** 

Height: 167

Conjunctiva:

Oedema: \_\_ Fongue: 🕜

Throat:

Weight: 78

Allergy: \_\_

Lymphnodes: (A)
Nails: (A)

Others:

Skin:

BP: 100/70

Eyes:

Genitals:

Dental:

ye Screening:

R/E	L/E
4	
	0.5
2-profile-fil	(N)
	P. 5





Systemic Examination:

Cardiovascular system: 3, 1, 4

Peripheral Pulsations:

Heart: (~

Respiratory system: (RAE(+)

**Gastrointestinal Systems:** 

Higher Function: 6 Cranial Nerves:

Motor System:

Sensory System:

Superficial Reflexes:

Deep Reflexes:

Impression:

Increased Alt Levels [Sign of Liver Injury]

Diet:

Medication:

Advice & Follow up:

To fellow Alm vegues liet physical Adiring To get a Hepatologist / Grast roenterologist openion.

OR. THIPUPATHI. V
Consultant General Physician

MEDALL DIAGNOSTICS #191, Poonamallee High Road, Kilpauk, Chennai - 600 010. Cell: 91500 42328

conveniently view the reports and trends lpp. Scan QR code to download the App.



# MEDALL

(Medall Healthcare Pvt Ltd)

# SELF REFERRAL FORM

	_
RBS7532 (vie 2)23-03-2484:21 PM	
124005296 MR 0NT296	

I, give consent to	O Medall Healthcare Pvt Ltd to perform the My-Health Pac ove 18 years and I don't have any metal implants inside r	124005296 MR ANTÓN
is 18 years or ab	ove 18 years and I don't have appropriate My-Health Pag	ckage investigation requestor APATT 40/Y
aware that the blo	ove 18 years and I don't have any metal implants inside rood tests are done in non-fasting (Random) Sample	my body and don't have a pacemaker or the
١,,	A N T A N Sample	pacernaker or stents. I an
Name: Mr/Ms/	Mrs ANTONY 3	OHNNY
1		
Company Name	Parv	
	BANK OF BARDDA C	Occupation
Date of Birth	: 2 0 0 1	
1	D D / M M / 1 0 0	r Age: Gender: Male Som
Contact Number	: 98847777	Gender: Male Fem
	10841177514	Pin Code
Email ID		60000
	antonic	
	11/10/10/1/	
Place of service :	Vitals Observations (to be filled by	Medall team)
Height	In store Camp – (mention Location	on)
rieight	6 8 . Cms	
Waist		feet Inche
	34 · Inches	
Hip	3 9 . Inches	.4)
Weight		
	1781.3 Kgs	
Fat	30 20	Clinical History / Medicines Taker
/isceral Fat	13101.131%	=>
	1 0 %	0. 1
M	TITLE - H	
	[ 6 9 2 Cal	/
MI	277	
ody Age		-  .
	S B Yrs	
stolic BP	1 9 mm/Hg	* - 4 - mi-
astolic BP	- January Market	Use Tobacco Drink Products Alchohol
Stolic BP	mm/Hg Oth	Never D
		Delly D
		Check in the appropriate box
	Inspiration: 38cm Expiration:	T
S Energe 4h - 1 - 1	Expiration:	3.b. cm SP 02: 99 Pulse: 76
- Little that the custome	r is relaxed and in sitting position while doing BP check)	Pulse :\O
te 23 03 26		
	Medall Employee Name & centre Name:	Dadlason
verified and agree	wish - II	1
the information wi	thout fail	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	SCOTTAMW!	Customer Signature
		Co. All Thomas AND AND

: Mr. ANTONY JOHNNY

ALAPATT

PID No.

: RBS7532

Register On

: 23/03/2024 8:29 AM

SID No.

: 124005296

Collection On : 23/03/2024 9:53 AM

Age / Sex Type

: 40 Year(s)/ Male

: OP

Report On Printed On

: 23/03/2024 5:05 PM : 23/03/2024 5:43 PM

Ref. Dr · MediWheel

Investigation	Observed Value	Unit	Biological Reference Interval
BLOOD GROUPING AND Rh TYPING (EDTA Blood'Agglutination)	'B' 'Positive'		1
INTERPRETATION: Reconfirm the Blood grou	in and Typing befor	p blood transfission	
Complete Blood Count With - ESR	p and Typing befor	c blood italistusion	
Haemoglobin (EDTA Blood'Spectrophotometry)	14.9	g/dL	13.5 - 18.0
Packed Cell Volume(PCV)/Haematocrit (EDTA Blood/Derived from Impedance)	45.7	%	42 - 52
RBC Count (EDTA Blood'Impedance Variation)	5.35	mill/cu.mm	4.7 - 6.0
Mean Corpuscular Volume(MCV) (EDTA Blood/Derived from Impedance)	85.5	fL	78 - 100
Mean Corpuscular Haemoglobin(MCH) (EDTA Blood/Derived from Impedance)	27.9	pg	27 - 32
Mean Corpuscular Haemoglobin concentration(MCHC) (EDTA Blood/Derived from Impedance)	32.6	g/dL	32 - 36
RDW-CV	14.1	%	11.5 - 16.0

42.19

7100

48.0

37.6





fL

cells/cu.mm

NA. K MD Ph.D Lab Director TNMC NO: 79967

39 - 46

4000 - 11000

40 - 75

20 - 45

VERIFIED BY

APPROVED BY

The results pertain to sample tested.

(EDTA Blood Derived from Impedance)

(EDTA Blood/Derived from Impedance) Total Leukocyte Count (TC)

(EDTA Blood Impedance Variation & Flow

(EDTA Blood Impedance Variation & Flow

(EDTA Blood'Impedance Variation)

RDW-SD

Neutrophils

Cytometry) Lymphocytes

Cytometry)

Page 1 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED,#17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



: Mr. ANTONY JOHNNY

ALAPATT

PID No. SID No.

Age / Sex

Type

PCT

Ref. Dr

: RBS7532

: MediWheel

: 124005296

: 40 Year(s)/ Male

: OP

Register On

: 23/03/2024 8:29 AM

Collection On : 23/03/2024

Report On Printed On

: 23/03/2024

: 23/03/2024



0.29 AW	
9:53 AM	
5:05 PM	medall
5:43 PM	DIAGNOSTICS

Investigation	Observed Value	<u>Unit</u>	Biological Reference Interval
Eosinophils (EDTA Blood'Impedance Variation & Flow Cytometry)	6.3	%	01 - 06
Monocytes (EDTA Blood/Impedance Variation & Flow Cytometry)	7.7	%	01 - 10
Basophils (EDTA Blood Impedance Variation & Flow Cytometry)	0.4	%	00 - 02
INTERPRETATION: Tests done on Automate	d Five Part cell coun	ter. All abnormal results ar	re reviewed and confirmed microscopically
Absolute Neutrophil count (EDTA Blood'Impedance Variation & Flow Cytometry)	3.41	10^3 / μl	1.5 - 6.6
Absolute Lymphocyte Count (EDTA Blood'Impedance Variation & Flow Cytometry)	2.67	10^3 / μ1	1.5 - 3.5
Absolute Eosinophil Count (AEC) (EDTA Blood Impedance Variation & Flow Cytometry)	0.45	10^3 / μ1	0.04 - 0.44
Absolute Monocyte Count (EDTA Blood Impedance Variation & Flow Cytometry)	0.55	10^3 / μΙ	< 1.0
Absolute Basophil count (EDTA Blood Impedance Variation & Flow Cytometry)	0.03	10^3 / μ1	< 0.2
Platelet Count (EDTA Blood'Impedance Variation)	332	10^3 / μl	150 - 450
MPV (EDTA Blood Derived from Impedance)	7.2	fL	7.9 - 13.7
D. COM.			



0.24

21

%

mm/hr

Dr ARCHANA. K MD Ph.D Lab Director TNMC NO: 79967

0.18 - 0.28

< 15

VERIFIED BY

(EDTA Blood'Automated Blood cell Counter) ESR (Erythrocyte Sedimentation Rate)

(Blood/Automated - Westergren method)

APPROVED BY

The results pertain to sample tested.

Page 2 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED,#17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA.

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



: Mr. ANTONY JOHNNY

ALAPATT

PID No. SID No.

Ref. Dr

Age / Sex

: RBS7532

: 124005296

: 40 Year(s)/ Male

Type

: MediWheel

Investigation

Glucose Fasting (FBS)

(Plasma - F/GOD-PAP)

Observed Value

Register On

Report On

Printed On

Unit

80.5

mg/dL

: 23/03/2024 8:29 AM

23/03/2024 5:05 PM

23/03/2024 5:43 PM

Biological Reference Interval

Normal: < 100 Pre Diabetic: 100 - 125 Diabetic: >= 126

INTERPRETATION: Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level.

Collection On : 23/03/2024 9:53 AM

Glucose, Fasting (Urine)

(Urine - F/GOD - POD)

Glucose Postprandial (PPBS)

(Plasma - PP/GOD-PAP)

Negative

70.7

mg/dL

70 - 140

Negative

INTERPRETATION:

Factors such as type, quantity and time of food intake, Physical activity, Psychological stress, and drugs can influence blood glucose level. Fasting blood glucose level may be higher than Postprandial glucose, because of physiological surge in Postprandial Insulin secretion, Insulin resistance, Exercise or Stress, Dawn Phenomenon, Somogyi Phenomenon, Anti- diabetic medication during treatment for Diabetes.

Remark: Please correlate clinically.

Urine Glucose(PP-2 hours)

(Urine - PP)

Blood Urea Nitrogen (BUN)

(Serum/Urease UV / derived)

Creatinine

(Serum/Modified Jaffe)

Negative

7.7

1.02

mg/dL

mg/dL

0.9 - 1.3

Negative

7.0 - 21

INTERPRETATION: Elevated Creatinine values are encountered in increased muscle mass, severe dehydration, Pre-eclampsia, increased ingestion of cooked meat, consuming Protein/ Creatine supplements, Diabetic Ketoacidosis, prolonged fasting, renal dysfunction and drugs such as cefoxitin, cefazolin, ACE inhibitors, angiotensin II receptor antagonists, N-acetylcysteine, chemotherapeutic agent such as flucytosine

Uric Acid

(Serum/Enzymatic)

6.8

mg/dL

3.5 - 7.2

Liver Function Test

Bilirubin(Total)

(Serum/DCA with ATCS)

Remark: Please correlate clinically.

Bilirubin(Direct)

(Scrum/Diazotized Sulfanilic Acid)

1.97

0.43

mg/dL

mg/dL

0.1 - 1.2

0.0 - 0.3





DrARC MD Ph.D Lab Director TNMC NO: 79967

APPROVED BY

The results pertain to sample tested.

Page 3 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED,#17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.

**VERIFIED BY** 



: Mr. ANTONY JOHNNY

ALAPATT

PID No. SID No.

Age / Sex

Type

: RBS7532

: 124005296

: OP

: 40 Year(s) / Male

Register On

: 23/03/2024 8:29 AM

Collection On : 23/03/2024 9:53 AM

Report On

: 23/03/2024 5:05 PM

Printed On

: 23/03/2024 5:43 PM



$\Box$	
medall	
DIAGNOSTICS	

Ref. Dr ; MediWheel  Investigation	01		
2.300 26 K 50 97 TO	Observed Value	<u>Unit</u>	Biological Reference Interva
Bilirubin(Indirect) (Serum/Derived)	1.54	mg/dL	0.1 - 1.0
SGOT/AST (Aspartate Aminotransferase) (Serum/Modified IFCC)	27,2	U/L	5 - 40
SGPT/ALT (Alanine Aminotransferase) (Serum/Modified IFCC)	51.7 (Rechecked	) U/L	5 - 41
Remark: Please correlate clinically.			
GGT(Gamma Glutamyl Transpeptidase) (Serum/IFCC / Kinetic)	26.4	U/L	< 55
Alkaline Phosphatase (SAP) (Serum/Modified IFCC)	82.0	U/L	53 - 128
Total Protein (Serum/Biuret)	7.38	gm/dl	6.0 - 8.0
Albumin (Serum/Bromocresol green)	4.23	gm/dl	3.5 - 5.2
Globulin (Serum/ <i>Derived</i> )	3.15	gm/dL	2.3 - 3.6
A : G RATIO (Serum/Derived)	1.34		1.1 - 2.2
Lipid Profile			
Cholesterol Total (Serum/CHOD-PAP with ATCS)	142.1	mg/dL	Optimal: < 200 Borderline: 200 - 239 High Risk: >= 240
Triglycerides Serum/GPO-PAP with ATCS)	87.8	mg/dL	Optimal: < 150 Borderline: 150 - 199 High: 200 - 499 Very High: >= 500





K MD Ph.D Lab Director TNMC NO: 79967

**VERIFIED BY** 

APPROVED BY

The results pertain to sample tested.

Page 4 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED,#17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



: Mr. ANTONY JOHNNY

ALAPATT

PID No.

: RBS7532

Register On : 23/03/2024 8:29 AM

SID No.

: 124005296

Collection On : 23/03/2024 9:53 AM

Age / Sex Type

: OP

: 40 Year(s)/ Male Report On Printed On

: 23/03/2024 5:05 PM

: 23/03/2024 5:43 PM



Ref. Dr · MediWheel

Investigation

Observed Value

Unit

Biological Reference Interval

INTERPRETATION: The reference ranges are based on fasting condition. Triglyceride levels change drastically in response to food, increasing as much as 5 to 10 times the fasting levels, just a few hours after eating. Fasting triglyceride levels show considerable diurnal variation too. There is evidence recommending triglycerides estimation in non-fasting condition for evaluating the risk of heart disease and screening for metabolic syndrome, as non-fasting sample is more representative of the "usual" circulating level of triglycerides during most part of the day.

HDL Cholesterol (Serum/Immunoinhibition)

27.7

mg/dL

Optimal(Negative Risk Factor): >=

60 Borderline: 40 - 59 High Risk: < 40

LDL Cholesterol (Serum/Calculated)

96.8

mg/dL

Optimal: < 100

Above Optimal: 100 - 129 Borderline: 130 - 159 High: 160 - 189 Very High: >= 190

VLDL Cholesterol (Serum/Calculated)

17.6

mg/dL

< 30

Non HDL Cholesterol

(Serum/Calculated)

114.4

mg/dL

Optimal: < 130

Above Optimal: 130 - 159 Borderline High: 160 - 189

High: 190 - 219 Very High: >= 220

INTERPRETATION: 1. Non-HDL Cholesterol is now proven to be a better cardiovascular risk marker than LDL Cholesterol. 2.It is the sum of all potentially atherogenic proteins including LDL, IDL, VLDL and chylomicrons and it is the "new bad cholesterol" and is a co-primary target for cholesterol lowering therapy.

Total Cholesterol/HDL Cholesterol Ratio

5.1

Optimal: < 3.3 Low Risk: 3.4 - 4.4

(Serum/Calculated)

Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0 High Risk: > 11.0

Triglyceride/HDL Cholesterol Ratio (TG/HDL)

3.2

Optimal: < 2.5 Mild to moderate risk: 2.5 - 5.0 High Risk: > 5.0

(Serum/Calculated)

MD Ph.D Lab Director TNMC NO: 79967

APPROVED BY

The results pertain to sample tested.

Page 5 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED,#17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.

VERIFIED BY



: Mr. ANTONY JOHNNY

ALAPATT

PID No. SID No. : RBS7532

: 124005296

Type

: OP

Age / Sex : 40 Year(s) / Male

Report On : 23/03/2024 5:05 PM

Collection On : 23/03/2024 9:53 AM

Printed On

Register On

: 23/03/2024 5:43 PM

: 23/03/2024 8:29 AM

Ref. Dr : MediWheel Investigation

LDL/HDL Cholesterol Ratio (Serum/Calculated)

Observed Value 3.5

Unit Biological Reference Interval

> Optimal: 0.5 - 3.0 Borderline: 3.1 - 6.0 High Risk: > 6.0

Glycosylated Haemoglobin (HbA1c)

HbA1C

(Whole Blood/HPLC)

6.1

128.37

Normal: 4.5 - 5.6

Prediabetes: 5.7 - 6.4 Diabetic: >= 6.5

INTERPRETATION: If Diabetes - Good control : 6.1 - 7.0 % , Fair control : 7.1 - 8.0 % , Poor control >= 8.1 % and the control is 2.1 % and 2.2 % and 2.2 % are control is 2.2 % are control is 2.2 % and 2.2 % are control is 2.2 % are control i

Estimated Average Glucose

mg/dL

(Whole Blood)

INTERPRETATION: Comments

HbA1c provides an index of Average Blood Glucose levels over the past 8 - 12 weeks and is a much better indicator of long term glycemic control as compared to blood and urinary glucose determinations.

Conditions that prolong RBC life span like Iron deficiency anemia, Vitamin B12 & Folate deficiency,

hypertriglyceridemia, hyperbilirubinemia, Drugs, Alcohol, Lead Poisoning, Asplenia can give falsely elevated HbA1C values. Conditions that shorten RBC survival like acute or chronic blood loss, hemolytic anemia, Hemoglobinopathies, Splenomegaly, Vitamin E ingestion, Pregnancy, End stage Renal disease can cause falsely low HbA1c.

Prostate specific antigen - Total(PSA)

ng/mL

Normal: 0.0 - 4.0 Inflammatory & Non Malignant conditions of Prostate & genitourinary system: 4.01 - 10.0 Suspicious of Malignant disease of

Prostate: > 10.0

INTERPRETATION: REMARK: PSA alone should not be used as an absolute indicator of malignancy.

THYROID PROFILE / TFT

(Serum/Manometric method)

T3 (Triiodothyronine) - Total

1.19

ng/ml

0.7 - 2.04

MD Ph.D

(Serum/Chemiluminescent Immunometric Assay (CLIA))

VERIFIED BY





Lab Director TNMC NO: 79967

APPROVED BY

The results pertain to sample tested.

Page 6 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED,#17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



: Mr. ANTONY JOHNNY

ALAPATT

PID No.

: RBS7532

Register On : 23/03/2024 8:29 AM

SID No.

: 124005296

Collection On : 23/03/2024 9:53 AM

Age / Sex : 40 Year(s) / Male

Report On

: 23/03/2024 5:05 PM

Type

: OP

Printed On

: 23/03/2024 5:43 PM

Ref. Dr

: MediWheel

Investigation

Observed Value

Unit

Biological Reference Interval

INTERPRETATION:

Comment:

Total T3 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T3 is recommended as it is Metabolically active.

T4 (Tyroxine) - Total

9.51

µg/dl

4.2 - 12.0

(Scrum/Chemiluminescent Immunometric Assay

(CLIA))

INTERPRETATION:

Comment:

Total T4 variation can be seen in other condition like pregnancy, drugs, nephrosis etc. In such cases, Free T4 is recommended as it is Metabolically active.

TSH (Thyroid Stimulating Hormone)

2.43

μIU/mL

0.35 - 5.50

(Serum/Chemiluminescent Immunometric Assay

VERIFIED BY

(CLIA))

INTERPRETATION:

Reference range for cord blood - upto 20

1 st trimester: 0.1-2.5 2 nd trimester 0.2-3.0 3 rd trimester: 0.3-3.0

(Indian Thyroid Society Guidelines)

Comment:

1.TSH reference range during pregnancy depends on Iodine intake, TPO status, Serum HCG concentration, race, Ethnicity and BMI.

2.TSH Levels are subject to circadian variation, reaching peak levels between 2-4am and at a minimum between 6-10PM. The variation can be of the order of 50%,hence time of the day has influence on the measured serum TSH concentrations.

3. Values&amplt;0.03 µIU/mL need to be clinically correlated due to presence of rare TSH variant in some individuals.






D Ph.D Lab Director TNMC NO: 79967

APPROVED BY

The results pertain to sample tested.

Page 7 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED,#17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA





: Mr. ANTONY JOHNNY

ALAPATT

PID No.

: RBS7532

Register On : 23/03/2024 8:29 AM

SID No.

Type

: 124005296

Collection On : 23/03/2024 9:53 AM

Age / Sex : 40 Year(s) / Male

Report On Printed On

: 23/03/2024 5:05 PM : 23/03/2024 5:43 PM

Ref. Dr : MediWheel

: OP

Investigation

Observed Value

Unit

Biological Reference Interval

6.0 - 22.0

BUN / Creatinine Ratio

7.54

Urine Analysis - Routine

COLOUR

(Urine)

Pale yellow

Yellow to Amber

APPEARANCE

(Urine)

Clear

Clear

Protein

(Urine/Protein error of indicator)

Negative

Negative

Glucose

(Urine/GOD - POD)

Pus Cells

Negative 1-2

/hpf

Negative NIL

(Urine/Automated - Flow cytometry )

0-1

NIL

NIL

/hpf

NIL

Epithelial Cells (Urine/Automated - Flow cytometry )

/hpf

NIL

RBCs (Urine/Automated - Flow cytometry )

/hpf

NIL

(Urine/Automated - Flow cytometry )

Crystals (Urine/Automated - Flow cytometry )

Casts

NIL /hpf NIL

Others (Urine)

NIL

INTERPRETATION: Note: Done with Automated Urine Analyser & Automated urine sedimentation analyser. All abnormal reports are reviewed and confirmed microscopically,

### Stool Analysis - ROUTINE

Colour

Brown

Brown

(Stool) Blood

(Stool)

Absent

Absent



VERIFIED BY

MD Ph.D Lab Director TNMC NO: 79967

APPROVED BY

The results pertain to sample tested.

Page 8 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED,#17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



: Mr. ANTONY JOHNNY

ALAPATT

PID No. SID No. : RBS7532

: 124005296

: 40 Year(s)/ Male

Age / Sex Type Ref. Dr

: OP

: MediWheel

Register On

: 23/03/2024 8:29 AM

Collection On : 23/03/2024 9:53 AM

: 23/03/2024 5:05 PM

Report On Printed On

: 23/03/2024 5:43 PM



()	
medall	۰

Investigation	Observed Value	Unit	<u>Biological</u> Reference Interval
Mucus (Stool)	Absent		Absent
Reaction (Stool)	Acidic		Acidie
Consistency (Stool)	Semi Solid		Semi Solid
Ova (Stool)	NIL		NIL
Others (Stool)	NIL		NIL
Cysts (Stool)	NIL		NIL
Trophozoites (Stool)	NIL		NIL
RBCs (Stool)	NIL	/hpf	Nil
Pus Cells (Stool)	1 - 2	/hpf	NIL
Macrophages (Stool)	NIL		NIL
Epithelial Cells (Stool)	NIL	/hpf	NIL



. K MD Ph.D Lab Director TNMC NO: 79967

APPROVED BY

-- End of Report --

The results pertain to sample tested.

Page 9 of 9

Lab Address: MEDALL HEALTHCARE PRIVATE LIMITED,#17,RACE VIEW COLONY, 2ND STREET, RACE COURSE ROAD, GUINDY, CHENNAI, TAMIL NADU, INDIA

You can also conveniently view the reports and trends through our App. Scan QR code to download the App.

VERIFIED BY





Name	MR.ANTONY JOHNNY ALAPATT	ID ,	RBS7532
Age & Gender	40Y/MALE	Visit Date	23/03/2024
Ref Doctor	MediWheel		

### ULTRASOUND SCAN

### WHOLE ABDOMEN

Liver is normal in size and shows homogenously increased parenchymal echoes with no focal abnormality.

There is no intra or extra hepatic biliary ductal dilatation. Portal vein and IVC are normal.

Gall bladder is normal sized and smooth walled. No evidence of calculi. Wall thickness is normal.

Pancreas shows a normal configuration and echotexture. Pancreatic duct is normal.

Spleen is normal in size and echotexture.

**Bilateral kidneys** are normal in size, shape and position. Cortical echoes are normal bilaterally. There is no calculus or calyceal dilatation.

Right kidney measures 9.5 x 3.9 cm.

Left kidney measures 9.8 x 4.7 cm.

Ureters are not dilated.

**Urinary bladder** is smooth walled and uniformly transonic. No intravesical mass or calculus.

**Prostate** is normal in size, measures  $3.8 \times 3.4 \times 3.2 \text{ cm}$  (Vol – 22 cc). Echotexture is homogenous.

Seminal vesicles is normal.

Iliac fossae are normal.

There is no free or loculated peritoneal fluid.





Name	MR.ANTONY JOHNNY ALAPATT	ID	RBS7532
Age & Gender	40Y/MALE	Visit Date	23/03/2024
Ref Doctor	MediWheel		20/00/2024

### IMPRESSION:

➤ Grade I fatty liver.


Dr.PRASHANT MOORTHY, MBBS., MD., Consultant Radiologist Dr. M. JAYAPRABA. Consultant Sonologist



### Medall Healthcare Pvt Ltd No:191, Poonamalle High Road (Near Taylors Road Signal)

Name	MR.ANTONY JOHNNY ALAPATT	ID	RBS7532
Age & Gender	40Y/MALE	Visit Date	23/03/2024
Ref Doctor	MediWheel		

















Name	Mr. ANTONY JOHNNY ALAPATT	Customer ID	RBS7532	
Age & Gender	40Y/M	Visit Date	Mar 23 2024 8:29AM	
Ref Doctor	MediWheel			

### X-RAY CHEST (PA VIEW)

The cardio thoracic ratio is normal. The heart size and configuration are within normal limits.

The aortic arch is normal.

The lung fields show normal broncho-vascular markings.


Both the pulmonary hila are normal in size.

The costophrenic and cardiophrenic recesses and the domes of diaphragm are normal.

The bones and soft tissues of the chest wall show no abnormality.

### IMPRESSION:

· No significant abnormality detected.







Name	MR.ANTONY JOHNNY ALAPATT	ID	RBS7532
Age & Gender	40Y/MALE	Visit Date	23/03/2024
Ref Doctor	MediWheel		

### ECHO CARDIOGRAM REPORT

### 2D ECHO STUDY:

- Normal chamber dimensions.
- Normal LV / RV size and systolic function (EF: 67%)
- No Regional wall motion abnormality.
- No ventricular hypertrophy.
- IAS and IVS are intact.
- No e/o of clot / Aneurysm.
- Normal pericardium.

### FINAL IMPRESSION:

- NORMAL LV / RV SIZE AND SYSTOLIC FUNCTION. (EF: 67%)
- NO REGIONAL WALL MOTION ABNORMALITY.
- NORMAL VALVES FOR AGE.
- NORMAL DIASTOLIC COMPLIANCE.
- NORMAL COLOUR FLOW STUDIES.

### LEFT VENTRICULAR MEASUREMENT:

DIMENSIONS NORMAL	DIMENSIONS	NORMAL
AO (ed)- 2.5cm(1.5cm/3.5cm)	IVS (ed) - 0.9cm	(0.6cm/1.2cm)
LA (ed)- 2.6cm(1.5cm/3.5cm)	LVPW(ed) - 0.8cm	(0.6cm/1.1cm)
RVID(ed)- 1.2cm(0.9cm/2.8cm)	EF 67 %	(62 %-85 %)
LVID (ed)- 4.5cm(2.6cm/5.5cm)	FS 36 %	
LVID (es)- 3.0cm		





Name	MR.ANTONY JOHNNY ALAPATT	ID	RBS7532
Age & Gender	40Y/MALE	Visit Date	23/03/2024
Ref Doctor	MediWheel	1	

### MORPHOLOGICAL DATA:

### Mitral valve

Anterior mitral leaflet (AML) : Normal

Posterior mitral leaflet (PML) : Normal

Aortic Valve : Normal

Tricuspid Valve : Normal

Pulmonary Valve : Normal

Interatrial Septum : Intact

Interventricular Septum : Intact

Right Ventricle : Normal

Right Atrium : Normal

Pulmonary Artery : Normal

Left Ventricle : Normal

Left Atrium : Normal

### PERICARDIUM:

Normal.


### DOPPLER STUDY:

Continuous Wave Doppler & Colour Flow Study:

> Normal colour flow studies.

P. VIJAYA LAKSHMI (ECHO TECH)





You can also conveniently view the reports and trends through our App. Scan QR code to download the App.



# MEDALL DIAGNOSTIC CENTER KILPAUK


40/Male Age / Gender:

Patient ID;

rbs7532 Patient Name:

Mr antony johnny alapatt

Date and Time: 23rd Mar 24 9:31 AM



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.



Dischairnor: Analysis in this report is based on ECG alone and should only be used as an adjunct to clinical history, symptoms and results of other invasive and non-invasive tests and must be interpreted by a qualified physician.