

Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 12:05PM
Reported : 23/Mar/2024 03:18PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

PERIPHERAL SMEAR , WHOLE BLOOD EDTA

Methodology : Microscopic

RBC : Normocytic normochromic


WBC : Normal in number, morphology and distribution. No abnormal cells seen

Platelets : Adequate in Number

Parasites : No Haemoparasites seen

IMPRESSION : Normocytic normochromic blood picture

Note/Comment : Please Correlate clinically



Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 12:05PM
Reported : 23/Mar/2024 03:18PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY


ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
HEMOGRAM , WHOLE BLOOD EDTA				
HAEMOGLOBIN	14.5	g/dL	13-17	CYANIDE FREE COLOUROMETER
PCV	47.30	%	40-50	PULSE HEIGHT AVERAGE
RBC COUNT	5.33	Million/cu.mm	4.5-5.5	Electrical Impedance
MCV	88.8	fL	83-101	Calculated
MCH	27.2	pg	27-32	Calculated
MCHC	30.7	g/dL	31.5-34.5	Calculated
R.D.W	12.1	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	9,350	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (DLC)				
NEUTROPHILS	72	%	40-80	Electrical Impedance
LYMPHOCYTES	20	%	20-40	Electrical Impedance
EOSINOPHILS	02	%	1-6	Electrical Impedance
MONOCYTES	06	%	2-10	Electrical Impedance
BASOPHILS	00	%	<1-2	Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	6732	Cells/cu.mm	2000-7000	Calculated
LYMPHOCYTES	1870	Cells/cu.mm	1000-3000	Calculated
EOSINOPHILS	187	Cells/cu.mm	20-500	Calculated
MONOCYTES	561	Cells/cu.mm	200-1000	Calculated
Neutrophil lymphocyte ratio (NLR)	3.6		0.78- 3.53	Calculated
PLATELET COUNT	165000	cells/cu.mm	150000-410000	IMPEDENCE/MICROSCOPY
ERYTHROCYTE SEDIMENTATION RATE (ESR)	15	mm at the end of 1 hour	0-15	Modified Westergren
PERIPHERAL SMEAR				

Methodology : Microscopic

RBC : Normocytic normochromic

Page 2 of 14



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY



SIN No:BED240079608

Apollo Speciality Hospitals Private Limited

(Formerly known as a Nova Speciality Hospitals Private Limited)

CIN- U85100TG2009PTC099414

Regd Off:1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers, Begumpet, Hyderabad, Telangana - 500016

Address:

156, Famous Cine Labs, Behind Everest Building, Tardeo (Mumbai Central), Mumbai, Maharashtra
Ph: 022 4332 4500

Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 12:05PM
Reported : 23/Mar/2024 03:18PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324


WBC : Normal in number, morphology and distribution. No abnormal cells seen

Platelets : Adequate in Number

Parasites : No Haemoparasites seen

IMPRESSION : Normocytic normochromic blood picture

Note/Comment : Please Correlate clinically


DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY




Patient Name : Mr.DZIESEKIELIE SANCHU	Collected : 23/Mar/2024 09:35AM
Age/Gender : 40 Y 9 M 17 D/M	Received : 23/Mar/2024 12:05PM
UHID/MR No : STAR.0000062176	Reported : 23/Mar/2024 04:58PM
Visit ID : STAROPV68489	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 100031472	

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
BLOOD GROUP ABO AND RH FACTOR , WHOLE BLOOD EDTA				
BLOOD GROUP TYPE	A			Forward & Reverse Grouping with Slide/Tube Aggluti
Rh TYPE	POSITIVE			Forward & Reverse Grouping with Slide/Tube Agglutination

DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No:BED240079608

Apollo Speciality Hospitals Private Limited

(Formerly known as a Nova Speciality Hospitals Private Limited)

CIN- U85100TG2009PTC099414

Regd Off:1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers,
Begumpet, Hyderabad, Telangana - 500016

Address:

156, Famous Cine Labs, Behind Everest Building,
Tardeo (Mumbai Central), Mumbai, Maharashtra
Ph: 022 4332 4500

Patient Name : Mr.DZIESEKIELIE SANCHU	Collected : 23/Mar/2024 06:04PM
Age/Gender : 40 Y 9 M 17 DM	Received : 23/Mar/2024 06:38PM
UHID/MR No : STAR.0000062176	Reported : 23/Mar/2024 08:04PM
Visit ID : STAROPV68489	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 100031472	

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
GLUCOSE, FASTING , NAF PLASMA	111	mg/dL	70-100	GOD - POD

Comment:

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation
70-100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes
<70 mg/dL	Hypoglycemia

Note:


- The diagnosis of Diabetes requires a fasting plasma glucose of $> \text{ or } = 126 \text{ mg/dL}$ and/or a random / 2 hr post glucose value of $> \text{ or } = 200 \text{ mg/dL}$ on at least 2 occasions.
- Very high glucose levels ($>450 \text{ mg/dL}$ in adults) may result in Diabetic Ketoacidosis & is considered critical.

Test Name	Result	Unit	Bio. Ref. Range	Method
GLUCOSE, POST PRANDIAL (PP), 2 HOURS , SODIUM FLUORIDE PLASMA (2 HR)	76	mg/dL	70-140	GOD - POD

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY



Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 03:52PM
Reported : 23/Mar/2024 05:35PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C (GLYCATED HEMOGLOBIN) , WHOLE BLOOD EDTA				
HBA1C, GLYCATED HEMOGLOBIN	5.5	%		HPLC
ESTIMATED AVERAGE GLUCOSE (eAG)	111	mg/dL		Calculated

Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 – 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 – 7
FAIR TO GOOD CONTROL	7 – 8
UNSATISFACTORY CONTROL	8 – 10
POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

- HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic Control by American Diabetes Association guidelines 2023.
- Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control
 - HbF >25%
 - Homozygous Hemoglobinopathy.
(Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)

Page 6 of 14



Dr.Sandip Kumar Banerjee
M.B.B.S.,M.D(PATHOLOGY),D.P.B
Consultant Pathologist



SIN No:EDT240036499

Apollo Speciality Hospitals Private Limited

(Formerly known as a Nova Speciality Hospitals Private Limited)

CIN- U85100TG2009PTC099414

Regd Off:1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers,
Begumpet, Hyderabad, Telangana - 500016

Address:

156, Famous Cine Labs, Behind Everest Building,
Tardeo (Mumbai Central), Mumbai, Maharashtra
Ph: 022 4332 4500

Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 01:01PM
Reported : 23/Mar/2024 04:58PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
LIPID PROFILE , SERUM				
TOTAL CHOLESTEROL	144	mg/dL	<200	CHE/CHO/POD
TRIGLYCERIDES	265	mg/dL	<150	
HDL CHOLESTEROL	41	mg/dL	>40	CHE/CHO/POD
NON-HDL CHOLESTEROL	103	mg/dL	<130	Calculated
LDL CHOLESTEROL	50	mg/dL	<100	Calculated
VLDL CHOLESTEROL	53	mg/dL	<30	Calculated
CHOL / HDL RATIO	3.51		0-4.97	Calculated
ATHEROGENIC INDEX (AIP)	0.45		<0.11	Calculated


Comment:

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
LDL	Optimal < 100; Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220
ATHEROGENIC INDEX(AIP)	<0.11	0.12 – 0.20	>0.21	

Note:

- 1) Measurements in the same patient on different days can show physiological and analytical variations.
- 2) NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.
- 3) Primary prevention algorithm now includes absolute risk estimation and lower LDL Cholesterol target levels to determine



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY



SIN No:SE04672726

Apollo Speciality Hospitals Private Limited

(Formerly known as a Nova Speciality Hospitals Private Limited)

CIN- U85100TG2009PTC099414

Regd Off:1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers, Begumpet, Hyderabad, Telangana - 500016

Address:

156, Famous Cine Labs, Behind Everest Building, Tardeo (Mumbai Central), Mumbai, Maharashtra
Ph: 022 4332 4500

Patient Name : Mr.DZIESEKIELIE SANCHU
 Age/Gender : 40 Y 9 M 17 D/M
 UHID/MR No : STAR.0000062176
 Visit ID : STAROPV68489
 Ref Doctor : Dr.SELF
 Emp/Auth/TPA ID : 100031472


Collected : 23/Mar/2024 09:35AM
 Received : 23/Mar/2024 01:01PM
 Reported : 23/Mar/2024 04:58PM
 Status : Final Report
 Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

eligibility of drug therapy.

- 4) Low HDL levels are associated with coronary heart disease due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
- 5) As per NCEP guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
- 6) VLDL, LDL Cholesterol Non-HDL Cholesterol, CHOL/HDL RATIO, LDL/HDL RATIO are calculated parameters when Triglycerides are below 400 mg/dl. When Triglycerides are more than 400 mg/dl LDL cholesterol is a direct measurement.
- 7) Triglycerides and HDL-cholesterol in Atherogenic index (AIP) reflect the balance between the atherogenic and protective lipoproteins. Clinical studies have shown that AIP (log (TG/HDL) & values used are in mmol/L) predicts cardiovascular risk and a useful measure of response to treatment (pharmacological intervention).



DR. APEKSHA MADAN
 MBBS, DPB
 PATHOLOGY



SIN No:SE04672726

Apollo Speciality Hospitals Private Limited

(Formerly known as a Nova Speciality Hospitals Private Limited)

CIN- U85100TG2009PTC099414

Regd Off:1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers,
 Begumpet, Hyderabad, Telangana - 500016

Address:

156, Famous Cine Labs, Behind Everest Building,
 Tardeo (Mumbai Central), Mumbai, Maharashtra
 Ph: 022 4332 4500

Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 01:01PM
Reported : 23/Mar/2024 04:58PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
LIVER FUNCTION TEST (LFT) , SERUM				
BILIRUBIN, TOTAL	1.00	mg/dL	0.1-1.2	Azobilirubin
BILIRUBIN CONJUGATED (DIRECT)	0.30	mg/dL	0.1-0.4	DIAZO DYE
BILIRUBIN (INDIRECT)	0.70	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	49	U/L	4-44	JSCC
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	42.0	U/L	8-38	JSCC
ALKALINE PHOSPHATASE	171.00	U/L	32-111	IFCC
PROTEIN, TOTAL	8.50	g/dL	6.7-8.3	BIURET
ALBUMIN	5.30	g/dL	3.8-5.0	BROMOCRESOL GREEN
GLOBULIN	3.20	g/dL	2.0-3.5	Calculated
A/G RATIO	1.66		0.9-2.0	Calculated

Comment:

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin)

Common patterns seen:

1. Hepatocellular Injury:


- AST – Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.
- ALT – Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI.
- Disproportionate increase in AST, ALT compared with ALP.
- Bilirubin may be elevated.
- AST: ALT (ratio) – In case of hepatocellular injury AST: ALT > 1 In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen to be increased in NAFLD, Wilson's's diseases, Cirrhosis, but the increase is usually not >2.

2. Cholestatic Pattern:

- ALP – Disproportionate increase in ALP compared with AST, ALT.
- Bilirubin may be elevated.
- ALP elevation also seen in pregnancy, impacted by age and sex.
- To establish the hepatic origin correlation with GGT helps. If GGT elevated indicates hepatic cause of increased ALP.

3. Synthetic function impairment:

- Albumin- Liver disease reduces albumin levels.
- Correlation with PT (Prothrombin Time) helps.



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY



SIN No:SE04672726

Apollo Speciality Hospitals Private Limited

(Formerly known as a Nova Speciality Hospitals Private Limited)

CIN- U85100TG2009PTC099414

Regd Off:1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers, Begumpet, Hyderabad, Telangana - 500016

Address:

156, Famous Cine Labs, Behind Everest Building, Tardeo (Mumbai Central), Mumbai, Maharashtra
Ph: 022 4332 4500


Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 01:01PM
Reported : 23/Mar/2024 04:58PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
RENAL PROFILE/KIDNEY FUNCTION TEST (RFT/KFT) , SERUM				
CREATININE	0.87	mg/dL	0.6-1.1	ENZYMATIC METHOD
UREA	26.30	mg/dL	17-48	Urease
BLOOD UREA NITROGEN	12.3	mg/dL	8.0 - 23.0	Calculated
URIC ACID	8.70	mg/dL	4.0-7.0	URICASE
CALCIUM	10.10	mg/dL	8.4-10.2	CPC
PHOSPHORUS, INORGANIC	3.20	mg/dL	2.6-4.4	PNP-XOD
SODIUM	146	mmol/L	135-145	Direct ISE
POTASSIUM	4.3	mmol/L	3.5-5.1	Direct ISE
CHLORIDE	105	mmol/L	98-107	Direct ISE
PROTEIN, TOTAL	8.50	g/dL	6.7-8.3	BIURET
ALBUMIN	5.30	g/dL	3.8-5.0	BROMOCRESOL GREEN
GLOBULIN	3.20	g/dL	2.0-3.5	Calculated
A/G RATIO	1.66		0.9-2.0	Calculated



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY




Patient Name	: Mr.DZIESEKIELIE SANCHU	Collected	: 23/Mar/2024 09:35AM
Age/Gender	: 40 Y 9 M 17 D/M	Received	: 23/Mar/2024 01:01PM
UHID/MR No	: STAR.0000062176	Reported	: 23/Mar/2024 04:58PM
Visit ID	: STAROPV68489	Status	: Final Report
Ref Doctor	: Dr.SELF	Sponsor Name	: ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID	: 100031472		

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
GAMMA GLUTAMYL TRANSPEPTIDASE (GGT) , SERUM	116.00	U/L	16-73	Glycylglycine Kinetic method

DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No:SE04672726

Apollo Speciality Hospitals Private Limited
(Formerly known as a Nova Speciality Hospitals Private Limited)
CIN- U85100TG2009PTC099414
Regd Off:1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers,
Begumpet, Hyderabad, Telangana - 500016

Address:
156, Famous Cine Labs, Behind Everest Building,
Tardeo (Mumbai Central), Mumbai, Maharashtra
Ph: 022 4332 4500

Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 DM
UHID/MR No : STAR.000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 11:43AM
Reported : 23/Mar/2024 03:18PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324


Test Name	Result	Unit	Bio. Ref. Range	Method
THYROID PROFILE TOTAL (T3, T4, TSH) , SERUM				
TRI-IODOTHYRONINE (T3, TOTAL)	1.07	ng/mL	0.67-1.81	ELFA
THYROXINE (T4, TOTAL)	6.79	µg/dL	4.66-9.32	ELFA
THYROID STIMULATING HORMONE (TSH)	2.810	µIU/mL	0.25-5.0	ELFA

Comment:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 – 3.0
Third trimester	0.3 – 3.0

- TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.
- Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	T3	T4	FT4	Conditions
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis
High	N	N	N	Subclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Replacement Therapy.
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism
Low	High	High	High	Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy
Low	N	N	N	Subclinical Hyperthyroidism
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism
Low	N	High	High	Thyroiditis, Interfering Antibodies
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes
High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY



SIN No: SPL24053379

Apollo Speciality Hospitals Private Limited

(Formerly known as a Nova Speciality Hospitals Private Limited)

CIN- U85100TG2009PTC099414

Regd Off: 1-10-62/62, 5th Floor, Ashoka Raghupathi Chambers, Begumpet, Hyderabad, Telangana - 500016

Address:


156, Famous Cine Labs, Behind Everest Building, Tardeo (Mumbai Central), Mumbai, Maharashtra
Ph: 022 4332 4500

Patient Name : Mr.DZIESEKIELIE SANCHU	Collected : 23/Mar/2024 09:35AM
Age/Gender : 40 Y 9 M 17 D/M	Received : 23/Mar/2024 11:43AM
UHID/MR No : STAR.0000062176	Reported : 23/Mar/2024 04:25PM
Visit ID : STAROPV68489	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 100031472	

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
TOTAL PROSTATIC SPECIFIC ANTIGEN (tPSA) , SERUM	0.570	ng/mL	0-4	ELFA

DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No: SPL24053379

Apollo Speciality Hospitals Private Limited

(Formerly known as a Nova Speciality Hospitals Private Limited)

CIN- U85100TG2009PTC099414

Regd Off: 1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers, Begumpet, Hyderabad, Telangana - 500016

Address:

156, Famous Cine Labs, Behind Everest Building, Tardeo (Mumbai Central), Mumbai, Maharashtra
Ph: 022 4332 4500

Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 03:30PM
Reported : 23/Mar/2024 05:56PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED


DEPARTMENT OF CLINICAL PATHOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
COMPLETE URINE EXAMINATION (CUE) , URINE				
PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Visual
pH	6.0		5-7.5	Bromothymol Blue
SP. GRAVITY	1.030		1.002-1.030	Dipstick
BIOCHEMICAL EXAMINATION				
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR
GLUCOSE	NEGATIVE		NEGATIVE	GOD-POD
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	NITROPRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	EHRlich
NITRITE	NEGATIVE		NEGATIVE	Dipstick
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	PYRROLE HYDROLYSIS
CENTRIFUGED SEDIMENT WET MOUNT AND MICROSCOPY				
PUS CELLS	1-2	/hpf	0-5	Microscopy
EPITHELIAL CELLS	1-2	/hpf	<10	MICROSCOPY
RBC	ABSENT	/hpf	0-2	MICROSCOPY
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY
CRYSTALS	ABSENT		ABSENT	MICROSCOPY

*** End Of Report ***

Page 14 of 14



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY



SIN No:UR2313966

Apollo Speciality Hospitals Private Limited
(Formerly known as a Nova Speciality Hospitals Private Limited)
CIN- U85100TG2009PTC099414
Regd Off:1-10-62/62 ,5th Floor, Ashoka RaghupathiChambers,
Begumpet, Hyderabad, Telangana - 500016

Address:
156, Famous Cine Labs, Behind Everest Building,
Tardeo (Mumbai Central), Mumbai, Maharashtra
Ph: 022 4332 4500

Dear DZIESEKIELIE SANCHU,

Greetings from Apollo Clinics,

Your corporate health check appointment is confirmed at **SPECTRA TARDEO clinic** on **2024-03-23** at **09:00-09:15**.

Payment Mode	
Corporate Name	ARCOFEMI HEALTHCARE LIMITED
Agreement Name	[ARCOFEMI MEDIWHEEL MALE AHC CREDIT PAN INDIA OP AGREEMENT]
Package Name	[ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324]

"Kindly carry with you relevant documents such as HR issued authorization letter and or appointment confirmation mail and or valid government ID proof and or company ID card and or voucher as per our agreement with your company or sponsor."

Note: Video recording or taking photos inside the clinic premises or during camps is not allowed and would attract legal consequences.

Note: Also once appointment is booked, based on availability of doctors at clinics tests will happen, any pending test will happen based on doctor availability and clinics will be updating the same to customers.

OUT-PATIENT RECORD


Date : 23/3/24
MRNO : 062176
Name : MR DZIESEKLEJE SANCHU
Age/Gender : 40m / male
Mobile No :
Passport No :
Aadhar number :

Pulse : 66	B.P : 150/90	Resp : 24/min	Temp : (N)
Weight : 73.0	Height : 175cm	BMI : 23.8	Waist Circum : 86cm

General Examination / Allergies
History

Clinical Diagnosis & Management Plan

TG 265 UA 8.70
1) Avoid oil/ghee/High protein diet
2) Morning walk 45 min daily
3) Repeat Lipid / UA after 2 months
Physically fit



Follow up date:

Doctor Signature

Apollo Spectra Hospitals: 156, Famous Cine Labs, Behind Everest Building, Tardeo, Mumbai - 400034
Ph No: 022 - 4332 4500 | www.apollospectra.com

Apollo Specialty Hospitals Pvt. Ltd. (CIN - U85100TG2009PTC099414)
(Formerly known as Nova Specialty Hospital Pvt. Ltd.)

Regd. Office: 7-1-617/A, 615 & 616, Imperial Towers, 7th Floor, Ameerpet, Hyderabad, Telangana - 500038
Ph No: 040 - 4904 7777 | www.apollohl.com



Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 12:05PM
Reported : 23/Mar/2024 03:18PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

PERIPHERAL SMEAR , WHOLE BLOOD EDTA

Methodology : Microscopic

RBC : Normocytic normochromic


WBC : Normal in number, morphology and distribution. No abnormal cells seen

Platelets : Adequate in Number

Parasites : No Haemoparasites seen

IMPRESSION : Normocytic normochromic blood picture

Note/Comment : Please Correlate clinically


DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No:BED240079608

Page 1 of 14



TOUSHING LIVES
 Patient Name : Mr.DZIESEKIELIE SANCHU
 Age/Gender : 40 Y 9 M 17 D/M
 UHID/MR No : STAR.0000062176
 Visit ID : STAROPV68489
 Ref Doctor : Dr.SELF
 Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
 Received : 23/Mar/2024 12:05PM
 Reported : 23/Mar/2024 03:18PM
 Status : Final Report
 Sponsor Name : ARCOFEMI HEALTHCARE LIMITED


DEPARTMENT OF HAEMATOLOGY
 ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
HEMOGRAM , WHOLE BLOOD EDTA				
HAEMOGLOBIN	14.5	g/dL	13-17	CYANIDE FREE COLOURIMETER
PCV	47.30	%	40-50	PULSE HEIGHT AVERAGE
RBC COUNT	5.33	Million/cu.mm	4.5-5.5	Electrical Impedance
MCV	88.8	fL	83-101	Calculated
MCH	27.2	pg	27-32	Calculated
MCHC	30.7	g/dL	31.5-34.5	Calculated
R.D.W	12.1	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	9,350	cells/cu.mm	4000-10000	Electrical Impedance
DIFFERENTIAL LEUCOCYTIC COUNT (DLC)				
NEUTROPHILS	72	%	40-80	Electrical Impedance
LYMPHOCYTES	20	%	20-40	Electrical Impedance
EOSINOPHILS	02	%	1-6	Electrical Impedance
MONOCYTES	06	%	2-10	Electrical Impedance
BASOPHILS	00	%	<1-2	Electrical Impedance
ABSOLUTE LEUCOCYTE COUNT				
NEUTROPHILS	6732	Cells/cu.mm	2000-7000	Calculated
LYMPHOCYTES	1870	Cells/cu.mm	1000-3000	Calculated
EOSINOPHILS	187	Cells/cu.mm	20-500	Calculated
MONOCYTES	561	Cells/cu.mm	200-1000	Calculated
Neutrophil lymphocyte ratio (NLR)	3.6		0.78- 3.53	Calculated
PLATELET COUNT	165000	cells/cu.mm	150000-410000	IMPEDENCE/MICROSCOPY
ERYTHROCYTE SEDIMENTATION RATE (ESR)	15	mm at the end of 1 hour	0-15	Modified Westergren

Methodology : Microscopic

RBC : Normocytic normochromic




 DR. APEKSHA MADAN
 MBBS, DPB
 PATHOLOGY

SIN No:BED240079608

TOU Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 12:05PM
Reported : 23/Mar/2024 03:18PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

WBC : Normal in number, morphology and distribution. No abnormal cells seen


Platelets : Adequate in Number

Parasites : No Haemoparasites seen

IMPRESSION : Normocytic normochromic blood picture

Note/Comment : Please Correlate clinically

Page 3 of 14



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No:BED240079608


Patient Name : Mr.DZIESEKIELIE SANCHU
 Age/Gender : 40 Y 9 M 17 D/M
 UHID/MR No : STAR.0000062176
 Visit ID : STAROPV68489
 Ref Doctor : Dr.SELF
 Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
 Received : 23/Mar/2024 12:05PM
 Reported : 23/Mar/2024 04:58PM
 Status : Final Report
 Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF HAEMATOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
BLOOD GROUP ABO AND RH FACTOR , WHOLE BLOOD EDTA				
BLOOD GROUP TYPE	A			Forward & Reverse Grouping with Slide/Tube Aggluti Forward & Reverse Grouping with Slide/Tube Agglutination
Rh TYPE	POSITIVE			

DR. APEKSHA MADAN
 MBBS, DPB
 PATHOLOGY
 SIN No:BED240079608

Patient Name	: Mr.DZIESEKIELIE SANCHU	Collected	: 23/Mar/2024 06:04PM
Age/Gender	: 40 Y 9 M 17 D/M	Received	: 23/Mar/2024 06:38PM
UHID/MR No	: STAR.0000062176	Reported	: 23/Mar/2024 08:04PM
Visit ID	: STAROPV68489	Status	: Final Report
Ref Doctor	: Dr.SELF	Sponsor Name	: ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID	: 100031472		

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
GLUCOSE, FASTING , NAF PLASMA	111	mg/dL	70-100	GOD - POD

Comment:

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation
70-100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes
<70 mg/dL	Hypoglycemia

Note:


- The diagnosis of Diabetes requires a fasting plasma glucose of $>$ or $=$ 126 mg/dL and/or a random / 2 hr post glucose value of $>$ or $=$ 200 mg/dL on at least 2 occasions.
- Very high glucose levels ($>$ 450 mg/dL in adults) may result in Diabetic Ketoacidosis & is considered critical.

Test Name	Result	Unit	Bio. Ref. Range	Method
GLUCOSE, POST PRANDIAL (PP), 2 HOURS , SODIUM FLUORIDE PLASMA (2 HR)	76	mg/dL	70-140	GOD - POD

Comment:

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No:PLP1436801

Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 03:52PM
Reported : 23/Mar/2024 05:35PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
HBA1C (GLYCATED HEMOGLOBIN) , WHOLE BLOOD EDTA				
HBA1C, GLYCATED HEMOGLOBIN	5.5	%		HPLC
ESTIMATED AVERAGE GLUCOSE (eAG)	111	mg/dL		Calculated

Comment:

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 – 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 – 7
FAIR TO GOOD CONTROL	7 – 8
UNSATISFACTORY CONTROL	8 – 10
POOR CONTROL	>10

Note: Dietary preparation or fasting is not required.

- HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic Control by American Diabetes Association guidelines 2023.
- Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control
 - A: HbF >25%
 - B: Homozygous Hemoglobinopathy.
 (Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)




Dr.Sandip Kumar Banerjee
M.B.B.S,M.D(PATHOLOGY),D.P.B
Consultant Pathologist

SIN No:EDT240036499

Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 01:01PM
Reported : 23/Mar/2024 04:58PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
LIPID PROFILE , SERUM				
TOTAL CHOLESTEROL	144	mg/dL	<200	CHE/CHO/POD
TRIGLYCERIDES	265	mg/dL	<150	
HDL CHOLESTEROL	41	mg/dL	>40	CHE/CHO/POD
NON-HDL CHOLESTEROL	103	mg/dL	<130	Calculated
LDL CHOLESTEROL	50	mg/dL	<100	Calculated
VLDL CHOLESTEROL	53	mg/dL	<30	Calculated
CHOL / HDL RATIO	3.51		0-4.97	Calculated
ATHEROGENIC INDEX (AIP)	0.45		<0.11	Calculated

Comment:


Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
LDL	Optimal < 100; Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220
ATHEROGENIC INDEX(AIP)	<0.11	0.12 – 0.20	>0.21	

Note:

- 1) Measurements in the same patient on different days can show physiological and analytical variations.
- 2) NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.
- 3) Primary prevention algorithm now includes absolute risk estimation and lower LDL Cholesterol target levels to determine

Page 7 of 14



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No:SE04672726



Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472


Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 01:01PM
Reported : 23/Mar/2024 04:58PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

eligibility of drug therapy.

- 4) Low HDL levels are associated with coronary heart disease due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
- 5) As per NCEP guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
- 6) VLDL, LDL Cholesterol Non-HDL Cholesterol, CHOL/HDL RATIO, LDL/HDL RATIO are calculated parameters when Triglycerides are below 400 mg/dl. When Triglycerides are more than 400 mg/dl LDL cholesterol is a direct measurement.
- 7) Triglycerides and HDL-cholesterol in Atherogenic index (AIP) reflect the balance between the atherogenic and protective lipoproteins. Clinical studies have shown that AIP (log (TG/HDL) & values used are in mmol/L) predicts cardiovascular risk and a useful measure of response to treatment (pharmacological intervention).



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No:SE04672726

Page 8 of 14



Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 01:01PM
Reported : 23/Mar/2024 04:58PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
LIVER FUNCTION TEST (LFT) , SERUM				
BILIRUBIN, TOTAL	1.00	mg/dL	0.1-1.2	Azobilirubin
BILIRUBIN CONJUGATED (DIRECT)	0.30	mg/dL	0.1-0.4	DIAZO DYE
BILIRUBIN (INDIRECT)	0.70	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	49	U/L	4-44	JSCC
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	42.0	U/L	8-38	JSCC
ALKALINE PHOSPHATASE	171.00	U/L	32-111	IFCC
PROTEIN, TOTAL	8.50	g/dL	6.7-8.3	BIURET
ALBUMIN	5.30	g/dL	3.8-5.0	BROMOCRESOL GREEN
GLOBULIN	3.20	g/dL	2.0-3.5	Calculated
A/G RATIO	1.66		0.9-2.0	Calculated

Comment:

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin)

Common patterns seen:


1. Hepatocellular Injury:

- AST – Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.
- ALT – Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI. • Disproportionate increase in AST, ALT compared with ALP. • Bilirubin may be elevated.
- AST: ALT (ratio) – In case of hepatocellular injury AST: ALT > 1 In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen to be increased in NAFLD, Wilson's's diseases, Cirrhosis, but the increase is usually not >2.

2. Cholestatic Pattern:

- ALP – Disproportionate increase in ALP compared with AST, ALT.
- Bilirubin may be elevated. • ALP elevation also seen in pregnancy, impacted by age and sex.
- To establish the hepatic origin correlation with GGT helps. If GGT elevated indicates hepatic cause of increased ALP.

3. Synthetic function impairment: • Albumin- Liver disease reduces albumin levels. • Correlation with PT (Prothrombin Time) helps.

DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY


SIN No:SE04672726

Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 01:01PM
Reported : 23/Mar/2024 04:58PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY
ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
RENAL PROFILE/KIDNEY FUNCTION TEST (RFT/KFT) , SERUM				
CREATININE	0.87	mg/dL	0.6-1.1	ENZYMATIC METHOD
UREA	26.30	mg/dL	17-48	Urease
BLOOD UREA NITROGEN	12.3	mg/dL	8.0 - 23.0	Calculated
URIC ACID	8.70	mg/dL	4.0-7.0	URICASE
CALCIUM	10.10	mg/dL	8.4-10.2	CPC
PHOSPHORUS, INORGANIC	3.20	mg/dL	2.6-4.4	PNP-XOD
SODIUM	146	mmol/L	135-145	Direct ISE
POTASSIUM	4.3	mmol/L	3.5-5.1	Direct ISE
CHLORIDE	105	mmol/L	98-107	Direct ISE
PROTEIN, TOTAL	8.50	g/dL	6.7-8.3	BIURET
ALBUMIN	5.30	g/dL	3.8-5.0	BROMOCRESOL GREEN
GLOBULIN	3.20	g/dL	2.0-3.5	Calculated
A/G RATIO	1.66		0.9-2.0	Calculated



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No:SE04672726

Page 10 of 14





TOUCHING LIVES

Patient Name : Mr.DZIESEKIELIE SANCHU
 Age/Gender : 40 Y 9 M 17 D/M
 UHID/MR No : STAR.0000062176
 Visit ID : STAROPV68489
 Ref Doctor : Dr.SELF
 Emp/Auth/TPA ID : 100031472




Collected : 23/Mar/2024 09:35AM
 Received : 23/Mar/2024 01:01PM
 Reported : 23/Mar/2024 04:58PM
 Status : Final Report
 Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
GAMMA GLUTAMYL TRANSPEPTIDASE (GGT) , SERUM	116.00	U/L	16-73	Glycylglycine Kinetic method


 DR. APEKSHA MADAN
 MBBS, DPB
 PATHOLOGY

SIN No:SE04672726



Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472

Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 11:43AM
Reported : 23/Mar/2024 03:18PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
THYROID PROFILE TOTAL (T3, T4, TSH) , SERUM				
TRI-iodothyronine (T3, TOTAL)	1.07	ng/mL	0.67-1.81	ELFA
THYROXINE (T4, TOTAL)	6.79	µg/dL	4.66-9.32	ELFA
THYROID STIMULATING HORMONE (TSH)	2.810	µIU/mL	0.25-5.0	ELFA

Comment:

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 - 3.0
Third trimester	0.3 - 3.0

- TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.
- Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	T3	T4	FT4	Conditions
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis
High	N	N	N	Subclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Replacement Therapy.
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism
Low	High	High	High	Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy
Low	N	N	N	Subclinical Hyperthyroidism
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism
Low	N	High	High	Thyroiditis, Interfering Antibodies
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes
High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma



Apeksha Madan
DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No:SPL24053379



TOUCHING LIVES

Patient Name : Mr.DZIESEKIELIE SANCHU
 Age/Gender : 40 Y 9 M 17 D/M
 UHID/MR No : STAR.0000062176
 Visit ID : STAROPV68489
 Ref Doctor : Dr.SELF
 Emp/Auth/TPA ID : 100031472




Collected : 23/Mar/2024 09:35AM
 Received : 23/Mar/2024 11:43AM
 Reported : 23/Mar/2024 04:25PM
 Status : Final Report
 Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF IMMUNOLOGY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
TOTAL PROSTATIC SPECIFIC ANTIGEN (tPSA) , SERUM	0.570	ng/mL	0-4	ELFA



DR. APEKSHA MADAN
 MBBS, DPB
 PATHOLOGY

SIN No:SPL24053379



Patient Name : Mr.DZIESEKIELIE SANCHU
Age/Gender : 40 Y 9 M 17 D/M
UHID/MR No : STAR.0000062176
Visit ID : STAROPV68489
Ref Doctor : Dr.SELF
Emp/Auth/TPA ID : 100031472


Collected : 23/Mar/2024 09:35AM
Received : 23/Mar/2024 03:30PM
Reported : 23/Mar/2024 05:56PM
Status : Final Report
Sponsor Name : ARCOFEMI HEALTHCARE LIMITED

DEPARTMENT OF CLINICAL PATHOLOGY
ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS ABOVE 50Y MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
COMPLETE URINE EXAMINATION (CUE) , URINE				
PHYSICAL EXAMINATION				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Visual
pH	6.0		5-7.5	Bromothymol Blue
SP. GRAVITY	1.030		1.002-1.030	Dipstick
BIOCHEMICAL EXAMINATION				
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR
GLUCOSE	NEGATIVE		NEGATIVE	GOD-POD
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	NITROPRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	EHRlich
NITRITE	NEGATIVE		NEGATIVE	Dipstick
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	PYRROLE HYDROLYSIS
CENTRIFUGED SEDIMENT WET MOUNT AND MICROSCOPY				
PUS CELLS	1-2	/hpf	0-5	Microscopy
EPITHELIAL CELLS	1-2	/hpf	<10	MICROSCOPY
RBC	ABSENT	/hpf	0-2	MICROSCOPY
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY
CRYSTALS	ABSENT		ABSENT	MICROSCOPY

*** End Of Report ***

Page 14 of 14



DR. APEKSHA MADAN
MBBS, DPB
PATHOLOGY

SIN No:UR2313966




Measurement Results:


QRS : 102 ms
 QT/QTcB : 392 / 410 ms
 PR : 190 ms
 P : 112 ms
 RR/PP : 894 / 905 ms
 P/QRS/T : 65/ 62/ 40 degrees

< P
 < T
 < QRS

Interpretation:
 12SL - Interpretation:
 Normal sinus rhythm
 Normal ECG




Wide Normal limits



Unconfirmed report

DR. (MRS.) CHHAYA P. VAJJA
 M.D. (MUMBAI)
 Physician & Cardiologist
 Reg. No. 55942



Patient Name : Mr. DZIESEKIELIE SANCHU Age : 40 Y M
UHID : STAR.0000062176 OP Visit No : STAROPV68489
Reported on : 25-03-2024 10:50 Printed on : 25-03-2024 10:51
Adm/Consult Doctor : Ref Doctor : SELF

DEPARTMENT OF RADIOLOGY

X-RAY CHEST PA

Both lung fields and hila are normal .

No obvious active pleuro-parenchymal lesion seen .

Both costophrenic and cardiophrenic angles are clear .

Both diaphragms are normal in position and contour .


Thoracic wall and soft tissues appear normal.

CONCLUSION :

No obvious abnormality seen

Printed on:25-03-2024 10:50

---End of the Report---


Dr. VINOD SHETTY
Radiology

Patient name : MR.DZIESEKIELIE SANCHU
Ref. By : HEALTH CHECK UP

Date : 23-03-2024
Age : 40 years

SONOGRAPHY OF ABDOMEN AND PELVIS

LIVER : The liver is normal in size, shape & echotexture. No focal mass lesion is seen. The intrahepatic biliary tree & venous radicles appear normal. The portal vein and CBD appear normal.

GALL BLADDER : The gall bladder is well distended and reveals normal wall thickness. There is no evidence of calculus seen in it.

PANCREAS : The pancreas is normal in size and echotexture. No focal mass lesion is seen.

SPLEEN : The spleen is normal in size and echotexture. No focal parenchymal mass lesion is seen. The splenic vein is normal.

KIDNEYS : The **RIGHT KIDNEY** measures 10.4 x 4.4 cms and the **LEFT KIDNEY** measures 10.3 x 4.3 cms in size. Both kidneys are normal in size, shape and echotexture. There is no evidence of hydronephrosis or calculi seen on either side.


The para-aortic & iliac fossa regions appears normal. There is no free fluid or any lymphadenopathy seen in the abdomen.

PROSTATE : The prostate measures 3.1 x 2.7 x 2.6 cms and weighs 11.5 gms. It is normal in size, shape and echotexture. No prostatic calcification is seen.

URINARY BLADDER : The urinary bladder is well distended and is normal in shape and contour. No intrinsic lesion or calculus is seen in it. The bladder wall is normal in thickness.

IMPRESSION : Normal Ultrasound examination of the Abdomen and Pelvis.

Report with compliments.


DR. VINOD V. SHETTY
MD, D.M.R.D.
CONSULTANT SONOLOGIST.

Apollo Spectra Hospitals: 156, Famous Cine Labs, Behind Everest Building, Tardeo, Mumbai - 400034
Ph No: 022 - 4332 4500 | www.apollospectra.com

Apollo Specialty Hospitals Pvt. Ltd. (CIN - U85100TG2009PTC099414)
(Formerly known as Nova Specialty Hospital Pvt. Ltd.)

Regd. Office: 7-1-617/A, 615 & 616, Imperial Towers, 7th Floor, Ameerpet, Hyderabad, Telangana - 500038
Ph No: 040 - 4904 7777 | www.apollohl.com

Name : Mr. D. Sanchu
Age : 40 Year(s)

Date : 23/03/2024
Sex : Male
Visit Type : OPD

ECHO Cardiography

Comments:

Normal cardiac dimensions.
Structurally normal valves.
No evidence of LVH.
Intact IAS/IVS.
No evidence of regional wall motion abnormality.
Normal LV systolic function (LVEF 60%).
No diastolic dysfunction.
Normal RV systolic function.
No intracardiac clots / vegetation/ pericardial effusion.
No evidence of pulmonary hypertension.PASP=30mmHg.
IVC 12 mm collapsing with respiration.

Final Impression:

NORMAL 2DECHOCARDIOGRAPHY REPORT.


DR.CHHAYA P.VAJA. M. D.(MUM)
NONINVASIVE CARDIOLOGIST

Apollo Spectra Hospitals: 156, Famous Cine Labs, Behind Everest Building, Tardeo, Mumbai - 400034
Ph No: 022 - 4332 4500 | www.apollospectra.com

Apollo Specialty Hospitals Pvt. Ltd. (CIN - U85100TG2009PTC099414)
(Formerly known as Nova Specialty Hospital Pvt. Ltd.)

Regd. Office: 7-1-617/A, 615 & 616, Imperial Towers, 7th Floor, Ameerpet, Hyderabad, Telangana - 500038
Ph No: 040 - 4904 7777 | www.apollohl.com

Name : Mr. D. Sanchu
Age : 40 Year(s)

Date : 23/03/2024
Sex : Male
Visit Type : OPD

Dimension:

EF Slope	80mm/sec
EPSS	04mm
LA	36mm
AO	29mm
LVID (d)	46mm
LVID(s)	22mm
IVS (d)	11mm
LVPW (d)	11mm
LVEF	60% (visual)


DR. CHHAYA P. VAJA. M. D. (MUM)
NONINVASIVE CARDIOLOGIST

Apollo Spectra Hospitals: 156, Famous Cine Labs, Behind Everest Building, Tardeo, Mumbai - 400034
Ph No: 022 - 4332 4500 | www.apollospectra.com

Apollo Specialty Hospitals Pvt. Ltd. (CIN - U85100TG2009PTC099414)
(Formerly known as Nova Specialty Hospital Pvt. Ltd.)


Regd. Office: 7-1-617/A, 615 & 616, Imperial Towers, 7th Floor, Ameerpet, Hyderabad, Telangana - 500038
Ph No: 040 - 4904 7777 | www.apollohl.com

23/3/24

8/13 Dr. Mitul Bhatt (ENT)

Pz. for ENT Check up.

G	→	} WXL	R	+	+	
N	→				+	+
T,	→			W	(→)	



DIETARY GUIDELINES FOR BALANCED DIET

Should avoid both fasting and feasting.

A meal pattern should be followed. Have small frequent and regular meal. Do not exceeds the interval between two meals beyond 3 hours.

Exercise regularly for at least 30-45 minutes daily. Walking briskly is a good form of exercise, yoga, gym, cycling, and swimming.

Keep yourself hydrating by sipping water throughout the day. You can have plain lemon water (without sugar), thin butter milk, vegetable s`oups, and milk etc.

Fat consumption: - 3 tsp. per day / ½ kg per month per person.

It's a good option to keep changing oils used for cooking to take the benefits of all types of oil.eg: Groundnut oil, mustard oil, olive oil, Sunflower oil, Safflower oil, Sesame oil etc.

FOOD ALLOWED

FOOD GROUPS	FOOD ITEMS
Cereals	Whole Wheat and Wheat product like daliya, rava ,bajara, jowar, ragi, oats, nachni etc.
pulses	Dal like moong, masoor, tur and pulses Chana, chhole, rajma , etc.
Milk	Prefer low fat cow's milk / skim milk and milk product like curd, buttermilk, paneer etc.
Vegetable	All types of vegetable.
Fruits	All types of Fruits.
Nuts	2 Almonds, 2 walnuts, 1 dry anjeer, dates, pumpkin seeds, flax seeds, niger seeds, garden cress seeds.
Non Veg	2-3 pices of Chicken/fish, (removed skin) twice a week and 2 egg white daily. Should be eat in grill and gravy form.

EYE REPORT

Name: Mr. Dzeisekrelie Sanchez

Date: 23/3/24

Age / Sex: 40 / M.

Ref No.:

Complaint:

Ant. Seg: WNL

Examination

O. 6:1
(small ONH)

Vin T glasses < 6/6 6/9
FR +
NB

Spectacle Rx

	Right Eye							
	Vision	Sphere	Cyl.	Axis	Vision	Sphere	Cyl.	Axis
Distance								
Read								

Remarks:

Medications:

Trade Name	Frequency	Duration

Follow up:

[Signature]

Consultant:

Dr. Nusrat J. Bukhari (Mistry)
M.D., D.O.M.S. (SCLD MEDALIST)
Reg. No. 2012/10/2914
Mob:- 8850 1858 73

InBody

MR. Sanchu
 ID 062176
 Age 40

Height 175cm | Date 23. 3. 2024
 Gender Male | Time 10:48:24


APOLLO SPECTRA HOSPITAL

Body Composition

	Normal	Over	UNIT%	Normal Range
Weight	40 55 70 85 100 115 130 145 160 175 190 205	73.0 kg		57.3 ~ 77.5
Muscle Mass Skeletal Muscle Mass	60 70 80 90 100 110 120 130 140 150 160 170	31.0 kg		28.8 ~ 35.2
Body Fat Mass	20 40 60 80 100 160 220 280 340 400 460 520	17.8 kg		8.1 ~ 16.2
TBW Total Body Water	40.6 kg (37.9 ~ 46.3)		FFM Fat Free Mass	55.2 kg (49.2 ~ 61.3)
Protein	10.9 kg (10.2 ~ 12.4)		Mineral*	3.65 kg (3.51 ~ 4.28)

*Mineral is estimated.

Segmental Lean



Obesity Diagnosis

	Value	Normal Range
BMI Body Mass Index (kg/m ²)	23.8	18.5 ~ 25.0
PBF Percent Body Fat (%)	24.4	10.0 ~ 20.0
WHR Waist-Hip Ratio	0.95	0.80 ~ 0.90
BMR Basal Metabolic Rate (kcal)	1562	1576 ~ 1844

Nutritional Evaluation

Protein	<input checked="" type="checkbox"/> Normal	<input type="checkbox"/> Deficient
Mineral	<input checked="" type="checkbox"/> Normal	<input type="checkbox"/> Deficient
Fat	<input type="checkbox"/> Normal	<input type="checkbox"/> Deficient
	<input type="checkbox"/> Normal	<input checked="" type="checkbox"/> Excessive


Weight Management

Weight	<input checked="" type="checkbox"/> Normal	<input type="checkbox"/> Under	<input type="checkbox"/> Over
SMM	<input checked="" type="checkbox"/> Normal	<input type="checkbox"/> Under	<input type="checkbox"/> Strong
Fat	<input type="checkbox"/> Normal	<input type="checkbox"/> Under	<input checked="" type="checkbox"/> Over

Obesity Diagnosis

BMI	<input checked="" type="checkbox"/> Normal	<input type="checkbox"/> Under	<input type="checkbox"/> Over
	<input type="checkbox"/> Normal	<input type="checkbox"/> Under	<input checked="" type="checkbox"/> Extremely Over
PBF	<input type="checkbox"/> Normal	<input type="checkbox"/> Under	<input checked="" type="checkbox"/> Over
WHR	<input type="checkbox"/> Normal	<input type="checkbox"/> Under	<input checked="" type="checkbox"/> Over

Segmental Fat



*Segmental Fat is estimated.

Muscle-Fat Control

Muscle Control + 2.1 kg | Fat Control - 7.7 kg | Fitness Score 70

Impedance

Z	RA	LA	TR	RL	LL
20kHz	322.4	323.3	28.0	285.2	279.9
100kHz	283.8	283.3	24.0	255.3	250.5

* Use your results as reference when consulting with your physician or fitness trainer.

Exercise Planner

Plan your weekly exercises from the followings and estimate your weight loss from those activities.

Energy expenditure of each activity (base weight: 73.0 kg / Duration: 30min. / unit: kcal)						
Walking: 146	Jogging: 256	Bicycle: 219	Swim: 256	Mountain Climbing: 238	Aerobic: 256	
Table tennis: 165	Tennis: 219	Football: 256	Oriental Fencing: 365	Gate ball: 139	Badminton: 165	
Racket ball: 365	Tae-kwon-do: 365	Squash: 365	Basketball: 219	Rope jumping: 256	Golf: 128	
Push-ups: development of upper body	Sit-ups: abdominal muscle training	Weight training: backache prevention	Dumbbell exercise: muscle strength	Elastic band: muscle strength	Squats: maintenance of lower body muscle	

• How to do

1. Choose practicable and preferable activities from the left.
2. Choose exercises that you are going to do for 7 days.
3. Calculate the total energy expenditure for a week.
4. Estimate expected total weight loss for a month using the formula shown below.

• Recommended calorie intake per day

2000 kcal

*Calculation for expected total weight loss for 4 weeks: **Total energy expenditure (kcal/week) X 4weeks ÷ 7700**



**INDIAN UNION DRIVING LICENCE
GOVERNMENT OF NAGALAND**

Form 7 rule 16(2)

DL No. : **NL-0720100031472**

Date Of Issue: 13/06/2016

NAME : **DZIESEKIELIE SANCHU**



S/o : **DZIESELHOU SANCHU**

Date Of Birth **06/06/1983**

ADDRESS : **CHUTSOLIE COLONY**

WARD-9 CHUMUKEDIMA NAGALAND

797112



Blood Grp: **A+ve**

Authorised to drive the following vehicle class throughout India

LMV-NT	M.CYL.		
27/04/2010	27/04/2010		

Valid Upto : **05/05.2033 (NT)**

Licence holder's Sig.

Licensing Authority,

District transport Officer, Dimapur

Patient Name	: Mr. DZIESEKIELIE SANCHU	Age/Gender	: 40 Y/M
UHID/MR No.	: STAR.0000062176	OP Visit No	: STAROPV68489
Sample Collected on	:	Reported on	: 25-03-2024 10:50
LRN#	: RAD2278475	Specimen	:
Ref Doctor	: SELF		
Emp/Auth/TPA ID	: 100031472		

DEPARTMENT OF RADIOLOGY

X-RAY CHEST PA

Both lung fields and hila are normal .

No obvious active pleuro-parenchymal lesion seen .

Both costophrenic and cardiophrenic angles are clear .

Both diaphragms are normal in position and contour .

Thoracic wall and soft tissues appear normal.

CONCLUSION :

No obvious abnormality seen



Dr. VINOD SHETTY
Radiology

Patient Name	: Mr. DZIESEKIELIE SANCHU	Age/Gender	: 40 Y/M
UHID/MR No.	: STAR.0000062176	OP Visit No	: STAROPV68489
Sample Collected on	:	Reported on	: 23-03-2024 12:21
LRN#	: RAD2278475	Specimen	:
Ref Doctor	: SELF		
Emp/Auth/TPA ID	: 100031472		

DEPARTMENT OF RADIOLOGY

ULTRASOUND - WHOLE ABDOMEN

LIVER : The liver is normal in size, shape & echotexture. No focal mass lesion is seen. The intrahepatic biliary tree & venous radicles appear normal. The portal vein and CBD appear normal.

GALL BLADDER : The gall bladder is well distended and reveals normal wall thickness. There is no evidence of calculus seen in it.

PANCREAS : The pancreas is normal in size and echotexture. No focal mass lesion is seen.

SPLEEN : The spleen is normal in size and echotexture. No focal parenchymal mass lesion is seen. The splenic vein is normal.


KIDNEYS : The **RIGHT KIDNEY** measures 10.4 x 4.4 cms and the **LEFT KIDNEY** measures 10.3 x 4.3 cms in size. Both kidneys are normal in size, shape and echotexture. There is no evidence of hydronephrosis or calculi seen on either side.

The para-aortic & iliac fossa regions appears normal. There is no free fluid or any lymphadenopathy seen in the abdomen.

PROSTATE : The prostate measures 3.1 x 2.7 x 2.6 cms and weighs 11.5 gms. It is normal in size, shape and echotexture. No prostatic calcification is seen.

URINARY BLADDER : The urinary bladder is well distended and is normal in shape and contour. No intrinsic lesion or calculus is seen in it. The bladder wall is normal in thickness.

IMPRESSION : **Normal Ultrasound examination of the Abdomen and Pelvis.**



Dr. VINOD SHETTY
Radiology