



<b>Lab No.</b>	: KNK/26-03-2024/SR8911451	<b>Lab Add.</b>	: Newtown,Kolkata-700156
<b>Patient Name</b>	: DULAL MALLICK	<b>Ref Dr.</b>	: Dr.MEDICAL OFFICER
<b>Age</b>	: 45 Y 0 M 0 D	<b>Collection Date</b>	: 26/Mar/2024 11:21AM
<b>Gender</b>	: M	<b>Report Date</b>	: 26/Mar/2024 05:11PM



**DEPARTMENT OF BIOCHEMISTRY**

Test Name	Result	Bio Ref. Interval	Unit
<b>PHOSPHORUS-INORGANIC,BLOOD , GEL</b> SERUM (Method:Phosphomolybdate/UV)	3.4	2.4-5.1 mg/dL	mg/dL

\*\*\* End Of Report \*\*\*

Dr NEEPA CHOWDHURY  
MBBS MD (Biochemistry)  
Consultant Biochemist  
Reg No. WBMC 62456

<b>Lab No.</b> : KNK/26-03-2024/SR8911451	<b>Lab Add.</b> : Nadia, Krishnanagar - 741101
<b>Patient Name</b> : DULAL MALLICK	<b>Ref Dr.</b> : Dr.MEDICAL OFFICER
<b>Age</b> : 45 Y 0 M 0 D	<b>Collection Date</b> : 26/Mar/2024 11:21AM
<b>Gender</b> : M	<b>Report Date</b> : 26/Mar/2024 02:53PM



**DEPARTMENT OF BIOCHEMISTRY**

Test Name	Result	Bio Ref. Interval	Unit
-----------	--------	-------------------	------

URIC ACID,BLOOD (Method:URICASE)	<b>7.80</b>	3.5-7.2	mg/dL
-------------------------------------	-------------	---------	-------

<b>*LIPID PROFILE , GEL SERUM</b>			
CHOLESTEROL-TOTAL (Method:CHOD – PAP)	223	Desirable: < 200 mg/dL Borderline high: 200-239 mg/dL High: > or =240 mg/dL	mg/dL
TRIGLYCERIDES (Method:ENZYMATIC (END POINT))	120	Normal: < 150, BorderlineHigh::150-199, High:: 200-499, VeryHigh::>500	mg/dL
HDL CHOLESTEROL (Method:ENZYMATIC (PEG))	<b>66</b>	< 40 - Low 40-59- Optimum 60 - High	mg/dl
LDL CHOLESTEROL DIRECT (Method:HOMOGENOUS ENZYMATIC)	<b>121</b>	OPTIMAL : <100 mg/dL, Near optimal/ above optimal : 100-129 mg/dL, Borderline high : 130-159 mg/dL, High : 160-189 mg/dL, Very high : >=190 mg/dL	mg/dL
VLDL (Method:Calculated)	36	< 40 mg/dl	mg/dL
CHOL HDL Ratio (Method:Calculated)	3.4	LOW RISK 3.3-4.4 AVERAGE RISK 4.47-7.1 MODERATE RISK 7.1-11.0 HIGH RISK >11.0	

<b>*URIC ACID, URINE, SPOT URINE</b>			
URIC ACID, SPOT URINE (Method:URICASE)	84.10	37-92 mg/dL	mg/dL

SGOT/AST (Method:IFCC Kinetic Method)	<b>49</b>	13-40 U/L	U/L
------------------------------------------	-----------	-----------	-----

CALCIUM,BLOOD (Method:Modified OCPC)	9.00	8.7-10.4 mg/dL	mg/dL
-----------------------------------------	------	----------------	-------

CHLORIDE,BLOOD (Method:ISE DIRECT)	102	98 - 107	mEq/L
---------------------------------------	-----	----------	-------

SODIUM,BLOOD (Method:ISE DIRECT)	141	136 - 145	mEq/L
-------------------------------------	-----	-----------	-------

GLUCOSE,FASTING (Method:Hexokinase Method)	85	Impaired Fasting-100-125 ~Diabetes- >= 126.~Fasting is defined as no caloric intake for at least 8 hours.	mg/dL
-----------------------------------------------	----	--------------------------------------------------------------------------------------------------------------	-------

BILIRUBIN (DIRECT) (Method:DIAZOTIZED DCA)	0.14	<0.2 mg/dL	mg/dL
-----------------------------------------------	------	------------	-------

<b>*TOTAL PROTEIN [BLOOD] ALB:GLO RATIO , .</b>			
TOTAL PROTEIN (Method:BIURET METHOD)	7.50	5.7-8.2	g/dL
ALBUMIN (Method:BCG Dye Binding)	3.9	3.2-4.8 g/dL	g/dL
GLOBULIN	<b>3.60</b>	1.8-3.2	g/dl

Lab No. : KNK/26-03-2024/SR8911451

Lab No. : KNK/26-03-2024/SR8911451      Lab Add. : Nadia, Krishnanagar - 741101  
Patient Name : DULAL MALLICK      Ref Dr. : Dr.MEDICAL OFFICER  
Age : 45 Y 0 M 0 D      Collection Date : 26/Mar/2024 11:21AM  
Gender : M      Report Date : 26/Mar/2024 02:53PM



### DEPARTMENT OF BIOCHEMISTRY

Test Name	Result	Bio Ref. Interval	Unit
(Method:Calculated) AG Ratio (Method:Calculated)	1.08	1.0 - 2.5	
<b>ALKALINE PHOSPHATASE</b> (Method:PNPP- AMP)	80	46-116 U/L	U/L
<b>*BILIRUBIN (TOTAL) , GEL SERUM</b> BILIRUBIN (TOTAL) (Method:DIAZOTIZED DCA)	0.51	0.3-1.2 mg/dL	mg/dL
<b>SGPT/ALT</b> (Method:IFCC KINETIC METHOD)	<b>42</b>	7-40 U/L	U/L
<b>POTASSIUM,BLOOD</b> (Method:ISE DIRECT)	4.70	3.5 - 5.5 mEq/L	mEq/L
<b>UREA,BLOOD</b> (Method:Urease with GLDH)	23.0	19 - 49	mg/dL
<b>CREATININE, BLOOD</b> (Method:Jaffe, alkaline picrate, kinetic)	1.03	0.7-1.3	mg/dL

\*\*\* End Of Report \*\*\*

DR. SHABNAM PARVIN  
MD (Pathology)  
Consultant Pathologist  
Reg No. WBMC 64876

<b>Lab No.</b> : KNK/26-03-2024/SR8911451	<b>Lab Add.</b> : Nadia, Krishnanagar - 741101
<b>Patient Name</b> : DULAL MALLICK	<b>Ref Dr.</b> : Dr.MEDICAL OFFICER
<b>Age</b> : 45 Y 0 M 0 D	<b>Collection Date</b> : 26/Mar/2024 11:21AM
<b>Gender</b> : M	<b>Report Date</b> : 26/Mar/2024 03:18PM



### DEPARTMENT OF HAEMATOLOGY

Test Name	Result	Bio Ref. Interval	Unit
-----------	--------	-------------------	------

Test Name	Result	Bio Ref. Interval	Unit
<b>*CBC WITH PLATELET (THROMBOCYTE) COUNT , EDTA WHOLE BLOOD</b>			
HEMOGLOBIN (Method:PHOTOMETRIC)	13.6	13 - 17	g/dL
WBC (Method:DC detection method)	6.4	4 - 10	*10 <sup>3</sup> /μL
RBC (Method:DC detection method)	4.79	4.5 - 5.5	*10 <sup>6</sup> /μL
PLATELET (THROMBOCYTE) COUNT (Method:DC detection method/Microscopy)	154	150 - 450*10 <sup>3</sup>	*10 <sup>3</sup> /μL
<b><u>DIFFERENTIAL COUNT</u></b>			
NEUTROPHILS (Method:Flowcytometry/Microscopy)	62	40 - 80 %	%
LYMPHOCYTES (Method:Flowcytometry/Microscopy)	31	20 - 40 %	%
MONOCYTES (Method:Flowcytometry/Microscopy)	03	2 - 10 %	%
EOSINOPHILS (Method:Flowcytometry/Microscopy)	04	1 - 6 %	%
BASOPHILS (Method:Flowcytometry/Microscopy)	00	0-0.9%	%
<b><u>CBC SUBGROUP</u></b>			
HEMATOCRIT / PCV (Method:Calculated)	44.7	40 - 50 %	%
MCV (Method:Calculated)	93.4	83 - 101 fl	fl
MCH (Method:Calculated)	28.4	27 - 32 pg	pg
MCHC (Method:Calculated)	<b>30.4</b>	31.5-34.5 gm/dl	gm/dl
RDW - RED CELL DISTRIBUTION WIDTH (Method:Calculated)	14.0	11.6-14%	%
PDW-PLATELET DISTRIBUTION WIDTH (Method:Calculated)	34.6	8.3 - 25 fL	fL
MPV-MEAN PLATELET VOLUME (Method:Calculated)	14.7	7.5 - 11.5 fl	

<b>*ESR (ERYTHROCYTE SEDIMENTATION RATE) , EDTA WHOLE BLOOD</b>			
1stHour (Method:Westergren)	10	0.00 - 20.00 mm/hr	mm/hr

<b>*BLOOD GROUP ABO+RH [GEL METHOD] , EDTA WHOLE BLOOD</b>	
ABO (Method:Gel Card)	AB
RH (Method:Gel Card)	POSITIVE

**TECHNOLOGY USED: GEL METHOD**

**ADVANTAGES :**

- Gel card allows simultaneous forward and reverse grouping.
- Card is scanned and record is preserved for future reference.
- Allows identification of Bombay blood group.
- Daily quality controls are run allowing accurate monitoring.

Lab No.	: KNK/26-03-2024/SR8911451	Lab Add.	: Nadia, Krishnanagar - 741101
Patient Name	: DULAL MALLICK	Ref Dr.	: Dr.MEDICAL OFFICER
Age	: 45 Y 0 M 0 D	Collection Date	: 26/Mar/2024 11:21AM
Gender	: M	Report Date	: 26/Mar/2024 03:18PM



DEPARTMENT OF HAEMATOLOGY

Test Name	Result	Bio Ref. Interval	Unit
-----------	--------	-------------------	------

Historical records check not performed.

\*\*\* End Of Report \*\*\*

DR. SHABNAM PARVIN  
MD (Pathology)  
Consultant Pathologist  
Reg No. WBMC 64876



<b>Lab No.</b>	: KNK/26-03-2024/SR8911451	<b>Lab Add.</b>	: Newtown,Kolkata-700156
<b>Patient Name</b>	: DULAL MALLICK	<b>Ref Dr.</b>	: Dr.MEDICAL OFFICER
<b>Age</b>	: 45 Y 0 M 0 D	<b>Collection Date</b>	: 26/Mar/2024 11:21AM
<b>Gender</b>	: M	<b>Report Date</b>	: 26/Mar/2024 05:02PM



### DEPARTMENT OF HAEMATOLOGY

Test Name	Result	Bio Ref. Interval	Unit
-----------	--------	-------------------	------

Test Name	Result	Bio Ref. Interval	Unit
<b>CBC WITH PLATELET &amp; RETICULOCYTE COUNT , EDTA WHOLE BLOOD</b>			
HEMOGLOBIN (Method:PHOTOMETRIC)	<b>12.9</b>	13 - 17	g/dL
WBC (Method:DC detection method)	5.9	4 - 10	*10 <sup>3</sup> /μL
RBC (Method:DC detection method)	4.61	4.5 - 5.5	*10 <sup>6</sup> /μL
PLATELET (THROMBOCYTE) COUNT (Method:DC detection method/Microscopy)	165	150 - 450*10 <sup>3</sup> /μL	*10 <sup>3</sup> /μL
<b><u>DIFFERENTIAL COUNT</u></b>			
NEUTROPHILS (Method:Flowcytometry/Microscopy)	60	40 - 80 %	%
LYMPHOCYTES (Method:Flowcytometry/Microscopy)	32	20 - 40 %	%
MONOCYTES (Method:Flowcytometry/Microscopy)	03	2 - 10 %	%
EOSINOPHILS (Method:Flowcytometry/Microscopy)	04	1-6%	%
BASOPHILS (Method:Flowcytometry/Microscopy)	<b>01</b>	0-0.9%	%
<b><u>CBC SUBGROUP 1</u></b>			
HEMATOCRIT / PCV (Method:Calculated)	41.9	40 - 50 %	%
MCV (Method:Calculated)	90.9	83 - 101 fl	fl
MCH (Method:Calculated)	27.9	27 - 32 pg	pg
MCHC (Method:Calculated)	<b>30.7</b>	31.5-34.5 gm/dl	gm/dl
RDW - RED CELL DISTRIBUTION WIDTH (Method:Calculated)	<b>14.7</b>	11.6-14%	%
RETICULOCYTE COUNT- AUTOMATED,BLOOD (Method:Cell Counter/Microscopy)	1.7	0.5-2.5%	%

\*\*\* End Of Report \*\*\*

MD (PATHOLOGY)  
CONSULTANT PATHOLOGIST  
Reg No. WBMC 66405

Lab No. : KNK/26-03-2024/SR8911451  
Patient Name : DULAL MALLICK  
Age : 45 Y 0 M 0 D  
Gender : M

Lab Add. :  
Ref Dr. : Dr.MEDICAL OFFICER  
Collection Date :  
Report Date : 26/Mar/2024 12:48PM



**DEPARTMENT OF X-RAY**

**X-RAY REPORT OF CHEST (PA) VIEW**

**FINDINGS:**

**Prominent bronchovascular marking noted over bilateral lung fields.**

Both the hila are normal in size and position.

Mediastinum is in central position. Trachea is in midline.

Domes of diaphragm are smoothly outlined. Position is within normal limits.

Lateral costo-phrenic angles are clear.

**The cardio-thoracic ratio is increased --- Suggested echocardiography.**

Bony thorax reveals no definite abnormality.

**\*\*\* End Of Report \*\*\***

DR. VIMLESH JI VIMAL  
MBBS (Cal)  
MD, DMRD (IPGME & R)  
Consultant Radiologist  
Reg No 61436

<b>Lab No.</b> : KNK/26-03-2024/SR8911451	<b>Lab Add.</b> : Nadia, Krishnanagar - 741101
<b>Patient Name</b> : DULAL MALLICK	<b>Ref Dr.</b> : Dr.MEDICAL OFFICER
<b>Age</b> : 45 Y 0 M 0 D	<b>Collection Date</b> : 26/Mar/2024 11:24AM
<b>Gender</b> : M	<b>Report Date</b> : 26/Mar/2024 06:36PM



### DEPARTMENT OF CLINICAL PATHOLOGY

Test Name	Result	Bio Ref. Interval	Unit
-----------	--------	-------------------	------

<b>*URINE ROUTINE ALL, ALL , URINE</b>			
<b><u>PHYSICAL EXAMINATION</u></b>			
COLOUR	PALE YELLOW		
APPEARANCE	SLIGHTLY HAZY		
<b><u>CHEMICAL EXAMINATION</u></b>			
pH (Method:DIPSTICK)	7	4.8 - 7.4	
SPECIFIC GRAVITY (Method:DIPSTICK)	<b>1.010</b>	1.016-1.022	
PROTEIN (Method:DIPSTICK(Protein Error Principle)/MANUAL)	NOT DETECTED	NOT DETECTED	
GLUCOSE (Method:DIPSTICK (Glucose Oxidase - peroxidase)/MANUAL)	NOT DETECTED	NOT DETECTED	
KETONES (ACETOACETIC ACID, ACETONE) (Method:Dipstick (Legals test)/Manual)	NOT DETECTED	NOT DETECTED	
BLOOD (Method:DIPSTICK(Pseudo Peroxidase Method))	NEGATIVE	NOT DETECTED	
BILIRUBIN (Method:DIPSTICK(Azo-Diazo Reaction)/MANUAL)	ABSENT	NEGATIVE	
UROBILINOGEN (Method:DIPSTICK(Diazonium Ion Reaction)/MANUAL)	NORMAL	NORMAL	
NITRITE (Method:DIPSTICK(GRIESS TEST))	NEGATIVE	NEGATIVE	
LEUCOCYTE ESTERASE (Method:DIPSTICK)	NEGATIVE	NEGATIVE	
<b><u>MICROSCOPIC EXAMINATION</u></b>			
LEUKOCYTES (PUS CELLS) (Method:Microscopy)	1 - 2	0-5	/hpf
EPITHELIAL CELLS (Method:Microscopy)	0 - 2	0-5	/hpf
RED BLOOD CELLS (Method:Microscopy)	NOT DETECTED	0-2	/hpf
CAST (Method:Microscopy)	NOT DETECTED	NOT DETECTED	
CRYSTALS (Method:Microscopy)	NOT DETECTED	NOT DETECTED	
BACTERIA (Method:Microscopy)	NOT DETECTED	NOT DETECTED	
YEAST (Method:Microscopy)	NOT DETECTED	NOT DETECTED	
OTHERS	NIL		

**Note:**

1. All urine samples are checked for adequacy and suitability before examination.
2. Analysis by urine analyzer of dipstick is based on reflectance photometry principle. Abnormal results of chemical examinations are confirmed by manual methods.
3. The first voided morning clean-catch midstream urine sample is the specimen of choice for chemical and microscopic analysis.
4. Negative nitrite test does not exclude urinary tract infections.
5. Trace proteinuria can be seen in many physiological conditions like exercise, pregnancy, prolonged recumbency etc.
6. False positive results for glucose, protein, nitrite, urobilinogen, bilirubin can occur due to use of certain drugs, therapeutic dyes, ascorbic acid, cleaning agents used in urine collection container.
7. Discrepancy between results of leukocyte esterase and blood obtained by chemical methods with corresponding pus cell and red blood cell count by microscopy can occur due to cell lysis.



Lab No.	: KNK/26-03-2024/SR8911451	Lab Add.	: Nadia, Krishnanagar - 741101
Patient Name	: DULAL MALLICK	Ref Dr.	: Dr.MEDICAL OFFICER
Age	: 45 Y 0 M 0 D	Collection Date	: 26/Mar/2024 11:24AM
Gender	: M	Report Date	: 26/Mar/2024 06:36PM



**DEPARTMENT OF CLINICAL PATHOLOGY**

Test Name	Result	Bio Ref. Interval	Unit
-----------	--------	-------------------	------

8. Contamination from perineum and vaginal discharge should be avoided during collection, which may falsely elevate epithelial cell count and show presence of bacteria and/or yeast in the urine.

\*\*\* End Of Report \*\*\*

DR. SHABNAM PARVIN  
MD (Pathology)  
Consultant Pathologist  
Reg No. WBMC 64876

Lab No. : KNK/26-03-2024/SR8911451  
Patient Name : DULAL MALLICK  
Age : 45 Y 0 M 0 D  
Gender : M

Lab Add. :  
Ref Dr. : Dr.MEDICAL OFFICER  
Collection Date :  
Report Date : 26/Mar/2024 12:25PM



## DEPARTMENT OF CARDIOLOGY

### E.C.G. REPORT

DATA		
HEART RATE	62	Bpm
PR INTERVAL	162	Ms
QRS DURATION	96	Ms
QT INTERVAL	340	Ms
QTC INTERVAL	347	Ms
AXIS		
P WAVE	26	Degree
QRS WAVE	-22	Degree
T WAVE	1	Degree
<b>IMPRESSION</b>	:	<b>Normal sinus rhythm, within normal limits.</b>

\*\*\* End Of Report \*\*\*

*ACRay*

Dr. A C RAY  
Department of Non-invasive  
Cardiology

Lab No.	: KNK/26-03-2024/SR8911451	Lab Add.	:
Patient Name	: DULAL MALLICK	Ref Dr.	: Dr.MEDICAL OFFICER
Age	: 45 Y 0 M 0 D	Collection Date	:
Gender	: M	Report Date	: 29/Mar/2024 11:34AM



## DEPARTMENT OF ULTRASONOGRAPHY

### ULTRASONOGRAPHY OF WHOLE ABDOMEN

**LIVER:** Enlarged in size (15.62 cm) and parenchymal echotexture mildly raised. No focal lesion of altered echogenicity is seen. Intrahepatic biliary radicles are not dilated. The portal vein branches and hepatic veins are normal.

**GALL BLADDER:** Well distended; wall thickness is normal. Gall Bladder lumen shows no intraluminal calculus or mass. No pericholecystic collection or mass formation is noted.

**PORTA HEPATIS:** The portal vein is normal in caliber with clear lumen. The common bile duct is normal in caliber. Visualized lumen is clear.

**PANCREAS:** It is normal in shape, size and echopattern. Main pancreatic duct is not dilated. No focal lesion of altered echogenicity is seen. The peripancreatic region shows no abnormal fluid collection.

**SPLEEN:** It is normal in shape, size (11.30 cm) and shows homogeneous echopattern. No focal lesion is seen. No abnormal venous dilatation is seen in the splenic hilum.

**KIDNEYS:** Both Kidneys are normal in shape, size and position. Cortical echogenicity and thickness are normal with normal cortico-medullary differentiation in both kidneys. No calculus, hydronephrosis or mass is noted. The perinephric region shows no abnormal fluid collection.

**URETER:** Both ureters are not dilated. No calculus is noted in either side.

**URINARY BLADDER:** It is adequately distended providing optimum scanning window. The lumen is clear and wall thickness is normal. Post void residual urine volume is insignificant.

**PROSTATE:** It is **borderline enlarged in size** but normal echopattern. No focal lesion is seen. Capsule is smooth.

Prostate volume: 25.55 cc.

#### **IMPRESSION:**

- Hepatomegaly with grade "I" fatty changes.
- Borderline prostatomegaly.

#### Kindly note

Ø **Ultrasound is not the modality of choice to rule out subtle bowel lesion.**

Ø **Please intimate us for any typing mistakes and send the report for correction within 7 days.**

Ø **The science of Radiological diagnosis is based on the interpretation of various shadows produced by both the normal and abnormal tissues and are not always conclusive. Further biochemical and radiological investigation & clinical correlation is required to enable the clinician to reach the final diagnosis.**

**The report and films are not valid for medico-legal purpose.**

**Patient Identity not verified.**

Lab No. : KNK/26-03-2024/SR8911451

Lab Add. :

Patient Name : DULAL MALLICK

Ref Dr. : Dr.MEDICAL OFFICER

Age : 45 Y 0 M 0 D

Collection Date :

Gender : M

Report Date : 29/Mar/2024 11:34AM



**DEPARTMENT OF ULTRASONOGRAPHY**

DR. VIMLESH JI VIMAL  
MBBS (Cal)  
MD, DMRD(IPGME & R)  
Consultant Radiologist  
Reg No 61436