



Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP KUMAR SHUKLA Registered On : 23/Mar/2024 10:37:40 Age/Gender Collected : 33 Y 8 M 20 D /M : 23/Mar/2024 11:04:19 UHID/MR NO : CHFD.0000288027 Received : 23/Mar/2024 11:24:56 Visit ID Reported : 23/Mar/2024 14:21:38 : CHFD0667362324

: Dr.MEDIWHEEL ACROFEMI Ref Doctor Status : Final Report HEALTHCARE LTD FZD -

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , BI	ood			
Blood Group	Ο			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Whole	e Blood			
TLC (WBC) DLC Polymorphs (Neutrophils)	5,900.00 56.00	g/dl /Cu mm %	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl 4000-10000	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Lymphocytes	42.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes Eosinophils	1.00 1.00	% %	3-5 1-6	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Basophils ESR	0.00	% %	<1	ELECTRONIC IMPEDANCE
Observed	16.00	Mm for 1st hr.		
Corrected	8.00	Mm for 1st hr.	< 9	
PCV (HCT) Platelet count	33.30	%	40-54	
Platelet Count	1.98	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.60	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	40.20	%	35-60	ELECTRONIC IMPEDANCE











Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP KUMAR SHUKLA Registered On : 23/Mar/2024 10:37:40 Age/Gender : 33 Y 8 M 20 D /M Collected : 23/Mar/2024 11:04:19 UHID/MR NO Received : CHFD.0000288027 : 23/Mar/2024 11:24:56 Visit ID : CHFD0667362324 Reported : 23/Mar/2024 14:21:38

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.24	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	12.00	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	3.40	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	86.60	fl	80-100	CALCULATED PARAMETER
MCH	27.60	pg	28-35	CALCULATED PARAMETER
MCHC	27.60	%	30-38	CALCULATED PARAMETER
RDW-CV	15.60	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	72.40	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,304.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	59.00	/cu mm	40-440	

Dr. R. B. Varshney M.D. Pathology









 $Add: Mukut\ Complex,\ Rekabganj, Faizabad$

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP KUMAR SHUKLA

: 33 Y 8 M 20 D /M

Collected

Registered On

: 23/Mar/2024 10:37:42 : 23/Mar/2024 11:04:19

Age/Gender UHID/MR NO

: CHFD.0000288027 : CHFD0667362324

Received Reported : 23/Mar/2024 11:36:05 : 23/Mar/2024 12:33:33

Ref Doctor

Visit ID

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status

: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

GLUCOSE FASTING, Plasma

Glucose Fasting

93.11

mg/dl

< 100 Normal

GOD POD

100-125 Pre-diabetes

≥ 126 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

Glucose PP Sample:Plasma After Meal 115.60

mg/dl

<140 Normal

GOD POD

140-199 Pre-diabetes

>200 Diabetes

Interpretation:

- a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
- b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
- c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	4.20	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	22.40	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	74	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



Home Sample Collection 1800-419-0002





Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP KUMAR SHUKLA Registered On : 23/Mar/2024 10:37:42 Age/Gender : 33 Y 8 M 20 D /M Collected : 23/Mar/2024 11:04:19 UHID/MR NO : CHFD.0000288027 Received : 23/Mar/2024 11:36:05 Visit ID : CHFD0667362324 Reported : 23/Mar/2024 12:33:33 Dr. MEDIWHEEL ACROFEMI Ref Doctor

Status : Final Report HEALTHCARE LTD FZD

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following nondiabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	10.65	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	1.20	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid Sample Serum	5.04	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) * , Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.





Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP KUMAR SHUKLA Registered On : 23/Mar/2024 10:37:42 Age/Gender Collected : 23/Mar/2024 11:04:19 : 33 Y 8 M 20 D /M UHID/MR NO : CHFD.0000288027 Received : 23/Mar/2024 11:36:05 Visit ID : CHFD0667362324 Reported : 23/Mar/2024 12:33:33

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	Init Bio. Ref. Interva	al Method
			-	
SGOT / Aspartate Aminotransferase (AST)	23.25	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	24.10	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	15.46	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.35	gm/dl	6.2-8.0	BIURET
Albumin	3.64	gm/dl	3.4-5.4	B.C.G.
Globulin	2.71	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.34	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	118.30	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	1.21	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.55	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.66	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) *, Serum				
Cholesterol (Total)	128.49	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	55.47	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	60	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
VLDL	13.18	mg/dl	10-33	CALCULATED
Triglycerides	65.90	mg/dl	< 150 Normal 150-199 Borderline High 200-499 High >500 Very High	GPO-PAP

Dr. R. B. Varshney M.D. Pathology











Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP KUMAR SHUKLA Registered On : 23/Mar/2024 10:37:42 Age/Gender Collected : 33 Y 8 M 20 D /M : 23/Mar/2024 15:46:23 UHID/MR NO : CHFD.0000288027 Received : 23/Mar/2024 16:35:39 Visit ID Reported : 23/Mar/2024 17:17:01 : CHFD0667362324

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE	*, Urine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++) > 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	my/ui	0.1-3.0	DIOCHLIVIISTICI
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			DIFSTICK
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:	ADSENT			DII STICK
•	ADCENT			MICDOCCODIO
Epithelial cells	ABSENT			MICROSCOPIC EXAMINATION
Pus cells	ABSENT			EXAMINATION
RBCs	ABSENT			MICROSCOPIC
RBCS	ADSENT			EXAMINATION
Cast	ABSENT			LAAMINATION
Crystals	CALCIUM OXALATE			MICROSCOPIC
or ystais	CALCIONI OXALATE			EXAMINATION
Others	ABSENT			270 00000000000000000000000000000000000
STOOL, ROUTINE EXAMINATION	 * , Stool			
Color	BROWNISH			
Consistency	SEMI SOLID			
Consistency	SLIVII SULID			





Reaction (PH)



Acidic (6.0)



Since 1991

Visit ID

Ref Doctor

CHANDAN DIAGNOSTIC CENTRE

Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP KUMAR SHUKLA

Age/Gender : 33 Y 8 M 20 D /M UHID/MR NO

: CHFD.0000288027

: CHFD0667362324

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

Registered On

Collected

: 23/Mar/2024 10:37:42

: 23/Mar/2024 15:46:23

Received : 23/Mar/2024 16:35:39 Reported : 23/Mar/2024 17:17:01

Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Mucus	ABSENT			
Blood	ABSENT			
Worm	ABSENT			
Pus cells	ABSENT			
RBCs	ABSENT			
Ova	ABSENT			
Cysts	ABSENT	,		
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				

Sugar, Fasting stage

ABSENT

gms%

Interpretation:

< 0.5 (+)

(++)0.5 - 1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE * , Urine

Sugar, PP Stage

ABSENT

Interpretation:

< 0.5 gms% (+)

(++)

0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Dr. R. B. Varshney M.D. Pathology

Page 7 of 11









Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP KUMAR SHUKLA Registered On : 23/Mar/2024 10:37:42 Age/Gender Collected : 33 Y 8 M 20 D /M : 23/Mar/2024 11:04:19 UHID/MR NO : CHFD.0000288027 Received : 23/Mar/2024 11:24:46 Visit ID : CHFD0667362324 Reported : 23/Mar/2024 13:05:12

Ref Doctor : Dr.MEDIWHEEL ACROFEMI Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	l Method
THYROID PROFILE - TOTAL * , Serum				
T3, Total (tri-iodothyronine)	118.00	ng/dl	84.61–201.7	CLIA
T4, Total (Thyroxine)	4.30	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	7.400	μIU/mL	0.27 - 5.5	CLIA
Interpretation:		•		
. •		0.3-4.5 μIU/r	nL First Trimes	ter
		0.5-4.6 μIU/r	nL Second Trin	nester
		0.8-5.2 µIU/r	nL Third Trime	ster
		0.5-8.9 µIU/r	nL Adults	55-87 Years
		0.7-27 μIU/r	nL Premature	28-36 Week
		2.3-13.2 μIU/r	nL Cord Blood	> 37Week
		0.7-64 μIU/r	nL Child(21 wk	z - 20 Yrs.)
		1-39 μIU	/mL Child	0-4 Days
		1.7-9.1 μIU/1		2-20 Week

- 1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.
- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- **5**) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6)** In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- **8)** Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. R. B. Varshney M.D. Pathology









Add: Mukut Complex, Rekabganj, Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name

: Mr.PRADEEP KUMAR SHUKLA

Registered On

: 23/Mar/2024 10:37:43

Age/Gender UHID/MR NO : 33 Y 8 M 20 D /M

Collected Received : N/A

Visit ID

: CHFD.0000288027 : CHFD0667362324

Reported

: 23/Mar/2024 12:36:15

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status

: Final Report

: N/A

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

X-RAY REPORT

(300 mA COMPUTERISED UNIT SPOT FILM DEVICE) CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Adv: clinico-pathological correlation and further evaluation.

Manufuda Sift

Page 9 of 11







Add: Mukut Complex, Rekabganj,Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name : Mr.PRADEEP KUMAR SHUKLA Registered On : 23/Mar/2024 10:37:44

 Age/Gender
 : 33 Y 8 M 20 D /M
 Collected
 : N/A

 UHID/MR NO
 : CHFD.0000288027
 Received
 : N/A

Visit ID : CHFD0667362324 Reported : 23/Mar/2024 12:48:05

Ref Doctor : Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD - Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• *The liver is borderline in size 15.33 cm in* longitudinal span and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size. GB Wall thicknes is normal.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

GREAT VESSELS

• Great vessels are normal.

KIDNEYS

- Both the kidneys are normal in size and cortical echotexture.
- The collecting system of both the kidneys is normal and cortico-medullary demarcation is clear.

SPLEEN

• The spleen is normal in size and has a normal homogenous echo-texture.

LYMPH NODES

• No pre- or para - aortic lymph node mass is seen.

RETROPERITONEUM

• Retroperitoneum is free.

ILIAC FOSSAE & PERITONEUM

• Scan over the iliac fossae does not reveal any fluid collection or mass.









Add: Mukut Complex, Rekabganj,Faizabad

Ph: 9235400973,

CIN: U85110DL2003PLC308206



Patient Name

: Mr.PRADEEP KUMAR SHUKLA

Registered On

: 23/Mar/2024 10:37:44

Age/Gender UHID/MR NO : 33 Y 8 M 20 D /M : CHFD.0000288027 Collected Received

: N/A

Visit ID

: CHFD0667362324

Reported

: 23/Mar/2024 12:48:05

Ref Doctor

: Dr.MEDIWHEEL ACROFEMI HEALTHCARE LTD FZD -

Status

: Final Report

: N/A

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

• No free fluid is noted in peritoneal cavity.

URETERS

- The upper parts of both the ureters are normal.
- Thevesico ureteric junctions are normal.

URINARY BLADDER

• The urinary bladder is normal.

PROSTATE

• The Prostate gland is normal in size.

FINAL IMPRESSION:-

- Borderline hepatomegaly.
- Gas filled bowel loops.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

Result/s to Follow: ECG/EKG



Onvoy Dr. R. B. Varshney

Ultrasonologist

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

Facilities Available at Select Location





