

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA Registered On : 23/Mar/2024 11:17:50 Age/Gender : 36 Y O M O D /M Collected : 23/Mar/2024 11:31:23 UHID/MR NO : CALI.0000033119 Received : 23/Mar/2024 12:49:19 Visit ID : CALI0238652324 Reported : 23/Mar/2024 15:53:20

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) ** , B	lood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE	- control		ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) **, Who.	le Blood			
Haemoglobin	13.30	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) DLC	5,500.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils) Lymphocytes Monocytes Eosinophils Basophils ESR	62.00 29.00 5.00 4.00 0.00	% % % %	55-70 25-40 3-5 1-6 < 1	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE
Observed Corrected	18.00 10.00	Mm for 1st hr. Mm for 1st hr.	< 9	
PCV (HCT) Platelet count	39.00	%	40-54	
Platelet Count	1.51	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width) P-LCR (Platelet Large Cell Ratio)	16.40 39.90	fL %	9-17 35-60	ELECTRONIC IMPEDANCE ELECTRONIC IMPEDANCE









Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA Registered On : 23/Mar/2024 11:17:50 Age/Gender : 36 Y O M O D /M Collected : 23/Mar/2024 11:31:23 UHID/MR NO : CALI.0000033119 Received : 23/Mar/2024 12:49:19 Visit ID : CALI0238652324 Reported : 23/Mar/2024 15:53:20 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.13	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	11.60	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.68	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	84.90	fl	80-100	CALCULATED PARAMETER
MCH	28.40	pg	28-35	CALCULATED PARAMETER
MCHC	33.50	%	30-38	CALCULATED PARAMETER
RDW-CV	13.30	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	43.10	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	3,410.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	220.00	/cu mm	40-440	
MCHC RDW-CV RDW-SD Absolute Neutrophils Count	33.50 13.30 43.10 3,410.00	% % fL /cu mm	30-38 11-16 35-60 3000-7000	CALCULATED PARAMETER ELECTRONIC IMPEDANCE

Dr. Surbhi Lahoti (M.D. Pathology)







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA : 23/Mar/2024 11:17:52 Registered On Age/Gender : 36 Y O M O D /M Collected : 23/Mar/2024 11:31:22 UHID/MR NO : CALI.0000033119 Received : 23/Mar/2024 14:45:28 Visit ID : CALI0238652324 Reported : 23/Mar/2024 16:34:45

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

GLUCOSE FASTING ** , Plasma

Glucose Fasting 89.30 mg/dl < 100 Normal GOD POD

100-125 Pre-diabetes ≥ 126 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP ** 93.80 mg/dl <140 Normal GOD POD

Sample:Plasma After Meal 140-199 Pre-diabetes >200 Diabetes

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) **, EDTA BLOOD

Glycosylated Haemoglobin (HbA1c)	5.20	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	33.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	102	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.



Home Sample Collection 1800-419-0002



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA Registered On : 23/Mar/2024 11:17:52 Collected Age/Gender : 36 Y O M O D /M : 23/Mar/2024 11:31:22 UHID/MR NO : CALI.0000033119 Received : 23/Mar/2024 14:45:28 Visit ID : CALI0238652324 Reported : 23/Mar/2024 16:34:45 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

^{*}High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

Clinical Implications:

- *Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.
- *With optimal control, the HbA 1c moves toward normal levels.
- *A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy
- c. Alcohol toxicity d. Lead toxicity
- *Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss
- *Pregnancy d. chronic renal failure. Interfering Factors:
- *Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) ** Sample:Serum	16.00	mg/dL	7.0-23.0	CALCULATED
Creatinine ** Sample:Serum	1.00	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid ** Sample:Serum	5.13	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) **, Serum





^{**}Some danger of hypoglycemic reaction in Type 1diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.



Since 1991

CHANDAN DIAGNOSTIC CENTRE

Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA Registered On : 23/Mar/2024 11:17:52 Age/Gender Collected : 36 Y O M O D /M : 23/Mar/2024 11:31:22 UHID/MR NO : CALI.0000033119 Received : 23/Mar/2024 14:45:28 Visit ID Reported : 23/Mar/2024 16:34:45 : CALI0238652324 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	Init Bio. Ref. Interv	al Method
SGOT / Aspartate Aminotransferase (AST)	21.30	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	16.90	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	15.60	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.28	gm/dl	6.2-8.0	BIURET
Albumin	4.30	gm/dl	3.4-5.4	B.C.G.
Globulin	1.98	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	2.17	,	1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	82.00	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.91	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.38	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.53	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) **, Serum				
Cholesterol (Total)	161.00	mg/dl	<200 Desirable 200-239 Borderline Hig > 240 High	CHOD-PAP h
HDL Cholesterol (Good Cholesterol)	36.00	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	95	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optim 130-159 Borderline Hig 160-189 High > 190 Very High	
vLDL .	29.92	mg/dl	10-33	CALCULATED
Triglycerides	149.60	mg/dl	< 150 Normal 150-199 Borderline Hig 200-499 High >500 Very High	GPO-PAP h

Bring

Dr. Anupam Singh (MBBS MD Pathology)







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA Registered On : 23/Mar/2024 11:17:51 Age/Gender : 36 Y O M O D /M Collected : 23/Mar/2024 17:19:09 UHID/MR NO : CALI.0000033119 Received : 23/Mar/2024 18:59:15 Visit ID : CALI0238652324 Reported : 23/Mar/2024 19:34:27

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
1 CSt IVallic	Nosuit	Oilit	Dio. Itci. iiitci vai	Wictiloa

URINE EXAMINATION	, ROUTINE	** , Urine
-------------------	-----------	------------

URINE EXAMINATION, ROUTINE ** , U	rine			
Color	LIGHT YELLOW			
Specific Gravity	1.005			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++) > 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	mg/ di	0.1 0.0	DIOONEIMISTICI
Bile Pigments	ABSENT			
Bilirubin	ABSENT			DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			J.: 01.161.
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-1/h.p.f			MICROSCOPIC
2pminumar como	0 1711.p.i			EXAMINATION
Pus cells	ABSENT			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE ** , Urine				
·	ADCENIT	are = 0/		
Sugar, Fasting stage	ABSENT	gms%		

Interpretation:



Home Sample Collection 1800-419-0002



Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA
Age/Gender : 36 Y 0 M 0 D /M

Collected

Registered On

: 23/Mar/2024 11:17:51 : 23/Mar/2024 17:19:09

UHID/MR NO : CALI.0000033119 Visit ID : CALI0238652324

Received Reported : 23/Mar/2024 18:59:15 : 23/Mar/2024 19:34:27

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status

: 23/Mar/2024 19:34:27 : Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

(+) < 0.5

(++) 0.5-1.0

(+++) 1-2

(++++) > 2

SUGAR, PP STAGE **, Urine

Sugar, PP Stage

ABSENT

Interpretation:

(+) < 0.5 gms%

(++) 0.5-1.0 gms%

(+++) 1-2 gms%

(++++) > 2 gms%

Print

Dr. Anupam Singh (MBBS MD Pathology)

Page 7 of 12









Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA : 23/Mar/2024 11:17:51 Registered On Age/Gender : 36 Y O M O D /M Collected : 23/Mar/2024 11:31:22 UHID/MR NO : CALI.0000033119 Received : 23/Mar/2024 12:56:27 Visit ID : CALI0238652324 Reported : 23/Mar/2024 14:25:21 Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen), Total ** Sample:Serum	0.54	ng/mL	<4.1	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone.
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

THYROID PROFILE - TOTAL **, Serum

T3, Total (tri-iodothyronine)	101.32	ng/dl	84.61-201.7	CLIA
T4, Total (Thyroxine)	8.50	ug/dl	3.2-12.6	CLIA
TSH (Thyroid Stimulating Hormone)	3.070	μIU/mL	0.27 - 5.5	CLIA

Interpretation:

0.3 - 4.5	$\mu IU/mL$	First Trimes	ter	
0.5-4.6	$\mu IU/mL$	Second Trimester		
0.8 - 5.2	$\mu IU/mL$	Third Trimes	ster	
0.5 - 8.9	$\mu IU/mL$	Adults	55-87 Years	
0.7 - 27	$\mu IU/mL$	Premature	28-36 Week	
2.3-13.2	$\mu IU/mL$	Cord Blood	> 37Week	
0.7-64	μIU/mL	Child(21 wk - 20 Yrs.)		
1-39	$\mu IU/mL$	Child	0-4 Days	
1.7-9.1	$\mu IU/mL$	Child	2-20 Week	

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA : 23/Mar/2024 11:17:51 Registered On Age/Gender : 36 Y O M O D /M Collected : 23/Mar/2024 11:31:22 UHID/MR NO : CALI.0000033119 Received : 23/Mar/2024 12:56:27 Visit ID : CALI0238652324 Reported : 23/Mar/2024 14:25:21

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name Result Unit Bio. Ref. Interval Method

- 2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.
- 3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.
- **4)** Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.
- 5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.
- **6**) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.
- 7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.
- 8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Print

Dr. Anupam Singh (MBBS MD Pathology)

Page 9 of 12







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA Registered On : 23/Mar/2024 11:17:53

 Age/Gender
 : 36 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000033119
 Received
 : N/A

Visit ID : CALI0238652324 Reported : 23/Mar/2024 15:29:23

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW

- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- · Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

IMPRESSION:

NO SIGNIFICANT DIAGNOSTIC ABNORMALITY SEEN.

Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)









Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA Registered On : 23/Mar/2024 11:17:53

 Age/Gender
 : 36 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000033119
 Received
 : N/A

Visit ID : CALI0238652324 Reported : 23/Mar/2024 12:46:54

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

WHOLE ABDOMEN ULTRASONOGRAPHY REPORT

LIVER

• The liver is normal in size ~ 14.0 cm in longitudinal span and has a normal homogenous echotexture. No focal lesion is seen.

PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- The portal vein is not dilated.
- Porta hepatis is normal.

BILIARY SYSTEM

- The intra-hepatic biliary radicles are normal.
- Common duct is not dilated.
- The gall bladder is normal in size and has regular walls. Lumen of the gall bladder is anechoic.

PANCREAS

• The pancreas is normal in size and shape and has a normal homogenous echotexture. Pancreatic duct is not dilated.

KIDNEYS

- Right kidney is normal in size, position and cortical echotexture. Cortico-medullary demarcation is maintained.
- Left kidney is normal in size, position and cortical echotexture. Cortico-medullary demarcation is maintained.
- The collecting system of both the kidneys are not dilated.

SPLEEN

 Spleen is mildly enlarged in size ~ 12.2 cm with normal homogenous echotexture.

ILIAC FOSSAE & PERITONEUM

- Scan over the iliac fossae does not reveal any fluid collection or mass.
- No free fluid is noted in peritoneal cavity.







Add: B 1/2, Sector J, Near Sangam Chauraha, Lda Stadium Road, Aliganj Ph: 9235432681,

CIN: U85110DL2003PLC308206



Patient Name : Mr.CHANDRADEEP KUMAR KANNOJIYA Registered On : 23/Mar/2024 11:17:53

 Age/Gender
 : 36 Y 0 M 0 D /M
 Collected
 : N/A

 UHID/MR NO
 : CALI.0000033119
 Received
 : N/A

Visit ID : CALI0238652324 Reported : 23/Mar/2024 12:46:54

Ref Doctor : Dr.Mediwheel - Arcofemi Health Care Ltd. - Status : Final Report

DEPARTMENT OF ULTRASOUND MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and is regular. No calculus is seen.

PROSTATE

• The prostate gland is normal in size with smooth outline, (volume ~ 17.6 cc).

FINAL IMPRESSION

MILD SPLENOMEGALY.

Adv: Clinico-pathological correlation and follow-up.

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow:

STOOL, ROUTINE EXAMINATION, ECG / EKG, Tread Mill Test (TMT)



Dr. Pankaj Kumar Gupta (M.B.B.S D.M.R.D)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing *

*Facilities Available at Select Location





