

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:55
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000137463	Received	: N/A
Visit ID	: ALDP0412692324	Reported	: 30/Mar/2024 16:01:28
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CARDIOLOGY-ECG MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ECG / EKG *

1. Machnism, Rhythm	Sinus, Regular	
2. Atrial Rate	73	/mt
3. Ventricular Rate	73	/mt
4. P - Wave	Normal	
5. P R Interval	Normal	
6. Q R S Axis : R/S Ratio : Configuration :	Normal Normal Normal	
7. Q T c Interval	Normal	
8. S - T Segment	Normal	
9. T – Wave <u>FINAL IMPRESSION</u>	Normal	

Abnormal: Sinus Rhythm, Short PR Interval. Please correlate clinically.







Test Name

CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Method

Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:51
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: 29/Mar/2024 09:51:02
UHID/MR NO	: ALDP.0000137463	Received	: 29/Mar/2024 11:19:48
Visit ID	: ALDP0412692324	Reported	: 29/Mar/2024 15:51:50
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY					
	MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS				
	Result	Unit	Bio. Ref. Interval		

Blood Group (ABO & Rh typing) * , Blood

Blood Group (ABO & Rh typing) * ,	Blood			
Blood Group	В			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , wr	nole Blood			
Haemoglobin	14.40	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	7,800.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils)	53.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	35.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	6.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	6.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils ESR	0.00	%	<1	ELECTRONIC IMPEDANCE
Observed	4.00	Mm for 1st hr.		
Corrected		Mm for 1st hr.	< 9	
PCV (HCT)	43.00	%	40-54	
Platelet count				
Platelet Count	1.50	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.40	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	-	%	35-60	ELECTRONIC IMPEDANCE

ISO 9001:2018

Page 2 of 13



Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:51
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: 29/Mar/2024 09:51:02
UHID/MR NO	: ALDP.0000137463	Received	: 29/Mar/2024 11:19:48
Visit ID	: ALDP0412692324	Reported	: 29/Mar/2024 15:51:50
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 VPS

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS					
Test Name	Result	Unit	Bio. Ref. Interval	Method	
PCT (Platelet Hematocrit)	0.22	%	0.108-0.282	ELECTRONIC IMPEDANCE	
MPV (Mean Platelet Volume)	16.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE	
RBC Count					
RBC Count	4.59	Mill./cu mm	4.2-5.5	ELECTRONIC IMPEDANCE	
Blood Indices (MCV, MCH, MCHC)					
MCV	93.90	fl	80-100	CALCULATED PARAMETER	
MCH	31.30	pg	28-35	CALCULATED PARAMETER	
МСНС	33.40	%	30-38	CALCULATED PARAMETER	
RDW-CV	13.00	%	11-16	ELECTRONIC IMPEDANCE	
RDW-SD	44.90	fL	35-60	ELECTRONIC IMPEDANCE	
Absolute Neutrophils Count	4,134.00	/cu mm	3000-7000		
Absolute Eosinophils Count (AEC)	468.00	/cu mm	40-440		

AS

Dr.Akanksha Singh (MD Pathology)

Page 3 of 13







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:54
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: 29/Mar/2024 09:51:01
UHID/MR NO	: ALDP.0000137463	Received	: 29/Mar/2024 11:19:48
Visit ID	: ALDP0412692324	Reported	: 29/Mar/2024 15:01:07
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Un	it Bio. Ref. Interv	val Method
GLUCOSE FASTING * , Plasma				
Glucose Fasting	102.30	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD
Interpretation: a) Kindly correlate clinically with intake of hy	poglycemic agents, dru	g dosage varia	ations and other drug inte	eractions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP * Sample:Plasma After Meal	135.80	mg/dl	<140 Normal 140-199 Pre-diabetes	GOD POD
			>200 Diabetes	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) * , EDTA BLOOD						
Glycosylated Haemoglobin (HbA1c)	5.90	% NGSP	HPLC (NGSP)			
Glycosylated Haemoglobin (HbA1c)	41.50	mmol/mol/IFCC				
Estimated Average Glucose (eAG)	124	mg/dl				

Interpretation:

<u>NOTE</u>:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:54
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: 29/Mar/2024 09:51:01
UHID/MR NO	: ALDP.0000137463	Received	: 29/Mar/2024 11:19:48
Visit ID	: ALDP0412692324	Reported	: 29/Mar/2024 15:01:07
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) * Sample:Serum	19.85	mg/dL	7.0-23.0	CALCULATED
Creatinine * Sample:Serum	1.00	mg/dl	0.6-1.30	MODIFIED JAFFES
Uric Acid * Sample:Serum	5.30	mg/dl	3.4-7.0	URICASE

LFT (WITH GAMMA GT) * , Serum

150 9001:2015

Page 5 of 13







Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:54
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: 29/Mar/2024 09:51:01
UHID/MR NO	: ALDP.0000137463	Received	: 29/Mar/2024 11:19:48
Visit ID	: ALDP0412692324	Reported	: 29/Mar/2024 15:01:07
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	U	Init I	Bio. Ref. Interva	l Method
SGOT / Aspartate Aminotransferase (AST)	29.90	U/L	< 35		IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	35.10	U/L	< 40		IFCC WITHOUT P5P
Gamma GT (GGT)	59.20	IU/L	11-50		OPTIMIZED SZAZING
Protein	7.40	gm/dl	6.2-8.0		BIURET
Albumin	4.20	gm/dl	3.4-5.4		B.C.G.
Globulin	3.20	gm/dl	1.8-3.6		CALCULATED
A:G Ratio	1.31	,	1.1-2.0		CALCULATED
Alkaline Phosphatase (Total)	121.70	U/L	42.0-16	5.0	IFCC METHOD
Bilirubin (Total)	1.00	mg/dl	0.3-1.2		JENDRASSIK & GROF
Bilirubin (Direct)	0.40	mg/dl	< 0.30		JENDRASSIK & GROF
Bilirubin (Indirect)	0.60	mg/dl	< 0.8		JENDRASSIK & GROF
LIPID PROFILE (MINI) * , Serum					
Cholesterol (Total)	238.00	mg/dl	<200 De 200-239 > 240 Hi	Borderline High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	71.40	mg/dl	30-70		DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	140	mg/dl		Nr. /Above Optimal Borderline High High	CALCULATED
VLDL	26.56	mg/dl	10-33		CALCULATED
Triglycerides	132.80	mg/dl	< 150 No	Borderline High High	GPO-PAP

AS

Dr.Akanksha Singh (MD Pathology)







CHANDAN DIAGNOSTIC CENTRE

Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN: U85110DL2003PLC308206



Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:53
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: 29/Mar/2024 16:08:54
UHID/MR NO	: ALDP.0000137463	Received	: 29/Mar/2024 16:09:48
Visit ID	: ALDP0412692324	Reported	: 29/Mar/2024 19:53:22
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS					
Test Name	Result	Unit	Bio. Ref. Interval	Method	
URINE EXAMINATION, ROUT	INE * , Urine				
Color	PALE YELLOW				
Specific Gravity	1 030				

Color Specific Gravity Reaction PH Appearance	PALE YELLOW 1.030 Acidic (6.0) CLEAR			DIPSTICK
Protein	TRACE	[,] mg %	< 10 Absent	DIPSTICK
			10-40 (+) 40-200 (++)	
			200-500 (+++)	
			> 500 (++++)	
Sugar	ABSENT	gms%	< 0.5 (+) 0.5-1.0 (++) 1-2 (+++) > 2 (++++)	DIPSTICK
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	ing, ai		BIOONEMIONA
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and the second second	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	0-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	0-2/h.p.f			
RBCs	ABSENT			MICROSCOPIC
	ADOCNIT			EXAMINATION
Cast	ABSENT			MICDOCCODIC
Crystals	ABSENT			MICROSCOPIC EXAMINATION
Others	ABSENT			
Urine Microscopy is done on centrifuged uring	e sediment.			

SUGAR, FASTING STAGE * , Urine

Sugar, Fasting stage	ABSENT	gms%	
----------------------	--------	------	--







Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:53
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: 29/Mar/2024 16:08:54
UHID/MR NO	: ALDP.0000137463	Received	: 29/Mar/2024 16:09:48
Visit ID	: ALDP0412692324	Reported	: 29/Mar/2024 19:53:22
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

est Name	Result	Unit	Bio. Ref. Interval	Method
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
UGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
0				
Interpretation:				
(+) < 0.5 gms%				
(++) 0.5-1.0 gms%				
(+++) 1-2 gms%				
(++++) > 2 gms%				

AS

Dr.Akanksha Singh (MD Pathology)

Page 8 of 13











Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:55
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: 29/Mar/2024 09:51:01
UHID/MR NO	: ALDP.0000137463	Received	: 30/Mar/2024 09:59:29
Visit ID	: ALDP0412692324	Reported	: 30/Mar/2024 12:38:20
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
PSA (Prostate Specific Antigen) , Total ** Sample:Serum	0.38	ng/mL	<4.1	CLIA	

Interpretation:

- 1. PSA is detected in the serum of males with normal, benign hypertrophic, and malignant prostate tissue.
- 2. Measurement of serum PSA levels is not recommended as a screening procedure for the diagnosis of cancer because elevated PSA levels also are observed in patients with benign prostatic hypertrophy. However, studies suggest that the measurement of PSA in conjunction with digital rectal examination (DRE) and ultrasound provide a better method of detecting prostate cancer than DRE alone⁻
- 3. PSA levels increase in men with cancer of the prostate, and after radical prostatectomy PSA levels routinely fall to the undetectable range.
- 4. If prostatic tissue remains after surgery or metastasis has occurred, PSA appears to be useful in detecting residual and early recurrence of tumor.
- 5. Therefore, serial PSA levels can help determine the success of prostatectomy, and the need for further treatment, such as radiation, endocrine or chemotherapy, and in the monitoring of the effectiveness of therapy.

Dr. Anupam Singh (MBBS MD Pathology)

Page 9 of 13









Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:53
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: 29/Mar/2024 09:51:01
UHID/MR NO	: ALDP.0000137463	Received	: 29/Mar/2024 11:19:48
Visit ID	: ALDP0412692324	Reported	: 29/Mar/2024 18:11:04
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL * , Serum					
T3, Total (tri-iodothyronine)	175.00	ng/dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	6.70	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	1.200	μIU/mL	0.27 - 5.5	CLIA	
T , , , ,					
Interpretation:		0.3-4.5 uIU	mI First Trimester		
	0.3-4.5 µIU/mL First Trimester				

0.5-4.6 µIU/mL

µIU/mL

µIU/mL

µIU/mL

0.8-5.2

0.5-8.9

0.7-27

	2.3-13.2	µIU/mL	Cord Blood	> 37Week
	0.7-64	µIU/mL	Child(21 wk	- 20 Yrs.)
	1-39	µIU/mL	Child	0-4 Days
	1.7-9.1	µIU/mL	Child	2-20 Week
1) Patients having low T3 and T4 levels but high TSH levels suffer	from prin	nary hypoth	yroidism, creti	inism, juvenile myxedema or
autoimmune disorders.			S	

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Second Trimester

55-87 Years

28-36 Week

Third Trimester

Adults

Premature

Dr.Akanksha Singh (MD Pathology)

Page 10 of 13









Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:55
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000137463	Received	: N/A
Visit ID	: ALDP0412692324	Reported	: 30/Mar/2024 10:07:57
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

X-RAY DIGITAL CHEST PA *

<u>X-RAY REPORT</u> (300 mA COMPUTERISED UNIT SPOT FILM DEVICE) <u>CHEST P-A VIEW</u>

- Both lung field did not reveal any significant lesion.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

Please correlare clinically.



Page 11 of 13









Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:55
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000137463	Received	: N/A
Visit ID	: ALDP0412692324	Reported	: 29/Mar/2024 15:03:48
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) *

LIVER: - Normal in size (cm), shape and **shows diffusely raised echotexture**. No focal lesion is seen. No intra hepatic biliary radicle dilation seen.

GALL BLADDER :- Well distended, walls are normal. No e/o calculus / focal mass lesion/ pericholecystic fluid.

CBD :- Normal in calibre at porta.

PORTAL VEIN: - Normal in calibre and colour uptake at porta.

PANCREAS: - Head is visualised, normal in size & echopattern. No e/o ductal dilatation or calcification. Rest of pancreas is obscured by bowel gas.

SPLEEN: - Normal in size (9.0 cm), shape and echogenicity.

RIGHT KIDNEY: - Normal in size, shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

LEFT KIDNEY: - Normal in size, shape and echogenicity. No focal lesion or calculus seen. Pelvicalyceal system is not dilated.

URINARY BLADDER :- Normal in shape, outline and distension. No e/o wall thickening / calculus.

PROSTATE :- Normal in size (2.9 x 3.9 x 3.5 cm vol - 21.3 cc), shape and echo pattern.

Visualized bowel loops are normal in caliber. No para-aortic lymphadenopathy

No free fluid is seen in the abdomen/pelvis.

IMPRESSION : Grade II fatty liver.

Please correlate clinically

Dr.Aishwarya Neha M.D (Radiodiagnosis)

Page 12 of 13





Add: 49/19-B, Kamla Nehru Road, Katra, Prayagraj Ph: 9235447965,0532-3559261 CIN : U85110DL2003PLC308206



Patient Name	: Mr. ASHOK KUMAR TRIVEDI-287452	Registered On	: 29/Mar/2024 09:26:55
Age/Gender	: 49 Y 4 M 13 D /M	Collected	: N/A
UHID/MR NO	: ALDP.0000137463	Received	: N/A
Visit ID	: ALDP0412692324	Reported	: 30/Mar/2024 10:49:42
Ref Doctor	: Dr. MEDIWHEEL-ARCOFEMI HEALTH CARE LTD -	Status	: Final Report

DEPARTMENT OF TMT

MEDIWHEEL BANK OF BARODA MALE ABOVE 40 YRS

Tread Mill Test (TMT) *

NORMAL

*** End Of Report ***

(**) Test Performed at Chandan Speciality Lab.

Result/s to Follow: STOOL, ROUTINE EXAMINATION



This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location

Page 13 of 13

Dr. R K VERMA MBBS, PGDGM



