

Name : MR.BARUN MEHER

Age / Gender : 56 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

: 29-Mar-2024 / 09:52

Reported :29-Mar-2024 / 13:38

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	12.2	13.0-17.0 g/dL	Spectrophotometric
RBC	4.62	4.5-5.5 mil/cmm	Elect. Impedance
PCV	37.4	40-50 %	Measured
MCV	81	80-100 fl	Calculated
MCH	26.5	27-32 pg	Calculated
MCHC	32.7	31.5-34.5 g/dL	Calculated
RDW	14.0	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	7060	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND ABSO	DLUTE COUNTS		
Lymphocytes	39.8	20-40 %	
Absolute Lymphocytes	2809.9	1000-3000 /cmm	Calculated
Monocytes	8.3	2-10 %	
Absolute Monocytes	586.0	200-1000 /cmm	Calculated
Neutrophils	47.3	40-80 %	
Absolute Neutrophils	3339.4	2000-7000 /cmm	Calculated
Eosinophils	4.1	1-6 %	
Absolute Eosinophils	289.5	20-500 /cmm	Calculated
Basophils	0.5	0.1-2 %	
Absolute Basophils	35.3	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	451000	150000-400000 /cmm	Elect. Impedance
MPV	8.7	6-11 fl	Calculated
PDW	15.7	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia Mild

Microcytosis Occasional



CID : 2408913457

Name : MR.BARUN MEHER

Age / Gender :56 Years / Male

Consulting Dr. Collected : 29-Mar-2024 / 09:52 :29-Mar-2024 / 14:14 Reported Reg. Location : Borivali West (Main Centre)

Macrocytosis

Anisocytosis

Poikilocytosis

Polychromasia

Target Cells

Basophilic Stippling

Normoblasts

Others

WBC MORPHOLOGY

PLATELET MORPHOLOGY

COMMENT

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 28 2-20 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report ***





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 14



Name : MR.BARUN MEHER

Age / Gender : 56 Years / Male

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Application To Scan the Code : 29-Mar-2024 / 13:40

Hexokinase

Reported :29-Mar-2024 / 17:42

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

GLUCOSE (SUGAR) FASTING, 169.0 Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Collected

GLUCOSE (SUGAR) PP, Fluoride 332.3 Non-Diabetic: < 140 mg/dl Hexokinase

Plasma PP/R Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) +++ Absent
Urine Ketones (Fasting) Absent Absent

Urine Sugar (PP) +++ Absent
Urine Ketones (PP) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Name : MR.BARUN MEHER

Age / Gender : 56 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected : 29-Mar-2024 / 09:52

Reported :29-Mar-2024 / 14:25

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	30.0	12.8-42.8 mg/dl	Kinetic
BUN, Serum	14.0	6-20 mg/dl	Calculated
CREATININE, Serum	1.00	0.67-1.17 mg/dl	Enzymatic
eGFR, Serum	88	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure:<15	

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	3.9	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.0	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.3	1 - 2	Calculated
URIC ACID, Serum	3.6	3.5-7.2 mg/dl	Enzymatic
PHOSPHORUS, Serum	3.7	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.3	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	138	135-148 mmol/l	ISE
POTASSIUM, Serum	5.2	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	101	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









CID : 2408913457

Name : MR.BARUN MEHER

Age / Gender :56 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a OR Code Scanner

Collected

Reported

Application To Scan the Code

: 29-Mar-2024 / 09:52 :29-Mar-2024 / 15:25

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **GLYCOSYLATED HEMOGLOBIN (HbA1c)**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	12.9	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %	HPLC
Estimated Average Glucose	323.5	mg/dl	Calculated

(eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c. Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 5 of 14



Name : MR.BARUN MEHER

Age / Gender : 56 Years / Male

Consulting Dr. : -

TOTAL PSA, Serum

: -

Reg. Location : Borivali West (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

CLIA

Collected : 29-Mar-2024 / 09:52

Reported :29-Mar-2024 / 15:26

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO PROSTATE SPECIFIC ANTIGEN (PSA)

<4.0 ng/ml

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Kindly note change in platform w.e.f. 24-01-2024

1.276



Name : MR.BARUN MEHER

Age / Gender : 56 Years / Male

Consulting Dr. : - Collected : 29-Mar-2024 / 09:52

Reg. Location : Borivali West (Main Centre) Reported :29-Mar-2024 / 15:26



- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- · Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4.The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5.Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta, Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α-reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA, USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be
 the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then
 the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods.
 Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization,
 ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing
 immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Note: The concentration of PSA in a given specimen, determined with assay from different manufacturers, may not be comparable due to differences in assay methods and reagent specificity.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***





Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 7 of 14



CID : 2408913457

Name : MR.BARUN MEHER

:56 Years / Male Age / Gender

Consulting Dr.

Reg. Location : Borivali West (Main Centre)



E

Use a QR Code Scanner Application To Scan the Code

Collected :29-Mar-2024 / 09:52

Reported :29-Mar-2024 / 19:31

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

ORINE EXAMINATION REPORT			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANG	GE <u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	6.5	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.015	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	20	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	3+	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATIO	<u>on</u>		
Leukocytes(Pus cells)/hpf	2-3	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	1-2		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+(>20/hpf)	Less than 20/hpf	
Others	-		
Result rechecked			

Result rechecked

Kindly correlate clinically.



Name : MR.BARUN MEHER

Age / Gender : 56 Years / Male

Consulting Dr. :-

Reg. Location: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

Application To Scan the Code: 29-Mar-2024 / 09:52

:29-Mar-2024 / 19:31

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Page 9 of 14



Name : MR.BARUN MEHER

Age / Gender : 56 Years / Male

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

pplication To Scan the Code

: 29-Mar-2024 / 09:52 : 29-Mar-2024 / 15:26

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO BLOOD GROUPING & Rh TYPING

PARAMETER RESULTS

ABO GROUP 0

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab
*** End Of Report ***



Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director

Page 10 of 14



Name : MR.BARUN MEHER

Age / Gender : 56 Years / Male

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Application To Scan the Code : 29-Mar-2024 / 09:52

Reported :29-Mar-2024 / 14:25

Collected


MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	216.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	180.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	38.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	177.9	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	142.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	35.9	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.7	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	3.7	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









CID : 2408913457

Name : MR.BARUN MEHER

:56 Years / Male Age / Gender

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

Collected :29-Mar-2024 / 09:52

Reported :29-Mar-2024 / 18:24

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO **THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	17.7	11.5-22.7 pmol/L	ECLIA
sensitiveTSH, Serum	1.11	0.35-5.5 microIU/ml	ECLIA



Name : MR.BARUN MEHER

Age / Gender : 56 Years / Male

Consulting Dr. : - Collected : 29-Mar-2024 / 09:52

Reg. Location : Borivali West (Main Centre) Reported : 29-Mar-2024 / 18:24



Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation	
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.	
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine in this interest amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.	
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)	
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.	
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.	
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.	

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist



Name : MR.BARUN MEHER

Age / Gender : 56 Years / Male

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:29-Mar-2024 / 09:52

:29-Mar-2024 / 14:25


MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.35	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.11	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.24	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.9	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	3.9	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.0	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.3	1 - 2	Calculated
SGOT (AST), Serum	13.7	5-40 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	0.1	5-45 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	35.4	3-60 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	131.0	40-130 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







SUBURBAN DIAGNOSTICS - BORIVALI WEST




Patient Name: BARUN MEHER

Patient ID:

2408913457

Date and Time: 29th Mar 24 10:34 AM



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY

The

Dr Nitin Sonavane M.B.B.S.AFLH, D.DIAB, D.CARD Consultant Cardiologist 87714

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.



MR.BARUN MEHER AGE/SEX: 56	Y/M
DATE: 29/03/	2024

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Mitral, Tricuspid valves normal.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11. No Pericardial Effusion
- 12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.



PATIENT'S NAME: MR.BARUN MEHER	ACD/CDXX	
REF BY:	AGE/SEX: 56 Y/M	
REF BY:	DATE: 29/03/2024	
1. AO root diameter 3.0 cm		

 AO root diameter 	3.0 cm
2. IVSd	1.1 cm
3. LVIDd	4.2 cm
4. LVIDs	1.9 cm
5. LVPWd	1.1 cm
6. LA dimension	3.4 cm
7. RA dimension	3.4 cm
8. RV dimension	
9. Pulmonary flow ve	3.0 cm
10. Pulmonary Gradier	
11. Trionarida	
11. Tricuspid flow vel	1.4 m/s
12. Tricuspid Gradient	8 m/s
13. PASP by TR Jet	18 mm Hg
14. TAPSE	3.0 cm
15. Aortic flow vel	1.1 m/s
16. Aortic Gradient	7 m/s
17. MV:E	$0.6 \mathrm{m/s}$
18. A vel	
19. IVC	0.8 m/s
20. E/E'	15 mm
20. E/L	10

Impression:

Hade I

Normal 2d echo study.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN Consultant Cardiologist Reg. No. 87714



Name

: MR.BARUN MEHER

Age / Gender : 56 Years/Male

Consulting Dr. :

Reg.Location : Borivali West (Main Centre)

Collected

Reported

: 29-Mar-2024 / 09:47

R

E

R

Т

: 30-Mar-2024 / 07:53

PHYSICAL EXAMINATION REPORT

History and Complaints:

Nil

EXAMINATION FINDINGS:

Height (cms):

159

Weight (kg):

55

Temp (0c):

Afebrile

Skin:

Normal

Blood Pressure (mm/hg): 130/80

Nails:

Normal

Pulse:

72/min

Lymph Node:

Not palpable

Systems

Cardiovascular: Normal

Respiratory:

Normal

Genitourinary:

Normal

GI System:

Normal

CNS:

Normal

IMPRESSION:

ADVICE:

HbACT Lipid M Diabetalogist refu.

CHIEF COMPLAINTS:

1) Hypertension:

No

2) **IHD**

No

3) Arrhythmia

No



Name

: MR.BARUN MEHER

Age / Gender : 56 Years/Male

Consulting Dr. :

Reg.Location : Borivali West (Main Centre)

Collected

: 29-Mar-2024 / 09:47

Reported

: 30-Mar-2024 / 07:53

T

R

R

11	D.	
4)	Diabetes Mellitus	Since 15year
5)	Tuberculosis	No.
6)	Asthama	
7)	Pulmonary Disease	No
8)	Thyroid/ Endocrine disorders	No
9)	Normana disorders	No
,	Nervous disorders	No
	GI system	No
11)	Genital urinary disorder	No
12)	Rheumatic joint diseases or sympton	me No
13)	Blood disease or disorder	
14)	Cancer/lump growth/cyst	No
15)	Congenital disease	No
	Surgeries	No
		No
17)	Musculoskeletal System	No
		50.50

PERSONAL HISTORY:

1) Alcohol

No

Smoking 2)

2/day since 20year

3) Diet

Mix


Medication

DM Rx

*** End Of Report ***

Bonvalley

Dr.NITIN SONAVANE **PHYSICIAN**





Date:-

CID: 2408913457

Name: Baryn. meher

Sex / Age:56/ m

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

H/10 N/16

(Right Eye)

	0-1			(Left Eye)				
	Sph	СуІ	Axis	Vn	Sph	СуІ	A	
Distance						Оуг	Axis	Vn
Near								

Colour Vision: Normal / Abnormal

Remark:

Nimed



		CID NO: 2408913457
: 56 Y/M	HER	PATIENT'S NAME: MR.BARUN
9/03/2024		REF BY:

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Mitral, Tricuspid valves normal.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10.No LV clot.
- 11. No Pericardial Effusion
- 12. No Diastolic disfunction. No Doppler evidence of raised LVEDP.



PATIENT'S NAME: MR.BARUN MEHER	ACE (CDX)
REF BY:	AGE/SEX: 56 Y/M
REF B1:	DATE: 29/03/2024
1. AO root diameter 3.0 cm	

 AO root diameter 	3.0 cm
2. IVSd	1.1 cm
3. LVIDd	4.2 cm
4. LVIDs	1.9 cm
5. LVPWd	1.1 cm
6. LA dimension	3.4 cm
7. RA dimension	3.4 cm
8. RV dimension	
9. Pulmonary flow ve	3.0 cm
10. Pulmonary Gradier	
11. Trionarida	
11. Tricuspid flow vel	1.4 m/s
12. Tricuspid Gradient	8 m/s
13. PASP by TR Jet	18 mm Hg
14. TAPSE	3.0 cm
15. Aortic flow vel	1.1 m/s
16. Aortic Gradient	7 m/s
17. MV:E	$0.6 \mathrm{m/s}$
18. A vel	
19. IVC	0.8 m/s
20. E/E'	15 mm
20. E/L	10

Impression:

Hade I

Normal 2d echo study.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN Consultant Cardiologist Reg. No. 87714



Name

: MR.BARUN MEHER

Age / Gender : 56 Years/Male

Consulting Dr. :

Reg.Location : Borivali West (Main Centre)

Collected

Reported

: 29-Mar-2024 / 09:47

R

E

R

Т

: 30-Mar-2024 / 07:53

PHYSICAL EXAMINATION REPORT

History and Complaints:

Nil

EXAMINATION FINDINGS:

Height (cms):

159

Weight (kg):

55

Temp (0c):

Afebrile

Skin:

Normal

Blood Pressure (mm/hg): 130/80

Nails:

Normal

Pulse:

72/min

Lymph Node:

Not palpable

Systems

Cardiovascular: Normal

Respiratory:

Normal

Genitourinary:

Normal

GI System:

Normal

CNS:

Normal

IMPRESSION:

ADVICE:

HbACT Lipid M Diabetalogist refu.

CHIEF COMPLAINTS:

1) Hypertension:

No

2) **IHD**

No

3) Arrhythmia

No



Name

: MR.BARUN MEHER

Age / Gender : 56 Years/Male

Consulting Dr. :

Reg.Location : Borivali West (Main Centre)

Collected

: 29-Mar-2024 / 09:47

Reported

: 30-Mar-2024 / 07:53

T

R

R

11	D.	
4)	Diabetes Mellitus	Since 15year
5)	Tuberculosis	No.
6)	Asthama	
7)	Pulmonary Disease	No
8)	Thyroid/ Endocrine disorders	No
9)	Normana disorders	No
,	Nervous disorders	No
	GI system	No
11)	Genital urinary disorder	No
12)	Rheumatic joint diseases or sympton	me No
13)	Blood disease or disorder	
14)	Cancer/lump growth/cyst	No
15)	Congenital disease	No
	Surgeries	No
		No
17)	Musculoskeletal System	No
		50.50

PERSONAL HISTORY:

1) Alcohol

No

Smoking 2)

2/day since 20year

3) Diet

Mix


Medication

DM Rx

*** End Of Report ***

Bonvalley

Dr.NITIN SONAVANE **PHYSICIAN**





Date:-

CID: 2408913457

Name: Baryn. meher

Sex / Age:56/ m

EYE CHECK UP

Chief complaints:

Systemic Diseases:

Past history:

Unaided Vision:

Aided Vision:

Refraction:

H/10 N/16

(Right Eye)

	0-1			(Left Eye)				
	Sph	СуІ	Axis	Vn	Sph	СуІ	A	
Distance						Оуг	Axis	Vn
Near								

Colour Vision: Normal / Abnormal

Remark:

Nimed



Name : Mr BARUN MEHER

Age / Sex : 56 Years/Male

Ref. Dr :

Reg. Location: Borivali West



R

 \mathbf{E}

Use a QR Code Scanner Application To Scan the Code

Reg. Date : 29-Mar-2024

Reported : 29-Mar-2024/11:15

USG WHOLE ABDOMEN

<u>LIVER:</u>Liver is normal in size with mild generalized increase in parenchymal echotexture. There is no intrahepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

(Tiny polyps/calculi may be missed due to technical limitations, sub-optimal distension of GB, adjacent gases and inter-machine variability in resolution settings)

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

PANCREAS: Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

KIDNEYS:

Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

PROSTATE: Prostate is normal in size and echotexture. Prostate measures 3.9 x 2.8 x 3.8 cm and prostatic weight is 22.1 gm. No evidence of any obvious focal lesion.

No free fluid or size significant lymphadenopathy is seen.



Name : Mr BARUN MEHER

Age / Sex : 56 Years/Male

Ref. Dr :

Reg. Location: Borivali West



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 29-Mar-2024

Reported : 29-Mar-2024/11:15

Opinion:

Grade I fatty infiltration of liver.

For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.



Name : Mr BARUN MEHER

Age / Sex : 56 Years/Male

Ref. Dr :

Reg. Location: Borivali West

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 29-Mar-2024

Reported : 29-Mar-2024/11:15



Name : Mr BARUN MEHER

Age / Sex : 56 Years/Male

Ref. Dr :

Reg. Location: Borivali West



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 29-Mar-2024

Reported : 29-Mar-2024/13:08

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

Kindly correlate clinically.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. X ray is known to have inter-observer variations. Further / follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Please interpret accordingly. In case of any typographical error / spelling error in the report, patient is requested to immediately contact the centre within 7 days post which the center will not be responsible for any rectification.

-----End of Report-----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis)

RegNo .MMC 2016061376.



Name : Mr BARUN MEHER

Age / Sex : 56 Years/Male

Ref. Dr :

Reg. Location: Borivali West

Authenticity Check

R



Use a QR Code Scanner Application To Scan the Code

Reg. Date : 29-Mar-2024

Reported : 29-Mar-2024/13:08