

CID	: 2409719389
Name	: MR.KUMAR RAMAN
Age / Gender	: 54 Years / Male
Consulting Dr.	: -
Reg. Location	: J B Nagar, Andheri East (Main Centre)



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code • O6-Apr-2024 /

Collected Reported

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

CBC (Complete Blood Count), Blood			
<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
RBC PARAMETERS			
Haemoglobin	13.7	13.0-17.0 g/dL	Spectrophotometric
RBC	4.55	4.5-5.5 mil/cmm	Elect. Impedance
PCV	42.1	40-50 %	Calculated
MCV	92.5	81-101 fl	Measured
MCH	30.2	27-32 pg	Calculated
MCHC	32.6	31.5-34.5 g/dL	Calculated
RDW	13.9	11.6-14.0 %	Calculated
WBC PARAMETERS			
WBC Total Count	6040	4000-10000 /cmm	Elect. Impedance
WBC DIFFERENTIAL AND A	BSOLUTE COUNTS		
Lymphocytes	31.2	20-40 %	
Absolute Lymphocytes	1870	1000-3000 /cmm	Calculated
Monocytes	7.9	2-10 %	
Absolute Monocytes	470	200-1000 /cmm	Calculated
Neutrophils	53.7	40-80 %	
Absolute Neutrophils	3200	2000-7000 /cmm	Calculated
Eosinophils	6.6	1-6 %	
Absolute Eosinophils	400	20-500 /cmm	Calculated
Basophils	0.6	0.1-2 %	
Absolute Basophils	40	20-100 /cmm	Calculated
Immature Leukocytes	-		

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	230000	150000-410000 /cmm	Elect. Impedance
MPV	8.9	6-11 fl	Measured
PDW	14.6	11-18 %	Calculated
RBC MORPHOLOGY			
Hypochromia	-		
Microcytosis	-		

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Dmart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



				٢
CID	: 2409719389			0
Name	: MR.KUMAR RAMAN			R
Age / Gender	: 54 Years / Male		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr. Reg. Location	: - : J B Nagar, Andheri East (Main Centre)	Collected Reported	:06-Apr-2024 / 08:10 :06-Apr-2024 / 13:32	

Macrocytosis -	
Anisocytosis -	
Poikilocytosis -	
Polychromasia -	
Target Cells -	
Basophilic Stippling -	
Normoblasts -	
Others Norn	nocytic,Normochromic
WBC MORPHOLOGY -	
PLATELET MORPHOLOGY -	
COMMENT -	
Specimen: EDTA Whole Blood	

 ESR, EDTA WB-ESR
 5
 2-20 mm at 1 hr.
 Sedimentation

 Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a

Interpretation:

period of time.

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Authenticity Check

R

Е

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 2 of 13



Е P CID :2409719389 o Name : MR.KUMAR RAMAN R Use a QR Code Scanner Application To Scan the Code Age / Gender : 54 Years / Male Collected Consulting Dr. : -:06-Apr-2024 / 08:10 Reported : J B Nagar, Andheri East (Main Centre) :06-Apr-2024 / 16:33 Reg. Location MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT PARAMETER RESULTS **BIOLOGICAL REF RANGE** METHOD GLUCOSE (SUGAR) FASTING, 102.9 Non-Diabetic: < 100 mg/dl Hexokinase Fluoride Plasma Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Urine Sugar (Fasting) Absent Absent Urine Ketones (Fasting) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report *



Anoto

Authenticity Check

R

Dr.ANUPA DIXIT M.D.(PATH) **Consultant Pathologist & Lab Director**

Page 3 of 13



CID	: 2409719389
Name	: MR.KUMAR RAMAN
Age / Gender	: 54 Years / Male
Consulting Dr.	: -
Reg. Location	: J B Nagar, Andheri East (Main Centre)



Authenticity Check



R

E

P

0

R

т

Use a QR Code Scanner Application To Scan the Code

Collected Reported

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT KIDNEY FUNCTION TESTS			
PARAMETER	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	23.0	19.29-49.28 mg/dl	Calculated
BUN, Serum	10.7	9.0-23.0 mg/dl	Urease with GLDH
CREATININE, Serum	0.70	0.73-1.18 mg/dl	Enzymatic
Note: Kindly note in change in re	eference range w.e.f. 07-09-20	23	
eGFR, Serum	109	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45- 59 Moderate to severe decrease:3 -44 Severe decrease: 15-29 Kidney failure:<15	
Note: eGFR estimation is calculate	ed using 2021 CKD-EPI GFR equat	ion w.e.f 16-08-2023	
TOTAL PROTEINS, Serum	6.4	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.2	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.9	1 - 2	Calculated
URIC ACID, Serum	6.0	3.7-9.2 mg/dl	Uricase/ Peroxidase
PHOSPHORUS, Serum	2.7	2.4-5.1 mg/dl	Phosphomolybdate
CALCIUM, Serum	9.1	8.7-10.4 mg/dl	Arsenazo
SODIUM, Serum	139	136-145 mmol/l	IMT
POTASSIUM, Serum	5.1	3.5-5.1 mmol/l	IMT
CHLORIDE, Serum	107	98-107 mmol/l	IMT

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



A

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 4 of 13



CID : 2409719389 Name : MR.KUMAR RAMAN Age / Gender : 54 Years / Male Consulting Dr. : -Reg. Location : J B Nagar, Andheri East (Main Centre) Authenticity Check

R

Е

Use a QR Code Scanner Application To Scan the Code

Collected Reported :06-Apr-2024 / 08:10 :06-Apr-2024 / 14:11

Calculated

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT GLYCOSYLATED HEMOGLOBIN (HbA1c) GLYCOSYLATED HEMOGLOBIN (HbA1c) PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD Glycosylated Hemoglobin (HbA1c), EDTA WB - CC 5.7 Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 % HPLC

mg/dl

Estimated Average Glucose 116.9 (eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***




June Sund

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 5 of 13



CID : 2409719389 Name : MR.KUMAR RAMAN Age / Gender : 54 Years / Male Consulting Dr. : -Reg. Location : J B Nagar, Andheri East (Main Centre)



R

E

P

0

R

т

Collected Reported :06-Apr-2024 / 08:10 :06-Apr-2024 / 13:24

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT			
PROSTATE SPECIFIC ANTIGEN (PSA)			
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
TOTAL PSA, Serum	2.957	<4.0 ng/ml	CLIA

Kindly note change in platform w.e.f. 24-01-2024

Page 6 of 13



IAGNOSTI	C S ·····			E
RECISE TESTING - NEAL	THICK LIVING			P
CID	: 2409719389			0
Name	: MR.KUMAR RAMAN			R
Age / Gender	: 54 Years / Male		Use a QR Code Scanner Application To Scan the Code	т
Consulting Dr.	: -	Collected	:06-Apr-2024 / 08:10	
Reg. Location	: J B Nagar, Andheri East (Main Centre)	Reported	:06-Apr-2024 / 13:24	

Clinical Significance:

- PSA is detected in the serum of males with normal, benign hyper-plastic, and malignant prostate tissue.
- Monitoring patients with a history of prostate cancer as an early indicator of recurrence and response to treatment.
- Prostate cancer screening 4. The percentage of Free PSA (FPSA) in serum is described as being significantly higher in patients with BPH than in patients with prostate cancer. 5. Calculation of % free PSA (ie. FPSA/TPSA x 100), has been suggested as way of improving the differentiation of BPH and Prostate cancer.

Interpretation:

Increased In- Prostate diseases, Cancer, Prostatitis, Benign prostatic hyperplasia, Prostatic ischemia, Acute urinary retention, Manipulations like Prostatic massage, Cystoscopy, Needle biopsy, Transurethral resection, Digital rectal examination, Radiation therapy, Indwelling catheter, Vigorous bicycle exercise, Drugs (e.g., testosterone), Physiologic fluctuations. Also found in small amounts in other cancers (sweat and salivary glands, breast, colon, lung, ovary) and in Skene glands of female urethra and in term placenta ,Acute renal failure, Acute myocardial infarction,

Decreased In- Ejaculation within 24-48 hours, Castration, Antiandrogen drugs (e.g., finasteride), Radiation therapy, Prostatectomy, PSA falls 17% in 3 days after lying in hospital, Artifactual (e.g., improper specimen collection; very high PSA levels). Finasteride (5-α-reductase inhibitor) reduces PSA by 50% after 6 months in men without cancer.

Reflex Tests: % FREE PSA , USG Prostate

Limitations:

- tPSA values determined on patient samples by different testing procedures cannot be directly compared with one another and could be
 the cause of erroneous medical interpretations. If there is a change in the tPSA assay procedure used while monitoring therapy, then
 the tPSA values obtained upon changing over to the new procedure must be confirmed by parallelmeasurements with both methods.
 Immediate PSA testing following digital rectal examination, ejaculation, prostatic massage, indwelling catheterization,
 ultrasonography and needle biopsy of prostate is not recommended as they falsely elevate levels.
- Patients who have been regularly exposed to animals or have received immunotherapy or diagnostic procedures utilizing immunoglobulins or immunoglobulin fragments may produce antibodies, e.g. HAMA, that interferes with immunoassays.
- PSA results should be interpreted in light of the total clinical presentation of the patient, including: symptoms, clinical history, data from additional tests, and other appropriate information.
- Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of prostate cancer.

Note : The concentration of PSA in a given specimen, determined with assay from different manufacturers, may not be comparable due to differences in assay methods and reagent specificity.

Reference:

- Wallach's Interpretation of diagnostic tests
- Total PSA Pack insert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



drate.

Authenticity Check

R

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 7 of 13



CID : 2409719389 Name : MR.KUMAR RAMAN Age / Gender : 54 Years / Male Consulting Dr. : -Reg. Location : J B Nagar, Andheri East (Main Centre)



R

Е

P

o

R

Use a QR Code Scanner Application To Scan the Code

Collected Reported

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

URINE EXAMINATION REPORT			
PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Yellow	Pale Yellow	-
Reaction (pH)	6.5	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	30	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION			
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	0-1		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	3-4	Less than 20/hpf	
Others			

Others

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1 + = 25 mg/dl , 2 + = 75 mg/dl , 3 + = 150 mg/dl , 4 + = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



si Kunst 8=

Dr.VRUSHALI SHROFF M.D.(PATH) Pathologist

Page 8 of 13

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID : 2409719389 Name : MR.KUMAR RAMAN Age / Gender : 54 Years / Male Consulting Dr. : -Reg. Location : J B Nagar, Andheri East (Main Centre)

Collected : 0 Reported : 0

Authenticity Check R E P O Use a QR Code Scanner Application To Scan the Code : 06-Apr-2024 / 08:10 : 06-Apr-2024 / 13:41

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT BLOOD GROUPING & Rh TYPING

PARAMETER

<u>RESULTS</u>

ABO GROUP B Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 9 of 13



PRECISE TESTING - NEA	LYHIER LIVING		
CID	: 2409719389		
Name	: MR.KUMAR RAMAN		
Age / Gender	: 54 Years / Male		Use a QR Code Scanner Application To Scan the Code
Consulting Dr. Reg. Location	: - : J B Nagar, Andheri East (Main Centre)	Collected Reported	:06-Apr-2024 / 08:10 :06-Apr-2024 / 13:35

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	192.7	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	121.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	Enzymatic colorimetric
HDL CHOLESTEROL, Serum	33.1	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Elimination/ Catalase
NON HDL CHOLESTEROL, Serum	159.6	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	135.4	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	24.2	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	5.8	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	4.1	0-3.5 Ratio	Calculated
*Cample processed at SURUPRAN DIA		Vidvovibar Lab	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



Anopa

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 10 of 13

R

EP

0


R

т

Authenticity Check



CID	: 2409719389
Name	: MR.KUMAR RAMAN
Age / Gender	:54 Years / Male
Consulting Dr. Reg. Location	: - : J B Nagar, Andheri East (Main Centre)
Reg. Location	.J D Magai, Anunen Last (Main Centre)




MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT THYROID FUNCTION TESTS PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Collected

Reported

	<u>ILEGOLI 5</u>		
Free T3, Serum	5.4	3.5-6.5 pmol/L	CLIA
Free T4, Serum	11.8	11.5-22.7 pmol/L	CLIA
sensitiveTSH, Serum	3.126	0.55-4.78 microlU/ml	CLIA

Page 11 of 13



Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors

can give falsely high TSH.

2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7% (with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours

following the last biotin administration.

2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results.

this assay is designed to minimize interference from heterophilic antibodies.

Reference:

1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)

2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357

3. Tietz, Text Book of Clinical Chemistry and Molecular Biology -5th Edition

4.Biological Variation: From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



drate.

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director

Page 12 of 13

REGD. OFFICE: Suburban Diagnostics (India) Pvt. Ltd., Aston, 2rd Floor, Sundervan Complex, Above Mercedes Showroom, Andheri West, Mumbai - 400053. CENTRAL REFERENCE LABORATORY: Shop No. 9, 101 to 105, Skyline Wealth Space Building, Near Omart, Premier Road, Vidyavihar (W), Mumbai - 400086.

HEALTHLINE: 022-6170-0000 | E-MAIL: customerservice@suburbandiagnostics.com | WEBSITE: www.suburbandiagnostics.com

Corporate Identity Number (CIN): U85110MH2002PTC136144



CID	: 2409719389
Name	: MR.KUMAR RAMAN
Age / Gender	: 54 Years / Male
Consulting Dr. Reg. Location	: - : J B Nagar, Andheri East (Main Centre)

Authenticity Check	

R

E

P

o

R

т

Use a QR Code Scanner Application To Scan the Code : 06-Apr-2024 /

Collected : 06-A Reported : 06-A

MEDIWHEEL FULL BODY HEALTH CHECKUP MALE ABOVE 40/TMT

PARAMETER	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.52	0.3-1.2 mg/dl	Vanadate oxidation
BILIRUBIN (DIRECT), Serum	0.17	0-0.3 mg/dl	Vanadate oxidation
BILIRUBIN (INDIRECT), Serum	0.35	<1.2 mg/dl	Calculated
TOTAL PROTEINS, Serum	6.4	5.7-8.2 g/dL	Biuret
ALBUMIN, Serum	4.2	3.2-4.8 g/dL	BCG
GLOBULIN, Serum	2.2	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.9	1 - 2	Calculated
SGOT (AST), Serum	23.1	<34 U/L	Modified IFCC
SGPT (ALT), Serum	25.2	10-49 U/L	Modified IFCC
GAMMA GT, Serum	20.2	<73 U/L	Modified IFCC
ALKALINE PHOSPHATASE, Serum	64.5	46-116 U/L	Modified IFCC

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***



A

Dr.ANUPA DIXIT M.D.(PATH) Consultant Pathologist & Lab Director


Page 13 of 13

SUBURBAN DIAGNOSTICS - J B NAGAR, ANDHERI EAST



Patient Name:KUMAR RAMANPatient ID:2409719389

Date and Time: 6th Apr 24 8:33 AM



ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.

REPORTED BY




Dr Ashish Deshmukh M.B.B.S. , MD (Medicine) 59997

Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified physician. 2) Patient vitals are as entered by the clinician and not derived from the ECG.

ि B बैंक ऑफ़ बड़ौदा Bank of Baroda	
नाम कुमार रमण Name Kumar Raman कर्मचारी कूट क्र E.C. No. 81537 रेग्रे जारीकर्ता प्राधिकारी घारक के हरताक्षर	
Issuing Authority Signature of Holder Suburban Diagnostics India P Sahar Plaza , Mear Loop AVII A Botance Bu	Nvt Ltd Hing :
Sahar Pieza Near Son Almit A Bodania Bu Below J & Naava Viero Starse Anotheri Kirde Roed Ar aber 2001 Avanda 2000 419571 19 8527419571 19 8527419572 12	400059 GS
DOB 30'	

Sahar Plaza JB Nagar Andheri(E) Mumbai-400059 Suburban Diagnostics India Pvt. Ltd.



2764 (2409719389) / KUMAR RAMAN / 54 Yrs / M / 162 Cms / 72 Kg Date: 08-Apr-2024

	ICKH	ASHISH V. DESHMUNH	DR. ASHI							
					sived	rt Rate Ache	: Htn On Medication : Test Complete, Heart Rate Acheived	: Htn O : Test C	ons	History Test End Reasons
rt Ltd ding .	Dan Diagnostics India Pvt Ltd - reversion, Wing A, Bonanza Building . - reversion reverse - reversion reverse - reversion and the reverse station . - reversion and the reverse station .		Subu Shan M		re SS	rget 166) induced str Start	: 06:14 : 161 bpm 97% of Target 166 : 190/90 : 7.4 Fair response to induced stress : V1 & -1.2 mm in ExStart	: 06:14 : 161 bp : 190/90 : 7.4 Fai : 7.4 Fai	ed yd • Attained • ad & Avg ST •	Exercise Time : 06:14 Max HR Attained : 161 bpm 97% of Target 1 Max BP Attained : 190/90 Max WorkLoad Attained : 7.4 Fair response to indu Max ST Dep Lead & Avg ST Value : V1 & -1.2 mm in ExStart
										FINDINGS :
8	145 (130/90	67 %	112	01.0	00.0	00.0	3:09	11:00	Recovery
00	148 (130/90	69 %	114	01.0	00.0	00.0	3:00	10:51	Recovery
00	186 (150/90	75 %	124	01.0	00.0	00.0	2:00	09:51	Recovery
8	241 (170/90	86 %	142	01.2	00.0	01.1	1:00	08:51	Recovery
0	305	190/90	97 %	161	07.4	14.0	03.4	0:14	07:51	PeakEx
8	268	170/90	95 %	158	07.1	12.0	02.5	3:00	07:37	BRUCE Stage 2
8	208	150/90	84 %	139	04.7	10.0	01.7	3:00	04:37	BRUCE Stage 1
00	153	130/90	71 %	118	01.0	00.0	01.0	0:19	01:37	ExStart
00	136	130/90	63 %	105	01.0	00.0	00.0	0:20	01:18	Warm Up
8	128	130/90	60 %	660	01.0	00.0	00.0	0:35	00:58	HV
8	131	130/90	61 %	101	01.0	00.0	00.0	0:19	00:23	Standing
00	130	130/90	60 %	100	01.0	00.0	00.0	0:04	00:04	Supine
PVC Comments	RPP	BP	% THR	Rate	METS	Elevation	Speed(mph)	Duration	lime	stage

Doctor : Dr Ashish V Deshmukh


MAN W

Suburban Diagnostics In
D
agnostics
India Pvt. Ltd.
Pvt.
Ltd.





Carrai i faza de Nagai Arraiteri(E) Multipal-400035	ACHDE
2764 / KUMAR RAMAN / 54 Yrs / M / 162 Cms / 72 Kg Date: 08-Apr-2024	
Interpretation :	
GOOD EFFORT TOLERANCE	
TACHYCARDIC CHRONOTROPIC RESPONSE DUE TO INADEQUATE CONDITIONING	
NO ANGUNA LANGUNAL EQUIVALENTS	
OCCASIONAL VPBS DURING EARLY EXERCISE - NORMALISES AT PEAK EXERCISE - REAPPEAR IN LATE RECOVERY NO SIGNIFICANT ST-T CHANGES FROM BASELINE	E RECOVERY
IMPRESSION : STRESS TEST IS NEGATIVE FOR STRESS INDUCIBLE ISCHEMIA	
Disclaimer : Negative Stress test does not rule out Coronary Artery Disease	
Hence Clinical Correlation is mandatory.	
Suburb	Suburban Diagnostics India Pvt Ltd
	Shop Mus 9/10/19/20, Wing -A. Benanza Building ,
	Server Fisuer, stear Konincor Holet, Berow J B Isaart Metro Station
Andneg-K	Andhen -Kuria Road ,Andheri East ,Mumbai 400059
	DO ASHISH V. DESHMUKH
	ND. (MEDICINE)
CONSUL	CONSULTING PHYSICIAN
	REG. NO. 59991
	Derman
Doctor : Di	Doctor : Dr Ashish V Deshmukh






Sahar Plaza JB Nagar Andheri(E) Mumbai-400059 2764 / KUMAR RAMAN / 54 Yrs / Male / 162 Cm / 72 Kg

6 x 2 + Rhythm BRUCE:Standing(0:19)








6 x 2 + Rhythm BRUCE:HV(0:35)








6 x 2 + Rhythm BRUCE:Warm Up(0:20)








Sahar Plaza JB Nagar Andheri(E) Mumbai-400059 2764 / KUMAR RAMAN / 54 Yrs / Male / 162 Cm / 72 Kg

6 x 2 + Rhythm ExStart










6 x 2 + Rhythm BRUCE:Stage 1(3:00)














Sahar Plaza JB Nagar Andheri(E) Mumbai-400059 2764 / KUMAR RAMAN / 54 Yrs / Male / 162 Cm / 72 Kg


6 x 2 + Rhythm Recovery(1:00)














USG WHOLE ABDOMEN

LIVER:

The liver is normal in size(12.3cm), shape and smooth margins. It shows **raised** parenchymal echo pattern. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER:

The gall bladder is physiologically distended and appears normal.No evidence of gall stones or mass lesions seen.

PANCREAS:

The pancreas is well visualised and appears normal.No evidence of solid or cystic mass lesion.

KIDNEYS:

Both the kidneys are normal in size, shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen. Right kidney measures 10.4 x 4.5 cm. Left kidney measures 10.1 x 4.8 cm.

SPLEEN:


The spleen is normal in size (11.6 cm)and echotexture. No evidence of focal lesion is noted. There is no evidence of any lymphadenopathy or ascites.

URINARY BLADDER:

The urinary bladder is well distended and reveal no intraluminal abnormality. Prevoid volume - 164 cc. Postvoid residue - 70 cc. **Significant postvoid residue noted.**

PROSTATE:

The prostate is **moderately enlarged** in size with **median lobe hypertrophy**, measures 4.8 x 4.5 x 4.8 cm and volume is 55.7 cc.



IMPRESSION:


- Grade I fatty liver.
- Moderate prostatomegaly with median lobe hypertrophy.
- Significant postvoid residue noted.

ADV: PSA & Clinical correlation.

-----End of Report-----

Spuiral

Dr. Swapnil Nisal MBBS, DMRE MMC Reg. No.2015/06/3297





: 2409719389

Authenticity Check

R

E

Р

0

R

Т



Name Age / Sex Ref. Dr Reg. Location

CID

: Mr KUMAR RAMAN : 54 Years/Male : : J B Nagar, Andheri East Main Centre

Reg. Date Reported Use a QR Code Scanner Application To Scan the Code : 06-Apr-2024 : 06-Apr-2024/10:22

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION: NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

Specieval

Dr. Swapnil Nisal MBBS, DMRE MMC Reg. No.2015/06/3297

