

Aakriti Labs 3 Mahatma Gandhi Marg, Gandhi Nagar Mod Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661 www.aakritilabs.com CIN NO.: U85195RJ2004PTC019563



: Mr. HARSHIT KABRA Name Age/Gender: 27 Y/Male Patient ID : 012402040001 BarcodeNo :10113794 Referred By : Self

Registration No: 75343

Registered

Analysed

- Reported Panel
- : 05/Feb/2024 03:56PM : 05/Feb/2024 03:56PM

: 04/Feb/2024 08:10AM

: MEDI WHEEL (ARCOFEMI HEALTHCARE LTD)

DIGITAL X-RAY CHEST PA VIEW

artner

Soft tissue shadow and bony cages are normal.

Trachea is central.

Bilateral lung field and both CP angle are clear.

Domes of diaphragm are normally placed.

Transverse diameter of heart appears with normal limits.

MALITY DETECTED. IMPRESSION:- NO OBVIOUS ABNO

*** End Of Report ***

Page 1 of 1

Dr. Neera Mehta

M.B.B.S., D.M.R.D.


RMCNO.005807/14853



ALPL policy mandates the film records to be maintained for a period of 3 months only. Kindly collect the films before this period

est Data an approximate or tested under highest quality standards, clinical & technical security. The results given are impression only & not the final Diagnosis. The results should be correlated with clinical information for the purpose of final Diagnosis. Test results are not valid for Medico legal purposes. Subject to Jaipur Jurisdiction only. All tests be






GHARMA Dr. RAKE M.S. OPTH. B. OPTH FICLLP

ļ.



題





(ADX_GEM217220330)(R)Allenge	A A A A A A A A A A A A A A A A A A A	tor: DR.	C-0233 Boctor : DR								
		3		Đĩ. N							
							1IA	LE ISCHAEN	OR INDUCIB	TEST IS NEGATIVE FOR INDUCIBLE ISCHAEMIA	TEST IS
											REPORT :
						hieved	Test Complete, Heart Rate Achieved	t Complete,	: Tes	asons	Test End Reasons
							n Recovery	ST Value V1 & -1.0 mm in Recovery	T Value: V1	Lead & Avg S	Max ST Dep Lead & Avg
						stress	7.4 Fair response to induced stress	Fair respons	.7.4		Max WorkLoad Attained
			9 (mm/Hg)	Max BP Attained 143/89 (mm/Hg)	Max BP At		-	125/83 (mm/Hg)	: 125	(Strt)	Initial BP (ExStrt)
		let 193	Max HR Attained 177 bpm 92% of Target 193	tained 177 bi	Max HR At		F Target 193	112 bpm 58% of Target 193	: 112	(Strt)	Initial HR (ExStrt)
								14	: 06:14	le	Exercise Time
											FINDINGS -
	00	183	143/89	66 %	128	01.0	00.0	00.0	3:46	11:48	Recovery
	00	186	140/90	% 69	133	01.0	00.0	00.0	2:00	10:02	Recovery
	00	190	125/83	79 %	152	01.2	00.0	00.0	1:00	09:02	Recovery
	00	221	125/83	92 %	177	07.4	14.0	03.4	0:14	08:02	PeakEx
	00	215	125/83	% 68	172	07.1	12.0	02.5	3:00	07:48	BRUCE Stage 2
	00	195	125/83	81 %	156	04.7	10.0	01.7	3:00	04:48	BRUCE Stage 1
	00	140	125/83	58 %	112	01.0	00.0	01.0	0:07	01:48	ExStart
	00	128	125/83	53 %	103	01.0	00.0	00.0	0:12	01:41	Warm Up
	00	131	125/83	54 %	105	01.0	00.0	00.0	1:25	01:29	HV
	00	115	125/83	48 %	092	01.0	00.0	00.0	0:04	00:04	Supine
Comments	4 PVC	Rpp	82	% THR	Rate	METS	h) Elevation	Speed(mph)	Duration	Time	Stage
						Athlete	nined By: e Estrogen/Non-	ms / 0 Kg HEEL Exan labetic/Negativ	rs / M / O Ci y : MADI W stromia/Non-D	KABRA / 27 Y Refd B Non-Hyperchole	J MR HARSHIT KABRA / 27 Yrs / M / 0 Cms / 0 Kg Date: 04 / 02 / 2024 Refd By : MADI WHEEL Examined By: NonCardiacPain Angina /Non-Hypercholestromia/Non-Diabetic/Negative Estrogen/Non-Athlete
ACHPL						engers.net	iia.khlsa@all	R EMail: sor	DAD, JAIPUF	ANAGAR MODE, TONK ROAD, JAIPUR EMail: sonia.khlsa@allengers.net	" NAGAR M
甩	Report									LAB PVT.LTD.	LAB

Test Report Status

<u>Final</u>



Biological Reference Interval Units



PATIENT NAME : HARSHIT KABRA	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000049066 AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-	ACCESSION NO : 0251XB000288 PATIENT ID : HARSM050297251	AGE/SEX :27 Years Male DRAWN :04/02/2024 08:10:00
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100		RECEIVED : 05/02/2024 09:07:54 REPORTED :05/02/2024 15:56:01

Results

н	AEMATOLOGY - CBO	:	
MEDI WHEEL FULL BODY HEALTH CHECK UP A	BOVE 40 MALE		
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV)	47.6	40 - 50	%
METHOD : CALCULATED PARAMETER		00 101	fl
MEAN CORPUSCULAR VOLUME (MCV) METHOD : CALCULATED PARAMETER	93.0	83 - 101	TL
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	31.0	27.0 - 32.0	pg
METHOD : CALCULATED PARAMETER			
MEAN CORPUSCULAR HEMOGLOBIN	33.2	31.5 - 34.5	g/dL
CONCENTRATION (MCHC) METHOD : CALCULATED PARAMETER			
RED CELL DISTRIBUTION WIDTH (RDW)	13.1	11.6 - 14.0	%
METHOD : CALCULATED PARAMETER	-		
MENTZER INDEX	18.2		
MEAN PLATELET VOLUME (MPV)	8.3	6.8 - 10.9	fL
METHOD : CALCULATED PARAMETER			
WBC DIFFERENTIAL COUNT			
NEUTROPHILS	53	40 - 80	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
LYMPHOCYTES	42 High	20 - 40	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY MONOCYTES	04	2 - 10	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	04	2 - 10	20
EOSINOPHILS	01	1 - 6	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY			
BASOPHILS	00	0 - 2	%
METHOD : IMPEDANCE WITH HYDRO FOCUS AND MICROSCOPY	2.02		
	3.02	2.0 - 7.0	thou/µL
METHOD : CALCULATED PARAMETER ABSOLUTE LYMPHOCYTE COUNT	2.39	1.0 - 3.0	thou/µL
METHOD : CALCULATED PARAMETER	2.35	1.0 5.0	
ABSOLUTE MONOCYTE COUNT	0.23	0.2 - 1.0	thou/µL
METHOD : CALCULATED PARAMETER			
ABSOLUTE EOSINOPHIL COUNT	0.06	0.02 - 0.50	thou/µL
METHOD : CALCULATED PARAMETER			

Dr. Akansha Jain **Consultant Pathologist**







NEUTROPHIL LYMPHOCYTE RATIO (NLR)





PATIENT NAME : HARSHIT KABRA		REF. DOCTOR : S	SELF	
CODE/NAME & ADDRESS : C000049066 AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN- AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100	PATIENT ID :	0251XB000288 HARSM050297251 ID: 012402040001	-	:27 Years Male :04/02/2024 08:10:00 :05/02/2024 09:07:54 :05/02/2024 15:56:01
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval Units
ABSOLUTE BASOPHIL COUNT	0 Low	0.02 - 0.1	0	thou/µL

1.3

Dr. Akansha Jain **Consultant Pathologist**



Page 2 Of 19

÷.







PATIENT NAME : HARSHIT KABRA	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000049066 AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN- AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100	ACCESSION NO : 0251XB000288 PATIENT ID : HARSM050297251 CLIENT PATIENT ID: 012402040001 ABHA NO :	AGE/SEX : 27 Years Male DRAWN : 04/02/2024 08:10:00 RECEIVED : 05/02/2024 09:07:54 REPORTED : 05/02/2024 15:56:01
Test Report Status Final	Results Biologica	l Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE BLOOD COUNTS EDTA WHOLE BLOOD

BLOOD COUNTS, EDTA WHOLE BLOOD			
HEMOGLOBIN (HB)	15.8	13.0 - 17.0	g/dL
METHOD : CYANIDE FREE DETERMINATION			
RED BLOOD CELL (RBC) COUNT	5.10	4.5 - 5.5	mil/µL
METHOD : ELECTRICAL IMPEDANCE			
WHITE BLOOD CELL (WBC) COUNT	5.70	4.0 - 10.0	thou/µL
METHOD : ELECTRICAL IMPEDANCE			
PLATELET COUNT	295	150 - 410	thou/µL
METHOD : ELECTRONIC IMPEDANCE			

Interpretation(s)

RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for

diagnosing a case of beta thalassaemia trait. WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504

This ratio element is a calculated parameter and out of NABL scope. BLOOD COUNTS,EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology.

Dr. Akansha Jain **Consultant Pathologist**



Page 3 Of 19







PATIENT NAME : HARSHIT KABRA REF. DOCTOR : SELF CODE/NAME & ADDRESS : C000049066 ACCESSION NO : 0251XB000288 AGE/SEX :27 Years Male AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-:04/02/2024 08:10:00 PATIENT ID : HARSM050297251 DRAWN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG CLIENT PATIENT ID: 012402040001 RECEIVED :05/02/2024 09:07:54 JAIPUR 302017 REPORTED :05/02/2024 15:56:01 ABHA NO : 9314660100

Test	Report	Status	<u>Final</u>
------	--------	--------	--------------

Results

Biological Reference Interval Units

	HAEMATOLOGY		
MEDI WHEEL FULL BODY HEALTH CHECK UP	ABOVE 40 MALE		*
GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA BLOOD	WHOLE		
HBA1C	5.3	Non-diabetic: < 5.7 Pre-diabetics: 5.7 - 6.4 Diabetics: > or = 6.5 Therapeutic goals: < 7.0 Action suggested : > 8.0 (ADA Guideline 2021)	%
METHOD : HIGH PERFORMANCE LIQUID CHROMATOGRAPHY (HPI ESTIMATED AVERAGE GLUCOSE(EAG) METHOD : CALCULATED PARAMETER	105.4	< 116.0	mg/dL

Dr. Akansha Jain Consultant Pathologist

Page 4 Of 19

View Report









mm at 1 hr

PATIENT NAME : HARSHIT KABRA	REF. DOCTOR :	SELF
ACTURE DIACNOSTICS LIMITED-WEL WALK-IN-	ACCESSION NO : 0251XB000288 PATIENT ID : HARSM050297251 CLIENT PATIENT ID: 012402040001 ABHA NO :	AGE/SEX :27 Years Male DRAWN :04/02/2024 08:10:00 RECEIVED :05/02/2024 09:07:54 REPORTED :05/02/2024 15:56:01
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

0 - 14

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE **ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA** BLOOD E.S.R 10

METHOD : AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)"

Interpretation(s)

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c - 46.7

HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.

b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.) c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD-

TeST DESCRIPTION</br>

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging. Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease

(Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased : Poikilocytosis,(SickleCells,spherocytes),Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicvlates)

Dr. Akansha Jain **Consultant Pathologist**



Page 5 Of 19







PATIENT NAME : HARSHIT KABRA	REF. DOCTOR :	SELF
AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN- AAKRITI LABS PVT LTD. A-430, AGRASEN MARG	ACCESSION NO : 0251XB000288 PATIENT ID : HARSM050297251 CLIENT PATIENT ID: 012402040001 ABHA NO :	AGE/SEX: 27 YearsMaleDRAWN: 04/02/202408:10:00RECEIVED: 05/02/202409:07:54REPORTED: 05/02/202415:56:01
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

REFERENCE :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

Dr. Akansha Jain **Consultant Pathologist**

Page 6 Of 19

÷,









Biological Reference Interval Units

CODE/NAME & ADDRESS : C000049066 ACCESSION NO · 0251XB000288 AGE/SEX : 27 Years Male	PATIENT NAME : HARSHIT KABRA	REF. DOCTOR : S	SELF
AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN- AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100PATIENT IDHARSM050297251 CLIENT PATIENT ID: 012402040001 ABHA NODRAWN:04/02/2024 08:10:00 RECEIVEDREPORTED:05/02/2024 09:07:54 CLIENT PATIENT ID: 012402040001REPORTED:05/02/2024 15:56:01	AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN- AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017	РАТІЕNT ID : HARSM050297251 CLIENT PATIENT ID: 012402040001	RECEIVED : 05/02/2024 09:07:54

IMMUNOHAEMATOLOGY

Results

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

<u>Final</u>

ADD GROUP & RH ITPE, EDTA WHOLE BLOUD	
ABO GROUP	TYPE AB
METHOD : TUBE AGGLUTINATION	
RH TYPE	POSITIVE
METHOD : TUBE AGGLUTINATION	

Interpretation(s)

Test Report Status

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.

Dr. Akansha Jain Consultant Pathologist



Page 7 Of 19

View Report







PATIENT NAME : HARSHIT KABRA	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000049066	ACCESSION NO : 0251XB000288	AGE/SEX : 27 Years Male
AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-	PATIENT ID : HARSM050297251	DRAWN :04/02/2024 08:10:00
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017	CLIENT PATIENT ID: 012402040001	RECEIVED : 05/02/2024 09:07:54
9314660100	ABHA NO :	REPORTED :05/02/2024 15:56:01

Test Report Status	<u>Final</u>	Results	Biological Reference

ce Interval Units

	BIOCHEMISTRY		
MEDI WHEEL FULL BODY HEALTH CHECK UP	P ABOVE 40 MALE		,
GLUCOSE FASTING, FLUORIDE PLASMA			
FBS (FASTING BLOOD SUGAR) METHOD : GLUCOSE OXIDASE	88	74 - 99	mg/dL
GLUCOSE, POST-PRANDIAL, PLASMA			
PPBS(POST PRANDIAL BLOOD SUGAR) METHOD : GLUCOSE OXIDASE	91	70 - 140	mg/dL
LIPID PROFILE WITH CALCULATED LDL			
CHOLESTEROL, TOTAL	160	< 200 Desirable 200 - 239 Borderline High >/= 240 High	mg/dL
METHOD : CHOLESTEROL OXIDASE			/ II
TRIGLYCERIDES	55	< 150 Normal 150 - 199 Borderline High 200 - 499 High >/=500 Very High	mg/dL
METHOD : LIPASE/GPO-PAP NO CORRECTION		· · · · ·	
HDL CHOLESTEROL	36 Low	< 40 Low >/=60 High	mg/dL
METHOD : DIRECT CLEARANCE METHOD CHOLESTEROL LDL	113 High	< 100 Optimal	mg/dL
		100 optimal 100 - 129 Near optimal/ above optima 130 - 159 Borderline High 160 - 189 High >/= 190 Very High	
NON HDL CHOLESTEROL	124	Desirable: Less than 130 Above Desirable: 130 - 159 Borderline High: 160 - 189 High: 190 - 219 Very high: > or = 220	mg/dL

METHOD : CALCULATED PARAMETER

Dr. Akansha Jain **Consultant Pathologist**



Page 8 Of 19









PATIENT NAME : HARSHIT KABRA		REF. DOCTOR : SI	ELF	
CODE/NAME & ADDRESS : C000049066 AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN- AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100	ACCESSION NO : 02 PATIENT ID : HA CLIENT PATIENT ID: ABHA NO :	ARSM050297251 012402040001	AGE/SEX : 27 Years DRAWN : 04/02/2024 RECEIVED : 05/02/2024 REPORTED :05/02/2024	09:07:54
Test Report Status <u>Final</u>	Results	Biological R	Reference Interval	Units
VERY LOW DENSITY LIPOPROTEIN	11.0	= 30.0</td <td>m<u>c</u></td> <td>g/dL</td>	m <u>c</u>	g/dL

CHOL/HDL RATIO	4.4	3.3 - 4.4
		Low Risk
		4.5 - 7.0
		Average Risk
		7.1 - 11.0
		Moderate Risk
		> 11.0
		High Risk
LDL/HDL RATIO	3.1 High	0.5 - 3.0 Desirable/Low Risk
		3.1 - 6.0 Borderline/Moderate
		Risk
		>6.0 High Risk

Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target. Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India						
Risk Category						
Extreme risk group	A.CAD with > 1 feature of high risk group					
	B. CAD wit	h > 1 feature of Very hi	gh risk g	roup or recurre	ent ACS (within 1 ye	ear) despite LDL-C < or =
	50 mg/dl or polyvascular disease					
Very High Risk	1. Establish	ed ASCVD 2. Diabetes	s with 2 r	najor risk facto	rs or evidence of en	d organ damage 3.
	Familial Ho	mozygous Hypercholes	terolemi	a		
High Risk	1. Three ma	ajor ASCVD risk factor	s. 2. Dia	betes with 1 m	ajor risk factor or no	o evidence of end organ
	damage. 3.	CKD stage 3B or 4. 4.	LDL > 1	90 mg/dl 5. Ex	treme of a single ris	sk factor. 6. Coronary
	Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque					
Moderate Risk	2 major ASCVD risk factors					
Low Risk	0-1 major ASCVD risk factors					
Major ASCVD (Atherosclerotic cardiovascular disease) Risk Factors						
1. Age $>$ or $=$ 45 years	in males and	l > or = 55 years in fema	ales	3. Current Ci	garette smoking or t	obacco use
2. Family history of pr	remature ASC	CVD		4. High blood	l pressure	
5. Low HDL					-	
Newer treatment goals	and statin in	itiation thresholds bas	ed on th	e risk categori	ies proposed by LA	I in 2020.
Risk Group	Treatment Goals Consider Drug Therapy			herapy		
		LDL-C (mg/dl)	Non-H	DL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group C	Category A	<50 (Optional goal	< 80 (0	Optional goal	>OR = 50	>OR = 80
		< OR = 30)	<or =<="" td=""><td></td><td></td><td></td></or>			

Dr. Akansha Jain **Consultant Pathologist**



Page 9 Of 19







PATIENT NAME : HARSHIT KABRA REF. DOCTOR : SELF CODE/NAME & ADDRESS : C000049066 ACCESSION NO : 0251XB000288 AGE/SEX :27 Years Male AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-:04/02/2024 08:10:00 PATIENT ID : HARSM050297251 DRAWN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG CLIENT PATIENT ID: 012402040001 RECEIVED :05/02/2024 09:07:54 JAIPUR 302017 REPORTED :05/02/2024 15:56:01 ABHA NO : 9314660100

Test Report Status	<u>Final</u>
--------------------	--------------

Results

Biological Reference Interval Units

	1	1	1		
Extreme Risk Group Category B	<or 30<="" =="" td=""><td>$\langle OR = 60$</td><td>> 30</td><td>>60</td><td></td></or>	$\langle OR = 60$	> 30	>60	
Very High Risk	<50	<80	>OR= 50	>OR= 80	
High Risk	<70	<100	>OR= 70	>OR=100	
Moderate Risk	<100	<130	>OR=100	>OR=130	
Low Risk	<100	<130	>OR=130*	>OR=160	
*After an adequate non-pharmacolog					
References: Management of Dyslipid			cal Practice Recommend	ations from the Lipic	Association of
India. Current Vascular Pharmacolog LIVER FUNCTION PROFILE, SE).			
	.KOM				<i>.</i>
BILIRUBIN, TOTAL		0.56	0 - 1		mg/dL
METHOD : DIAZO WITH SULPHANILIC ACI	D				
BILIRUBIN, DIRECT		0.22	0.00 - 0.	25	mg/dL
METHOD : DIAZO WITH SULPHANILIC ACI	D				
BILIRUBIN, INDIRECT		0.34	0.1 - 1.0		mg/dL
METHOD : CALCULATED PARAMETER					
TOTAL PROTEIN		7.8	6.4 - 8.2		g/dL
METHOD : BIURET REACTION, END POINT					
ALBUMIN		4.8 High	3.8 - 4.4		g/dL
METHOD : BROMOCRESOL GREEN					
GLOBULIN		3.0	2.0 - 4.1		g/dL
METHOD : CALCULATED PARAMETER					
ALBUMIN/GLOBULIN RATIO		1.6	1.0 - 2.1		RATIO
METHOD : CALCULATED PARAMETER					
ASPARTATE AMINOTRANSFERA	ASE	31	0 - 37		U/L
(AST/SGOT)					
METHOD : TRIS BUFFER NO P5P IFCC / SF	BC 37° C				
ALANINE AMINOTRANSFERAS	E (ALT/SGPT)	69 High	0 - 40		U/L
METHOD : TRIS BUFFER NO P5P IFCC / SF	BC 37° C				
ALKALINE PHOSPHATASE		66	39 - 117		U/L
METHOD : AMP OPTIMISED TO IFCC 37° C					
GAMMA GLUTAMYL TRANSFER	ASE (GGT)	48	11 - 50		U/L
METHOD : GAMMA GLUTAMYL-3 CARBOXY	4 NITROANILIDE (IFCC)	37° C			
LACTATE DEHYDROGENASE		270	230 - 46	0	U/L
BLOOD UREA NITROGEN (BUN	I), SERUM				
BLOOD UREA NITROGEN		8	5.0 - 18.	0	mg/dL
BEGGB ONEN MINOGEN		•	5.0 10.	•	

METHOD : UREASE KINETIC

Dr. Akansha Jain **Consultant Pathologist**



Page 10 Of 19



Details







PATIENT NAME : HARSHIT KABRA	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000049066 AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN- AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100	ACCESSION NO : 0251XB000288 РАТІЕNT ID : HARSM050297251 CLIENT PATIENT ID: 012402040001 ABHA NO :	AGE/SEX :27 Years Male DRAWN :04/02/2024 08:10:00 RECEIVED :05/02/2024 09:07:54 REPORTED :05/02/2024 15:56:01
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

CREATININE, SERUM CREATININE METHOD : ALKALINE PICRATE NO DEPROTEINIZATION	0.96	0.8 - 1.3	mg/dL
BUN/CREAT RATIO BUN/CREAT RATIO METHOD : CALCULATED PARAMETER	8.33		
URIC ACID, SERUM URIC ACID METHOD : URICASE PEROXIDASE WITH ASCORBATE OXIDASE	4.9	3.4 - 7.0	mg/dL
TOTAL PROTEIN, SERUM TOTAL PROTEIN METHOD : BIURET REACTION, END POINT	7.8	6.4 - 8.3	g/dL
ALBUMIN, SERUM ALBUMIN METHOD : BROMOCRESOL GREEN	4.8 High	3.8 - 4.4	g/dL
GLOBULIN GLOBULIN	3.0	2.0 - 4.1	g/dL

ELECTROLYTES (NA/K/CL), SERUM

Dr. Akansha Jain **Consultant Pathologist**













PATIENT NAME : HARSHIT KABRA REF. DOCTOR : SELF CODE/NAME & ADDRESS : C000049066 ACCESSION NO : 0251XB000288 AGE/SEX :27 Years Male AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-DRAWN :04/02/2024 08:10:00 PATIENT ID : HARSM050297251 AAKRITI LABS PVT LTD. A-430, AGRASEN MARG CLIENT PATIENT ID: 012402040001 RECEIVED : 05/02/2024 09:07:54 JAIPUR 302017 ABHA NO REPORTED :05/02/2024 15:56:01 : 9314660100 **Test Report Status** Results **Biological Reference Interval** Units <u>Final</u> SODIUM, SERUM 137 - 145 mmol/L 141.2 METHOD : ION-SELECTIVE ELECTRODE POTASSIUM, SERUM 4.44 3.6 - 5.0 mmol/L METHOD : ION-SELECTIVE ELECTRODE 99.1 98 - 107 mmol/L CHLORIDE, SERUM

Interpretation(s)

METHOD : ION-SELECTIVE ELECTRODE

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome,osmotic diuresis (e.g., hyperglycemia),alkalosis, familial periodic paralysis,trauma (transient).Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism,metabolic alkalosis. Drugs: chronic laxative,corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, high- dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences: Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides. Decreased in :Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy (adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol

sulfonylureas,tolbutamide,and other oral hypoglycemic agents. NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

Dr. Akansha Jain **Consultant Pathologist**



Page 12 Of 19







PATIENT	NAME :	HARSHIT	KABRA
---------	--------	---------	-------

PATIENT NAME : HARSHIT KABRA	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000049066 AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN- AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100	ACCESSION NO : 0251XB000288 PATIENT ID : HARSM050297251 CLIENT PATIENT ID: 012402040001 ABHA NO :	AGE/SEX : 27 Years Male DRAWN : 04/02/2024 08:10:00 RECEIVED : 05/02/2024 09:07:54 REPORTED : 05/02/2024 15:56:01
Test Report Status <u>Final</u>	Results Biologica	Reference Interval Units

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed,Alimentary Hypoglycemia,Increased insulin response & sensitivity etc. GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycemics & Insulin

treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

 may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than

unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin. AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly

measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

 Aber 1997 All Andrew All Aber 1997 All Aber 199

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT

has been widely used as an index of liver dysfunction.Elevated serum GGT activity can be found in diseases of the liver, biliary system and panceas.Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc.

cbotal Protein</br/>db> also known as total protein, is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin

and globulin.Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

(b)>Albumin
(b)>Albumin
(b)
(b)
(b)
(b)
(b)
(b)
(b)
(b)
(c)

enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

CREATININE, SERUM-<0>Higher than normal level may be due to: </D>
 Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)
 Lower than normal level may be due to:
 Myasthenia Gravis, Muscuophy
 URIC ACID, SERUM-Causes of Increased levels:
 -Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2

DM,Metabolic syndrome

Social Social

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc. ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood

serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr. Akansha Jain **Consultant Pathologist**



Page 13 Of 19







PATIENT NAME : HARSHIT KABRA	REF. DOCTOR :	SELF
CODE/NAME & ADDRESS : C000049066 AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-	ACCESSION NO : 0251XB000288	AGE/SEX : 27 Years Male
AAKRITI LABS PVT LTD. A-430, AGRASEN MARG	PATIENT ID : HARSM050297251 CLIENT PATIENT ID: 012402040001	DRAWN :04/02/2024 08:10:00 RECEIVED :05/02/2024 09:07:54
JAIPUR 302017 9314660100	ABHA NO :	REPORTED :05/02/2024 15:56:01

Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units
		CLINICAL PATH - URINALYSIS		
MEDI WHEEL FULL B	ODY HEAL	TH CHECK UP ABOVE 40 MALE		

PHYSICAL EXAMINATION, URINE		
COLOR	PALE YELLOW	
METHOD : GROSS EXAMINATION		
APPEARANCE	CLEAR	
METHOD : GROSS EXAMINATION		
CHEMICAL EXAMINATION, URINE		
PH METHOD : DOUBLE INDICATOR PRINCIPLE	6.0	4.7 - 7.5
SPECIFIC GRAVITY METHOD : IONIC CONCENTRATION METHOD	1.015	1.003 - 1.035
PROTEIN METHOD : PROTEIN ERROR OF INDICATORS WITH REFLECTANCE	NOT DETECTED	NEGATIVE
GLUCOSE METHOD : GLUCOSE OXIDASE PEROXIDASE / BENEDICTS	NOT DETECTED	NEGATIVE
KETONES METHOD : SODIUM NITROPRUSSIDE REACTION	NOT DETECTED	NOT DETECTED
BLOOD METHOD : PEROCIDASE ANTI PEROXIDASE	NOT DETECTED	NEGATIVE
BILIRUBIN METHOD : DIPSTICK	NOT DETECTED	NOT DETECTED
UROBILINOGEN METHOD : EHRLICH REACTION REFLECTANCE	NORMAL	NORMAL
NITRITE METHOD : NITRATE TO NITRITE CONVERSION METHOD	NOT DETECTED	NOT DETECTED
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION PUS CELL (WBC'S)	1-2	0-5	/HPF
METHOD : DIPSTICK, MICROSCOPY			

Dr. Akansha Jain **Consultant Pathologist**











PATIENT NAME : HARSHIT KABRA REF. DOCTOR : SELF CODE/NAME & ADDRESS : C000049066 ACCESSION NO : 0251XB000288 AGE/SEX :27 Years Male AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-:04/02/2024 08:10:00 PATIENT ID : HARSM050297251 DRAWN AAKRITI LABS PVT LTD. A-430, AGRASEN MARG CLIENT PATIENT ID: 012402040001 RECEIVED : 05/02/2024 09:07:54 JAIPUR 302017 REPORTED :05/02/2024 15:56:01 ABHA NO : 9314660100 Biological Reference Interval **Test Report Status** <u>Final</u> Results Units /HPF 0-1 0-5 EPITHELIAL CELLS METHOD : MICROSCOPIC EXAMINATION

CASTS	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION CRYSTALS	NOT DETECTED	
METHOD : MICROSCOPIC EXAMINATION BACTERIA METHOD : MICROSCOPIC EXAMINATION	NOT DETECTED	NOT DETECTED
YEAST	NOT DETECTED	NOT DETECTED

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions		
Proteins	Inflammation or immune illnesses		
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind		
	of kidney impairment		
Glucose	Diabetes or kidney disease		
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst		
Urobilinogen	Liver disease such as hepatitis or cirrhosis		
Blood	Renal or genital disorders/trauma		
Bilirubin	Liver disease		
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary		
	tract infection and glomerular diseases		
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either		
	acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions		
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or		
	bladder catheters for prolonged periods of time		
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration,		
	interaction with Bence-Jones protein		
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal		
	diseases		

Dr. Akansha Jain **Consultant Pathologist**



Page 15 Of 19





Test Report Status





Male

:04/02/2024 08:10:00

PATIENT NAME : HARSHIT KABRA

CODE/NAME & ADDRESS : C000049066 AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-AAKRITI LABS PVT LTD. A-430, AGRASEN MARG JAIPUR 302017 9314660100

<u>Final</u>

REF. DOCTOR : SELF ACCESSION NO : 0251XB000288 PATIENT ID : HARSM050297251 CLIENT PATIENT ID: 012402040001 ABHA NO :

> Biological Reference Interval Units

AGE/SEX

DRAWN

:27 Years

RECEIVED : 05/02/2024 09:07:54

REPORTED :05/02/2024 15:56:01

Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

Results

Dr. Akansha Jain **Consultant Pathologist**



Page 16 Of 19

Details







PATIENT NAME : HARSHIT KABRA REF. DOCTOR : SELF CODE/NAME & ADDRESS : C000049066 ACCESSION NO : 0251XB000288 AGE/SEX :27 Years Male AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-PATIENT ID : HARSM050297251 DRAWN :04/02/2024 08:10:00 AAKRITI LABS PVT LTD. A-430, AGRASEN MARG CLIENT PATIENT ID: 012402040001 RECEIVED : 05/02/2024 09:07:54 JAIPUR 302017 ABHA NO REPORTED :05/02/2024 15:56:01 : 9314660100

Test Report Status Final

Results

Biological Reference Interval Units

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

PHYSICAL EXAMINATION, STOOL

COLOUR

METHOD : GROSS EXAMINATION

SAMPLE NOT RECEIVED



Dr. Abhishek Sharma Consultant Microbiologist



Page 17 Of 19

View Report







REF. DOCTOR : SELF PATIENT NAME : HARSHIT KABRA CODE/NAME & ADDRESS : C000049066 ACCESSION NO : 0251XB000288 AGE/SEX :27 Years Male AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-DRAWN :04/02/2024 08:10:00 PATIENT ID : HARSM050297251 AAKRITI LABS PVT LTD. A-430, AGRASEN MARG CLIENT PATIENT ID: 012402040001 RECEIVED : 05/02/2024 09:07:54 JAIPUR 302017 ABHA NO REPORTED :05/02/2024 15:56:01 : 9314660100

Test Report Status	Final	Results

Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

THYROID PANEL, SERUM			
ТЗ	132.34	60.0 - 181.0	ng/dL
METHOD : CHEMILUMINESCENCE			
T4	8.50	4.5 - 10.9	µg/dL
METHOD : CHEMILUMINESCENCE			
TSH (ULTRASENSITIVE)	4.157	0.550 - 4.780	µIU/mL
METHOD : CHEMILUMINESCENCE			

Interpretation(s)

Triiodothyronine T3, **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism.Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
		_			(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism

Dr. Akansha Jain Consultant Pathologist





atient Ref. No. 775000006306374

Page 18 Of 19

Test Report Status



REF. DOCTOR : SELF



Male

:04/02/2024 08:10:00

PATIENT NAME : HARSHIT KABRA

CODE/NAME & ADDRESS : C000049066 AGILUS DIAGNOSTICS LIMITED-WEL WALK-IN-AAKRITI LABS PVT LTD. A-430, AGRASEN MARG 1ATPUR 302017 9314660100

Final

PATIENT ID : HARSM050297251 CLIENT PATIENT ID: 012402040001 ABHA NO :

ACCESSION NO : 0251XB000288

Biological Reference Interval Units

AGE/SEX

DRAWN

:27 Years

RECEIVED : 05/02/2024 09:07:54

REPORTED :05/02/2024 15:56:01

6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

Results

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

> **End Of Report** Please visit www.agilusdiagnostics.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING 1. It is presumed that the test sample belongs to the patient 5. named or identified in the test requisition form. 2. All tests are performed and reported as per the clinical safety & technical integrity. turnaround time stated in the AGILUS Directory of Services. 6. Laboratory results should not be interpreted in 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any determine final diagnosis. other unforeseen event. 7. Test results may vary based on time of collection,

4. A requested test might not be performed if:

- i. Specimen received is insufficient or inappropriate
- ii. Specimen quality is unsatisfactory
- iii. Incorrect specimen type

iv. Discrepancy between identification on specimen container label and test requisition form

AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards,

isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to

physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.

Test results cannot be used for Medico legal purposes. 8. 9 In case of queries please call customer care

(91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr. Akansha Jain **Consultant Pathologist**



Page 19 Of 19

View Repor







Aakriti Labs 3 Mahatma Gandhi Marg, Gandhi Nagar Mod Tonk Road, Jaipur (Raj.) Ph.: 0141-2710661

www.aakritilabs.com CIN NO.: U85195RJ2004PTC019563

Name : Mr. HARSHIT KABRA Age/Gender: 27 Y/Male Patient ID : 012402040001 BarcodeNo : 10113794 Referred By : Self

Registration	No:	75343
Registered	:	04/Feb/2024 08:10AM
Analysed	:	11/Feb/2024 11:42AM
Reported	32	11/Feb/2024 11:42AM
Panel		MEDI WHEEL (ARCOFEMI
		HEALTHCARE LTD)

USG: WHOLE ABDOMEN (Male)

LIVER : Is normal in size with bright in echogenecity. The IHBR and hepatic radicals are not dilated. No evidence of focal echopoor/echorich lesion seen. Portal vein diameter and common bile duct appear normal.

GALL : Is normal in size, shape and echotexture. Walls are smooth and


- BLADDER regular with normal thickness. There is no evidence of cholelithiasis.
- **PANCREAS** : Is normal in size, shape and echotexture. Pancreatic duct is not dilated. **SPLEEN** : Is normal in size, shape and echogenecity. Spleenic hilum is not dilated.
- KIDNEYS : Right Kidney:-Size:100 x 42 mm, Left Kidney:-Size: 105 x 51 mm. Bilateral Kidneys are normal in size,shape and echotexture, corticomedullary differentiation is fair and ratio appears normal. Pelvi calyceal system is normal.No evidence of hydronephrosis/ nephrolithiasis.

URINARY : Bladder walls are smooth, regular and normal thickness. BLADDER :No evidence of mass or stone in bladder lumen.

- PROSTATE: Is normal in size, shape and echotexture, measures: 30 x 24 x 22 mm, wt: 8 gms. Its capsule is intact and no evidence of focal lesion.
- **SPECIFIC** : No evidence of retroperitoneal mass or free fluid seen in peritoneal cavity. No evidence of lymphadenopathy or mass lesion in retroperitoneum. Visualized bowel loop appear normal.Great vessels appear normal.

IMPRESSION :- Fatty liver (Grade- I)

*** End Of Report ***





performed A: Rispolicy and ates they fith record should be a tentained of evripy. The results given are impression only & not the final Diagnosis. The results lated with clinical information for the purpose of final Diagnosis. Test results are not valid for Medico legal purposes. Subject to Japar Jurisdiction only to the subject to Japar Jurisdiction on the subject

Page 1 of