DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING

Report: ULTRASOUND

Patient Name	:	MR. ABHINAV RISHAV	IPD No.	:	
Age	:	40 Yrs 7 Mth	UHID	T:	APH000020265
Gender	:	MALE	Bill No.	:	APHHC240000166
Ref. Doctor	:	MEDIWHEEL	Bill Date	:	10-02-2024 08:47:29
Ward	:		Room No.	:	
			Print Date	:	10-02-2024 10:21:02

WHOLE ABDOMEN:

Both the hepatic lobes are normal in size and shows moderate increase in parenchymal echogenicity S/O grade II fatty liver infiltration. (Liver measures 14.3 cm)

No focal lesion seen. Intrahepatic biliary radicals are not dilated.

Portal vein is normal in calibre.

Gall bladder is well distended. Wall thickness is normal. No calculus seen.

CBD is normal in calibre.

Pancreas is normal in size and echotexture.

Spleen is normal in size (9.9 cm) and echotexture.

Both kidneys are normal in size and echotexture (Right kidney (11.1 cm), Left kidney (11.1 cm). Cortico-medullary distinction is maintained. No calculus or hydronephrosis seen.

Urinary bladder appears normal.

Prostate appears normal in size (Vol. 14.4 cc), outline and echotexture.

No free fluid or collection seen. No basal pleural effusion seen.

No significant lymphadenopathy seen.

No dilated bowel loop seen.

IMPRESSION:

Grade - II fatty infiltration of liver.

Please correlate clinically.

.....End of Report......

Prepare By. MD.SALMAN DR. MUHAMMAD SERAJ, MD Radiodiagnosis, FRCR (London) BCMR/46075 CONSULTANT

Note: The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.

DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING

Report: XRAY

Patient Name	:	MR. ABHINAV RISHAV	IPD No.	T	
Age	:	40 Yrs 7 Mth	UHID	T	APH000020265
Gender	:	MALE	Bill No.	T:	APHHC240000166
Ref. Doctor	:	MEDIWHEEL	Bill Date	:	10-02-2024 08:47:29
Ward	:		Room No.	:	
			Print Date	:	12-02-2024 11:39:22

CHEST PA VIEW:

Cardiac shadow appears normal.

Both lung fields appear clear.

Both domes of diaphragm and both CP angles are clear.

Both hila appear normal.

Soft tissues and bony cage appear normal.

	corre		
	000	 	

.....End of Report......

Prepare By. MD.SALMAN

DR. MUHAMMAD SERAJ, MD Radiodiagnosis, FRCR (London) BCMR/46075 CONSULTANT

Note: The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.

Bill No.	:	APHHC240000166	Bill Date		:	10-02-2024 08:47		
Patient Name	F	MR. ABHINAV RISHAV	UHID		Γ	APH000020265		
Age / Gender	F	40 Yrs 7 Mth / MALE	Patient T	y pe	Γ	OPD	If PHC	1:
Ref. Consultant	1	MEDIWHEEL	Ward / B	ed		1		
Sample ID	:	APH24004481	Current \	Vard / Bed	F	1		
	1		Receivin	g Date & Time	:	10-02-2024 13:55		
			Reportin	g Date & Time	:	10-02-2024 19:07		

CLINICAL PATH REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: Urine				

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

URINE, ROUTINE EXAMINATION

PHYSICAL EXAMINATION

QUANTITY	30 mL	
COLOUR	Pale yellow	Pale Yellow
TURBIDITY	Clear	

CHEMICAL EXAMINATION

PH (Double pH indicator method)	6.0	5.0 - 8.5
PROTEINS (Protein-error-of-indicators)	Negative	Negative
SUGAR (GOD POD Method)	Negative	Negative
SPECIFIC GRAVITY, URINE (Apparent pKa change)	1.015	1.005 - 1.030

MICROSCOPIC EXAMINATION

LEUCOCYTES		0-1	/HPF	0 - 5		
RBC's	Nil					
EPITHELIAL CELLS	0-1					
CASTS	Nil					
CRYSTALS	Nil					
URINE-SUGAR		NEGATIVE				

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.		APHHC240000166	Bill Date	:	10-02-2024 08:47		
Patient Name	F	MR. ABHINAV RISHAV	UHID		APH000020265		
Age / Gender	F	40 Yrs 7 Mth / MALE	Patient Type		OPD	If PHC :	
Ref. Consultant		MEDIWHEEL	Ward / Bed		1		
Sample ID		APH24004384	Current Ward / Bed		1		
	1		Receiving Date & Time	:	10-02-2024 09:37		
	T		Reporting Date & Time	:	10-02-2024 20:03		

SEROLOGY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: Serum				

MEDIWHEEL FULL BODY HEALTH CHECKUP _M	ALE(ABOVE 40)@2550		
PROSTATIC SPECIFIC ANTIGEN(TOTAL) (ELFA)	0.55	ng/mL	0 - 4

Note:

TPSA as a Tumor marker is used as an additional test for prognosis and monitoring of therapy for patients with diagnosed malignant tumors. It may offer a diagnostic value for screening patients with suspected malignancies, as high values may be experienced in situations like benign prostatic hyperplasia, prostatitis, bladder catheterisation, urinary retention, endoscopic examination. Value in between 4-10ng/ml may be an indication of Benign Prostate Hyperplasia or prostate Carcinoma, values greater than 10ng/ml may indicate high risk of Carcinoma.

The test has been carried out in Fully Automated Immunoassay System VIDAS using ELFA (Enzyme Linked Fluorescence Assay) technology.

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	:	APHHC240000166	Bill Date	:	10-02-2024 08:47	
Patient Name	1	MR. ABHINAV RISHAV	UHID		APH000020265	
Age / Gender	F	40 Yrs 7 Mth / MALE	Patient Type		OPD If PHC :	
Ref. Consultant	1	MEDIWHEEL	Ward / Bed		1	
Sample ID	1	APH24004384	Current Ward / Bed	:	1	
	1		Receiving Date & Time	:	10-02-2024 09:37	
			Reporting Date & Time	:	10-02-2024 20:03	

Sample Type: Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

THYROID PROFILE (FT3+FT4+TSH)

FREE-TRI IODO THYRONINE (FT3) (ECLIA)		3.00	pg/mL	2.0-4.4
FREE -THYROXINE (FT4) (ECLIA)	L	0.83	ng/dL	0.9-1.7
THYROID STIMULATING HORMONE (TSH) (ECLIA)		3.25	mIU/L	0.27-4.20

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	F	APHHC240000166	Bill Date	·	10-02-2024 08:47	
Patient Name	Г	MR. ABHINAV RISHAV	UHID	Ε	APH000020265	
Age / Gender	Г	40 Yrs 7 Mth / MALE	Patient Type	Ε	OPD	If PHC :
Ref. Consultant	Г	MEDIWHEEL	Ward / Bed	T	1	
Sample ID		APH24004512	Current Ward / Bed		1	
	1		Receiving Date & Time	:	10-02-2024 14:28	
	Г		Reporting Date & Time	:	10-02-2024 16:23	

BIOCHEMISTRY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
--------------------	------	--------	-----	----------------------------------

Sample Type: EDTA Whole Blood, Plasma, Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

BLOOD UREA Urease-GLDH,Kinetic		15	mg/dL	15 - 45				
BUN (CALCULATED)		7.0	mg/dL	7 - 21				
CREATININE-SERUM (Modified Jaffe's Kinetic)	L	0.8	mg/dL	0.9 - 1.3				
GLUCOSE-PLASMA (FASTING) (UV Hexokinase)		105.0	mg/dL	70 - 100				

Note: A diagnosis of diabetes mellitus is made if fasting blood glucose exceeds 126 mg/dL. (As per American Diabetes Association recommendation)

GLUCOSE-PLASMA (POST PRANDIAL) (UV Hexokinase) 110.0 mg/dL 70 - 140

Note: A diagnosis of diabetes mellitus is made if 2 hour post load glucose exceeds 200 mg/dL. (As per American Diabetes Association recommendation)

LIPID PROFILE

CHOLESTROL-TOTAL (CHO-POD)		125	mg/dL	0 - 160
HDL CHOLESTROL Enzymatic Immunoinhibition	L	34	mg/dL	>40
CHOLESTROL-LDL DIRECT Enzymatic Selective Protection		82	mg/dL	0 - 100
S.TRIGLYCERIDES (GPO - POD)		108	mg/dL	0 - 160
NON-HDL CHOLESTROL		91.0	mg/dL	0 - 125
TOTAL CHOLESTROL / HDL CHOLESTROL		3.7		½Average Risk <3.3 Average Risk 3.3-4.4 2 Times Average Risk 4.5-7.1 3 Times Average Risk 7.2-11.0
LDL CHOLESTROL / HDL CHOLESTROL		2.4		½Average Risk <1.0 Average Risk 1.0-3 6 2 Times Average Risk 3.7-6.3 3 Times Average Risk 6.4-8.0
CHOLESTROL-VLDL		22	mg/dL	10 - 35

Comments:

- Disorders of Lipid metabolism play a major role in atherosclerosis and coronary heart disease.
- There is an established relationship between increased total cholesterol & LDL cholesterol and myocardial infarction.
- HDL cholesterol level is inversely related to the incidence of coronary artery disease.
- Major risk factors which adversely affect the lipid levels are:
 - 1. Cigarette smoking.
 - 2. Hypertension.
 - 3. Family history of premature coronary heart disease.
 - 4. Pre-existing coronary heart disease.

LIVER FUNCTION TESTS (LFT)

BILIRUBIN-TOTAL (DPD)	Н	1.13	mg/dL	0.2 - 1.0
BILIRUBIN-DIRECT (DPD)	Н	0.28	mg/dL	0 - 0.2
BILIRUBIN-INDIRECT	Н	0.85	mg/dL	0.2 - 0.8
S.PROTEIN-TOTAL (Biuret)		6.6	g/dL	6 - 8.1

Bill No.	:	APHHC240000166			Bill Date		:	10-02-2024 08:47
Patient Name	tient Name : MR. ABHINAV RISHAV L		UHID		:	APH000020265		
\ge / Gender		40 Yrs 7 Mth / MALE			Patient Type		:	OPD If PHC :
Ref. Consultant		MEDIWHEEL			Ward / Bed		:	1
Sample ID		APH24004512			Current Ward / Bed		:	1
					Receiving Date & Tin	ne	:	10-02-2024 14:28
	П				Reporting Date & Tin	1e	:	10-02-2024 16:23
ALBUMIN-SERU	JM	(Dye Binding-Bromocresol Green)		4.1		g/dL		
S.GLOBULIN			L	2.	5	g/dL		2.8-3.8
A/G RATIO				1.6	64			1.5 - 2.5
ALKALINE PHO	SP	HATASE IFCC AMP BUFFER		95	.5	IU/L		53 - 128
ASPARTATE AN	4I1	O TRANSFERASE (SGOT) (IFCC)		37	.2	IU/L		10 - 42
ALANINE AMIN	Ю	TRANSFERASE(SGPT) (IFCC)	Н	49	0.2	IU/L		10 - 40
GAMMA-GLUTA	M	YLTRANSPEPTIDASE (IFCC)		32	.9	IU/L		11 - 50
LACTATE DEHY	ΥD	ROGENASE (IFCC; L-P)		15	5.5	IU/L		0 - 248
S.PROTEIN-TO	TΑ	L (Biuret)		6.6	3	g/dL		6 - 8.1
URIC ACID Urica	se -	Trinder	Н	7.	4	mg/d	L	2.6 - 7.2

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	:	APHHC240000166	Bill Date	:	10-02-2024 08:47		
Patient Name	:	MR. ABHINAV RISHAV	UHID	:	APH000020265		
Age / Gender	:	40 Yrs 7 Mth / MALE	Patient Type	:	OPD	If PHC	:
Ref. Consultant	:	MEDIWHEEL	Ward / Bed	:	1		
Sample ID	:	APH24004512	Current Ward / Bed	:	1		
	:		Receiving Date & Time	:	10-02-2024 14:28		
			Reporting Date & Time		10-02-2024 16:23		

Sample Type: EDTA Whole Blood, Plasma, Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

HBA1C (Turbidimetric Immuno-inhibition)	6.2	%	4.0 - 6.2

INTERPRETATION:

HbA1c % Degree of Glucose Control							
>8%	Action suggested due to high risk of developing long term complications like Retinopathy, Nephropathy, Cardiopathy and Neuropathy						
7.1 - 8.0	Fair Control						
<7.0	Good Control						

Note:

- 1.A three monthly monitoring is recommended in diabetics.
- 2. Since HbA1c concentration represents the integrated values for blood glucose over the preceding 6 10 weeks and is not affected by daily glucose fluctuation, exercise and recent food intake, it is a more useful tool for monitoring diabetics.

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.		APHHC240000166		Bill Date	:	10-02-2024 08:47		
Patient Name	F	MR. ABHINAV RISHAV		UHID		APH000020265		
Age / Gender	F	40 Yrs 7 Mth / MALE		Patient Type	[·	OPD	If PHC :	
Ref. Consultant		MEDIWHEEL	,	Ward / Bed	Г	1		
Sample ID		APH24004381	1	Current Ward / Bed		1		
	1			Receiving Date & Time	:	10-02-2024 09:37		
	T			Reporting Date & Time		10-02-2024 15:29		

BLOOD BANK REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval

Sample Type: EDTA Whole Blood

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

BLOOD GROUP (ABO)	"B"
RH TYPE	POSITIVE

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	:	APHHC240000166	Bill Date	Г	10-02-2024 08:47		
Patient Name	:	MR. ABHINAV RISHAV	UHID	Г	APH000020265		
Age / Gender		40 Yrs 7 Mth / MALE	Patient Type	Г	OPD	If PHC	:
Ref. Consultant		MEDIWHEEL	Ward / Bed	Г	1		
Sample ID	:	APH24004380	Current Ward / Bed		1		
	:		Receiving Date & Time	F	10-02-2024 09:37		
	П		Reporting Date & Time	Γ	10-02-2024 17:11		

HAEMATOLOGY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: EDTA Whole Blood				

MEDIWHEEL FULL BODY HEALTH CHECKUP _MALE(ABOVE 40)@2550

CBC -1 (COMPLETE BLOOD COUNT)

TOTAL LEUCOCYTE COUNT (Flow Cytometry)		5.8	thousand/cumm	4 - 11
RED BLOOD CELL COUNT (Hydro Dynamic Focussing)		4.7	million/cumm	4.5 - 5.5
HAEMOGLOBIN (SLS Hb Detection)		13.6	g/dL	13 - 17
PACK CELL VOLUME (Cumulative Pulse Height Detection)		40.6	%	40 - 50
MEAN CORPUSCULAR VOLUME		86.1	fL	83 - 101
MEAN CORPUSCULAR HAEMOGLOBIN		28.9	pg	27 - 32
MEAN CORPUSCULAR HAEMOGLOBIN CONCENTRATION		33.5	g/dL	31.5 - 34.5
PLATELET COUNT (Hydro Dynamic Focussing)		161	thousand/cumm	150 - 400
RED CELL DISTRIBUTION WIDTH (S.D - RDW) (Particle Size Distribution)		45.7	fL	39 - 46
RED CELL DISTRIBUTION WIDTH (C.V.)	Н	14.8	%	11.6 - 14

DIFFERENTIAL LEUCOCYTE COUNT

ESR (Westergren)	Н	44	mm 1st hr	0 - 10
BASOPHILS		0	%	0 - 1
EOSINOPHILS		2	%	1 - 5
MONOCYTES		7	%	2 - 10
LYMPHOCYTES		26	%	20 - 40
NEUTROPHILS		65	%	40 - 80

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH