



Lab Ref. No. : 234030798	C. NO: 11	Centre Name : SDA Diagnostics
Name : Mr. SAURABH KUMAR		Collection Time : 29-Mar-2024 10:01AM
Age/ Gender : 35Y / Male		Receiving Time : 29-Mar-2024 10:01AM
Referred By : Dr. SELF		Reporting Time : 29-Mar-2024 11:48AM
Sample By :		

Test Name	Results	Units	Biological Ref-Interval
-----------	---------	-------	-------------------------

HAEMATOLOGY

COMPLETE BLOOD COUNT

HAEMOGLOBIN (Colorimetry)	16.00	g/dl	12-16.5
TOTAL LEUCOCYTE COUNT (Electric Impedence)	7300.00	/Cum m	4000-11000
DIFFERENTIAL LEUCOCYTE COUNT (Microscopy)			
Neutrophils	55.00	%	44-68
Lymphocytes	40.00	%	25- 44
Eosinophils	3.00	%	0.0- 4.0
Monocytes	2.00	%	0.0-7.0
Basophils	0.00	%	0.0-1.0
Immature Cells	00	%	
Absolute Count			
Neutrophils Count (calculated)	4015.00	/cumm	2000-7000
Lymphocytes Count (calculated)	2920.00	/cumm	1000-3000
Eosinophils Count (calculated)	219.00	/cumm	40-440
Monocytes Count (calculated)	146.00	/cumm	200-1000
Basophils Count (calculated)	0.00	/cumm	0-30
TOTAL R.B.C. COUNT (Electric Impedence)	5.35	10 ⁶ /uL	3.50-5.50
Haematocrit Value (P.C.V.) (Calculated)	47.00	%	37.0-54.0
MCV (Calculated)	88.00	fL	76-98
MCH	29.80	pg	27-32



Sonal Dhingra

Dr. Bhavna Sharma
M.D. Pathology

Dr. Swati Tiwari
M.D. Microbiology

Dr. Sonal Dhingra Anand
M.D. Pathology

- ◆ Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- ◆ The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepancy and should be immediately discussed & alleviated.
- ◆ Report purports for patients care and not for medical legal documents.



Lab Ref. No. : 234030798	C. NO: 11	Centre Name : SDA Diagnostics
Name : Mr. SAURABH KUMAR		Collection Time : 29-Mar-2024 10:01AM
Age/ Gender : 35Y / Male		Receiving Time : 29-Mar-2024 10:01AM
Referred By : Dr. SELF		Reporting Time : 29-Mar-2024 11:48AM
Sample By :		

Test Name	Results	Units	Biological Ref-Interval
(Calculated)			
MCHC	34.00	g/dl	31-35
(Calculated)			
RDW-CV	15.00	%	11.5 - 14.5
(Calculated)			
Platelet Count	226	Thousand/cumm	150-450
(Electric Impedence)			
MPV	7.90	fL	11.5-14.5
(Calculated)			
PDW	13.80	fL	9.0-17.0
(Calculated)			
E.S.R	12.00	mm	00-20
(Wintrobe method)			
Peripheral Smear	..		

BLOOD GROUP

Blood Group : O
Rh Status : POSITIVE

GLYCATED HAEMOGLOBIN (HbA1c) : 5.30 % 4.5-6.0
ESTIMATED AVERAGE GLUCOSE : 105.41 mg/dl

EXPECTED RESULTS :

Non diabetic patients & Stabilized diabetics : 4.5 % to 6.0 %
Good Control of diabetes : 6.1 % to 7.0 %
Fair Control of diabetes : 7.1 % to 8.0 %
Poor Control of diabetes : 8 % and above

The glycosylated hemoglobin assay has been validated as a reliable indicator of mean blood glucose levels for a period of 8-12 week period prior to HBA1C determination. ADA recommends the testing twice a year in patients with stable blood glucose, and quarterly, if treatment changes, or if blood glucose levels are unstable.



Sonal Dhingra

Dr. Bhavna Sharma
M.D. Pathology

Dr. Swati Tiwari
M.D. Microbiology

Dr. Sonal Dhingra Anand
M.D. Pathology

- ◆ Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- ◆ The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepancy and should be immediately discussed & alleviated.
- ◆ Report purports for patients care and not for medical legal documents.



Lab Ref. No. : 234030798 C. NO: 11 Centre Name : SDA Diagnostics
Name : Mr. SAURABH KUMAR Collection Time : 29-Mar-2024 10:01AM
Age/ Gender : 35Y / Male Receiving Time : 29-Mar-2024 10:01AM
Referred By : Dr. SELF Reporting Time : 29-Mar-2024 2:23PM
Sample By :

Test Name	Results	Units	Biological Ref-Interval
BIOCHEMISTRY			
BLOOD GLUCOSE FASTING (GOD/POD method)	93.00	mg/dl	70 - 110
BLOOD GLUCOSE P.P. (GOD/POD method) After 2.0 hrs of meal	127.00	mg/dl	70-140
BLOOD UREA NITROGEN	13.00	mg/dL	5-25



Sonal Dhingra

Dr. Bhavna Sharma
M.D. Pathology

Dr. Swati Tiwari
M.D. Microbiology

Dr. Sonal Dhingra Anand
M.D. Pathology

- ◆ Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- ◆ The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepancy and should be immediately discussed & alleviated.
- ◆ Report purports for patients care and not for medical legal documents.



Lab Ref. No. : 234030798	C. NO: 11	Centre Name : SDA Diagnostics
Name : Mr. SAURABH KUMAR		Collection Time : 29-Mar-2024 10:01AM
Age/ Gender : 35Y / Male		Receiving Time : 29-Mar-2024 10:01AM
Referred By : Dr. SELF		Reporting Time : 29-Mar-2024 2:25PM
Sample By :		

Test Name	Results	Units	Biological Ref-Interval
-----------	---------	-------	-------------------------

LIVER PROFILE

SERUM BILIRUBIN

TOTAL (Diazo)	0.46	mg/dl	0.30-1.20
DIRECT (Diazo)	0.19	mg/dl	0.00-0.20
INDIRECT (Calculated)	0.27	mg/dl	0.20-1.00
S.G.P.T. (IFCC method)	51.00	U/L	0-45
S.G.O.T. (IFCC method)	39.00	U/L	0-45

SERUM ALKALINE PHOSPHATASE

(4-nitrophenylphosphate to 2-amino-2-methyl-1propan

SERUM PROTEINS

TOTAL PROTEINS (Biuret)	6.40	Gm/dL.	6.0-8.0
ALBUMIN (Bromocresol green Dye)	3.80	Gm/dL.	3.5-5.2
GLOBULIN (Calculated)	2.60	Gm/dL.	2.5-3.5
A : G RATIO (Calculated)	1.46		1.5-2.5

LIVER FUNCTION TESTS CHECK THE LEVEL OF CERTAIN ENZYMES AND PROTEINS IN BLOOD

Levels that are higher or lower than normal can indicate liver problems. Some common liver function tests include :

Alanine transaminase (ALT). ALT is an enzyme found in the liver and When the liver is damaged, ALT is released into the bloodstream and levels increase.

Aspartate transaminase (AST). AST is an enzyme that helps metabolize alanine,an amino acid.

AST is normally present in blood at low levels. An increase in AST levels may indicate liver damage or disease or muscle damage.

Alkaline phosphatase (ALP). ALP is an enzyme in the liver, bile ducts and bone.

G.G.T.P.(GAMMA G.T.)

(Glupa C)

38.00

U/L

< 55.0



Sonal Dhingra

Dr. Bhavna Sharma
M.D. Pathology

Dr. Swati Tiwari
M.D. Microbiology

Dr. Sonal Dhingra Anand
M.D. Pathology

- ◆ Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- ◆ The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepancy and should be immediately discussed & alleviated.
- ◆ Report purports for patients care and not for medicalegal documents.



Lab Ref. No. : 234030798	C. NO: 11	Centre Name : SDA Diagnostics
Name : Mr. SAURABH KUMAR		Collection Time : 29-Mar-2024 10:01AM
Age/ Gender : 35Y / Male		Receiving Time : 29-Mar-2024 10:01AM
Referred By : Dr. SELF		Reporting Time : 29-Mar-2024 2:25PM
Sample By :		

Test Name	Results	Units	Biological Ref-Interval
RENAL PROFILE			
BLOOD UREA (Urease Glutamate dehydrogenase)	28.0	mg/dl	10-50
SERUM CREATININE (Jaffe`s)	0.90	mg/dL.	0.6-1.2
SERUM URIC ACID (Urease method)	4.9	mg/dL.	3.5-7.5
SERUM SODIUM (Na) (ISE Direct)	140.0	mmol/l	135 - 155
SERUM POTASSIUM (K) (ISE Direct)	3.90	mmol/l	3.5 - 5.5
SERUM CALCIUM (Arsenazo)	8.5	mg/dl	8.5-10.1
SERUM PROTEIN			
TOTAL PROTEINS (Biuret)	6.40	Gm/dL.	6.0-8.0
SERUM ALBUMIN (Bromocresol green Dye)	3.80	Gm/dL.	3.5-5.2
GLOBULIN (Calculated)	2.60	Gm/dL.	2.5-3.5
A : G RATIO (Calculated)	1.46	Gm/dL.	1.5-2.5

INTERPRETATION:

Urea is the end product of protein metabolism. It reflects on functioning of the kidney in the body. Creatinine is the end product of creatine metabolism. It is a measure of renal function and elevated levels are observed in patients typically with 50% or greater impairment of renal function. Sodium is critical in maintaining water & osmotic equilibrium in extracellular fluids. Disturbances in acid base and water balance are typically reflected in the sodium concentrations. Potassium is an essential element involved in critical cell functions. Potassium levels are influenced by electrolyte intake, excretion and other means of elimination, exercise, hydration and medications. Calcium imbalance may cause a spectrum of disease. High concentrations are seen in Hyperparathyroidism, Malignancy & Sarcoidosis. Low levels may be due to protein deficiency, renal insufficiency and Hypoparathyroidism. Repeat measurement is recommended if the values are outside the reference range.



Sonal Dhingra

Dr. Bhavna Sharma
M.D. Pathology

Dr. Swati Tiwari
M.D. Microbiology

Dr. Sonal Dhingra Anand
M.D. Pathology

- ◆ Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- ◆ The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepancy and should be immediately discussed & alleviated.
- ◆ Report purports for patients care and not for medical legal documents.



Lab Ref. No. : 234030798	C. NO: 11	Centre Name : SDA Diagnostics
Name : Mr. SAURABH KUMAR		Collection Time : 29-Mar-2024 10:01AM
Age/ Gender : 35Y / Male		Receiving Time : 29-Mar-2024 10:01AM
Referred By : Dr. SELF		Reporting Time : 29-Mar-2024 2:25PM
Sample By :		

Test Name	Results	Units	Biological Ref-Interval
LIPID PROFILE			
SERUM CHOLESTEROL (CHOD - PAP)	239.0	mg/dl	125-200
SERUM TRIGLYCERIDE (GPO-PAP)	182.0	mg/dl	50-150
HDL CHOLESTEROL (Direct Method)	40.0	mg/dl	30-80
VLDL CHOLESTEROL (Calculated)	36.4	mg/dl	5-35
LDL CHOLESTEROL (Calculated)	162.6	mg/dL.	70-130
LDL/HDL RATIO (Calculated)	4.1		0.0-4.9
CHOL/HDL CHOLESTROL RATIO (Calculated)	6.0		1.5-3.0

INTERPRETATION

TRIGLYCERIDE level > 250mg/dL is associated with an approximately 2-fold greater risk of coronary vascular disease. Elevation of triglycerides can be seen with obesity, medication, fast less than 12 hrs., alcohol intake, diabetes melitus, and pancreatitis.

CHOLESTEROL, its fractions and triglycerides are the important plasma lipids in defining cardiovascular risk factors and in the management of cardiovascular disease. Highest acceptable and optimum values of cholesterol values of cholesterol vary with age. Values above 220 mgm/dl are associated with increased risk of CHD regardless of HDL & LDL values.

HDL-CHOLESTEROL level <35 mg/dL is associated with an increased risk of coronary vascular disease even in the face of desirable levels of cholesterol and LDL - cholesterol.

LDL - CHOLESTEROL & TOTAL CHOLESTEROL levels can be strikingly altered by thyroid, renal and liver disease as well as hereditary factors.

Based on total cholesterol, LDL- cholesterol, and total cholesterol/HDL - cholesterol ratio, patients may be divided into the three risk categories.



Sonal Dhingra

Dr. Bhavna Sharma
M.D. Pathology

Dr. Swati Tiwari
M.D. Microbiology

Dr. Sonal Dhingra Anand
M.D. Pathology

- ◆ Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- ◆ The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepancy and should be immediately discussed & alleviated.
- ◆ Report purports for patients care and not for medical legal documents.



Lab Ref. No. : 234030798	C. NO: 11	Centre Name : SDA Diagnostics
Name : Mr. SAURABH KUMAR		Collection Time : 29-Mar-2024 10:01AM
Age/ Gender : 35Y / Male		Receiving Time : 29-Mar-2024 10:01AM
Referred By : Dr. SELF		Reporting Time : 29-Mar-2024 2:25PM
Sample By :		

Test Name	Results	Units	Biological Ref-Interval
-----------	---------	-------	-------------------------

HORMONE

THYRIOD PROFILE

Triiodothyronine (T3) (FIA)	0.95	ng/dl	0.52-1.85
Thyroxine (T4) (FIA)	8.86	ug/dl	4.8-11.6
THYROID STIMULATING HORMONE (TSH) (FIA)	1.97	mIU/L	0.50-5.50

Interpretation Note:

Thyroid Stimulating Hormone (TSH) is a highly effective screening assay for thyroid disorders. In patients with an intact pituitary-thyroid axis, TSH provides a physiologic indicator of the functional level of thyroid hormone activity. Increased TSH indicates inadequate thyroid hormone, and suppressed s-TSH indicates excess thyroid hormone. Transient s-TSH abnormalities may be found in seriously ill, hospitalized patients, so this is not the ideal setting to assess thyroid function. However, even in these patients, s-TSH works better than total thyroxine (an alternative screening test). when the s-TSH result is abnormal, appropriate follow-up tests T4 & free T3 levels should be performed. If TSH is between 5.0 to 10.0 & free T4 & free T3 level are normal then it is considered as subclinical hypothyroidism which should be followed up after 4 weeks & If TSH is > 10 & free T4 & free T3 level are normal then it is considered as overt hypothyroidism.

Serum triiodothyronine (T3) levels often are depressed in sick and hospitalized patients, caused in part by the biochemical shift to the production of reverse T3. Therefore, T3 generally is not a reliable predictor of hypothyroidism. However, in a small subset of hyperthyroid patients, hyperthyroidism may be caused by overproduction of T3 (T3 toxicosis). To help diagnose and monitor this subgroup, T3 is measured on all specimens with suppressed s-TSH and normal FT4 concentrations.

Normal ranges of TSH & thyroid hormones vary according trimester in pregnancy.

TSH ref range in Pregnancy	Reference range (microIU/ml)
----------------------------	------------------------------

First trimester	0.24 - 2.00
Second trimester	0.43-2.2
Third trimester	0.8-2.5



Sonal Dhingra

Dr. Bhavna Sharma
M.D. Pathology

Dr. Swati Tiwari
M.D. Microbiology

Dr. Sonal Dhingra Anand
M.D. Pathology

- ◆ Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- ◆ The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepancy and should be immediately discussed & alleviated.
- ◆ Report purports for patients care and not for medicalegal documents.



Lab Ref. No. : 234030798	C. NO: 11	Centre Name : SDA Diagnostics
Name : Mr. SAURABH KUMAR		Collection Time : 29-Mar-2024 10:01AM
Age/ Gender : 35Y / Male		Receiving Time : 29-Mar-2024 10:01AM
Referred By : Dr. SELF		Reporting Time : 29-Mar-2024 4:12PM
Sample By :		

Test Name	Results	Units	Biological Ref-Interval
-----------	---------	-------	-------------------------

CLINICAL PATHOLOGY

URINE EXAMINATION REPORT

PHYSICAL EXAMINATION

VOLUME (visual)	10	ml	
COLOUR (visual)	PALE YELLOW		
APPEARANCE (visual)	CLEAR		
pH	6.00		4.6 - 8.0
SPECIFIC GRAVITY (pKa Change)	1.015		1.010-1.030

BIOCHEMICAL EXAMINATION

UROBILINOGEN (Erichs)	NIL		NIL
BILIRUBIN (Azo-coupling reaction)	NEGATIVE		NEGATIVE
NITRITE	NEGATIVE		NEGATIVE
SUGAR (Glucose Oxidase Peroxidase)	NIL		Nil
ALBUMIN (Protein-Error-of-Indicator))	NIL		Nil
PHOSPHATE	NIL		Nil

MICROSCOPIC EXAMINATION

(Microscopy)			
RED BLOOD CELLS	NIL	/H.P.F.	0-2
PUS CELLS	1-2	/H.P.F.	0-5
EPITHELIAL CELLS	2-3	/H.P.F.	0-5
CRYSTALS	NIL	/H.P.F.	NIL
CASTS	NIL	/L.P.F.	
OTHER			



Sonal Dhingra

Dr. Bhavna Sharma
M.D. Pathology

Dr. Swati Tiwari
M.D. Microbiology

Dr. Sonal Dhingra Anand
M.D. Pathology

- ◆ Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- ◆ The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepancy and should be immediately discussed & alleviated.
- ◆ Report purports for patients care and not for medical legal documents.



Lab Ref. No. : 234030798	C. NO: 11	Centre Name : SDA Diagnostics
Name : Mr. SAURABH KUMAR		Collection Time : 29-Mar-2024 10:01AM
Age/ Gender : 35Y / Male		Receiving Time : 29-Mar-2024 10:01AM
Referred By : Dr. SELF		Reporting Time : 29-Mar-2024 4:12PM
Sample By :		

Test Name	Results	Units	Biological Ref-Interval
-----------	---------	-------	-------------------------

-----{END OF REPORT }-----



Sonal Dhingra

Dr. Bhavna Sharma
M.D. Pathology

Dr. Swati Tiwari
M.D. Microbiology

Dr. Sonal Dhingra Anand
M.D. Pathology

- ◆ Test Values may vary with different lab standards, methods, kits used and other physiological & biological factors.
- ◆ The clinico pathological lab tests involve Man-Machine-Computer interface with slight chances of inadvertent discrepancy and should be immediately discussed & alleviated.
- ◆ Report purports for patients care and not for medicalegal documents.