

REF. DOCTOR: SELF



Male

PATIENT NAME: HARSHWARDHAN SARDAR

HARSHWARDHAN SARDAR

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: 0002XC047609

PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO

:29/03/2024 09:08:43 RECEIVED: 29/03/2024 09:10:48 REPORTED :30/03/2024 13:01:46

:42 Years

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

XRAY-CHEST

IMPRESSION NO ABNORMALITY DETECTED

ECG

WITHIN NORMAL LIMITS **ECG**

MEDICAL HISTORY

RELEVANT PRESENT HISTORY **NOT SIGNIFICANT NOT SIGNIFICANT** RELEVANT PAST HISTORY RELEVANT PERSONAL HISTORY **NOT SIGNIFICANT**

MOTHER -HIGH BLOOD PRESSURE RELEVANT FAMILY HISTORY

HISTORY OF MEDICATIONS NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS 1.72 mts WEIGHT IN KGS. 70 Kgs

BMI 24 BMI & Weight Status as follows/sqmts Below 18.5: Underweight

18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE **NORMAL HEALTHY** GENERAL APPEARANCE / NUTRITIONAL

STATUS

AVERAGE BUILT / SKELETAL FRAMEWORK

Dr. J N Shukla , MBBS, AFIH **Consultant Physician**





Page 1 Of 26



Dr. Swati Karmarkar, MD, DNB, DMRD

Consultant Radiologist

Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W)

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956



Mumbai, 400062 Maharashtra, India



REF. DOCTOR: SELF



Male

PATIENT NAME: HARSHWARDHAN SARDAR

HARSHWARDHAN SARDAR

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: 0002XC047609

PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO

AGE/SEX :42 Years :29/03/2024 09:08:43 RECEIVED: 29/03/2024 09:10:48 REPORTED :30/03/2024 13:01:46

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

NORMAL FACIAL APPEARANCE NORMAL SKIN UPPER LIMB **NORMAL** NORMAL LOWER LIMB

NOT ENLARGED OR TENDER NECK LYMPHATICS / SALIVARY GLANDS

THYROID GLAND **NOT ENLARGED**

CAROTID PULSATION **NORMAL TEMPERATURE NORMAL**

PULSE 66/MIN REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID

BRUIT

NORMAL RESPIRATORY RATE

CARDIOVASCULAR SYSTEM

BP 110/70 MM HG mm/Hg

(SUPINE)

APEX BEAT **NORMAL**

HEART SOUNDS S1, S2 HEARD NORMALLY

MURMURS ABSENT

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST **NORMAL** MOVEMENTS OF CHEST SYMMETRICAL

BREATH SOUNDS QUALITY VESICULAR (NORMAL)

ABSENT ADDED SOUNDS

PER ABDOMEN

APPEARANCE NORMAL LIVER NOT PALPABLE SPLEEN NOT PALPABLE

Dr. J N Shukla , MBBS, AFIH **Consultant Physician**



Page 2 Of 26



Dr. Swati Karmarkar, MD, DNB, DMRD

Consultant Radiologist

Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062







HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

REF. DOCTOR: SELF

ACCESSION NO: **0002XC047609** AGE/SEX: 42 Years Male

PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO : DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

Test Report Status Final Results Biological Reference Interval Units

HERNIA ABSENT

CENTRAL NERVOUS SYSTEM

HIGHER FUNCTIONS

CRANIAL NERVES

CEREBELLAR FUNCTIONS

SENSORY SYSTEM

MOTOR SYSTEM

REFLEXES

NORMAL

NORMAL

NORMAL

MUSCULOSKELETAL SYSTEM

SPINE NORMAL JOINTS NORMAL

BASIC EYE EXAMINATION

CONJUNCTIVA NORMAL
EYELIDS NORMAL
EYE MOVEMENTS NORMAL
CORNEA NORMAL

DISTANT VISION RIGHT EYE WITHOUT REDUCE VISUAL ACUITY (6/9)

GLASSES

DISTANT VISION LEFT EYE WITHOUT REDUCE VISUAL ACUITY (6/9)

GLASSES

NEAR VISION RIGHT EYE WITHOUT GLASSES REDUCE VISUAL ACUITY (N8)
NEAR VISION LEFT EYE WITHOUT GLASSES WITHIN NORMAL LIMIT (N6)

COLOUR VISION NORMAL (17/17)

BASIC ENT EXAMINATION

Dr. Swati Karmarkar,

Dr. Swati Karmarkar, MD,DNB,DMRD Consultant Radiologist Sterkl

Dr. J N Shukla ,MBBS, AFIH Consultant Physician





Page 3 Of 26

View Details

View Repor



Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062







Male

PATIENT NAME: HARSHWARDHAN SARDAR REF. DOCTOR: SELF

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: **0002XC047609**PATIENT ID: HARSM0610812

CLIENT PATIENT ID: ABHA NO : DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

:42 Years

Test Report Status <u>Final</u> Results Biological Reference Interval Units

EXTERNAL EAR CANAL NORMAL TYMPANIC MEMBRANE NORMAL

NOSE NO ABNORMALITY DETECTED

SINUSES CLEAR

THROAT NO ABNORMALITY DETECTED

TONSILS NOT ENLARGED

SUMMARY

RELEVANT HISTORY NOT SIGNIFICANT RELEVANT GP EXAMINATION FINDINGS NOT SIGNIFICANT

RELEVANT LAB INVESTIGATIONS LOW HEMOGLOBIN (12.7)

LOW RBC (4.33)

RAISED ESOINOPHILS (11)

LOW T4 (4.57)

RELEVANT NON PATHOLOGY DIAGNOSTICS USG-NO ABNORMALITIES DETECTED

REMARKS / RECOMMENDATIONS ADV- MONITOR T4 LEVEL

ADV. VISUAL ACUITY FOR CORRECTION.

ADV. TO FOLLOW UP WITH OPTHALMOLOGIST.

ADV. TO FOLLOW UP WITH PHYSICIAN

Secamarker

Dr. Swati Karmarkar, MD,DNB,DMRD Consultant Radiologist Starkl

Dr. J N Shukla ,MBBS, AFIH Consultant Physician





Page 4 Of 26

View Details

View Report



Prime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W) Mumbai, 400062 Maharashtra, India







HARSHWARDHAN SARDAR

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

WEST

REF. DOCTOR: SELF

ACCESSION NO: 0002XC047609 AGE/SEX :42 Years Male

PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO

DRAWN :29/03/2024 09:08:43 RECEIVED: 29/03/2024 09:10:48 REPORTED :30/03/2024 13:01:46

Test Report Status Results Units <u>Final</u>

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ULTRASOUND ABDOMEN

ULTRASOUND ABDOMEN

NO ABNORMALITIES DETECTED

TMT OR ECHO

CLINICAL PROFILE

TMT DONE: - NEGATIVE FOR PROVOCABLE ISCHARMIA AT GIVEN CARDIAC WORKLOAD.

Interpretation(s)
MEDICAL

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

Dr. Swati Karmarkar, MD, DNB, DMRD **Consultant Radiologist**


Dr. J N Shukla , MBBS, AFIH **Consultant Physician**





Page 5 Of 26

View Report



Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062







PATIENT NAME: HARSHWARDHAN SARDAR REF. DOCTOR: SELF

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: **0002XC047609**PATIENT ID: HARSM0610812

CLIENT PATIENT ID: ABHA NO : AGE/SEX :42 Years Male
DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

Test Report Status Final Results Biological Reference Interval Units

Н	IAEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECK UP A	BOVE 40 MALE		
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD: CYANIDE FREE DETERMINATION	12.7 Low	13.0 - 17.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD: FLUORESCENCE FLOW CYTOMETRY	4.33 Low	4.5 - 5.5	mil/μL
WHITE BLOOD CELL (WBC) COUNT METHOD: ELECTRICAL IMPEDANCE	5.46	4.0 - 10.0	thou/µL
PLATELET COUNT METHOD: ELECTRONIC IMPEDENCE & MICROSCOPY	292	150 - 410	thou/μL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD: CALCULATED PARAMETER	37.8 Low	40 - 50	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD: DERIVED PARAMETER FROM RBC HISTOGRAM	87.3	83.0 - 101.0	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED PARAMETER	29.3	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD: CALCULATED PARAMETER	33.6	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD: DERIVED PARAMETER FROM RBC HISTOGRAM	13.5	11.6 - 14.0	%
MENTZER INDEX	20.2		
MEAN PLATELET VOLUME (MPV) METHOD: DERIVED PARAMETER FROM PLATELET HISTOGRAM	8.6	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS METHOD: FLUORESCENCE FLOW CYTOMETRY	46	40 - 80	%
LYMPHOCYTES METHOD: FLUORESCENCE FLOW CYTOMETRY	35	20 - 40	%
			0.4

Dr. Sushant Chika

MONOCYTES

Dr. Sushant Chikane Consultant Pathologist



2 - 10



Page 6 Of 26

View Details

View Repor



Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W)

Mumbai, 400062 Maharashtra, India Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956







PATIENT NAME: HARSHWARDHAN SARDAR REF. DOCTOR: SELF

HARSHWARDHAN SARDAR

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: 0002XC047609 PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO

AGE/SEX :42 Years :29/03/2024 09:08:43 RECEIVED: 29/03/2024 09:10:48 REPORTED :30/03/2024 13:01:46

	i	i	
Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
METHOD: FLUORESCENCE FLOW CYTOMETRY			
EOSINOPHILS	11 High	1 - 6	%
METHOD: FLUORESCENCE FLOW CYTOMETRY			
BASOPHILS	0	0 - 1	%
METHOD: FLUORESCENCE FLOW CYTOMETRY			
ABSOLUTE NEUTROPHIL COUNT	2.51	2.0 - 7.0	thou/µL
METHOD: CALCULATED PARAMETER			
ABSOLUTE LYMPHOCYTE COUNT	1.91	1.0 - 3.0	thou/μL
METHOD: CALCULATED PARAMETER			
ABSOLUTE MONOCYTE COUNT	0.44	0.2 - 1.0	thou/μL
METHOD: CALCULATED PARAMETER			
ABSOLUTE EOSINOPHIL COUNT	0.60 High	0.02 - 0.50	thou/µL
METHOD: CALCULATED PARAMETER			
ABSOLUTE BASOPHIL COUNT	0.00 Low	0.02 - 0.10	thou/µL
METHOD: CALCULATED PARAMETER			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.3		
METHOD : CALCULATED			

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr. Sushant Chikane **Consultant Pathologist**



Page 7 Of 26

View Report



Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062









mm at 1 hr

PATIENT NAME: HARSHWARDHAN SARDAR

HARSHWARDHAN SARDAR

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

WEST

REF. DOCTOR: SELF

ACCESSION NO: 0002XC047609 AGE/SEX :42 Years

PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO

:29/03/2024 09:08:43 RECEIVED: 29/03/2024 09:10:48

REPORTED :30/03/2024 13:01:46

Test Report Status <u>Final</u> Results

Biological Reference Interval Units

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R 0 - 14

METHOD: AUTOMATED (PHOTOMETRICAL CAPILLARY STOPPED FLOW KINETIC ANALYSIS)

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE **BLOOD**

HBA1C 5.3 Non-diabetic Adult < 5.7 %


Pre-diabetes 5.7 - 6.4

Diabetes diagnosis: > or = 6.5Therapeutic goals: < 7.0 Action suggested: > 8.0

(ADA Guideline 2021)

METHOD: ION-EXCHANGE HPLC

ESTIMATED AVERAGE GLUCOSE(EAG) 105.4 < 116 mg/dL



Dr. Sushant Chikane **Consultant Pathologist**





Page 8 Of 26



Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062







Male

REF. DOCTOR: SELF PATIENT NAME: HARSHWARDHAN SARDAR

HARSHWARDHAN SARDAR

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: 0002XC047609 PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO

:29/03/2024 09:08:43 DRAWN RECEIVED: 29/03/2024 09:10:48 REPORTED: 30/03/2024 13:01:46

:42 Years

Test Report Status Results **Biological Reference Interval Final** Units

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION:

Erythrocyte sedimentation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sédimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are réported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change.

TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy,

Estrogen medication, Aging.
Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum. Decreased in: Polycythermia vera, Sickle cell anemia

LIMITATIONS

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia

False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs (Quinine,

- 1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.
 GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-**Used For**:
- 1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes.
- 3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

- 1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
- eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

HbA1c Estimation can get affected due to :

- 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss, hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.
- 2.Vitamin C & E are reported to falsely lower test results.(possibly by inhibiting glycation of hemoglobin.
- 3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.
- 4. Interference of hemoglobinopathies in HbA1c estimation is seen in
- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
- b) Heterozygous state detected (010 is corrected for HbS & HbC trait.)
 c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr. Sushant Chikane **Consultant Pathologist**



Page 9 Of 26

View Report



Agilus Diagnostics Ltd

Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062

Maharashtra, India Tel: 9111591115, Fax:

CIN - U74899PB1995PLC045956







PATIENT NAME: HARSHWARDHAN SARDAR

HARSHWARDHAN SARDAR

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

WEST

REF. DOCTOR: SELF ACCESSION NO: 0002XC047609

AGE/SEX PATIENT ID : HARSM0610812

CLIENT PATIENT ID:

ABHA NO

:42 Years :29/03/2024 09:08:43 RECEIVED: 29/03/2024 09:10:48

REPORTED :30/03/2024 13:01:46

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

ABO GROUP В

METHOD: HAEMAGGLUTINATION (AUTOMATED)

POSITIVE RH TYPE

METHOD: HAEMAGGLUTINATION (AUTOMATED)

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.

The test is performed by both forward as well as reverse grouping methods.

Dr. Sushant Chikane **Consultant Pathologist**



Page 10 Of 26



Agilus Diagnostics Ltd

Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062







PATIENT NAME: HARSHWARDHAN SARDAR

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

REF. DOCTOR: SELF

ACCESSION NO: **0002XC047609** AGE/SEX: 42 Years

PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO : DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

Test Report Status <u>Final</u> Results Biological Reference Interval Units

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

GLUCOSE FASTING, FLUORIDE PLASMA

FBS (FASTING BLOOD SUGAR)


95

Normal <100 mg/dL Impaired fasting glucose:100 to 125

Diabetes mellitus: > = 126 (on more than 1 occassion)

(ADA guidelines 2021)

METHOD: SPECTROPHOTOMETRY HEXOKINASE



GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR)

98

Normal <140 mg/dL

Impaired glucose tolerance:140 to 199 Diabetes mellitus: > = 200 (on more than 1 occassion) ADA guideline 2021

METHOD: SPECTROPHOTOMETRY HEXOKINASE

Maria

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) Consultant Pathologist Dr/.

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 11 Of 26

View Details

View Report



Agilus Diagnostics Ltd

Prime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W) Mumbai, 400062 Maharashtra, India







PATIENT NAME: HARSHWARDHAN SARDAR

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST


REF. DOCTOR: SELF

ACCESSION NO: **0002XC047609** AGE/SEX: 42 Years

PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO : DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

Test Report Status <u>Final</u> Results Biological Reference Interval Units



LIPID PROFILE WITH CALCULATED LDL, SERUM

CHOLESTEROL, TOTAL 179 Desirable : < 200 mg/dL

Borderline : 200 - 239 High : > / = 240

METHOD: SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC - CHOLETSEROL OXIDASE, ESTERASE, PEROXIDASE

TRIGLYCERIDES 119 Normal: < 150 mg/dL

Borderline high: 150 - 199

High: 200 - 499 Very High: >/= 500

Desirable: > or = 60

At Risk: < 40

 ${\tt METHOD: SPECTROPHOTOMETRY, ENZYMATIC\ ENDPOINT\ WITH\ GLYCEROL\ BLANK}$

HDL CHOLESTEROL 40

 $\begin{tabular}{ll} \tt METHOD: SPECTROPHOTOMETRY, HOMOGENEOUS DIRECT ENZYMATIC COLORIMETRIC \\ \tt CHOLESTEROL\ LDL & {\bf 115}\ \ {\bf High} \\ \end{tabular}$

Optimal: < 100 mg/dL

Near optimal/above optimal:

100-129

Borderline high: 130-159

High: 160-189 Very high: = 190

METHOD: CALCULATED PARAMETER

Sharing

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) Consultant Pathologist



Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 12 Of 26

View Details

View Report



Agilus Diagnostics Ltd

Prime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W) Mumbai, 400062

Maharashtra, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956



mg/dL





HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST


REF. DOCTOR: SELF

ACCESSION NO: **0002XC047609** AGE/SEX: 42 Years Mal

PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO : DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

	į	
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
NON HDL CHOLESTEROL	139 High	Desirable : < 130 mg/dL Above Desirable : $130 - 159$ Borderline High : $160 - 189$ High : $190 - 219$ Very high : $> / = 220$
METHOD: CALCULATED PARAMETER		
VERY LOW DENSITY LIPOPROTEIN METHOD: CALCULATED PARAMETER	24.0	< or = 30.0 mg/dL
CHOL/HDL RATIO	4.5 High	Low Risk: 3.3 - 4.4 Average Risk: 4.5 - 7.0 Moderate Risk: 7.1 - 11.0 High Risk: > 11.0
METHOD: CALCULATED PARAMETER		
LDL/HDL RATIO	2.9	Desirable/Low Risk: 0.5 - 3.0 Borderline/Moderate Risk: 3.1 - 6.0 High Risk: > 6.0
METHOD: CALCULATED PARAMETER		-



Maria

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) Consultant Pathologist

Dr/.

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 13 Of 26

View Details

View Penor



Agilus Diagnostics Ltd

Prime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W) Mumbai, 400062 Maharashtra, India







HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

REF. DOCTOR: SELF

ACCESSION NO: 0002XC047609 AGE/SEX :42 Years


PATIENT ID : HARSM0610812


CLIENT PATIENT ID: ABHA NO

DRAWN :29/03/2024 09:08:43 RECEIVED: 29/03/2024 09:10:48 REPORTED :30/03/2024 13:01:46

Test Report Status <u>Final</u> Results

Biological Reference Interval Units





Interpretation(s)

Dr. Apeksha Sharma D.P.B,DNB (PATH)

(Reg.no.MMC2008/06/2561) **Consultant Pathologist**

Dr. Deepak Sanghavi

Chief Of Lab - Mumbai Reference Lab





Page 14 Of 26



Agilus Diagnostics Ltd

Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062 Maharashtra, India







PATIENT NAME: HARSHWARDHAN SARDAR REF. DOCTOR: SELF

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: **0002XC047609**PATIENT ID: HARSM0610812

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX :42 Years Male
DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

Test Report Status <u>Final</u> Results Biological Reference Interval Units

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

Risk Category	,		
Extreme risk group	A.CAD with > 1 feature of high risk group		
	B. CAD with > 1 feature of Very high risk g	group or recurrent ACS (within 1 year) despite LDL-C < or =	
	50 mg/dl or polyvascular disease		
Very High Risk		najor risk factors or evidence of end organ damage 3.	
	Familial Homozygous Hypercholesterolemi	a	
High Risk	1. Three major ASCVD risk factors. 2. Diabetes with 1 major risk factor or no evidence of end organ		
	damage. 3. CKD stage 3B or 4. 4. LDL >190 mg/dl 5. Extreme of a single risk factor. 6. Coronary		
	Artery Calcium - CAC >300 AU. 7. Lipoprotein a >/= 50mg/dl 8. Non stenotic carotid plaque		
Moderate Risk	2 major ASCVD risk factors		
Low Risk	0-1 major ASCVD risk factors		
Major ASCVD (Athe	erosclerotic cardiovascular disease) Risk Fa	ictors	
1. Age > or = 45 years in males and > or = 55 years in females 3. Current Cigarette smoking or tobacco use		Current Cigarette smoking or tobacco use	
2. Family history of p	2. Family history of premature ASCVD 4. High blood pressure		
5. Low HDL			

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)
Extreme Risk Group Category A	<50 (Optional goal < OR = 30)	< 80 (Optional goal <or 60)<="" =="" td=""><td>>OR = 50</td><td>>OR = 80</td></or>	>OR = 50	>OR = 80
Extreme Risk Group Category B	< OR = 30	< OR = 60	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR= 100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR= 130*	>OR= 160

^{*}After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL	0.43	Upto 1.2	mg/dL
METHOD: SPECTROPHOTOMETRY, COLORIMETRIC -DIAZO METHOI			, ,,
BILIRUBIN, DIRECT	0.19	< or = 0.3	mg/dL
METHOD: SPECTROPHOTOMETRY, JENDRASSIK & GROFF - DIAZOT			
BILIRUBIN, INDIRECT	0.24	0.0 - 0.9	mg/dL
METHOD: CALCULATED PARAMETER			
TOTAL PROTEIN	6.8	6.0 - 8.0	g/dL
METHOD: SPECTROPHOTOMETRY, COLORIMETRIC-BIURET, REAGE	NT BLANK, SERUM BLANK		
ALBUMIN	4.3	3.97 - 4.94	g/dL
			5 .

 ${\tt METHOD}: {\tt SPECTROPHOTOMETRY, BROMOCRESOL\ GREEn(BCG)} \ \hbox{-} \ {\tt DYE\ BINDING}$

Or Anaksha Sharma

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) Consultant Pathologist Dr/.

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 15 Of 26

View Details

View Repor

PERFORMED AT:

Agilus Diagnostics Ltd

Prime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W) Mumbai, 400062 Maharashtra, India







HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST


REF. DOCTOR: SELF

ACCESSION NO: **0002XC047609** AGE/SEX: 42 Years

PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO : DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

Test Report Status <u>Final</u>	Results	Biological Reference	Interval Units
GLOBULIN	2.5	2.0 - 3.5	g/dL
METHOD: CALCULATED PARAMETER			
ALBUMIN/GLOBULIN RATIO	1.7	1.0 - 2.1	RATIO
METHOD: CALCULATED PARAMETER			
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	19	Upto 40	U/L
METHOD: SPECTROPHOTOMETRY, WITHOUT PYRIDOXAL PHOSPHAT	Έ ΑCΤΙVΑΤΙΟΝ(P5P) - IFCC		
ALANINE AMINOTRANSFERASE (ALT/SGPT)	20	Upto 41	U/L
METHOD: SPECTROPHOTOMETRY, WITHOUT PYRIDOXAL PHOSPHAT	Έ ΑCΤΙVΑΤΙΟΝ(P5P) - IFCC		
ALKALINE PHOSPHATASE	81	40 - 129	U/L
METHOD : SPECTROPHOTOMETRY, PNPP, AMP BUFFER - IFCC			
GAMMA GLUTAMYL TRANSFERASE (GGT)	18	< 60	U/L
METHOD: SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC - G-	GLUTAMYL-CARBOXY-NITROAN	ILIDE - IFCC	
LACTATE DEHYDROGENASE	190	< 232	U/L
METHOD: SPECTROPHOTOMETRY, LACTATE TO PYRUVATE - UV-IFCO			
BLOOD UREA NITROGEN (BUN), SERUM			
BLOOD UREA NITROGEN	7	6 - 20	mg/dL
METHOD: SPECTROPHOTOMETRY, UREASE -COLORIMETRIC			



Maria

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) Consultant Pathologist

Dr/.

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 16 Of 26

View Details

View Penor



Agilus Diagnostics Ltd

Prime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W) Mumbai, 400062 Maharashtra, India







HARSHWARDHAN SARDAR

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

WEST

REF. DOCTOR: SELF

ACCESSION NO: 0002XC047609 AGE/SEX :42 Years Male

PATIENT ID :29/03/2024 09:08:43 : HARSM0610812

CLIENT PATIENT ID: ABHA NO


RECEIVED: 29/03/2024 09:10:48 REPORTED :30/03/2024 13:01:46

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

CREATININE, SERUM

0.76 Low mg/dL CREATININE 0.90 - 1.30

METHOD: SPECTROPHOTOMETRY, JAFFE'S ALKALINE PICRATE KINETIC - RATE BLANKED - IFCC-IDMS STANDARIZED



BUN/CREAT RATIO

BUN/CREAT RATIO 9.80 8 - 15

METHOD: CALCULATED PARAMETER

URIC ACID, SERUM

3.4 - 7.0mg/dL 5.2

METHOD: SPECTROPHOTOMETRY, ENZYMATIC COLORIMETRIC- URICASE

TOTAL PROTEIN, SERUM

6.0 - 8.0g/dL TOTAL PROTEIN 6.8

METHOD: SPECTROPHOTOMETRY, COLORIMETRIC-BIURET, REAGENT BLANK, SERUM BLANK

ALBUMIN, SERUM

Dr. Apeksha Sharma D.P.B,DNB (PATH)

(Reg.no.MMC2008/06/2561) **Consultant Pathologist**

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 17 Of 26



Agilus Diagnostics Ltd

Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062 Maharashtra, India







Male

PATIENT NAME: HARSHWARDHAN SARDAR REF. DOCTOR: SELF

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: **0002XC047609**PATIENT ID: HARSM0610812

CLIENT PATIENT ID:

DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

:42 Years

Test Report Status <u>Final</u>	Results	Biological Reference	e Interval Units
ALBUMIN METHOD: SPECTROPHOTOMETRY, BROMOCRESOL (4.3 GREEN(BCG) - DYE BINDING	3.97 - 4.94	g/dL
GLOBULIN GLOBULIN METHOD: CALCULATED PARAMETER	2.5	2.0 - 3.5	g/dL
ELECTROLYTES (NA/K/CL), SERUM			
SODIUM, SERUM	141	136 - 145	mmol/L
METHOD: ISE INDIRECT POTASSIUM, SERUM METHOD: ISE INDIRECT	3.90	3.5 - 5.1	mmol/L
CHLORIDE, SERUM METHOD: ISE INDIRECT	104	98 - 106	mmol/L

Interpretation(s)

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, anti depressants (SSRI), antipsychotics.	Decreased in: Low potassium intake, prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome, osmotic diuresis (e.g., hyperglycemia), alkalosis, familial periodic paralysis, trauma (transient). Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration, renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics, NSAIDs, beta-blockers, ACE inhibitors, highdose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA,dehydration, overtreatment with saline,hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis,hyperadrenocorticism. Drugs: acetazolamide,androgens, hydrochlorothiazide,salicylates.

Maria

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) Consultant Pathologist

Dr/.

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 18 Of 26

View Details

View Repor



Agilus Diagnostics Ltd

Prime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W) Mumbai, 400062







HARSHWARDHAN SARDAR

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

WEST

REF. DOCTOR: SELF

ACCESSION NO : 0002XC047609 AGE/SEX :42 Years Male

PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO

:29/03/2024 09:08:43 DRAWN RECEIVED: 29/03/2024 09:10:48 REPORTED :30/03/2024 13:01:46

Test Report Status Results Biological Reference Interval **Final** Units

Interferences: Severe linemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.

Interferences: Hemolysis of sample. delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.

Interferences: Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides. Decreased in:Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease, malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol

sulfonylureas,tolbutamide,and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values),there is wide fluctuation within

individuals. Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic

index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.

GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c

LIVER FUNCTION PROFILE, SERUM
Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver,liver cancer,kidney failure,hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis,

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive

liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. **Total Protein** also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.Higher-than-normal levels may be due to:Chronic inflammation or infection,including HIV and hepatitis B or C,Multiple myeloma,Waldenstroms disease.Lower-than-normal levels may be due to: Agammaglobulinemia,Bleeding (hemorrhage),Burns,Glomerulonephritis,Liver disease, Malabsorption,Malnutrition,Nephrotic syndrome,Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma.It is produced in the liver.Albumin constitutes about half of the blood serum protein.Low blood albumin levels (hypoalbuminemia) can be caused by:Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular

permeability or decreased lymphatic clearance,malnutrition and wasting etc
BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.
CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:• Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake,Prolonged Fasting,Rapid weight loss),Gout,Lesch nyhan syndrome,Type 2 DM,Metabolic syndrome Causes of decreased levels:-Low Zinc intake,OCP,Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) **Consultant Pathologist**

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 19 Of 26

View Report



Agilus Diagnostics Ltd







PATIENT NAME: HARSHWARDHAN SARDAR REF. DOCTOR: SELF

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: **0002XC047609**PATIENT ID: HARSM0610812

CLIENT PATIENT ID: ABHA NO : DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

:42 Years

Test Report Status <u>Final</u> Results Biological Reference Interval Units

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Maria

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) Consultant Pathologist

D.S.

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 20 Of 26

View Details

View Report



Agilus Diagnostics Ltd

Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062 Maharashtra, India







Units

PATIENT NAME: HARSHWARDHAN SARDAR

HARSHWARDHAN SARDAR

Test Report Status

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

<u>Final</u>

WEST

REF. DOCTOR: SELF

ACCESSION NO: **0002XC047609** AGE/SEX: 42 Years Male

PATIENT ID : HARSM0610812

CLIENT PATIENT ID:

DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

Biological Reference Interval

CLINICAL PATH - URINALYSIS

Results

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

PHYSICAL EXAMINATION, URINE

COLOR PALE YELLOW

APPEARANCE CLEAR

CHEMICAL EXAMINATION, URINE

PH	5.5	4.6 - 8.0
SPECIFIC GRAVITY	1.005	1.003 - 1.035
PROTEIN	NOT DETECTED	NOT DETECTED
GLUCOSE	NOT DETECTED	NOT DETECTED
KETONES	NOT DETECTED	NOT DETECTED
BLOOD	NOT DETECTED	NOT DETECTED
BILIRUBIN	NOT DETECTED	NOT DETECTED
UROBILINOGEN	NOT DETECTED	
NITRITE	NOT DETECTED	NOT DETECTED
LEUKOCYTE ESTERASE	NOT DETECTED	NOT DETECTED

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
PUS CELL (WBC'S)	0-1	0-5	/HPF
EPITHELIAL CELLS	0-1	0-5	/HPF

CASTS NOT DETECTED
CRYSTALS NOT DETECTED

BACTERIA NOT DETECTED NOT DETECTED
YEAST NOT DETECTED NOT DETECTED

METHOD: URINE ROUTINE & MICROSCOPY EXAMINATION BY INTEGRATED AUTOMATED SYSTEM. (PH-DOUBLE INDICATOR,SP. GRAVITY-IONIC CONCEN,GLUCOSE-GOD/POD,PROTEIN- ERROR OF INDICATORS,KETONE-LEGAL'S,BLOOD- PEROXIDASE ACTIVITY-HB,BILIRUBIN-DIAZOTIZATION,UROBILINOGEN-DIAZOTIZATION,NITRITE-GRIESS,LEUKOCYTES- ESTERASES ACTIVITY)

Maria

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) Consultant Pathologist D.S.

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 21 Of 26

View Details

View Repor



Agilus Diagnostics Ltd

Prime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W) Mumbai, 400062 Maharashtra, India







Male

PATIENT NAME: HARSHWARDHAN SARDAR REF. DOCTOR: SELF

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: **0002XC047609**PATIENT ID: HARSM0610812

CLIENT PATIENT ID: ABHA NO : DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

:42 Years

Test Report Status Final Results Biological Reference Interval Units

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions
Proteins	Inflammation or immune illnesses
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment
Glucose	Diabetes or kidney disease
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst
Urobilinogen	Liver disease such as hepatitis or cirrhosis
Blood	Renal or genital disorders/trauma
Bilirubin	Liver disease
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice
Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

Shama

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) Consultant Pathologist

Dr/.

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 22 Of 26

View Details

View Repor



Agilus Diagnostics Ltd

Prime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W) Mumbai, 400062







Male

PATIENT NAME: HARSHWARDHAN SARDAR REF. DOCTOR: SELF

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: 0002XC047609 PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO

:29/03/2024 09:08:43 RECEIVED: 29/03/2024 09:10:48

:42 Years

REPORTED :30/03/2024 13:01:46

Test Report Status <u>Final</u> Results **Biological Reference Interval Units**

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

MICROSCOPIC EXAMINATION, STOOL

REMARK SAMPLE NOT RECEIVED

Interpretation(s)

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF	CONDITION					
Pus cells	Pus in the stool is an indication of infection					
Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as					
	ulcerative colitis					
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.					
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.					
Charcot-Leyden crystal	Parasitic diseases.					
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.					
Frank blood	Bleeding in the rectum or colon.					
Occult blood	Occult blood indicates upper GI bleeding.					
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.					
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show					
	in stool when there is inflammation or infection.					
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.					
pН	Normal stool pH is slightly acidic to neutral. Breast-fed babies generally have an acidic stool.					

ADDITIONAL STOOL TESTS:

Dr. Ekta Patil, MD Microbiologist



Page 23 Of 26





Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062







PATIENT NAME: HARSHWARDHAN SARDAR REF. DOCTOR: SELF

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: **0002XC047609**PATIENT ID: HARSM0610812

CLIENT PATIENT ID:

ABHA NO :

AGE/SEX :42 Years Male
DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48

REPORTED :30/03/2024 13:01:46

Test Report Status Final

Results

Biological Reference Interval Units

- Stool Culture: This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if treatment for GI infection worked.
- 2. <u>Fecal Calprotectin</u>: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) from Irritable Bowel Syndrome (IBS).
- 3. Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia.
- **Clostridium Difficile Toxin Assay**: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to overuse of broad spectrum antibiotics which alter the normal GI flora.
- 5. <u>Biofire (Film Array) GI PANEL</u>: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array Test,(Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria, fungi, virus, parasite and other opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.
- 6. <u>Rota Virus Immunoassay</u>: This test is recommended in severe gastroenteritis in infants & children associated with watery diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

\$200

Dr. Ekta Patil,MD Microbiologist





Page 24 Of 26

View Details

View Report



Agilus Diagnostics LtdPrime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W)
Mumbai, 400062







Male

PATIENT NAME: HARSHWARDHAN SARDAR REF. DOCTOR: SELF

HARSHWARDHAN SARDAR

MAHADEVI CHS,2A,PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: **0002XC047609**PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO : DRAWN :29/03/2024 09:08:43
RECEIVED :29/03/2024 09:10:48
REPORTED :30/03/2024 13:01:46

:42 Years

Test Report Status <u>Final</u> Results Biological Reference Interval Units

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECK UP ABOVE 40 MALE

THYROID PANEL, SERUM

T3 92.5 80.0 - 200.0 ng/dL

METHOD: COMPETITIVE ELECTROCHEMILUMINESCENCE IMMUNOASSAY

T4 **4.57 Low** 5.10 - 14.10 μg/dL

 ${\tt METHOD: COMPETITIVE\ ELECTROCHEMILUMINESCENCE\ IMMUNOASSAY}$

TSH (ULTRASENSITIVE) 1.570 0.270 - 4.200 µIU/mL

METHOD: SANDWICH ELECTROCHEMILUMINESCENCE IMMUNOASSAY

Comments

NOTE: RECHECKED FOR SERUM TOTAL T4. PLEASE CORRELATE CLINICALLY.

Interpretation(s)

Triiodothyronine T3, **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism

Marin

Dr. Apeksha Sharma D.P.B,DNB (PATH) (Reg.no.MMC2008/06/2561) Consultant Pathologist D.S.

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 25 Of 26

View Details

View Report



Agilus Diagnostics Ltd

Prime Square Building,Plot No 1,Gaiwadi Industrial Estate,S.V. Road,Goregaon (W) Mumbai, 400062







Male

REF. DOCTOR: SELF **PATIENT NAME: HARSHWARDHAN SARDAR**

HARSHWARDHAN SARDAR

MAHADEVI CHS, 2A, PIRAMAL NAGAR GOREGAON

WEST

ACCESSION NO: 0002XC047609 PATIENT ID : HARSM0610812

CLIENT PATIENT ID: ABHA NO

:29/03/2024 09:08:43 DRAWN RECEIVED: 29/03/2024 09:10:48

:42 Years

REPORTED :30/03/2024 13:01:46

Biological Reference Interval **Test Report Status** Results Units **Final**

4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
					(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2. Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

> **End Of Report** Please visit www.agilusdiagnostics.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- 2. All tests are performed and reported as per the
- turnaround time stated in the AGILUS Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- 8. Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Ltd

Fortis Hospital, Sector 62, Phase VIII, Mohali 160062

Dr. Apeksha Sharma D.P.B, DNB (Reg.no.MMC2008/06/2561) **Consultant Pathologist**

Dr. Deepak Sanghavi Chief Of Lab - Mumbai Reference Lab





Page 26 Of 26



Agilus Diagnostics Ltd

Prime Square Building, Plot No 1, Gaiwadi Industrial Estate, S.V. Road, Goregaon (W) Mumbai, 400062 Maharashtra, India

