

LABORATORY REPORT

Name Mr. Anup Krishna Prasad Burman

Sex/Age Male/42 Years

Ref. By

Client Name : Mediwheel Reg. No

402101860

Reg. Date 24-Feb-2024 04:38 PM

Collected On

Report Date 24-Feb-2024 04:43 PM

Medical Summary

GENERAL EXAMINATION

Height (cms):163

Weight (kgs):61.3

Blood Pressure: 110/80mmHg

Pulse: 61/Min

No Clubbing/Cynosis/Pallor/PedelOedem

Systemic Examination:

Cardio vascular System - S1,S2 Normal, No Murmur

Respiratory system - AEBE

Central Nervous System - No FND

Abdomen - Soft, Non Tender, No Organomegaly

Epilepsy – N/A

This is an electronically authenticated report

\$+91 79 4039 2653

Dr.Jay Soni

M.D, GENERAL MEDICINE

📞+91 75730 30001 🖼 info@curovis.co.in 🐵 www.curovis.co.in

DR.MUKESH LADDHA

Page 1 of 3

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075 'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

धारकर विमाग "INCOMETAX DEPARTMENT

मारत सरकार GOVT. OF INDIA

ANUP BURMAN

KRISHNA PRASAD BURMAN

Permanent Account Number

AWRPB3929N

aunthur Signature

9748760593



B100 d-V

Dr.Jay Soni M.D. (General Medicine) Reg. No.: G-23899

In case this card is lost I found, kindly inform I return to : Income Tor PAN Services Unit, UTITISL Plot No. 3, Sector 11, CBD Belapur,

इस कार्य के कोर्य पूर्व पर कृपया सुचित काँ/लोटाएं : आवक्त पेड केक पूर्वर, USESSA, फाट नं. ३ संबद्ध ११ , सी.मी.मी. बेकापूर, प्लाट नः २, एउट्टिश्वरः तथी भुवर्द-१०० ६१४.







Reg. No

: 402101860

Ref Id

Collected On

: 24-Feb-2024 10:38 AM

Name

: Mr. Anup Krishna Prasad Burman

Reg. Date

: 24-Feb-2024 04:38 PM

Age/Sex

: 42 Years

Pass. No. :

Tele No.

: 9748760593

Ref. By

/ Male

Dispatch At

Location

· CHPI

Sample Type : EDTA				Location	: C	HPL
Parameter	Results		Unit	Biological	Ref. Inte	erval
	CON	IPLETI	E BLOOD COUNT (CB	(C)		
Hemoglobin (Colorimetric method)	14.8		g/dL	13.5 - 18		
Hematrocrit (Calculated)	43.60		%	40 - 50		
RBC Count (Electrical Impedance)	L 4.69		million/cmm	4.73 - 5.5		
MCV (Calculated)	92.9		fL	83 - 101		
MCH (Calculated)	31.5		Pg	27 - 32		
MCHC (Calculated)	33.9		%	31.5 - 34.5		
RDW (Calculated)	13.0		%	11,5 - 14.5		
WBC Count Flowcytometry with manual Microscopy	6830		/cmm	4000 - 100	00	
MPV (Calculated)	11.0		fL.	6.5 - 11.5		
DIFFERENTIAL WBC COUNT	[%]		EXPECTED VALUES	[Abs]		EXPECTED VALUES
Neutrophils (%)	53	%	40 - 80	3620	/cmm	2000 - 7000
Lymphocytes (%)	39	%	20 - 40	2664	/cmm	1000 - 3000
Eosinophils (%)	03	%	0 - 6	. 342	/cmm	200 - 1000
Monocytes (%)	05	%	2 - 10	205	/cmm	20 - 500
Basophils (%)	0	%	0 - 2	0	/cmm	0 - 100
PERIPHERAL SMEAR STUDY						,
RBC Morphology	Normocy	tic and l	Normochromic.			
WBC Morphology	Normal					
PLATELET COUNTS						
Platelet Count (Electrical Impedance) 190000		/cmm	150000 - 4	50000	
Electrical Impedance						
Platelets	Platelets	are ade	equate with normal morph	ology.		
Parasites	Malarial	parasite	is not detected.			
Comment	-					•

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

24-Feb-2024 04:58 PM Page 1 of 10

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075





Pass. No.

Reg. No

: 402101860

Ref Id

Collected On

: 24-Feb-2024 10:38 AM

Name

: Mr. Anup Krishna Prasad Burman

Reg. Date

: 24-Feb-2024 04:38 PM

Age/Sex

: 42 Years ↓ Male Tele No.

: 9748760593

Ref. By

Dispatch At

Sample Type : EDTA

Location

: CHPL

Parameter

Result

Unit

Biological Ref. Interval

HEMOGLOBIN A1 C ESTIMATION

Specimen: Blood EDTA

*Hb A1C

5.2

% of Total Hb Normal: < 5.7 %

Pre-Diabetes: 5.7 % -

6.4 %

Diabetes: 6.5 % or

higher

Boronate Affinity with Fluorescent Quenching

Mean Blood Glucose

102.54

mg/dL

Calculated

Degree of Glucose Control Normal Range:

Poor Control >7.0%

Good Control 6.0 - 7.0 %**Non-diabetic level < 6.0 %

- * High risk of developing long term complication such as retinopathy, nephropathy, neuropathy, cardiopathy,etc.
- Some danger of hypoglycemic reaction in Type I diabetics.
- * Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1c levels in this area.

EXPLANATION:-

*Total haemoglobin A1 c is continuously synthesised in the red blood cell throught its 120 days life span.The concentration of HBA1c in the cell reflects the average blood glucose concentration it encounters.

*The level of HBA1c increases proportionately in patients with uncontrolled diabetes. It reflects the average blood glucose concentration over an extended time period and remains unaffected by short-term fluctuations in blood glucose levels.

*The measurement of HbA1c can serve as a convenient test for evaluating the adequacy of diabetic control and in preventing various diabetic complications. Because the average half life of a red blood cell is sixty days, HbA1c has been accepted as a measurnment which effects the mean daily blood glucose concentration, better than fasting blood glucose determination, and the degree of carbohydrate imbalance over the preceding two months.

*It may also provide a better index of control of the diabetic patient without resorting to glucose loading procedures.

HbA1c assay Interferences:

*Errneous values might be obtained from samples with abnormally elevated quantities of other Haemoglobins as a result of either their simultaneous elution with HbA1c(HbF) or differences in their glycation from that of HbA(HbS)

----- End Of Report -----

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

26-Feb-2024 09:08 AM Page 1 of 1

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075







Reg. No

: 402101860

Ref Id

Collected On

: 24-Feb-2024 10:38 AM

Name

: Mr. Anup Krishna Prasad Burman / Male

Reg. Date

: 24-Feb-2024 04:38 PM

Age/Sex

: 42 Years

Pass. No.

Tele No.

: 9748760593

Ref. By

Dispatch At

Sample Type: EDTA

Location

: CHPL

Parameter

Result

Unit

Biological Ref. Interval

HEMATOLOGY

BLOOD GROUP & RH

Specimen: EDTA and Serum; Method: Forward Reverse Tube Agglutination

ABO

"B"

Rh (D)

Positive

Note

ERYTHROCYTE SEDIMANTATION RATE [ESR]

ESR 1 hour

Westergreen method

5

mm/hr

ESR AT1 hour: 1-7

ERYTHRO SEDIMENTION RATE, BLOOD -

Erythrocyte sedimentation rate (ESR) is a non - specific phenomena and is clinically useful in the diagnosis and monitoring of disorders associated with an increased production of acute phase reactants. The ESR is increased in prenancy from about the 3rd month and returns to normal by the 4th week post partum. ESR is influenced by age, sex, menstrual cycle and drugs (eg. corticosteroids, contraceptives). It is especially low (o-1mm) in polycythaemia, hypofibrinogenemia or or congestive cardiac failure and when there are abnormalities or the red cells such as poikilocytosis, spherocytosis or sickle cells.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

24-Feb-2024 05:00 PM Page 2 of 10

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

\$+91 79 4039 2653

📞+91 75730 30001 🗷 info@curovis.co.in 🚭 www.curovis.co.in







Reg. No

: 402101860

Ref Id

Collected On

: 24-Feb-2024 01:10 AM

Name

: Mr. Anup Krishna Prasad Burman

Reg. Date

: 24-Feb-2024 04:38 PM

Age/Sex

: 42 Years

Pass. No.

Tele No.

Unit

: 9748760593

Ref. By

Dispatch At

: CHPL

Parameter

Sample Type: Serum, Flouride PP

Location

Biological Ref. Interval

_	 	
		BIO - CHEMISTRY

/ Male

Fasting Blood Sugar (FBS)
GOD-POD Method

70.30

Result

mg/dL

70 - 110

Post Prandial Blood Sugar (PPBS) GOD-POD Method

90.2

mg/dL

70 - 140

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

24-Feb-2024 06:22 PM Page 3 of 10

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

\$+91 79 4039 2653







/ Male

Reg. No

: 402101860

Ref Id

Collected On

: 24-Feb-2024 10:38 AM

Name

: Mr. Anup Krishna Prasad Burman

Reg. Date

: 24-Feb-2024 04:38 PM

Age/Sex

: 42 Years

Pass. No. :

Tele No.

: 9748760593

Ref. By

Dispatch At Location

: CHPL

Sample Type: Serum

Parameter	Result	Unit	Biological Ref. Interval
	<u>Lipid Profile</u>		· · · · · · · · · · · · · · · · · · ·
Cholesterol	211.00	mg/dL	Desirable: <200.0 Borderline High: 200- 239 High: >240.0
Enzymatic, colorimetric method			
Triglyceride	302.10	mg/dL	Normal: <150.0 Borderline: 150-199 High: 200-499 Very High : > 500.0
Enzymatic, colorimetric method			
HDL Cholesterol	35.90	mg/dL	Low: <40 High: >60
Accelerator selective detergent method			
LDL	114.68	mg/dL	Optimal: < 100.0 Near Optimal: 100-129 Borderline High: 130- 159 High: 160-189 Very High: >190.0
Calculated			
VLDL Calculated	60.42	mg/dL	15 - 35
LDL / HDL RATIO Calculated	3.19		0 - 3.5
Cholesterol /HDL Ratio	5.88		0 - 5.0

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

24-Feb-2024 06:22 PM Page 4 of 10

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075







Reg. No

: 402101860

Ref Id

Collected On

: 24-Feb-2024 10:38 AM

Name

: Mr. Anup Krishna Prasad Burman

Reg. Date

: 24-Feb-2024 04:38 PM

Age/Sex

: 42 Years

/ Male

Tele No. Pass. No. :

Dispatch At

: 9748760593

Ref. By

Sample Type: Serum

Location

: CHPL

Sample Type : Serum		Location	CHPL
Parameter	Result	Unit	Biological Ref. Interval
	LFT WITH GGT		
Total Protein	7.56	gm/dL	1Day: 3.4-5.0 1Day to 1Month: 4.6-6.8 2 to 12Months: 4.8-7.6 >=1Year: 6.0-8.0 Adults: 6.6-8.7
Biuret Reaction			
Albumin	4.81	g/dL	
By Bromocresol Green			
Globulin (Calculated)	2.75	g/dL	2.3 - 3.5
A/G Ratio (Calulated)	1.75		0.8 - 2.0
SGOT	31.10	U/L	0 - 40
UV without P5P			
SGPT	49.00	U/L	0 - 40
UV without P5P			
Alakaline Phosphatase	93.0	IU/I	53 - 128
P-nitrophenyl phosphatase-AMP Buffer, Multiple-point rate			
Total Bilirubin	0.87	mg/dL	0.3 - 1.2
Vanadate Oxidation			•
Direct Bilirubin	0.14	mg/dL	0.0 - 0.4
Vanadate Oxidation		•	
Indirect Bilirubin	0.73	mg/dL	0.0 - 1.1
Calculated			,
GGT	22.00	U/L	< 55
SZASZ Method			

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

24-Feb-2024 06:22 PM Page 5 of 10

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075







Reg. No : 402101860 Ref Id

Collected On

: 24-Feb-2024 10:38 AM

Name

: Mr. Anup Krishna Prasad Burman

Reg. Date

: 24-Feb-2024 04:38 PM

Age/Sex

: 42 Years / Male

Tele No. Pass. No. :

: 9748760593

Ref. By

Sample Type: Serum

Dispatch At

Location

: CHPL

	Location	. Of II E
Result	Unit	Biological Ref. Interval
BIO - CHEMISTRY		
5.33	mg/dL	3.5 - 7.2
0.62	mg/dL	0.9 - 1.3
9.00	mg/dL	6.0 - 20.0
	5.33 0.62	Result Unit BIO - CHEMISTRY 5.33 mg/dL 0.62 mg/dL

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

24-Feb-2024 06:22 PM Page 6 of 10

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075







Reg. No

: 402101860

Ref Id

Collected On

: 24-Feb-2024 10:38 AM

Name

: Mr. Anup Krishna Prasad Burman

Req. Date

: 24-Feb-2024 04:38 PM

Age/Sex

: 42 Years

Pass. No.

Tele No.

: 9748760593

Ref. By

Test

/ Male

Dispatch At

Location

: CHPL

Sample Type: Urine Spot

Unit

Biological Ref. Interval

URINE ROUTINE EXAMINATION

PHYSICAL EXAMINATION

Quantity

30 cc

Result

Colour Clarity

Pale Yellow

Clear

Clear

CHEMICAL EXAMINATION (BY REFLECTANCE PHOTOMETRIC)

pΗ

5.0

4.6 - 8.0

Sp. Gravity

1.015

1.001 - 1.035

Protein

Nil

Nil

Glucose

Nil

Nil

Ketone Bodies

Nil

Nil

Urobilinogen

Nil

Nil

Bilirubin

Nil Nil

Nil

Nitrite Blood

Nil

Nil

MICROSCOPIC EXAMINATION (MANUAL BY MICROSCOPY)

Leucocytes (Pus Cells)

Occasional/hpf

Nil

Erythrocytes (Red Cells)

Nit

Nil

Epithelial Cells

Occasional

Nil

Crystals

Absent

Absent

Casts

Absent

Absent

Amorphous Material

Absent

Absent

Absent

Absent

Bacteria

Remarks

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

24-Feb-2024 06:36 PM Page 7 of 10

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075





Reg. No

: 402101860

Ref Id

Collected On

: 24-Feb-2024 10:38 AM

Name Age/Sex

: 42 Years

/ Male

: Mr. Anup Krishna Prasad Burman Reg. Date

Tele No.

: 24-Feb-2024 04:38 PM

Pass. No.

: 9748760593

Ref. By

Dispatch At

Sample Type : Serum

Location

: CHPL

Parameter

Result

Unit

Biological Ref. Interval

IMMUNOLOGY

THYROID FUNCTION TEST

T3 (Triiodothyronine)

CHEMILUMINESCENT MICROPARTICLE IMMUNOASSAY

0.96

ng/mL

0.86 - 1.92

Triiodothyronine (T3) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus.

In the circulation, 99.7% of T3 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and prealbumin. The remaining unbound T3 is free in the circulation and is metabolically active.

In hypothyroidism and hyperthyroidism, F T3 (free T3) levels parallel changes in total T3 levels. Measuring F T3 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T3 occur due to changes in T3 binding proteins, especially TBG.

T4 (Thyroxine)

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

10.50

µg/dL

3.2 - 12.6

Thyroxin (T4) is a hormone synthesized and secreted by the thyroid gland in response to the pituitary hormone TSH (thyroid stimulating hormone) and is regulated by a negative feedback mechanism involving the thyroid gland, pituitary gland and hypothalamus. In the circulation, 99.95% of T4 is reversibly bond to transport proteins, primarily thyroxine-binding globulin (TBG) and to a lesser extent albumin and thyroxine-binding prealbumin. The remaining unbound T4 is free in the circulation and is both metabolically active and a precursor to triiodothyronine (T3).

In hypothyroidism and hyperthyroidism, F T4 (free T4) levels parallel changes in total T4 levels. Measuring FT4 is useful in certain conditions such as normal pregnancy and steroid therapy, when altered levels of total T4 occur due to changes in T4 binding proteins, especially TBG.

Limitations:

- 1. The anticonvulsant drug phenytoin may interfere with total and F T4 levels due to competition for TBG binding sites
- 2.F T4 values may be decreased in patients taking carbamazepine.

3. Thyroid autoantibodies in human serum may interfere and cause falsely elevated F T4 results.

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

24-Feb-2024 06:22 PM Page 8 of 10

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075





Reg. No

: 402101860

Ref Id

Collected On

: 24-Feb-2024 10:38 AM

Name

: Mr. Anup Krishna Prasad Burman

Reg. Date

: 24-Feb-2024 04:38 PM

Age/Sex

: 42 Years

Pass. No.

Tele No.

: 9748760593

Ref. By

/ Male

Dispatch At

Sample Type : Serum

Location

: CHPL

CHEMILUMINECENT MICROPARTICLE IMMUNOASSAY

3.950

uIU/ml

0.35 - 5.50

Thyroid stimulating hormone (TSH) is synthesized and secreted by the anterior pituitary in response to a negative feedback mechanism involving concentrations of FT3 (free T3) and FT4 (free T4). Additionally, the hypothalamic tripeptide, thyrotropin-relasing hormone (TRH), directly stimulates TSH production. TSH stimulates thyroid cell production and hypertrophy, also stimulate the thyroid gland to synthesize and secrete T3 and T4. Quantification of TSH is significant to differentiate primary (thyroid) from secondary (pituitary) and tertiary (hypothalamus) hypothyroidism. In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hypothyroidism, TSH levels are low.

TSH levels During Pregnancy: First Trimester :0.1 to 2.5 µIU/mL Second Trimester: 0.2 to 3.0 µIU/mL Third trimester: 0.3 to 3.0 µIU/mL

Referance: Carl A Burtis, Edward R. Ashwood, David E. Bruns. Tietz Textbook of Clinical Chemistry and Molecular

Diagnostics. 5th Eddition. Philadelphia: WB Sounders, 2012:2170

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

24-Feb-2024 06:22 PM Page 9 of 10

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075



LABORATORY REPORT Mr. Anup Krishna Prasad Burman Name Reg. No : 402101860 Sex/Age Male/42 Years Reg. Date 24-Feb-2024 04:38 PM Ref. By Collected On **Client Name** Mediwheel Report Date 26-Feb-2024 11:07 AM

Electrocardiogram

<u>Findings</u>	
	•
Normal Sinus Rhythm.	
•	
Within Normal Limit.	
	End Of Report

This is an electronically authenticated report


Loy Son

Dr.Jay Soni M.D, GENERAL MEDICINE

DR.MUKESH LADDHA

Page 1 of 1

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075
'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat







1 Male

Reg. No

: 402101860

Ref Id

Collected On

: 24-Feb-2024 10:38 AM

Name

: Mr. Anup Krishna Prasad Burman

Reg. Date

: 24-Feb-2024 04:38 PM

Biological Ref. Interval

Age/Sex

: 42 Years

Pass. No.

Tele No.

: 9748760593

Ref. By

Dispatch At

Sample Type: Serum

Location

Unit

: CHPL

Parameter

Result

IMMUNOLOGY

TOTAL PROSTATE SPECIFIC ANTIGEN (PSA)

0.48

ng/mL

0 - 4

Measurement of total PSA alone may not clearly distinguish between benign prostatic hyperplasia (BPH) from cancer, this is especially true for the total PSA values between 4-8 ng/mL.

Percentage of free PSA = free PSA/total PSA X 100

Percentage of free PSA: Patients with prostate cancer generally have a lower percentage of Free PSA than patients with benign prostatic hyperplasia. Percentage Free PSA of less than 25% is a high likelihood of prostatic cancer.

----- End Of Report -----

This is an electronically authenticated report.

* This test has been out sourced.

Approved By:

Dr. Purvish Darji

MD (Pathology)

Approved On:

24-Feb-2024 06:22 PM Page 10 of 1

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075

'B' Block, Mondeal Business Park, Near Gurudwara, Bodakdev, S.G. Highway, Ahmedabad - 380 054, Gujarat

\(+91 79 4039 2653 \)



LABORATORY REPORT : 402101860 Mr. Anup Krishna Prasad Burman Reg. No Name 24-Feb-2024 04:38 PM Reg. Date Sex/Age Male/42 Years **Collected On** Ref. By Mediwheel **Report Date** 26-Feb-2024 01:34 PM **Client Name**

X RAY CHEST PA


Both lung fields appear clear.
No evidence of any active infiltrations or consolidation.
Cardiac size appears within normal limits.
Both costo-phrenic angles appear free of fluid.
Both domes of diaphragm appear normal.
COMMENT: No significant abnormality is detected.
End Of Report

This is an electronically authenticated report

DR DHAVAL PATEL Consultant Radiologist MB, DMRE Reg No:0494



Page 2 of 2



ANUP BURMAN 42Y 24/02/2024
CUROVIS HEALTHCARE



			ABORATORY REPORT			
Name	:	Mr. Anup Krishna Prasad Burman	F	Reg. No	:	402101860
Sex/Age	:	Male/42 Years	F	Reg. Date	:	24-Feb-2024 04:38 PM
Ref. By	:		C	Collected On	:	
Client Name		Mediwheel	F	Report Date		26-Feb-2024 01:26 PM

USG ABDOMEN

Liver appears normal in size & in echogenicity. No evidence of focal solid or cystic lesion seen. No evidence of dilatation of intra-hepatic billiary or portal radicals. PV is normal in caliber.

Gall bladder is normally distended. No evidence of calculus or mass seen. Gall bladder wall thickness appears normal.

Pancreas Visualized portion appears normal in size and echopattern. No evidence of focal lesions.

Spleen appears normal in size & echopattern. No evidence of focal lesions.

Both kidneys are normal in size, shape and position. C.M. differentiation on both sides is maintained. No evidence of hydronephrosis, calculus or solid mass on either side.

3.0 mm sized two calculi noted in mid calyx of left kidney

Urinary bladder is partially distended. No evidence of calculus or mass.

Prostate appears normal in size and echopattern. No evidence of focal lesions.

No evidence of free fluid in peritoneal cavity. No evidence of para-aortic lymph adenopathy. No evidence of dilated small bowel loops.

COMMENTS:

3.0 mm sized two calculi noted in mid calyx of left kidney.

This is an electronically authenticated report

DR DHAVAL PATEL **Consultant Radiologist** MB, DMRE Reg No:0494



Page 1 of 2

\$\cup-91 75730 30001

info@curovis.co.in

www.curovis.co.in

\$\cup-\text{www.curovis.co.in}\$

www.curovis.co.in

\$\cup-\text{www.curovis.co.in}\$

www.curovis.co.in

\$\cup-\text{www.curovis.co.in}\$

\$\cup-\text{www.curovis.co

\(+91 79 4039 2653



LABORATORY REPORT

Name

Client Name

Mr. Anup Krishna Prasad Burman

Sex/Age Ref. By

Male/42 Years

Mediwheel

Reg. No

402101860

Reg. Date

24-Feb-2024 04:38 PM

Collected On

Report Date

24-Feb-2024 05:06 PM

Eye Check - Up

No Eye Complaints

RIGHT EYE

SP: -2.75

CY: -0.50

AX: 178

LEFT EYE

SP: -2.50

CY: -0.75

AX:04

	Without Glasses	With Glasses
Right Eye	6/36	6/5
Left Eye	6/36	6/5

Near Vision: Right Eye - N/6, Left Eye - N/6

Fundus Examination - Within Normal Limits.

ColorVision: Normal

Comments: Normal

This is an electronically authenticated report

Dr.Jay Soni

M.D, GENERAL MEDICINE

Page 2 of 3

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075



LABORATORY REPORT

Name Mr. Anup Krishna Prasad Burman

Mediwheel

Sex/Age Male/42 Years

Ref. By

Client Name

Reg. No

402101860

Reg. Date


24-Feb-2024 04:38 PM


Collected On

Report Date

24-Feb-2024 05:06 PM

AUDIOGRAM





_	Air Cor	Air Conduction Bone Conduction		onduction	
EAR	Masked	UnNasked	Masked	UnMasked	Code
LEFT		X		>	Blue
RIGHT	Δ	0		<	Red

i
10

Comments: -Bilateral Hearing Sensitivity Within Normal Limits

This is an electronically authenticated report

M.D, GENERAL MEDICINE

Page 3 of 3

CUROVIS HEALTHCARE PVT. LTD. | CIN No.: U74140GJ2015PTC083075