

Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



R

E

Use a QR Code Scanner Application To Scan the Code

: 16-Mar-2024 / 08:53

Reported :16-Mar-2024 / 13:11

Collected

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

CBC (Complete Blood Count), Blood				
<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>	
RBC PARAMETERS				
Haemoglobin	12.8	12.0-15.0 g/dL	Spectrophotometric	
RBC	4.57	3.8-4.8 mil/cmm	Elect. Impedance	
PCV	37.9	36-46 %	Measured	
MCV	83	80-100 fl	Calculated	
MCH	28.0	27-32 pg	Calculated	
MCHC	33.7	31.5-34.5 g/dL	Calculated	
RDW	13.9	11.6-14.0 %	Calculated	
WBC PARAMETERS				
WBC Total Count	5690	4000-10000 /cmm	Elect. Impedance	
WBC DIFFERENTIAL AND ABS	OLUTE COUNTS			
Lymphocytes	45.0	20-40 %		
Absolute Lymphocytes	2560.5	1000-3000 /cmm	Calculated	
Monocytes	8.9	2-10 %		
Absolute Monocytes	506.4	200-1000 /cmm	Calculated	
Neutrophils	42.7	40-80 %		
Absolute Neutrophils	2429.6	2000-7000 /cmm	Calculated	
Eosinophils	3.2	1-6 %		
Absolute Eosinophils	182.1	20-500 /cmm	Calculated	
Basophils	0.2	0.1-2 %		
Absolute Basophils	11.4	20-100 /cmm	Calculated	
Immature Leukocytes	-			

WBC Differential Count by Absorbance & Impedance method/Microscopy.

PLATELET PARAMETERS

Platelet Count	185000	150000-400000 /cmm	Elect. Impedance
MPV	10.2	6-11 fl	Calculated
PDW	18.7	11-18 %	Calculated

RBC MORPHOLOGY

Hypochromia -Microcytosis -



Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female

Consulting Dr. : - Collected : 16-Mar-2024 / 08:53

Reg. Location : Borivali West (Main Centre) Reported : 16-Mar-2024 / 11:48

Macrocytosis -

Anisocytosis -

Poikilocytosis -

Polychromasia -

Target Cells -

Basophilic Stippling -

Normoblasts -

Others Normocytic, Normochromic

WBC MORPHOLOGY -

PLATELET MORPHOLOGY -

COMMENT -

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 16 2-30 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- · The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 2 of 16



Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female

Consulting Dr. :

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected : 16-Mar-2024 / 08:53

:16-Mar-2024 / 17:25

Hexokinase

Hexokinase

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO

<u>PARAMETER</u> <u>RESULTS</u> <u>BIOLOGICAL REF RANGE</u> <u>METHOD</u>

GLUCOSE (SUGAR) FASTING, 88.1 Non-Diabetic: < 100 mg/dl Fluoride Plasma Impaired Fasting Glucose:

100-125 mg/dl

Diabetic: >/= 126 mg/dl

Reported

GLUCOSE (SUGAR) PP, Fluoride 100.8 Non-Diabetic: < 140 mg/dl

Plasma PP/R Impaired Glucose Tolerance:

140-199 mg/dl

Diabetic: >/= 200 mg/dl

Urine Sugar (Fasting) Absent Absent
Urine Ketones (Fasting) Absent Absent

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***







Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

Collected

: 16-Mar-2024 / 08:53

Reported :16-Mar-2024 / 15:48

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO KIDNEY FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
BLOOD UREA, Serum	21.0	12.8-42.8 mg/dl	Kinetic
BUN, Serum	9.8	6-20 mg/dl	Calculated
CREATININE, Serum	0.77	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	92	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure:<15	Calculated

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

The contraction of the contracti		oquation ///on	
TOTAL PROTEINS, Serum	8.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
URIC ACID, Serum	4.6	2.4-5.7 mg/dl	Enzymatic
PHOSPHORUS, Serum	2.9	2.7-4.5 mg/dl	Molybdate UV
CALCIUM, Serum	9.7	8.6-10.0 mg/dl	N-BAPTA
SODIUM, Serum	140	135-148 mmol/l	ISE
POTASSIUM, Serum	4.4	3.5-5.3 mmol/l	ISE
CHLORIDE, Serum	100	98-107 mmol/l	ISE

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female

Consulting Dr. : - Collected : 16-Mar-2024 / 08:53

Reg. Location : Borivali West (Main Centre) Reported :16-Mar-2024 / 13:33

Use a QR Code Scanner Application To Scan the Code lected :16-Mar-2024 / 08:53 ported :16-Mar-2024 / 13:33

Authenticity Check

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO GLYCOSYLATED HEMOGLOBIN (HbA1c)

PARAMETER RESULTS BIOLOGICAL REF RANGE METHOD

Glycosylated Hemoglobin 5.8 Non-Diabetic Level: < 5.7 % HPLC (HbA1c), EDTA WB - CC Prediabetic Level: 5.7-6.4 %

Prediabetic Level: 5.7-6.4 % Diabetic Level: >/= 6.5 %

Estimated Average Glucose 119.8 mg/dl Calculated (eAG), EDTA WB - CC

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- · In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***





Dr.JYOT THAKKER.. M.D. (PATH), DPB Pathologist & AVP(Medical Services)

Page 5 of 16



CID : 2407631191

Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female

Consulting Dr. Collected :16-Mar-2024 / 08:53 : Borivali West (Main Centre) Reported Reg. Location



Authenticity Check

Use a OR Code Scanner Application To Scan the Code

:16-Mar-2024 / 15:40

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
PHYSICAL EXAMINATION			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	5.0	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Clear	Clear	-
Volume (ml)	20	-	-
CHEMICAL EXAMINATION			
Proteins	Absent	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	Absent	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Normal	Normal	Diazonium Salt
Nitrite	Absent	Absent	Griess Test
MICROSCOPIC EXAMINATION	<u> N</u>		
Leukocytes(Pus cells)/hpf	1-2	0-5/hpf	
Red Blood Cells / hpf	Absent	0-2/hpf	
Epithelial Cells / hpf	2-3		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	4-5	Less than 20/hpf	
Others	-		

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ = 75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl, 2+ =100 mg/dl, 3+ =300 mg/dl, 4+ =1000 mg/dl)
- Ketone (1+ = 5 mg/dl, 2+ = 15 mg/dl, 3+ = 50 mg/dl, 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West *** End Of Report **





BMhaskar Dr.KETAKI MHASKAR M.D. (PATH) **Pathologist**

Page 6 of 16



CID : 2407631191

Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female

Consulting Dr.

Reg. Location : Borivali West (Main Centre)



Use a OR Code Scanner Application To Scan the Code

Collected

Reported

: 16-Mar-2024 / 08:53 :16-Mar-2024 / 15:32

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **BLOOD GROUPING & Rh TYPING**

PARAMETER RESULTS

ABO GROUP AΒ

Rh TYPING Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

Refernces:

- 1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
- 2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab *** End Of Report ***





Dr.VRUSHALI SHROFF M.D.(PATH) **Pathologist**

Page 7 of 16



Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female

Consulting Dr. : -

Reg. Location : Borivali West (Main Centre)



Use a QR Code Scanner Application To Scan the Code

:16-Mar-2024 / 08:53

Reported :16-Mar-2024 / 15:48

Collected


MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIPID PROFILE

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
CHOLESTEROL, Serum	230.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	110.0	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	57.9	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	172.1	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	150.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	22.1	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	4.0	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	2.6	0-3.5 Ratio	Calculated

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









CID : 2407631191

Name : MRS.SONIYA BIDAYE

:54 Years / Female Age / Gender

Consulting Dr.

Reg. Location

: Borivali West (Main Centre)

Collected

Reported

Authenticity Check

R

E

Use a QR Code Scanner Application To Scan the Code

:16-Mar-2024 / 08:53 :16-Mar-2024 / 15:38

MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO **THYROID FUNCTION TESTS**

<u>PARAMETER</u>	<u>RESULTS</u>	BIOLOGICAL REF RANGE	<u>METHOD</u>
Free T3, Serum	4.1	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	20.4	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	0.919	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female

Consulting Dr. : - Collected : 16-Mar-2024 / 08:53

Reg. Location : Borivali West (Main Centre) Reported :16-Mar-2024 / 15:38

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors
- can give falsely high TSH.
- 2)TSH values may be trasiently altered becuase of non thyroidal illness like severe infections, liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am, and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests: Anti thyroid Antibodies, USG Thyroid , TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

- 1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
- 2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3. Tietz , Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***





Dr.KETAKI MHASKAR M.D. (PATH) Pathologist

Authenticity Check

Use a OR Code Scanner

Application To Scan the Code

Page 10 of 16



Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female

Consulting Dr. : -

Reg. Location

: Borivali West (Main Centre)

Authenticity Check

Use a QR Code Scanner Application To Scan the Code

Collected

Reported

:16-Mar-2024 / 08:53

:16-Mar-2024 / 15:48


MEDIWHEEL FULL BODY HEALTH CHECKUP FEMALE ABOVE 40/2D ECHO LIVER FUNCTION TESTS

<u>PARAMETER</u>	RESULTS	BIOLOGICAL REF RANGE	<u>METHOD</u>
BILIRUBIN (TOTAL), Serum	0.31	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.12	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.19	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	8.1	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	5.0	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	3.1	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
SGOT (AST), Serum	34.5	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	41.3	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	12.9	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	103.0	35-105 U/L	Colorimetric

^{*}Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***









Name : MRS.SONIYA BIDAYE


Age / Gender : 54 Years / Female


Consulting Dr. :


Reg. Location : Borivali West (Main Centre)





Use a QR Code Scanner Application To Scan the Code
















Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female


Consulting Dr. :


Reg. Location : Borivali West (Main Centre)




Use a QR Code Scanner Application To Scan the Code


HDL CHOLESTEROL







BLOOD UREA





CREATININE







Name : MRS.SONIYA BIDAYE


Age / Gender : 54 Years / Female

Consulting Dr. :


Reg. Location: Borivali West (Main Centre)




Use a QR Code Scanner Application To Scan the Code









GLOBULIN




PHOSPHORUS



ALBUMIN



SODIUM





Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female


Consulting Dr. :


Reg. Location: Borivali West (Main Centre)




Use a QR Code Scanner Application To Scan the Code

POTASSIUM







SGOT (AST)








ALKALINE PHOSPHATASE



GAMMA GT





CID : 2407631191

Name : MRS.SONIYA BIDAYE

Age / Gender : 54 Years / Female


Consulting Dr.


Reg. Location : Borivali West (Main Centre)





Use a OR Code Scanner

Application To Scan the Code











Glycosylated Hemoglobin (HbA1c)







CID

: 2407631191

Name

: Mrs SONIYA BIDAYE

Age / Sex

Reg. Location

: 54 Years/Female

Ref. Dr

.

: Borivali West

Reg. Date

: 16-Mar-2024

Reported

: 16-Mar-2024 / 14:52

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

--End of Report-----

DR SUDHANSHU SA

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images << ImageLink>>

Page no 1 of 1



CID

: 2407631191

Name

: Mrs SONIYA BIDAYE

Age / Sex

: 54 Years/Female

Ref. Dr

Reg. Location

: Borivali West

Authenticity Check



Use a QR Code Scanner Application To Scan the Code O

т

Reg. Date

: 16-Mar-2024

Reported : 16-Mar-2024 / 10:35

USG WHOLE ABDOMEN

<u>LIVER:</u> Liver is normal in size 12.8 cm, with mild generalized increase in parenchymal echotexture. There is no intra-hepatic biliary radical dilatation. No evidence of any focal lesion.

GALL BLADDER: Gall bladder is distended and appears normal. No obvious wall thickening is noted. There is no evidence of any calculus.

PORTAL VEIN: Portal vein is normal. CBD: CBD is normal.

<u>PANCREAS:</u> Pancreas appears normal in echotexture. There is no evidence of any focal lesion or calcification.

KIDNEYS: Both kidneys are normal in shape and echotexture. Corticomedullary differentiation is maintained. There is no evidence of any hydronephrosis, hydroureter or calculus.

SPLEEN: Spleen is normal in size, shape and echotexture. No focal lesion is seen.

URINARY BLADDER: Urinary bladder is distended and normal. Wall thickness is within normal limits.

<u>UTERUS:</u> Uterus is retroverted, normal and measures 5.7 x 3.1 x 4.0 cm. Uterine myometrium shows homogenous echotexture. Endometrium is normal in thickness and measures 3.9 mm. Cervix appears normal.

OVARIES: Both ovaries appear normal in size and echotexture.

The right ovary measures 1.1 x 0.8 cm.

The left ovary measures $1.3 \times 0.9 \text{ cm}$.

Bilateral adnexa is clear.

No free fluid or obvious significant lymphadenopathy is seen.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer?

Acces

sionNo=2024031608261418

REGD. OFFICE: Dr. Lal PathLabs Ltd., Block E, Sector-18, Rohini, New Delhi - 110085. | CIN No.: L74899DL1995PLC065388



CID

: 2407631191

Name

: Mrs SONIYA BIDAYE

Age / Sex

: 54 Years/Female

Ref. Dr

Reg. Location

: Borivali West

Authenticity Check



Use a QR Code Scanner Application To Scan the Code

T

Reg. Date

: 16-Mar-2024

Reported

: 16-Mar-2024 / 10:35

Opinion:

Grade I fatty infiltration of liver .

For clinical correlation and follow up.

Note: Investigations have their limitations. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. USG is known to have inter-observer variations. Further / Follow-up imaging may be needed in some cases for confirmation / exclusion of diagnosis. Patient was explained in detail verbally about the USG findings, USG measurements and its limitations. In case of any typographical error in the report, patient is requested to immediately contact the center for rectification within 7 days post which the center will not be responsible for any rectification. Please interpret accordingly.

----End of Report----

DR.SUDHANSHU SAXENA Consultant Radiologist M.B.B.S DMRE (RadioDiagnosis) RegNo .MMC 2016061376.

Click here to view images http://3.111.232.119/iRISViewer/NeoradViewer? Acces

sionNo=2024031608261418



CID NO: 2407631191	
PATIENT'S NAME: MRS.SONIYA BIDAYE	AGE/SEX: 54 Y/F
REF BY:	DATE: 16/03/2024

2-D ECHOCARDIOGRAPHY

- 1. RA, LA RV is Normal Size.
- 2. No LV Hypertrophy.
- 3. Normal LV systolic function. LVEF 60 % by bi-plane
- 4. No RWMA at rest.
- 5. Aortic, Pulmonary, Tricuspid valves normal, Trivial MR.
- 6. Great arteries: Aorta: Normal
 - a. No mitral valve prolaps.
- 7. Inter-ventricular septum is intact and normal.
- 8. Intra Atrial Septum intact.
- 9. Pulmonary vein, IVC, hepatic are normal.
- 10. No LV clot.
- 11. No Pericardial Effusion
- 12. Grade 1 Diastolic disfunction. No Doppler evidence of raised LVEDP.

REF BY: ----

AGE/SEX: 54 Y/F

DATE: 16/03/2024

R

R

T

1.	AO root diameter	2.8 cm
2.	IVSd	1.0 cm
3.	LVIDd	4.2 cm
4.	LVIDs	2.0 cm
5.	LVPWd	1.0 cm
6.	LA dimension	3.6 cm
7.	RA dimension	3.6 cm
	RV dimension	2.9 cm
9.	Pulmonary flow vel:	0.9 m/s
	Pulmonary Gradient	3.4 m/s
11.	Tricuspid flow vel	1.5 m/s
12.	Tricuspid Gradient	9 m/s
	PASP by TR Jet	19 mm Hg
14.	TAPSE	3.0 cm
15.	Aortic flow vel	1.1 m/s
16.	Aortic Gradient	5 m/s
17.	MV:E	0.6 m/s
18.	A vel	0.8 m/s
19.	IVC	16 mm
20.	E/E'	10
		• •

PATIENT'S NAME: MRS.SONIYA BIDAYE

Impression:

Grade 1 Diastolic disfunction. Normal 2d echo study.

Disclaimer

Echo may have inter/Intra observer variations in measurements as the study is observer dependent and changes with Pt's hemodynamics. Please co-relate findings with patients clinical status.

End of Report

DR. S. NITIN Consultant Cardiologist Reg. No. 87714

PRECISE TESTING . HEALTHIER LIVING 0 000

Patient ID: Patient Name:


2407631191

SONIYA BIDAYE SUBURBAN DIAGNOSTICS - BORIVALI WEST

Date and Time: 16th Mar 24 9:27 AM

NA

days NA



Disclaimer: 1) Analysis in this report is based on ECG alone and should be used as an adjunct to clinical history, symptoms, and results of other invasive and non-invasive tests and must be interpreted by a qualified.

REPORTED BY

Dr.Niin Sonavane M.B.B.S.AHLH, D.DIAB, D.CARD Consultant Cardiologisi 87714