



CID : 2408320412
 Name : MRS.SHRUTIKA ADITYA PUJARI
 Age / Gender : 32 Years / Female
 Consulting Dr. : -
 Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
 Reported : 23-Mar-2024 / 12:10

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

CBC (Complete Blood Count), Blood

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>RBC PARAMETERS</u>			
Haemoglobin	13.1	12.0-15.0 g/dL	Spectrophotometric
RBC	4.71	3.8-4.8 mil/cmm	Elect. Impedance
PCV	39.6	36-46 %	Measured
MCV	84	80-100 fl	Calculated
MCH	27.8	27-32 pg	Calculated
MCHC	33.1	31.5-34.5 g/dL	Calculated
RDW	14.8	11.6-14.0 %	Calculated
<u>WBC PARAMETERS</u>			
WBC Total Count	7630	4000-10000 /cmm	Elect. Impedance
<u>WBC DIFFERENTIAL AND ABSOLUTE COUNTS</u>			
Lymphocytes	31.4	20-40 %	
Absolute Lymphocytes	2395.8	1000-3000 /cmm	Calculated
Monocytes	8.0	2-10 %	
Absolute Monocytes	610.4	200-1000 /cmm	Calculated
Neutrophils	57.8	40-80 %	
Absolute Neutrophils	4410.1	2000-7000 /cmm	Calculated
Eosinophils	2.4	1-6 %	
Absolute Eosinophils	183.1	20-500 /cmm	Calculated
Basophils	0.4	0.1-2 %	
Absolute Basophils	30.5	20-100 /cmm	Calculated
Immature Leukocytes	-		
WBC Differential Count by Absorbance & Impedance method/Microscopy.			
<u>PLATELET PARAMETERS</u>			
Platelet Count	238000	150000-400000 /cmm	Elect. Impedance
MPV	11.5	6-11 fl	Calculated
PDW	27.2	11-18 %	Calculated
<u>RBC MORPHOLOGY</u>			
Hypochromia	-		
Microcytosis	-		



CID : 2408320412
Name : MRS.SHRUTIKA ADITYA PUJARI
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
Reported : 23-Mar-2024 / 12:20

Use a QR Code Scanner
Application To Scan the Code

Macrocytosis	-
Anisocytosis	-
Poikilocytosis	-
Polychromasia	-
Target Cells	-
Basophilic Stippling	-
Normoblasts	-
Others	Normocytic, Normochromic
WBC MORPHOLOGY	-
PLATELET MORPHOLOGY	-
COMMENT	-

Specimen: EDTA Whole Blood

ESR, EDTA WB-ESR 14 2-20 mm at 1 hr. Sedimentation

Clinical Significance: The erythrocyte sedimentation rate (ESR), also called a sedimentation rate is the rate red blood cells sediment in a period of time.

Interpretation:

Factors that increase ESR: Old age, Pregnancy, Anemia

Factors that decrease ESR: Extreme leukocytosis, Polycythemia, Red cell abnormalities- Sickle cell disease

Limitations:

- It is a non-specific measure of inflammation.
- The use of the ESR as a screening test in asymptomatic persons is limited by its low sensitivity and specificity.

Reflex Test: C-Reactive Protein (CRP) is the recommended test in acute inflammatory conditions.

Reference:

- Pack Insert
- Brigden ML. Clinical utility of the erythrocyte sedimentation rate. American family physician. 1999 Oct 1;60(5):1443-50.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2408320412
Name : MRS.SHRUTIKA ADITYA PUJARI
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
Reported : 23-Mar-2024 / 17:15

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
GLUCOSE (SUGAR) FASTING, Fluoride Plasma	84.3	Non-Diabetic: < 100 mg/dl Impaired Fasting Glucose: 100-125 mg/dl Diabetic: >/= 126 mg/dl	Hexokinase
BILIRUBIN (TOTAL), Serum	0.31	0.1-1.2 mg/dl	Colorimetric
BILIRUBIN (DIRECT), Serum	0.19	0-0.3 mg/dl	Diazo
BILIRUBIN (INDIRECT), Serum	0.12	0.1-1.0 mg/dl	Calculated
TOTAL PROTEINS, Serum	7.2	6.4-8.3 g/dL	Biuret
ALBUMIN, Serum	4.4	3.5-5.2 g/dL	BCG
GLOBULIN, Serum	2.8	2.3-3.5 g/dL	Calculated
A/G RATIO, Serum	1.6	1 - 2	Calculated
SGOT (AST), Serum	11.6	5-32 U/L	NADH (w/o P-5-P)
SGPT (ALT), Serum	7.7	5-33 U/L	NADH (w/o P-5-P)
GAMMA GT, Serum	12.7	3-40 U/L	Enzymatic
ALKALINE PHOSPHATASE, Serum	44.2	35-105 U/L	Colorimetric
BLOOD UREA, Serum	20.7	12.8-42.8 mg/dl	Kinetic
BUN, Serum	9.7	6-20 mg/dl	Calculated
CREATININE, Serum	0.67	0.51-0.95 mg/dl	Enzymatic
eGFR, Serum	119	(ml/min/1.73sqm) Normal or High: Above 90 Mild decrease: 60-89 Mild to moderate decrease: 45-59 Moderate to severe decrease: 30-44 Severe decrease: 15-29 Kidney failure: <15	Calculated



CID : 2408320412
 Name : MRS.SHRUTIKA ADITYA PUJARI
 Age / Gender : 32 Years / Female
 Consulting Dr. : -
 Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
 Reported : 23-Mar-2024 / 18:32

Use a QR Code Scanner
Application To Scan the Code

Note: eGFR estimation is calculated using 2021 CKD-EPI GFR equation w.e.f 16-08-2023

URIC ACID, Serum	4.3	2.4-5.7 mg/dl	Enzymatic
Urine Sugar (Fasting)	Absent	Absent	
Urine Ketones (Fasting)	Absent	Absent	

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
 *** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2408320412
 Name : MRS.SHRUTIKA ADITYA PUJARI
 Age / Gender : 32 Years / Female
 Consulting Dr. : -
 Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
 Reported : 23-Mar-2024 / 12:09

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
GLYCOSYLATED HEMOGLOBIN (HbA1c)

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Glycosylated Hemoglobin (HbA1c), EDTA WB - CC	5.7	Non-Diabetic Level: < 5.7 % Prediabetic Level: 5.7-6.4 % Diabetic Level: >= 6.5 %	HPLC
Estimated Average Glucose (eAG), EDTA WB - CC	116.9	mg/dl	Calculated

Intended use:

- In patients who are meeting treatment goals, HbA1c test should be performed at least 2 times a year
- In patients whose therapy has changed or who are not meeting glycemic goals, it should be performed quarterly
- For microvascular disease prevention, the HbA1C goal for non pregnant adults in general is Less than 7%.

Clinical Significance:

- HbA1c, Glycosylated hemoglobin or glycated hemoglobin, is hemoglobin with glucose molecule attached to it.
- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of glycosylated hemoglobin in the blood.

Test Interpretation:

- The HbA1c test evaluates the average amount of glucose in the blood over the last 2 to 3 months by measuring the percentage of Glycosylated hemoglobin in the blood.
- HbA1c test may be used to screen for and diagnose diabetes or risk of developing diabetes.
- To monitor compliance and long term blood glucose level control in patients with diabetes.
- Index of diabetic control, predicting development and progression of diabetic micro vascular complications.

Factors affecting HbA1c results:

Increased in: High fetal hemoglobin, Chronic renal failure, Iron deficiency anemia, Splenectomy, Increased serum triglycerides, Alcohol ingestion, Lead/opiate poisoning and Salicylate treatment.

Decreased in: Shortened RBC lifespan (Hemolytic anemia, blood loss), following transfusions, pregnancy, ingestion of large amount of Vitamin E or Vitamin C and Hemoglobinopathies

Reflex tests: Blood glucose levels, CGM (Continuous Glucose monitoring)

References: ADA recommendations, AACC, Wallach's interpretation of diagnostic tests 10th edition.

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***



Bmhasakar

Dr.KETAKI MHASKAR
M.D. (PATH)
Pathologist



CID : 2408320412
Name : MRS.SHRUTIKA ADITYA PUJARI
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
Reported : 23-Mar-2024 / 15:47

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
URINE EXAMINATION REPORT

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
<u>PHYSICAL EXAMINATION</u>			
Color	Pale yellow	Pale Yellow	-
Reaction (pH)	6.5	4.5 - 8.0	Chemical Indicator
Specific Gravity	1.005	1.001-1.030	Chemical Indicator
Transparency	Hazy	Clear	-
Volume (ml)	30	-	-
<u>CHEMICAL EXAMINATION</u>			
Proteins	1+	Absent	pH Indicator
Glucose	Absent	Absent	GOD-POD
Ketones	Absent	Absent	Legals Test
Blood	2+	Absent	Peroxidase
Bilirubin	Absent	Absent	Diazonium Salt
Urobilinogen	Absent	Normal	Diazonium Salt
Nitrite	Present	Absent	Griess Test
<u>MICROSCOPIC EXAMINATION</u>			
Leukocytes(Pus cells)/hpf	120-130	0-5/hpf	
Red Blood Cells / hpf	2-3	0-2/hpf	
Epithelial Cells / hpf	10-12		
Casts	Absent	Absent	
Crystals	Absent	Absent	
Amorphous debris	Absent	Absent	
Bacteria / hpf	+++	Less than 20/hpf	
Others	-		

Result rechecked.

Kindly correlate clinically.



CID : 2408320412
Name : MRS.SHRUTIKA ADITYA PUJARI
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
Reported : 23-Mar-2024 / 15:47

Use a QR Code Scanner
Application To Scan the Code

Interpretation: The concentration values of Chemical analytes corresponding to the grading given in the report are as follows:

- Protein (1+ = 25 mg/dl , 2+ =75 mg/dl , 3+ = 150 mg/dl , 4+ = 500 mg/dl)
- Glucose(1+ = 50 mg/dl , 2+ =100 mg/dl , 3+ =300 mg/dl ,4+ =1000 mg/dl)
- Ketone (1+ =5 mg/dl , 2+ = 15 mg/dl , 3+= 50 mg/dl , 4+ = 150 mg/dl)

Reference: Pack inert

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Dr.JAGESHWAR MANDAL
CHOUPAL
MBBS, DNB PATH
Pathologist



CID : 2408320412
 Name : MRS.SHRUTIKA ADITYA PUJARI
 Age / Gender : 32 Years / Female
 Consulting Dr. : -
 Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
 Reported : 23-Mar-2024 / 18:01

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
BLOOD GROUPING & Rh TYPING

<u>PARAMETER</u>	<u>RESULTS</u>
ABO GROUP	B
Rh TYPING	Positive

NOTE: Test performed by automated Erythrocytes magnetized technology (EMT) which is more sensitive than conventional methods.

Specimen: EDTA Whole Blood and/or serum

Clinical significance:

ABO system is most important of all blood group in transfusion medicine

Limitations:

- ABO blood group of new born is performed only by cell (forward) grouping because allo antibodies in cord blood are of maternal origin.
- Since A & B antigens are not fully developed at birth, both Anti-A & Anti-B antibodies appear after the first 4 to 6 months of life. As a result, weaker reactions may occur with red cells of newborns than of adults.
- Confirmation of newborn's blood group is indicated when A & B antigen expression and the isoagglutinins are fully developed at 2 to 4 years of age & remains constant throughout life.
- Cord blood is contaminated with Wharton's jelly that causes red cell aggregation leading to false positive result
- The Hh blood group also known as Oh or Bombay blood group is rare blood group type. The term Bombay is used to refer the phenotype that lacks normal expression of ABH antigens because of inheritance of hh genotype.

References:

1. Denise M Harmening, Modern Blood Banking and Transfusion Practices- 6th Edition 2012. F.A. Davis company. Philadelphia
2. AABB technical manual

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD SDRL, Vidyavihar Lab

*** End Of Report ***



Anupa

Dr.ANUPA DIXIT
M.D.(PATH)
Consultant Pathologist & Lab Director



CID : 2408320412
Name : MRS.SHRUTIKA ADITYA PUJARI
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
Reported : 23-Mar-2024 / 17:15

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
LIPID PROFILE

PARAMETER	RESULTS	BIOLOGICAL REF RANGE	METHOD
CHOLESTEROL, Serum	170.0	Desirable: <200 mg/dl Borderline High: 200-239mg/dl High: >/=240 mg/dl	CHOD-POD
TRIGLYCERIDES, Serum	74.3	Normal: <150 mg/dl Borderline-high: 150 - 199 mg/dl High: 200 - 499 mg/dl Very high:>/=500 mg/dl	GPO-POD
HDL CHOLESTEROL, Serum	55.5	Desirable: >60 mg/dl Borderline: 40 - 60 mg/dl Low (High risk): <40 mg/dl	Homogeneous enzymatic colorimetric assay
NON HDL CHOLESTEROL, Serum	114.5	Desirable: <130 mg/dl Borderline-high:130 - 159 mg/dl High:160 - 189 mg/dl Very high: >/=190 mg/dl	Calculated
LDL CHOLESTEROL, Serum	100.0	Optimal: <100 mg/dl Near Optimal: 100 - 129 mg/dl Borderline High: 130 - 159 mg/dl High: 160 - 189 mg/dl Very High: >/= 190 mg/dl	Calculated
VLDL CHOLESTEROL, Serum	14.5	< /= 30 mg/dl	Calculated
CHOL / HDL CHOL RATIO, Serum	3.1	0-4.5 Ratio	Calculated
LDL CHOL / HDL CHOL RATIO, Serum	1.8	0-3.5 Ratio	Calculated

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West
*** End Of Report ***



Dr. JAGESHWAR MANDAL
CHOUPAL
MBBS, DNB PATH
Pathologist



CID : 2408320412
 Name : MRS.SHRUTIKA ADITYA PUJARI
 Age / Gender : 32 Years / Female
 Consulting Dr. : -
 Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
 Reported : 23-Mar-2024 / 18:57

Use a QR Code Scanner
Application To Scan the Code

AERFOCAMI HEALTHCARE BELOW 40 MALE/FEMALE
THYROID FUNCTION TESTS

<u>PARAMETER</u>	<u>RESULTS</u>	<u>BIOLOGICAL REF RANGE</u>	<u>METHOD</u>
Free T3, Serum	5.6	3.5-6.5 pmol/L	ECLIA
Free T4, Serum	20.8	11.5-22.7 pmol/L First Trimester:9.0-24.7 Second Trimester:6.4-20.59 Third Trimester:6.4-20.59	ECLIA
sensitiveTSH, Serum	3.18	0.35-5.5 microIU/ml First Trimester:0.1-2.5 Second Trimester:0.2-3.0 Third Trimester:0.3-3.0	ECLIA



CID : 2408320412
 Name : MRS.SHRUTIKA ADITYA PUJARI
 Age / Gender : 32 Years / Female
 Consulting Dr. : -
 Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Collected : 23-Mar-2024 / 07:52
 Reported : 23-Mar-2024 / 18:57

Use a QR Code Scanner
Application To Scan the Code

Interpretation:

A thyroid panel is used to evaluate thyroid function and/or help diagnose various thyroid disorders.

Clinical Significance:

- 1)TSH Values between high abnormal upto15 microIU/ml should be correlated clinically or repeat the test with new sample as physiological factors can give falsely high TSH.
- 2)TSH values may be transiently altered because of non thyroidal illness like severe infections,liver disease, renal and heart severe burns, trauma and surgery etc.

TSH	FT4 / T4	FT3 / T3	Interpretation
High	Normal	Normal	Subclinical hypothyroidism, poor compliance with thyroxine, drugs like amiodarone, Recovery phase of non-thyroidal illness, TSH Resistance.
High	Low	Low	Hypothyroidism, Autoimmune thyroiditis, post radio iodine Rx, post thyroidectomy, Anti thyroid drugs, tyrosine kinase inhibitors & amiodarone, amyloid deposits in thyroid, thyroid tumors & congenital hypothyroidism.
Low	High	High	Hyperthyroidism, Graves disease, toxic multinodular goiter, toxic adenoma, excess iodine or thyroxine intake, pregnancy related (hyperemesis gravidarum, hydatiform mole)
Low	Normal	Normal	Subclinical Hyperthyroidism, recent Rx for Hyperthyroidism, drugs like steroids & dopamine), Non thyroidal illness.
Low	Low	Low	Central Hypothyroidism, Non Thyroidal Illness, Recent Rx for Hyperthyroidism.
High	High	High	Interfering anti TPO antibodies, Drug interference: Amiodarone, Heparin, Beta Blockers, steroids & anti epileptics.

Diurnal Variation:TSH follows a diurnal rhythm and is at maximum between 2 am and 4 am , and is at a minimum between 6 pm and 10 pm. The variation is on the order of 50 to 206%. Biological variation:19.7%(with in subject variation)

Reflex Tests:Anti thyroid Antibodies,USG Thyroid ,TSH receptor Antibody. Thyroglobulin, Calcitonin

Limitations:

1. Samples should not be taken from patients receiving therapy with high biotin doses (i.e. >5 mg/day) until atleast 8 hours following the last biotin administration.
2. Patient samples may contain heterophilic antibodies that could react in immunoassays to give falsely elevated or depressed results. this assay is designed to minimize interference from heterophilic antibodies.

Reference:

- 1.O.koulouri et al. / Best Practice and Research clinical Endocrinology and Metabolism 27(2013)
- 2.Interpretation of the thyroid function tests, Dayan et al. THE LANCET . Vol 357
- 3.Tietz ,Text Book of Clinical Chemistry and Molecular Biology -5th Edition
- 4.Biological Variation:From principles to Practice-Callum G Fraser (AACC Press)

*Sample processed at SUBURBAN DIAGNOSTICS (INDIA) PVT. LTD Borivali Lab, Borivali West

*** End Of Report ***




Dr.JAGESHWAR MANDAL
CHOUPAL
MBBS, DNB PATH
Pathologist




CID : 2408320412
 Name : MRS.SHRUTIKA ADITYA PUJARI
 Age / Gender : 32 Years / Female
 Consulting Dr. : -
 Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)

Use a QR Code Scanner
 Application To Scan the Code


Haemoglobin




WBC Total Count




Platelet Count




ESR



CHOLESTEROL



TRIGLYCERIDES







Use a QR Code Scanner Application To Scan the Code

CID : 2408320412
 Name : MRS.SHRUTIKA ADITYA PUJARI
 Age / Gender : 32 Years / Female
 Consulting Dr. : -
 Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)


HDL CHOLESTEROL




LDL CHOLESTEROL




BLOOD UREA




BUN



CREATININE



URIC ACID







Use a QR Code Scanner Application To Scan the Code

CID : 2408320412
Name : MRS.SHRUTIKA ADITYA PUJARI
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)


TOTAL PROTEINS




ALBUMIN




GLOBULIN




SGOT (AST)



SGPT (ALT)









ALKALINE PHOSPHATASE





Use a QR Code Scanner Application To Scan the Code


CID : 2408320412
 Name : MRS.SHRUTIKA ADITYA PUJARI
 Age / Gender : 32 Years / Female
 Consulting Dr. : -
 Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)






Use a QR Code Scanner
Application To Scan the Code

CID : 2408320412
Name : MRS.SHRUTIKA ADITYA PUJARI
Age / Gender : 32 Years / Female
Consulting Dr. : -
Reg. Location : Mahavir Nagar, Kandivali West (Main Centre)





ECG Within Normal Limits: Sinus Rhythm. Please correlate clinically.



REPORTED BY
[Signature]
Dr. Anir Bhasic
M.B.B.S, P.G.D.C.C (DIP Cardiology)
2013062380

Age	31	NA	NA
	years	months	days
Gender	Female		
Heart Rate	61bpm		
Patient Vitals			
BP:	120/70 mmHg		
Weight:	60 kg		
Height:	162 cm		
Pulse:	62 bpm		
Spo2:	NA		
Resp:	NA		
Others:			
Measurements			
QRSD:	72ms		
QT:	394ms		
QTcB:	396ms		
PR:	132ms		
P-R-T:	57° 62° 47°		

Date:- 23/3/24

CID: 2408320412

Name:- Mrs. Shreutika Puyaxi

Sex / Age: F / 32yrs

EYE CHECK UP

Chief complaints: ~ No

Systemic Diseases: - No

Past history: - No

Unaided Vision: - No

Aided Vision: - No

Refraction:

Ⓟ 6/6

Ⓞ 6/6

(Right Eye)

(Left Eye)

	Sph	Cyl	Axis	Vn	Sph	Cyl	Axis	Vn
Distance	/			6/6	/			6/6
Near	/			2/6	/			2/6

Colour Vision: Normal / Abnormal

Remark: Normal vision.



Name : MRS.SHRUTIKA ADITYA PUJARI

Age / Gender : 32 Years/Female

Consulting Dr. :

Collected : 23-Mar-2024 / 07:47

Reg.Location : Mahavir Nagar, Kandivali West (Main Centre)

Reported : 26-Mar-2024 / 10:25

PHYSICAL EXAMINATION REPORT

No.

History and Complaints: NIL. H/O FIBROADENOMA 6-7 YRS BACK

Ct.

Re: **EXAMINATION FINDINGS:**

Height (cms):	162	Weight (kg):	60
Temp (0c):	Afebrile	Skin:	Normal
Blood Pressure (mm/hg):	120/70	Nails:	Healthy
Pulse:	62	Lymph Node:	Not Palpable

Systems

- Cardiovascular: S1,S2 Normal No Murmurs
- Respiratory: Air Entry Bilaterally Equal
- Genitourinary: Normal
- GI System: Soft non tender No Organomegaly
- CNS: Normal

IMPRESSION: HEALTHY

ADVICE: REGULAR EXERCISE & HEALTHY DIET

CHIEF COMPLAINTS:

- 1) Hypertension: NO
- 2) IHD: NO
- 3) Arrhythmia: NO
- 4) Diabetes Mellitus : NO
- 5) Tuberculosis : NO
- 6) Asthama: NO
- 7) Pulmonary Disease : NO

Name : MRS.SHRUTIKA ADITYA PUJARI

Age / Gender : 32 Years/Female

Consulting Dr. : Collected : 23-Mar-2024 / 07:47

Reg.Location : Mahavir Nagar, Kandivali West (Main Centre) Reported : 26-Mar-2024 / 10:25

- 8) Thyroid/ Endocrine disorders : NO
- 9) Nervous disorders : NO
- 10) GI system : NO
- 11) Genital urinary disorder : NO
- 12) Rheumatic joint diseases or symptoms : NO
- 13) Blood disease or disorder : NO
- 14) Cancer/lump growth/cyst : NO
- 15) Congenital disease : NO
- 16) Surgeries : FIBROADENOMA SX

PERSONAL HISTORY:

- 1) Alcohol : NO
- 2) Smoking : NO
- 3) Diet : VEG
- 4) Medication : NO

*** End Of Report ***



[Signature]
Dr.Ajita Bhosale
PHYSICIAN

Dr. AJITA BHOSALE
Reg. No. 2013/062200
MBBS/D. Cardiology

आयकर विभाग
INCOME TAX DEPARTMENT




भारत
GOVT. OF INDIA



स्थायी लेखा संख्या कार्ड

Permanent Account Number Card

BHJPM9765R



31052020

नाम / Name
SHRUTIKA ADITYA PUJARI

पिता का नाम / Father's Name
PRADEEP HARISHCHANDRA MOHITE

जन्म की तारीख /
Date of Birth
07/03/1992

PAN Application Digitally Signed. Card Not
Valid unless Physically Signed

SUBURBAN DIAGNOSTICS PVT LTD.

Patient Details Date: 23-Mar-24 Time: 9:52:38 AM
Name: SHRUTIKA PUJARI ID: 2408320412
Age: 32 y Sex: F Height: 162 cms Weight: 60 Kgs
Clinical History: ROUTINE CHECK UP

Medications: NIL

Test Details

Protocol: Bruce Pr.MHR: 188 bpm THR: 169 (90 % of Pr.MHR) bpm
Total Exec. Time: 6 m 27 s Max. HR: 160 (85% of Pr.MHR)bpm Max. Mets: 10.20
Max. BP: 150 / 70 mmHg Max. BP x HR: 24000 mmHg/min Min. BP x HR: 5110 mmHg/min
Test Termination Criteria: THR ACHIEVED

Protocol Details

Stage Name	Stage Time (min : sec)	Mets	Speed (mph)	Grade (%)	Heart Rate (bpm)	Max. BP (mm/Hg)	Max. ST Level (mm)	Max. ST Slope (mV/s)
Supine	0 : 43	1.0	0	0	73	120 / 70	-1.49 V4	2.83 V5
Standing	1 : 33	1.0	0	0	84	120 / 70	-1.06 aVR	-4.95 aVF
Hyperventilation	0 : 9	1.0	0	0	74	120 / 70	-0.85 aVR	1.08 II
1	3 : 0	4.6	1.7	10	114	130 / 70	-1.06 aVR	3.18 II
2	3 : 0	7.0	2.5	12	145	140 / 70	-1.06 aVR	3.18 II
Peak Ex	0 : 27	10.2	3.4	14	160	150 / 70	-1.70 III	3.18 V5
Recovery(1)	3 : 0	1.8	1	0	83	130 / 70	-1.70 III	3.89 V4
Recovery(2)	0 : 34	1.0	0	0	90	120 / 70	-0.64 III	1.42 II

Interpretation

GOOD EFFORT TOLERANCE.
 HIGH WORKLOAD ACHIEVED.
 APPROPRIATE CHRONOTROPIC AND INOTROPIC RESPONSE.
 NO SIGNIFICANT ST-T CHANGES AT PEAK EXERCISE.
 NO SIGNIFICANT ST-T CHANGES AT RECOVERY.
 NO ARRHYTHMIAS NOTED.

IMPRESSION: THIS EXERCISE STRESS TEST IS NEGATIVE FOR REVERSIBLE INDUCIBLE ISCHEMIA.

Disclaimer: Negative stress test does not rule out Coronary Artery Disease.
 Positive test is suggestive but not confirmatory of Coronary Artery Disease.
 Hence, clinical correlation is mandatory.

Ref. Doctor: ARCOFEMI
 (Summary Report edited by user)



Doctor: DR AJITA BHOSALE
 (c) Schiller Healthcare India Pvt. Ltd. V 4.53
Dr. AJITA BHOSALE
 Reg. No. 2013/062200
 MBBS/D. Cardiology



SUBURBAN DIAGNOSTICS PVT LTD.

Test Report

SHRUTIKA PUJARI (32 F)

Protocol: Bruce

ID: 2408320412

Date: 23-Mar-24

Exec Time: 0 m 0 s

Stage Time: 0 m 37 s HR: 76 bpm

Stage: Supine

Speed: 0 mph

Grade: 0 %

(THR: 169 bpm)

B.P: 120/70

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schlier Standard V 4.52

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

fs0 = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



SUBURBAN DIAGNOSTICS PVT LTD.

Test Report

SHRUTIKA PUJARI (32 F)

Protocol: Bruce

ST Level (mm) ST Slope (mV/s)

ID: 2408320412

Date: 23-Mar-24

Exec Time : 0 m 0 s

Stage Time : 1 m 27 s HR: 73 bpm

Stage: Standing

Speed: 0 mph

Grade: 0 %

(THR: 169 bpm)

B.P: 120 / 70

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schnee Spandau V 4 52

Filter: 35 Hz

Mains Filtr. ON

Amp: 10 mm

Isa = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



SUBURBAN DIAGNOSTICS PVT LTD.

Test Report

SHRUTIKA PUJARI (32 F)

Protocol: Bruce

ID: 2408320412

Date: 23-Mar-24

Exec Time : 0 m 0 s

Stage Time : 0 m 3 s

HR: 78 bpm

Stage: Hyperventilation

Speed: 0 mph

Grade: 0 %

(THR: 169 bpm)

B.P: 120 / 70

ST Level (mm)

ST Slope (mV/s)

ST Level (mm)

ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schuler Standard V4 52

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

50 = R - 60 ms

J - R - 60 ms

Post J - J - 60 ms

Linked Median



SHRUTIKA PUJARI (32 F)

Protocol: Bruce

ST Level (mm) ST Slope (mV/s)

SUBURBAN DIAGNOSTICS PVT LTD.

Test Report

ID: 2408320412

Date: 23-Mar-24

Exec Time : 2 m 54 s Stage Time : 2 m 54 s HR: 112 bpm

Stage: 1

Speed: 1.7 mph Grade: 10 %

(THR: 169 bpm)

B.P: 130 / 70

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schmier Spandhan V 4.52

Filter: 35 Hz

Mains Filtr: ON

Amp: 10 mm

fs0 = R - 50 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



SUBURBAN DIAGNOSTICS PVT LTD.

Test Report

SHRUTIKA PUJARI (32 F)

Protocol: Bruce

ST Level (mm) ST Slope (mV/s)

ID: 2408320412

Date: 23-Mar-24

Exec Time : 5 m 54 s Stage Time : 2 m 54 s HR: 147 bpm

Stage: 2

Speed: 2.5 mph

Grade: 12 %

(THR: 169 bpm)

B.P: 140 / 70

ST Level (mm) ST Slope (mV/s)




Chart Speed 25 mm/sec

Filter: 35 Hz

Mains Filter ON

Amp: 10 mm

100 = R - 50 ms

J = R * 50 ms

Post J = J + 60 ms

Linked Median



SUBURBAN DIAGNOSTICS PVT LTD.

Test Report

SHRUTIKA PUJARI (32 F)

Protocol: Bruce

ST Level (mm) ST Slope (mV/s)

ID: 2408320412 Date: 23-Mar-24 Exec Time : 6 m 21 s Stage Time : 0 m 21 s HR: 160 bpm
Stage: Peak Ex Speed: 3.4 mph Grade: 14 % (THR: 169 bpm) B.P: 150 / 70

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Spandian V 4.52

Filter: 35 Hz

Mains Fil: ON

Ampl: 10 mm

100 = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



SUBURBAN DIAGNOSTICS PVT LTD.

Test Report

SHRUTIKA PUJARI (32 F)

ID: 2408320412

Date: 23-Mar-24

Exec Time : 6 m 27 s Stage Time : 2 m 54 s **HR: 81 bpm**

Protocol: Bruce

Stage: Recovery/(1)

Speed: 1 mph

Grade: 0 %

(THR: 169 bpm)

B.P: 130/70

ST Level (mm) ST Slope (mV/s)

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Schiller Spandien V 4.52

Filter: 35 Hz

Mains Fil: ON

Amp: 10 mm

f50 = R - 50 ms

J = R * 50 ms

Pos: J = J + 50 ms

Linked Median



SUBURBAN DIAGNOSTICS PVT LTD.

Test Report

SHRUTIKA PUJARI (32 F)

Protocol: Bruce

ST Level (mm) ST Slope (mV/s)

ID: 2408320412
Stage: Recovery(2)

Date: 23-Mar-24
Speed: 0 mph
Grade: 0%

Exec Time : 6 m 27 s
Stage Time : 0 m 28 s
HR: 93 bpm
(THR: 169 bpm)
B.P: 120 / 70

ST Level (mm) ST Slope (mV/s)




Chart Speed: 25 mm/sec
Sprinter Standard V 4.52

Filter: 35 Hz

Mains Filtr ON

Amp: 10 mm

500 = R - 60 ms

J = R + 60 ms

Post J = J + 60 ms

Linked Median



CID : 2408320412
Name : Mrs SHRUTIKA ADITYA PUJARI
Age / Sex : 32 Years/Female
Ref. Dr :
Reg. Location : Mahavir Nagar, Kandivali West Main Centre
Reg. Date : 23-Mar-2024
Reported : 23-Mar-2024/12:25

USG WHOLE ABDOMEN

LIVER:The liver is normal in size, shape and smooth margins. It shows normal echogenicity. The intra hepatic biliary and portal radical appear normal. No evidence of any intra hepatic cystic or solid lesion seen. The main portal vein and CBD appears normal.

GALL BLADDER: The gall bladder is physiologically distended and shows normal wall thickness. **Small gall bladder calculus noted measuring 10 mm.**

PANCREAS:The pancreas is well visualised and appears normal. No evidence of solid or cystic mass lesion.

KIDNEYS: Both the kidneys are normal in size shape and echotexture. No evidence of any calculus, hydronephrosis or mass lesion seen.

SPLEEN:The spleen is normal in size and echotexture. No evidence of focal lesion is noted.

URINARY BLADDER:The urinary bladder is well distended and reveal no intraluminal abnormality. Wall thickness appears normal.

UTERUS:The uterus is anteverted and appears normal. The endometrial thickness is 6 mm.

OVARIES: Both the ovaries are well visualised and appears normal. There is no evidence of any ovarian or adnexal mass seen.

ADDITIONAL COMMENTS:

Visualized bowel loops shows normal peristalsis. There is no evidence of any lymphadenopathy or ascites.



CID : 2408320412
Name : Mrs SHRUTIKA ADITYA PUJARI
Age / Sex : 32 Years/Female
Ref. Dr :
Reg. Location : Mahavir Nagar, Kandivali West Main Centre
Reg. Date : 23-Mar-2024
Reported : 23-Mar-2024/12:25

IMPRESSION:-

- **Cholelithiasis without cholecystitis.**
- **No other significant abnormality detected**

ADVICE: Clinical correlation

NOTE: Above USG report is subject to findings evident at the time of scan & associated bowel gases. Sonography is known to have inter-observer variations. This modality has its own limitations & should be considered as a professional opinion. Solitary radiological investigations never confirm the final diagnosis. They only help in diagnosing the disease in correlation to clinical symptoms and other related tests. Further / Follow-up imaging may be needed in some case for confirmation of findings. Please interpret accordingly. This report cannot be used for medico - legal purposes

-----End of Report-----

Dr. VIKRANT S. PATIL
M. D. Radio Diagnosis
Reg No 2014052421



Use a QR Code Scanner
Application To Scan the Code

CID : 2408320412
Name : Mrs SHRUTIKA ADITYA PUJARI
Age / Sex : 32 Years/Female
Ref. Dr :
Reg. Location : Mahavir Nagar, Kandivali West Main
Centre

Reg. Date : 23-Mar-2024
Reported : 23-Mar-2024/12:25



CID : 2408320412
Name : Mrs SHRUTIKA ADITYA PUJARI
Age / Sex : 32 Years/Female
Ref. Dr :
Reg. Location : Mahavir Nagar, Kandivali West Main Centre
Reg. Date : 23-Mar-2024
Reported : 23-Mar-2024/17:06

X-RAY CHEST PA VIEW

Both lung fields are clear.

Both costo-phrenic angles are clear.

The cardiac size and shape are within normal limits.

The domes of diaphragm are normal in position and outlines.

The skeleton under review appears normal.

IMPRESSION:

NO SIGNIFICANT ABNORMALITY IS DETECTED.

-----End of Report-----

DR. NIKHIL DEV
M.B.B.S, MD (Radiology)
Reg No – 2014/11/4764
Consultant Radiologist



Use a QR Code Scanner
Application To Scan the Code

CID : 2408320412
Name : Mrs SHRUTIKA ADITYA PUJARI
Age / Sex : 32 Years/Female
Ref. Dr :
Reg. Location : Mahavir Nagar, Kandivali West Main
Centre

Reg. Date : 23-Mar-2024
Reported : 23-Mar-2024/17:06