

CHANDAN DIAGNOSTIC CENTRE

Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:31
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: 07/Mar/2024 09:37:00
UHID/MR NO	: CHLD.0000104262	Received	: 07/Mar/2024 09:48:38
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 13:42:36
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS							
Test Name	Result	Unit	Bio. Ref. Interval	Method			
Blood Group (ABO & Rh typing)) * , Blood						
Blood Group	А			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA			
Rh (Anti-D)	POSITIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA			
Complete Blood Count (CBC) *	, Whole Blood						
Haemoglobin	12.00	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl				
TLC (WBC) <u>DLC</u>	9,700.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE			
Polymorphs (Neutrophils)	72.00	%	55-70	ELECTRONIC IMPEDANCE			
Lymphocytes	24.00	%	25-40	ELECTRONIC IMPEDANCE			
Monocytes	1.00	%	3-5	ELECTRONIC IMPEDANCE			
Eosinophils	3.00	%	1-6	ELECTRONIC IMPEDANCE			
Basophils	0.00	%	<1	ELECTRONIC IMPEDANCE			
ESR							
Observed	28.00	Mm for 1st hr.					
Corrected	20.00	Mm for 1st hr.	< 20				
PCV (HCT)	38.00	%	40-54				
Platelet count							
Platelet Count	2.72	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC			
PDW (Platelet Distribution width)	15.60	fL	9-17	ELECTRONIC IMPEDANCE			
P-LCR (Platelet Large Cell Ratio)	31.50	%	35-60	ELECTRONIC IMPEDANCE			

ISO 9001:2015

Page 1 of 11







Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:31
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: 07/Mar/2024 09:37:00
UHID/MR NO	: CHLD.0000104262	Received	: 07/Mar/2024 09:48:38
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 13:42:36
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF HAEMATOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.28	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	10.70	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.45	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	85.80	fl	80-100	CALCULATED PARAMETER
MCH	28.20	pg	28-35	CALCULATED PARAMETER
MCHC	31.30	%	30-38	CALCULATED PARAMETER
RDW-CV	13.90	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	43.30	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	6,984.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	291.00	/cu mm	40-440	

Dr Vinod Ojha MD Pathologist







Since 1991

Add: Opp. Vishal Megamart, Nainital Road, Haldwani Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:33
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: 07/Mar/2024 09:36:59
UHID/MR NO	: CHLD.0000104262	Received	: 07/Mar/2024 09:48:38
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 12:08:09
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Un	nit Bio. Ref. Interva	al Method
GLUCOSE FASTING, Plasma Glucose Fasting	82.20	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ 126 Diabetes	GOD POD
Interpretation: a) Kindly correlate clinically with intake of hypogly	cemic agents, drug	dosage varia	ations and other drug inter	actions.

b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.

c) I.G.T = Impared Glucose Tolerance.

Glucose PP Sample:Plasma After Meal		94.30	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD	

Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions. b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential. c) I.G.T = Impared Glucose Tolerance.

GLYCOSYLATED HAEMOGLOBIN (HBA1C) *	,EDTA BLOOD		
Glycosylated Haemoglobin (HbA1c)	5.30	% NGSP	HPLC (NGSP)
Glycosylated Haemoglobin (HbA1c)	34.00	mmol/mol/IFCC	
Estimated Average Glucose (eAG)	106	mg/dl	

Interpretation:

NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.









Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:33
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: 07/Mar/2024 09:36:59
UHID/MR NO	: CHLD.0000104262	Received	: 07/Mar/2024 09:48:38
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 12:08:09
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name Result Unit Bio. Ref. Interval Method	
---	--

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	Degree of Glucose Control Unit
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. **Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

<u>Clinical Implications:</u>

*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

*With optimal control, the HbA 1c moves toward normal levels.

*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated *Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

c. Alcohol toxicity d. Lead toxicity

*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

*Pregnancy d. chronic renal failure. Interfering Factors:

*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

BUN (Blood Urea Nitrogen) Sample:Serum	7.77	mg/dL	7.0-23.0	CALCULATED
Creatinine Sample:Serum	0.76	mg/dl	0.5-1.20	MODIFIED JAFFES
Uric Acid Sample:Serum	3.50	mg/dl	2.5-6.0	URICASE

LFT (WITH GAMMA GT) * , Serum

150 9001:2015

Page 4 of 11







Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:33
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: 07/Mar/2024 09:36:59
UHID/MR NO	: CHLD.0000104262	Received	: 07/Mar/2024 09:48:38
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 12:08:09
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF BIOCHEMISTRY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	U	nit Bio. Ref. Interv	al Method
SGOT / Aspartate Aminotransferase (AST)	17.89	U/L	< 35	IFCC WITHOUT P5P
SGPT / Alanine Aminotransferase (ALT)	13.00	U/L	< 40	IFCC WITHOUT P5P
Gamma GT (GGT)	15.03	IU/L	11-50	OPTIMIZED SZAZING
Protein	6.29	gm/dl	6.2-8.0	BIURET
Albumin	4.17	gm/dl	3.4-5.4	B.C.G.
Globulin	2.12	gm/dl	1.8-3.6	CALCULATED
A:G Ratio	1.97		1.1-2.0	CALCULATED
Alkaline Phosphatase (Total)	66.26	U/L	42.0-165.0	IFCC METHOD
Bilirubin (Total)	0.44	mg/dl	0.3-1.2	JENDRASSIK & GROF
Bilirubin (Direct)	0.30	mg/dl	< 0.30	JENDRASSIK & GROF
Bilirubin (Indirect)	0.14	mg/dl	< 0.8	JENDRASSIK & GROF
LIPID PROFILE (MINI) , Serum				
Cholesterol (Total)	145.05	mg/dl	<200 Desirable 200-239 Borderline High > 240 High	CHOD-PAP
HDL Cholesterol (Good Cholesterol)	59.78	mg/dl	30-70	DIRECT ENZYMATIC
LDL Cholesterol (Bad Cholesterol)	68	mg/dl	< 100 Optimal 100-129 Nr. Optimal/Above Optima 130-159 Borderline High 160-189 High > 190 Very High	
v VLDL	16.97	mg/dl	10-33	CALCULATED
Triglycerides	84.84	mg/dl	< 150 Normal 150-199 Borderline Higł 200-499 High >500 Very High	GPO-PAP า

Dr Vinod Ojha MD Pathologist









Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:33
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: 07/Mar/2024 15:25:56
UHID/MR NO	: CHLD.0000104262	Received	: 07/Mar/2024 16:06:09
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 17:31:28
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , u	Jrine			
Color	PALE YELLOW			
Specific Gravity	1.015			
Reaction PH	Acidic (5.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	[′] mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
	and the second	1999	> 500 (++++)	A DEPART
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++)	
			1-2 (+++) > 2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	ing/u	0.1-5.0	DIOCHEIVIIJTIKT
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and a start of the	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			DII JTICK
Nitrite	ABSENT			DIPSTICK
Blood	PRESENT(+)			DIPSTICK
Microscopic Examination:	TRESENT(+)			DII JIICK
•	1.0/h f			MICROCODIO
Epithelial cells	1-2/h.p.f			MICROSCOPIC EXAMINATION
Pus cells	0-1/h.p.f			EXAIVIINATION
RBCs	•			MICROSCOPIC
RDUS	2-3/h.p.f			EXAMINATION
Cast	ABSENT			EXAMINATION
Crystals	ABSENT			MICROSCOPIC
orystais	ADJENT			EXAMINATION
Others	ABSENT			
SUGAR, FASTING STAGE * , Urine				
		<i></i>		
Sugar, Fasting stage	ABSENT	gms%		

Interpretation:

Page 6 of 11









Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:33
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: 07/Mar/2024 15:25:56
UHID/MR NO	: CHLD.0000104262	Received	: 07/Mar/2024 16:06:09
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 17:31:28
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF CLINICAL PATHOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
(+) < 0.5				
(++) 0.5-1.0				
(+++) 1-2				
(++++) > 2				
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
Interpretation:				
(+) < 0.5 gms%				
(++) 0.5-1.0 gms%				
(+++) 1-2 gms%				
(++++) > 2 gms%		NY Y		
			and the second	

Dr Vinod Ojha MD Pathologist









Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:33
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: 07/Mar/2024 09:36:59
UHID/MR NO	: CHLD.0000104262	Received	: 07/Mar/2024 09:48:38
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 15:10:40
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF IMMUNOLOGY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL * , Serum					
T3, Total (tri-iodothyronine)	91.20	ng/dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	6.70	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	4.600	µlU/mL	0.27 - 5.5	CLIA	
		,			

Interpretation:

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

3) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

4) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

8) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr Vinod Ojha MD Pathologist

Page 8 of 11





CHANDAN DIAGNOSTIC CENTRE



Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:34
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: N/A
UHID/MR NO	: CHLD.0000104262	Received	: N/A
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 10:31:10
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF X-RAY

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

X-RAY DIGITAL CHEST PA *

(500 mA COMPUTERISED UNIT SPOT FILM DEVICE)

DIGITAL CHEST P-A VIEW:-

- Bilateral lung fields appear grossly unremarkable.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Bilateral hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Soft tissue shadow appears normal.
- Bony cage is normal.

IMPRESSION:-

No significant abnormality is seen.

Adv:-Clinico-pathological correlation.

Dr Sushil Pandey(MD Radiodignosis)

Page 9 of 11







Since 1991

CHANDAN DIAGNOSTIC CENTRE Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975

CIN: U85110DL2003PLC308206



Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:34
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: N/A
UHID/MR NO	: CHLD.0000104262	Received	: N/A
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 11:44:02
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) * ULTRASOUND WHOLE ABDOMEN

LIVER: Is normal in size (~14.9cms) and echotexture. No SOL seen. No dilatation of IHBR seen. Hepatic vessels are normal. Portal vein is patent.

GALL BLADDER: Lumen anechoic, wall is normal in thickness (~3 mm). No pericholecystic fluid seen.

<u>CBD</u>: Normal in caliber and smoothly tapering towards its lower end.

PANCREAS: Normal in size and echotexture.

SPLEEN: Normal in size and echotexture.

KIDNEYS:-

Right kidney is normal in size, shape and echotexture with maintained CM differentiation. No dilatation of PC system is seen. No calculus seen.

Left kidney is normal in size, shape and echotexture with maintained CM differentiation. No dilatation of PC system is seen. No calculus seen.

URINARY BLADDER: Is partially distended, grossly appears normal.

UTERUS & CERVIX:

- Uterus is normal in size, shape and echotexture.
- Endometrial and myometrial echoes are normal. (ET ~4.8 mm). No focal lesion seen.
- Cervix appears normal.

OVARIES & ADNEXA:

• Both ovaries are normal in size, shape and echo pattern.

Page 10 of 11



CHANDAN DIAGNOSTIC CENTRE



Add: Opp. Vishal Megamart,Nainital Road,Haldwani Ph: ,9235400975 CIN : U85110DL2003PLC308206



Patient Name	: Mrs.DIVYASHREE JOSHI	Registered On	: 07/Mar/2024 09:22:34
Age/Gender	: 28 Y 3 M 29 D /F	Collected	: N/A
UHID/MR NO	: CHLD.0000104262	Received	: N/A
Visit ID	: CHLD0191932324	Reported	: 07/Mar/2024 11:44:02
Ref Doctor	: Dr.MEDIWHEEL ARCOFEMI HEALTH CARE LTD HLD -	Status	: Final Report

DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA MALE & FEMALE BELOW 40 YRS

- No adnexal mass/ cyst seen.
- No free fluid is seen in POD.

No evidence of any free fluid/retroperitoneal lymphadenopathy.

IMPRESSION:- Essentially a normal scan.

(Adv:- Clinico-pathological correlation and further evaluation).

*** End Of Report ***					
Result/s to Follow: STOOL, ROUTINE EXAMINATIO	N, ECG / EKG				
			WWY!		
				Sarah Sarah	
	4				
				\sim	
				Sut	-
				Dr Sushil Pande	y(MD Radiodignosis)

This report is not for medico legal purpose. If clinical correlation is not established, kindly repeat the test at no additional cost within seven days.

Facilities: Pathology, Bedside Sample Collection, Health Check-ups, Digital X-Ray, ECG (Bedside also), Allergy Testing, Test And Health Check-ups, Ultrasonography, Sonomammography, Bone Mineral Density (BMD), Doppler Studies, 2D Echo, CT Scan, MRI, Blood Bank, TMT, EEG, PFT, OPG, Endoscopy, Digital Mammography, Electromyography (EMG), Nerve Condition Velocity (NCV), Audiometry, Brainstem Evoked Response Audiometry (BERA), Colonoscopy, Ambulance Services, Online Booking Facilities for Diagnostics, Online Report Viewing * 365 Days Open *Facilities Available at Select Location

Page 11 of 11

