

DEPARTMENT OF LABORATORY MEDICINE

Patient Name : Mr. NAVARANG BABU	Order No : 1000076334
UHID : UHJ A23020010	Registered On : 09/03/2024 09:58:33 AM
Age/Sex : 41/Years Male	Collected On : 09/03/2024 10:48:22 AM
Ward / Bed No :	Reported On : 09/03/2024 06:32:25 PM
Reference : Dr. Preventive Health Check Up	Bill No : OPBJ A230024713
Station : At Hospital	Mobile No : 9148957150
Payer Name : Mediwheel	Report Status : Final Report

Test Name	Result	Unit	Bio. Ref. Interval
<u>BIOCHEMISTRY</u>			
FASTING GLUCOSE (Method: Hexokinase)	90	mg/dL	ADA Guidelines < 100 mg/dl - Normal 100 to 125 mg/dl - Prediabetes ≥ 126 mg/dl - Diabetes
POST PRANDIAL GLUCOSE (Method: Hexokinase)	93	mg/dL	70-140
GLYCOSYLATED HAEMOGLOBIN (HBA1C)			Sample: Whole blood (EDTA)
HBA1C (Method: HPLC)	4.9	%	ADA Guidelines < 5.7% - Normal 5.7 to 6.4% - Prediabetes ≥ 6.5% - Diabetes
Estimated Average Glucose (eAG) (Method: Calculated)	93.92	mg/dL	
THYROID PROFILE (TOTAL T3, TOTAL T4 & TSH)			Sample: Serum
TOTAL T3 (Method: CLIA)	1.28	ng/mL	0.87-1.78
TOTAL T4 (Method: CLIA)	6.89	ng/dL	5.1-14.1
THYROID STIMULATING HORMONE (TSH) (Method: CLIA: Ultra-sensitive)	1.35	μIU/mL	0.34-5.60
LIPID PROFILE			Sample: Serum
TOTAL CHOLESTEROL (Method: CHOD-POD)	161	mg/dL	ATP III Guidelines < 200 - Desirable 200-239 - Borderline high ≥ 240 - High
TRIGLYCERIDES (Method: Enzymatic GPO-POD)	67	mg/dL	< 150 - Normal 150-199 - Borderline High 200-499 - High ≥ 500 - Very High
HDL CHOLESTEROL (Method: ENZYMATIC METHOD)	40.3	mg/dL	< 40 - Low ≥ 60 - High

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. NAVARANG BABU	Order No	: 1000076334
UHID	: UHJ A23020010	Registered On	: 09/03/2024 09:58:33 AM
Age/Sex	: 41/Years Male	Collected On	: 09/03/2024 10:48:22 AM
Ward / Bed No	:	Reported On	: 09/03/2024 06:32:25 PM
Reference	: Dr. Preventive Health Check Up	Bill No	: OPBJ A230024713
Station	: At Hospital	Mobile No	: 9148957150
Payer Name	: Mediwheel	Report Status	: Final Report

Test Name	Result	Unit	Bio. Ref. Interval
LDL CHOLESTEROL (Method: ENZYMATIC METHOD)	107.3	mg/dL	<100 - Optimal 100-129 - Near or above optimal 130-159 - Borderline high 160-189 - High ≥190 - Very high
VLDL CHOLESTEROL (Method: Calculated)	13.40	mg/dL	< 30
TOTAL CHOLESTEROL : HDL RATIO (Method: Calculated)	3.9		Low Risk: 3.3 - 4.4 Average Risk: 4.5 - 7.1 Moderate Risk: 7.2 - 11.0
LDL/HDL CHOLESTEROL RATIO (Method: Calculated)	2.6		< 2.5 Optimal
NON HDL CHOLESTEROL (Method: Calculated)	120.7	mg/dL	< 130
URIC ACID (Method: Uricase - POD(Enzymatic))	5.4	mg/dL	3.5-7.2
BUN/CREATININE RATIO			Sample: Serum
BLOOD UREA NITROGEN(BUN) (Method: Urease GLDH - Kinetic)	16	mg/dL	7.93-20.07
CREATININE (Method: Modified Jaffe, Kinetic)	1.03	mg/dL	0.9-1.3
BUN/CRE-RATIO (Method: Calculated)	15.5		12~20 : 1
LIVER FUNCTION TEST			Sample: Serum
TOTAL BILIRUBIN (Method: Dichlorophenyl Diazotization)	0.95	mg/dL	0.3-1.2
DIRECT BILIRUBIN (Method: Dichlorophenyl Diazotization)	0.20	mg/dL	0.0-0.2
INDIRECT BILIRUBIN (Method: Calculated)	0.75	mg/dL	0.2-1.0
TOTAL PROTEIN (Method: BIURET)	6.8	g/dL	6.6-8.3

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. NAVARANG BABU	Order No	: 1000076334
UHID	: UHJ A23020010	Registered On	: 09/03/2024 09:58:33 AM
Age/Sex	: 41/Years Male	Collected On	: 09/03/2024 10:48:22 AM
Ward / Bed No	:	Reported On	: 09/03/2024 06:32:25 PM
Reference	: Dr. Preventive Health Check Up	Bill No	: OPBJ A230024713
Station	: At Hospital	Mobile No	: 9148957150
Payer Name	: Mediwheel	Report Status	: Final Report

Test Name	Result	Unit	Bio. Ref. Interval
ALBUMIN (Method:BCG)	4.38	g/dL	3.5-5.2
GLOBULIN (Method: Calculated)	2.41	g/dL	2.3-3.5
AG RATIO (Method: Calculated)	1.80		2:1
SERUM SGOT (Method:IFCC without P5P)	23	U/L	< 50
SERUM SGPT (Method:IFCC without P5P)	18	U/L	< 50
ALKALINE PHOSPHATASE, SERUM (Method:PNPP AMP Buffer)	56	U/L	50-116
GGT (Method:IFCC)	17	U/L	< 55
PROSTATE SPECIFIC ANTIGEN (PSA) (Method:CLIA)	0.42	ng/mL	< 4.0

Interpretation Notes

Serum PSA concentrations should not be interpreted as absolute evidence for the presence or absence of malignant disease nor should serum PSA be used alone as a screening test for malignant disease. For diagnostic purposes, the results obtained by immunometric assay should always be used in combination with the clinical examinations, patient medical history and other findings. The concentration of PSA in a given specimen, determined with assays from different manufacturers, may not be comparable due to differences in assay methods, calibration, and reagent specificity.

UREA (Method:Urease GLDH - Kinetic)	35.3	mg/dL	17-43
---	------	-------	-------



Dr. Shobha Emmanuel
MBBS, M.D(Pathology)
CONSULTANT PATHOLOGIST
KMC:66136

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. NAVARANG BABU	Order No	: 1000076334
UHID	: UHJ A23020010	Registered On	: 09/03/2024 09:58:33 AM
Age/Sex	: 41/Years Male	Collected On	: 09/03/2024 10:48:22 AM
Ward / Bed No	:	Reported On	: 09/03/2024 06:32:25 PM
Reference	: Dr. Preventive Health Check Up	Bill No	: OPBJ A230024713
Station	: At Hospital	Mobile No	: 9148957150
Payer Name	: Mediwheel	Report Status	: Final Report

Test Name	Result	Unit	Bio. Ref. Interval
-----------	--------	------	--------------------

HAEMATOLOGY

COMPLETE BLOOD COUNT(CBC)

Sample: Whole blood (EDTA)

HAEMOGLOBIN (Method:Photometric Measurement: Oxyhemoglobin method)	16.11	g/dL	13.5-17.5
PACKED CELL VOLUME/HEMATOCRIT (PCV/HCT) (Method: Calculated)	48.6	%	42-52
TOTAL WBC COUNT (TLC) (Method:Coulter Principle)	5870	Cells/Cum	4000-11000
DIFFERENTIAL COUNT			
NEUTROPHILS (Method:Optical/Impedance)	51.77	%	40-75
LYMPHOCYTES (Method:Optical/Impedance)	36.53	%	20-45
EOSINOPHILS (Method:Optical/Impedance)	4.24	%	0-6
MONOCYTES (Method:Optical/Impedance)	7.13	%	2-10
BASOPHILS (Method:Optical/Impedance)	0.33	%	0-2
RED BLOOD CORPUSCLES(RBC) (Method:Coulter Principle)	5.94	million/cum	4.5-5.9
MCV (Method:Derived from RBC Histogram)	81.8	fL	78-100
MCH (Method: Calculated)	27.1	pg	27-31
MCHC (Method: Calculated)	33.1	g/dL	31-37
RDW - CV (Method: Calculated)	15.6	%	11.5-14.5
PLATELET COUNT (Method:Electrical Impedance)	2.39	Lakhs/Cum	1.5-4.5

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. NAVARANG BABU	Order No	: 1000076334
UHID	: UHJ A23020010	Registered On	: 09/03/2024 09:58:33 AM
Age/Sex	: 41/Years Male	Collected On	: 09/03/2024 10:48:22 AM
Ward / Bed No	:	Reported On	: 09/03/2024 06:32:25 PM
Reference	: Dr. Preventive Health Check Up	Bill No	: OPBJ A230024713
Station	: At Hospital	Mobile No	: 9148957150
Payer Name	: Mediwheel	Report Status	: Final Report

Test Name	Result	Unit	Bio. Ref. Interval
MEAN PLATELET VOLUME(MPV) (Method:Derived from PLT Histogram)	9.34	fl	9-13
PLATELET DISTRIBUTION WIDTH (PDW) (Method: Calculated)	20.3	fl	9-19
ERYTHROCYTE SEDIMENTATION RATE(ESR) (Method:Modified Westergren Method)	10	mm/hour	1-15
BLOOD GROUPING & RH TYPING			Sample: Whole blood (EDTA)
ABO Group (Method:Agglutination Gel Method)	B		
Rh Factor (Method:Agglutination Gel Method)	Positive		

Interpretation Notes

Note: Both forward and reverse grouping performed



Dr. Shobha Emmanuel
MBBS, M.D(Pathology)
CONSULTANT PATHOLOGIST
KMC:66136

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. NAVARANG BABU	Order No	: 1000076334
UHID	: UHJ A23020010	Registered On	: 09/03/2024 09:58:33 AM
Age/Sex	: 41/Years Male	Collected On	: 09/03/2024 10:48:22 AM
Ward / Bed No	:	Reported On	: 09/03/2024 06:32:25 PM
Reference	: Dr. Preventive Health Check Up	Bill No	: OPBJ A230024713
Station	: At Hospital	Mobile No	: 9148957150
Payer Name	: Mediwheel	Report Status	: Final Report

Test Name	Result	Unit	Bio. Ref. Interval
-----------	--------	------	--------------------

CLINICAL PATHOLOGY

URINE EXAMINATION, ROUTINE

Sample: Urine

PHYSICAL EXAMINATION

VOLUME	20	mL	
COLOUR	Pale Yellow		
APPEARANCE	Clear		
PH	5.5		5.0-8.0
SPECIFIC GRAVITY	1.030		1.005-1.030

CHEMICAL EXAMINATION

PROTEIN (Method:Protein Error of pH Indicator)	Absent		Absent
GLUCOSE (Method:GOD-POD)	Absent		Absent
KETONE BODIES (Method:Nitroprusside method/ Rothera's test)	Absent		Absent
BILIRUBIN (Method:DIAZO/FOUCHET'S TEST)	Negative		Negative
BILE SALT (Method:Hay's sulfur test)	Absent		Absent
NITRITE (Method:Griess method)	Negative		Negative
UROBILINOGEN (Method:Azo coupling method)	Normal		
LEUKOCYTE ESTERASE (Method:Leukocyte Esterase activity)	Negative		Negative
BLOOD (Method:Peroxidase Reaction)	Negative		Negative

MICROSCOPIC EXAMINATION

DEPARTMENT OF LABORATORY MEDICINE

Patient Name	: Mr. NAVARANG BABU	Order No	: 1000076334
UHID	: UHJ A23020010	Registered On	: 09/03/2024 09:58:33 AM
Age/Sex	: 41/Years Male	Collected On	: 09/03/2024 10:48:22 AM
Ward / Bed No	:	Reported On	: 09/03/2024 06:32:25 PM
Reference	: Dr. Preventive Health Check Up	Bill No	: OPBJ A230024713
Station	: At Hospital	Mobile No	: 9148957150
Payer Name	: Mediwheel	Report Status	: Final Report

Test Name	Result	Unit	Bio. Ref. Interval
EPITHELIAL CELLS	2-4	/HPF	0-5
PUS CELLS	2-4	/HPF	0-5
RBCs	Nil	/HPF	0-2
CASTS	Nil	/LPF	
CRYSTALS	Nil		
OTHERS	Nil		
URINE SUGAR, FASTING (Method:GOD-POD)	Absent		
URINE SUGAR (POST PRANDIAL)	Absent		

Verified By
PRAVEEN T

---End of Report---



Dr. Shobha Emmanuel
MBBS, M.D(Pathology)
CONSULTANT PATHOLOGIST
KMC:66136

*NABL renewal under process.



NABH



NABL



No.1

**UNITED
HOSPITAL**Care Par Excellence
Jayanagar, Bangalore

Patient name :	Mr. NAVRANG BABU	Date :	09/03/24
Age :	41 years GENDER: MALE	Patient ID :	20010
Ref by :	DR.CMO	OP/IP :	HEALTH CHECK

2D- ECHOCARDIOGRAPHY**M - MODE AND DOPPLER MEASUREMENTS**

(c.m)	(c.m)	(cm/sec)		
AO : 3.0 (2.5-3.7)	LVIDD : 4.9 (3.5-5.5)	MV EV : 73.8	AV : 69.7	MR : NORMAL
LA : 2.7 (1.9-4.0)	LVIDS : 2.9 (2.4-4.2)	AV : 100		AR : NORMAL
RA : 2.3 (<4.4)	IVSD : 1.0 (0.6-1.1)	PV : 100		PR : NORMAL
RV : 2.0 (<3.5)	IVSS : 1.2 (0.9-1.2)	TV EV : -----	AV : -----	TR : TRIVIAL TR
TAPSE : 1.8 (>1.6)	LVPWD : 1.1 (0.6-1.1)	Diastolic Function : NO LVDD		
	LVPWS : 1.1 (0.9-1.2)			
	EF : 60%			

DESCRIPTIVE FINDINGS

Left Ventricle	: NORMAL
Right Ventricle	: NORMAL
Left Atrium	: NORMAL
Right Atrium	: NORMAL
Wall motion analysis:	NO RWMA
Mitral Valve	: NORMAL
Aortic Valve	: NORMAL
Tricuspid Valve	: NORMAL, TRIVIAL TR, PASP-25mmHg
Pulmonary Valve	: NORMAL
IAS	: INTACT
IVS	: INTACT
Pericardium	: NORMAL
Other Findings	: IVC NORMAL

IMPRESSION :

NORMAL CHAMBER DIMENSIONS
 NORMAL LV SYSTOLIC FUNCTION EF : 60%
 NORMAL LV DIASTOLIC FUNCTION
 NO PULMONARY HYPERTENSION
 NO REGIONAL WALL MOTION ABNORMALITIES
 NO CLOTS/ PERICARDIAL EFFUSION /VEGETATION

DR. RAHUL PATIL
 CONSULTANT CARDIOLOGIST

DEPARTMENT OF RADIODIAGNOSIS

Name	Navarang Babu	Date	09/03/24
Age	41 years	Hospital ID	UHJA23020010
Sex	Male	Ref.	Healthcheck

RADIOGRAPH OF THE CHEST (PA – VIEW)

FINDINGS:

Bilateral lung fields are normal.

Bilateral costo-phrenic angles are normal.

Cardia and mediastinal contours are normal.

The bony thorax is grossly normal.

IMPRESSION:

- **No radiographic abnormality.**

Dr. Elluru Santosh Kumar
Consultant Radiologist

Disclaimer for Radiology Scans and Procedures :

- 1) Radiology results should be correlated and interpreted by qualified medical professionals only. In case of any clarification, the referring doctors or patients can contact the reception/respective department/doctor.
- 2) Radiology results are affected by patient body habitus, food consumption, bowel contents, hydration status, foreign bodies and artifacts.
- 3) Small renal/ureteric stones, some of the pathologies of bowel, peritoneum and retroperitoneum may not be detected on ultrasound study.
- 4) Antenatal ultrasound: Maternal body variables, gestational age, fetal position at the time of the scan affects the scanning. Patient should come for review scan if and when recommended. Chromosomal anomalies cannot be diagnosed on ultrasound only. If ultrasound markers indicate high risk for chromosomal anomalies, further evaluation including karyotyping may be needed.
- 5) Duplicate reports can be provided only upto 30 days from the date of scan/procedure.
- 6) X-ray is a screening modality and not a diagnostic test. It should be correlated clinically and complemented by other requisite imaging modalities and lab tests. X-ray cannot detect soft tissue injuries (like tendon/ ligament injuries) and small renal/ ureteric stones.
- 7) All disputes relating to the reports are subject to jurisdiction of courts at Bengaluru city only.