

PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF

 CODE/NAME & ADDRESS : C000138394
 ACCESSION NO : 0181XC001432
 AGE/SEX : 29 Years
 Female

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : HEMAF170195181 DRAWN

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06

NEW DELHI 110030 ABHA NO : REPORTED :30/03/2024 16:29:05

8800465156

Test Report Status Final Results Biological Reference Interval Units

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

XRAY-CHEST

IMPRESSION NO ABNORMALITY DETECTED

ECG

ECG WITHIN NORMAL LIMITS

MEDICAL HISTORY

RELEVANT PRESENT HISTORY DIBETEIC SINCE 4-5 YEARS.

RELEVANT PAST HISTORY NOT SIGNIFICANT

RELEVANT PERSONAL HISTORY MARRIED / MIXED DIET / NO ALLERGIES / NO SMOKING / NO ALCOHOL.

MENSTRUAL HISTORY (FOR FEMALES) 27/3-4.

LMP (FOR FEMALES) 02/03/2024.

OBSTETRIC HISTORY (FOR FEMALES) 2LSCSA1L2.

RELEVANT FAMILY HISTORY DIABTES.

HISTORY OF MEDICATIONS NOT SIGNIFICANT

ANTHROPOMETRIC DATA & BMI

HEIGHT IN METERS 1.59 mts
WEIGHT IN KGS. 66 Kgs
BMI 26 BMI & Weight Status as follows/sqmts

Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

GENERAL EXAMINATION

MENTAL / EMOTIONAL STATE NORMAL

Page 1 Of 25





View Details

View Report

Agilus Diagnostics Ltd. S.K. Tower,Hari Niwas, Lbs Marg Thane, 400602 Maharashtra, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : HEMAF170195181 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06 DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156

Test Report Status Final Results Biological Reference Interval Units

PHYSICAL ATTITUDE NORMAL GENERAL APPEARANCE / NUTRITIONAL HEALTHY

STATUS

BUILT / SKELETAL FRAMEWORK AVERAGE
FACIAL APPEARANCE NORMAL
SKIN NORMAL
UPPER LIMB NORMAL
LOWER LIMB NORMAL
NECK NORMAL

NECK LYMPHATICS / SALIVARY GLANDS NOT ENLARGED OR TENDER

THYROID GLAND NOT ENLARGED

CAROTID PULSATION NORMAL TEMPERATURE NORMAL

PULSE 96/MIN.REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID

BRUIT

RESPIRATORY RATE NORMAL

CARDIOVASCULAR SYSTEM

BP 126/80 MM HG mm/Hg

(SUPINE)

PERICARDIUM NORMAL
APEX BEAT NORMAL
HEART SOUNDS NORMAL
MURMURS ABSENT

RESPIRATORY SYSTEM

SIZE AND SHAPE OF CHEST NORMAL

MOVEMENTS OF CHEST SYMMETRICAL

BREATH SOUNDS INTENSITY NORMAL

BREATH SOUNDS QUALITY VESICULAR (NORMAL)

ADDED SOUNDS ABSENT

Page 2 Of 25





View Details

View Report

Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956



PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : HEMAF170195181

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06

DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156

Test Report Status **Biological Reference Interval** Results Units <u>Final</u>

PER ABDOMEN

APPEARANCE NORMAL VENOUS PROMINENCE ABSENT

LIVER NOT PALPABLE NOT PALPABLE **SPLEEN**

HERNIA ABSENT

CENTRAL NERVOUS SYSTEM

NORMAL HIGHER FUNCTIONS **NORMAL** CRANIAL NERVES NORMAL CEREBELLAR FUNCTIONS SENSORY SYSTEM NORMAL MOTOR SYSTEM NORMAL NORMAL **REFLEXES**

MUSCULOSKELETAL SYSTEM

SPINE **NORMAL JOINTS** NORMAL

BASIC EYE EXAMINATION

CONJUNCTIVA NORMAL **EYELIDS** NORMAL EYE MOVEMENTS **NORMAL** CORNEA **NORMAL**

DISTANT VISION RIGHT EYE WITHOUT REDUCED VISUAL ACUITY 6/12

GLASSES

Page 3 Of 25







PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : HEMAF170195181 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06 DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156

Test Report Status <u>Final</u> Results Biological Reference Interval Units

DISTANT VISION LEFT EYE WITHOUT

GLASSES

NEAR VISION RIGHT EYE WITHOUT GLASSES NEAR VISION LEFT EYE WITHOUT GLASSES COLOUR VISION REDUCED VISUAL ACUITY 6/12

WITHIN NORMAL LIMIT WITHIN NORMAL LIMIT

NORMAL

SUMMARY

RELEVANT HISTORY
RELEVANT GP EXAMINATION FINDINGS
REMARKS / RECOMMENDATIONS

NOT SIGNIFICANT NOT SIGNIFICANT

FOLLOW UP WITH PHYSICIAN FOR B.SUGAR CONTROL & TREATMENT OF

DYSLIPIDEMIA.

STRICT LOW FAT, LOW CALORIE, LOW CARBOHYDRATE, HIGH FIBRE

DIET.

REGULAR EXERCISE.REGULAR WALK FOR 30-40 MIN DAILY.

REPEAT LIPID PROFILE, BLOOD SUGAR AFTER 3 MONTHS OF DIET AND

EXERCISE.

OPHTHALMOLOGY CONSULT FOR REDUCED VISUAL ACUITY.

Page 4 Of 25









Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF CODE/NAME & ADDRESS : C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : HEMAF170195181 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06 DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156

Biological Reference Interval Test Report Status Results Units <u>Final</u>

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ULTRASOUND ABDOMEN ULTRASOUND ABDOMEN

GRADE I FATTY LIVER.

TMT OR ECHO **CLINICAL PROFILE**

NEGATIVE

Interpretation(s)

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

End Of Report

Please visit www.agilusdiagnostics.com for related Test Information for this accession

Page 5 Of 25









Agilus Diagnostics Ltd. S.K. Tower, Hari Niwas, Lbs Marg Thane, 400602 Maharashtra, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956





REF. DOCTOR: SELF **PATIENT NAME: HEMA MADHURI** CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL DRAWN PATIENT ID : HEMAF170195181 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06 DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156 **Test Report Status** Results Biological Reference Interval Units <u>Final</u>

CONDITIONS OF LABORATORY TESTING & REPORTING

- 1. It is presumed that the test sample belongs to the patient named or identified in the test requisition form.
- All tests are performed and reported as per the turnaround time stated in the AGILUS Directory of Services.
- 3. Result delays could occur due to unforeseen circumstances such as non-availability of kits / equipment breakdown / natural calamities / technical downtime or any other unforeseen event.
- 4. A requested test might not be performed if:
 - i. Specimen received is insufficient or inappropriate
 - ii. Specimen quality is unsatisfactory
 - iii. Incorrect specimen type
 - iv. Discrepancy between identification on specimen container label and test requisition form

- 5. AGILUS Diagnostics confirms that all tests have been performed or assayed with highest quality standards, clinical safety & technical integrity.
- 6. Laboratory results should not be interpreted in isolation; it must be correlated with clinical information and be interpreted by registered medical practitioners only to determine final diagnosis.
- 7. Test results may vary based on time of collection, physiological condition of the patient, current medication or nutritional and dietary changes. Please consult your doctor or call us for any clarification.
- Test results cannot be used for Medico legal purposes.
- 9. In case of queries please call customer care (91115 91115) within 48 hours of the report.

Agilus Diagnostics Limited
Fortis Hospital, Sector 62, Phase VIII,
Mohali 160062

Page 6 Of 25











Agilus Diagnostics Ltd. S.K. Tower,Hari Niwas, Lbs Marg Thane, 400602 Maharashtra, India

Tel: 9111591115, Fax: CIN - U74899PB1995PLC045956





PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : HEMAF170195181 DRAWN F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06 DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156

Test Report Status <u>Final</u> Results Biological Reference Interval Units

н	AEMATOLOGY - CBC		
MEDI WHEEL FULL BODY HEALTH CHECKUP BE	LOW 40FEMALE		
BLOOD COUNTS,EDTA WHOLE BLOOD			
HEMOGLOBIN (HB) METHOD: SLS- HEMOGLOBIN DETECTION METHOD	13.3	12.0 - 15.0	g/dL
RED BLOOD CELL (RBC) COUNT METHOD: HYDRODYNAMIC FOCUSING BY DC DETECTION	5.01 High	3.8 - 4.8	mil/μL
WHITE BLOOD CELL (WBC) COUNT METHOD: FLUORESCENCE FLOW CYTOMETRY	9.75	4.0 - 10.0	thou/μL
PLATELET COUNT METHOD: HYDRODYNAMIC FOCUSING BY DC DETECTION	493 High	150 - 410	thou/μL
RBC AND PLATELET INDICES			
HEMATOCRIT (PCV) METHOD: CUMULATIVE PULSE HEIGHT DETECTION METHOD	41.9	36.0 - 46.0	%
MEAN CORPUSCULAR VOLUME (MCV) METHOD: CALCULATED FROM RBC & HCT	83.6	83.0 - 101.0	fL
MEAN CORPUSCULAR HEMOGLOBIN (MCH) METHOD: CALCULATED FROM THE RBC & HGB	26.5 Low	27.0 - 32.0	pg
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC) METHOD: CALCULATED FROM THE HGB & HCT	31.7	31.5 - 34.5	g/dL
RED CELL DISTRIBUTION WIDTH (RDW) METHOD: CALCULATED FROM RBC SIZE DISTRIBUTION CURVE	12.4	11.6 - 14.0	%
MENTZER INDEX	16.7		
MEAN PLATELET VOLUME (MPV) METHOD: CALCULATED FROM PLATELET COUNT & PLATELET HEM.	9.5 ATOCRIT	6.8 - 10.9	fL
WBC DIFFERENTIAL COUNT			
NEUTROPHILS METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	57	40 - 80	%
LYMPHOCYTES METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING	36	20 - 40	%
MONOCYTES	5	2 - 10	%

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 7 Of 25

View Details

View Penort



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax :

rax : CIN - U74899PB1995PLC045956



8800465156



REF. DOCTOR: SELF **PATIENT NAME: HEMA MADHURI** CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : HEMAF170195181 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06 DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030**

Test Report Status <u>Final</u>	Results	Biological Reference	e Interval Units
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
EOSINOPHILS	2	1 - 6	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
BASOPHILS	0	0 - 1	%
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
ABSOLUTE NEUTROPHIL COUNT	5.56	2.0 - 7.0	thou/μL
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
ABSOLUTE LYMPHOCYTE COUNT	3.49 High	1.0 - 3.0	thou/μL
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
ABSOLUTE MONOCYTE COUNT	0.50	0.2 - 1.0	thou/μL
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
ABSOLUTE EOSINOPHIL COUNT	0.16	0.02 - 0.50	thou/µL
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
ABSOLUTE BASOPHIL COUNT	0.00 Low	0.02 - 0.10	thou/µL
METHOD: FLOW CYTOMETRY WITH LIGHT SCATTERING			
NEUTROPHIL LYMPHOCYTE RATIO (NLR)	1.6		

MORPHOLOGY

NORMOCYTIC NORMOCHROMIC RBC

WBC NORMAL MORPHOLOGY

METHOD: MICROSCOPIC EXAMINATION **INCREASED PLATELETS**

BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for diagnosing a case of beta thalassaemia trait.

WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive

patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR < 3.3, COVID-19 patients tend to show mild disease.

(Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients; A.-P. Yang, et al.; International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 8 Of 25





Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax:





REF. DOCTOR: SELF **PATIENT NAME: HEMA MADHURI**

CODE/NAME & ADDRESS : C000138394 ACCESSION NO: 0181XC001432 AGE/SEX

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030

8800465156

: HEMAF170195181

CLIENT PATIENT ID: ABHA NO

DRAWN

RECEIVED : 29/03/2024 07:55:06

:29 Years

REPORTED :30/03/2024 16:29:05

Test Report Status Results **Biological Reference Interval** Units Final

HAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD

E.S.R 9

METHOD: MODIFIED WESTERGREN

0 - 20

mm

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD

HBA1C 9.8 High Non-diabetic Adult < 5.7 %

Pre-diabetes 5.7 - 6.4

Diabetes diagnosis: > or = 6.5Therapeutic goals: < 7.0 Action suggested: > 8.0

(ADA Guideline 2021)

METHOD: HPLC

ESTIMATED AVERAGE GLUCOSE(EAG) 234.6 High < 116.0 mg/dL

METHOD: CALCULATED PARAMETER

Interpretation(s)

ERYTHROCYTE SEDIMENTATION RATE (ESR), EDTA BLOOD-TEST DESCRIPTION: -

Erythrocyte sedim entation rate (ESR) is a test that indirectly measures the degree of inflammation present in the body. The test actually measures the rate of fall (sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic; it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition. CRP is superior to ESR because it is more sensitive and reflects a more rapid change TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias,

Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis).

In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

False elevated ESR: Increased fibrinogen, Drugs(Vitamin A, Dextran etc.), Hypercholesterolemia
False Decreased: Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition; 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin; 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis,10th edition.

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 9 Of 25



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax:





REF. DOCTOR: SELF PATIENT NAME: HEMA MADHURI CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL DRAWN PATIENT ID : HEMAF170195181 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06 DELHÍ ABHA NO REPORTED: 30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156

Test Report Status **Biological Reference Interval** Results Units <u>Final</u>

GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

- Evaluating the long-term control of blood glucose concentrations in diabetic patients.
- 2. Diagnosing diabetes
- Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbAtc (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

1. eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.

- eAG gives an evaluation of blood glucose levels for the last couple of months.
 eAG is calculated as eAG (mg/dl) = 28.7 * HbA1c 46.7

- HbA1c Estimation can get affected due to:

 1. Shortened Erythrocyte survival: Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

 2. Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

 3. Iron deficiency anemia is reported to nonease test results. Hypertrigly ceridemia, uremia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates
- addiction are reported to interfere with some assay methods, falsely increasing results.
- 4. Interference of hemoglobinopathies in HbA1c estimation is seen in
- a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
- b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.
 c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy

Dr.(Mrs)Neelu K Bhojani Lab Head

Page 10 Of 25





Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax:







PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF CODE/NAME & ADDRESS : C000138394 AGE/SEX

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030 8800465156

ACCESSION NO: 0181XC001432

PATIENT ID : HEMAF170195181

CLIENT PATIENT ID: ABHA NO

DRAWN

RECEIVED : 29/03/2024 07:55:06

:29 Years

REPORTED :30/03/2024 16:29:05

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

IMMUNOHAEMATOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD

TYPE AB **ABO GROUP**

METHOD: GEL COLUMN AGGLUTINATION METHOD.

RH TYPE **POSITIVE**

METHOD: GEL COLUMN AGGLUTINATION METHOD.

Interpretation(s)

ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same.'

The test is performed by both forward as well as reverse grouping methods.

Dr.(Mrs)Neelu K Bhojani Lab Head



Page 11 Of 25



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax:





PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030 8800465156

: HEMAF170195181

CLIENT PATIENT ID: ABHA NO

DRAWN

RECEIVED : 29/03/2024 07:55:06 REPORTED :30/03/2024 16:29:05

:29 Years

Test Report Status Results Biological Reference Interval Units <u>Final</u>

BIOCHEMISTRY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

GLUCOSE FASTING, FLUORIDE PLASMA

232 High mg/dL FBS (FASTING BLOOD SUGAR) Normal 75 - 99

Pre-diabetics: 100 - 125 Diabetic: > or = 126

METHOD: ENZYMATIC REFERENCE METHOD WITH HEXOKINASE

GLUCOSE, POST-PRANDIAL, PLASMA

PPBS(POST PRANDIAL BLOOD SUGAR) 199 High 70 - 139 mg/dL

METHOD: ENZYMATIC REFERENCE METHOD WITH HEXOKINASE

LIPID PROFILE WITH CALCULATED LDL, SERUM

Desirable: < 200 CHOLESTEROL, TOTAL 233 High mg/dL

Borderline: 200 - 239 High: > / = 240

METHOD: ENZYMATIC COLORIMETRIC ASSAY

197 High mg/dL TRIGLYCERIDES Normal: < 150

Borderline high: 150 - 199

High: 200 - 499 Very High: >/= 500

METHOD: ENZYMATIC COLORIMETRIC ASSAY

HDL CHOLESTEROL At Risk: < 40 mg/dL 47

Desirable: > or = 60

METHOD: ENZYMATIC, COLORIMETRIC

147 High CHOLESTEROL LDL Adult levels: mg/dL

Optimal < 100

Near optimal/above optimal:

100-129

Borderline high: 130-159

High: 160-189 Very high: = 190

METHOD: ENZYMATIC COLORIMETRIC ASSAY

Dr. Ushma Wartikar Consultant Pathologist Dhinchkhede

Dr.Priyal Chinchkhede Consultant Pathologist

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 12 Of 25



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India





PATIENT NAME: HEMA MADHURI	REF. DOCTOR:	SELF
CODE/NAME & ADDRESS: C000138394	ACCESSION NO : 0181XC001432	AGE/SEX : 29 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : HEMAF170195181	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 29/03/2024 07:55:06
NEW DELHI 110030	ABHA NO :	REPORTED :30/03/2024 16:29:05
8800465156		
	<u>į</u>	<u> </u>

Test Report Status <u>Final</u>	Results	Biological Reference Interval Units
NON HDL CHOLESTEROL	186 High	Desirable: < 130 mg/dL Above Desirable: 130 -159 Borderline High: 160 - 189 High: 190 - 219 Very high: > / = 220
VERY LOW DENSITY LIPOPROTEIN	39.4 High	< OR = 30.0 mg/dL
CHOL/HDL RATIO	5.0 High	Low Risk: 3.3 - 4.4 Average Risk: 4.5 - 7.0 Moderate Risk: 7.1 - 11.0 High Risk: > 11.0
LDL/HDL RATIO	3.1 High	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk >6.0 High Risk

Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non HDL-C as co-primary treatment target.

Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India

	1 ⁶ 5 3 ² - 1 ² 9	
A.CAD with > 1 feature of high risk group		
B. CAD with > I feature of Very high risk	group or recurrent ACS (within 1 year) despite LDL-C < or	
50 mg/dl or polyvascular disease		
1. Established ASCVD 2. Diabetes with 2	major risk factors or evidence of end organ damage 3.	
Familial Homozygous Hypercholesterolen	nia "	
1. Three major ASCVD risk factors. 2. D	iabetes with I major risk factor or no evidence of end organ	
	190 mg/dl 5. Extreme of a single risk factor. 6. Coronary	
Artery Calcium - CAC >300 AU, 7, Lipon	protein a >/= 50mg/dl 8. Non stenotic carotid plaque	
2 major ASCVD risk factors		
0-1 major ASCVD risk factors		
erosclerotic cardiovascular disease) Risk I	Factors	
s in males and $>$ or $= 55$ years in females	Current Cigarette smoking or tobacco use	
oremature ASCVD	4. High blood pressure	
	B. CAD with > 1 feature of Very high risk 50 mg/dl or polyvascular disease 1. Established ASCVD 2. Diabetes with 2 Familial Homozygous Hypercholesterolen 1. Three major ASCVD risk factors. 2. D damage. 3. CKD stage 3B or 4. 4. LDL > Artery Calcium - CAC > 300 AU. 7. Lipor 2 major ASCVD risk factors 0-1 major ASCVD risk factors 1. Three major ASCVD risk factors 2. Determine the control of	

Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.

Risk Group	Treatment Goals	Treatment Goals		Consider Drug Therapy	
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)	

Dr. Ushma Wartikar Consultant Pathologist Phinchkhede

Dr.Priyal Chinchkhede Consultant Pathologist Dr.(Mrs)Neelu K Bhojani

Lab Head






Page 13 Of 25



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India







PATIENT NAME: HEMA MADHURI	REF. DOCTOR:	SELF
CODE/NAME & ADDRESS : C000138394	ACCESSION NO: 0181XC001432	AGE/SEX :29 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : HEMAF170195181	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 29/03/2024 07:55:06
NEW DELHI 110030	ABHA NO :	REPORTED :30/03/2024 16:29:05
8800465156		

Test Report Status	<u>Final</u>	Results	Biological Reference Interval	Units
--------------------	--------------	---------	-------------------------------	-------

Extreme Risk Group Category A	<50 (Optional goal < OR = 30)	<80 (Optional goal <or 60)<="" =="" th=""><th>>OR = 50</th><th>>OR = 80</th></or>	>OR = 50	>OR = 80
Extreme Risk Group Category B	<or -="" 30<="" td=""><td><or -="" 60<="" td=""><td>> 30</td><td>>60</td></or></td></or>	<or -="" 60<="" td=""><td>> 30</td><td>>60</td></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR-100
Moderate Risk	<100	<130	>OR= 100	>OR= 130
Low Risk	<100	<130	>OR- 130*	>OR-160

^{*}After an adequate non-pharmacological intervention for at least 3 months.

References: Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

LIVER FUNCTION PROFILE, SERUM

BILIRUBIN, TOTAL	0.61	Upto 1.2	mg/dL
METHOD: COLORIMETRIC DIAZO			
BILIRUBIN, DIRECT	0.22	< 0.30	mg/dL
METHOD : DIAZO METHOD			
BILIRUBIN, INDIRECT	0.39	0.1 - 1.0	mg/dL
TOTAL PROTEIN	7.7	6.0 - 8.0	g/dL
METHOD : COLORIMETRIC			
ALBUMIN	4.6	3.97 - 4.94	g/dL
METHOD : COLORIMETRIC			
GLOBULIN	3.1	2.0 - 3.5	g/dL
ALBUMIN/GLOBULIN RATIO	1.5	1.0 - 2.1	RATIO
ASPARTATE AMINOTRANSFERASE(AST/SGOT)	11	< OR = 35	U/L
METHOD: UV ABSORBANCE			
ALANINE AMINOTRANSFERASE (ALT/SGPT)	8	< OR = 35	U/L
METHOD: UV ABSORBANCE			
ALKALINE PHOSPHATASE	61	35 - 104	U/L
METHOD : COLORIMETRIC			
GAMMA GLUTAMYL TRANSFERASE (GGT)	21	0 - 40	U/L
METHOD : ENZYMATIC, COLORIMETRIC			
LACTATE DEHYDROGENASE	147	125 - 220	U/L
METHOD: UV ABSORBANCE			

BLOOD UREA NITROGEN (BUN), SERUM

BLOOD UREA NITROGEN 10 6 - 20 mg/dL

METHOD: ENZYMATIC ASSAY

Dr. Ushma Wartikar Consultant Pathologist Bhinchkhede.

Dr.Priyal Chinchkhede Consultant Pathologist Dr.(Mrs)Neelu K Bhojani Lab Head





Page 14 Of 25

<u>View Details</u>





Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax:





PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF

CODE/NAME & ADDRESS : C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

8800465156

NEW DELHI 110030

ACCESSION NO: 0181XC001432 AGE/SEX

PATIENT ID : HEMAF170195181

CLIENT PATIENT ID:

ABHA NO

DRAWN

RECEIVED : 29/03/2024 07:55:06 REPORTED :30/03/2024 16:29:05

:29 Years

Test Report Status Results Biological Reference Interval <u>Final</u> Units

CREATININE, SERUM

mg/dL CREATININE 0.54 0.5 - 0.9

METHOD: COLORIMETRIC

BUN/CREAT RATIO

BUN/CREAT RATIO 18.52 High 8.0 - 15.0

URIC ACID, SERUM

URIC ACID 4.0 2.4 - 5.7mg/dL

METHOD: ENZYMATIC COLORIMETRIC ASSAY

TOTAL PROTEIN, SERUM

7.7 g/dL TOTAL PROTEIN 6.0 - 8.0

METHOD : COLORIMETRIC

ALBUMIN, SERUM

ALBUMIN 4.6 3.97 - 4.94 g/dL

METHOD: COLORIMETRIC

GLOBULIN

2.0 - 3.5g/dL **GLOBULIN** 3.1

ELECTROLYTES (NA/K/CL), SERUM

Dr. Ushma Wartikar Consultant Pathologist Dr.Priyal Chinchkhede Consultant Pathologist

Bhinchkhede

Dr.(Mrs)Neelu K Bhojani Lab Head



Page 15 Of 25





Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India





PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID DRAWN : HEMAF170195181 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06 DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156

Test Report Status <u>Final</u>	Results	Biological Reference	e Interval Units
	4.00	105 145	14
SODIUM, SERUM	137	136 - 145	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY			
POTASSIUM, SERUM	4.84	3.5 - 5.1	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY			
CHLORIDE, SERUM	100	98 - 107	mmol/L
METHOD: ION SELECTIVE ELECTRODE TECHNOLOGY			

Interpretation(s)

Sodium	Potassium	Chloride
Decreased in: CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide, carbamazepine, antidepressants (SSRI), antipsychotics.	Decreased in: Low potassium intake, prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome, osmotic diuresis (e.g., hyperglycemia), alkalosis, familial periodic paralysis, trauma (transient). Drugs: Adrenergic agents, diuretics.	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chron c respiratory acidosis diabetic ketoacidosis, excessive sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular flu d volume, adrenalinsufficiency, hyperaldosterorism, metabolic alkalosis. Drugs: chronic laxative, corticosteroids, diuretics.
Increased in: Dehydration (excessives weating, severe vomiting or diarrhea), diabetes mellitus, diabetes insipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice, oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration, renal failure, Addison's discase, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics, NSAIDs, beta-blockers, ACE inhibitors, highdose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences: Tost is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)


Interpretation(s)
GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids, phenytoin, estrogen, thiazides. Decreased in:Pancreatic islet cell disease with increased insulin, insulinoma, adrenocortical insufficiency, hypopituitarism, diffuse liver disease, malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency

diseases(e.g.,galactosemia), Drugs-insulin, ethanol, propranolol; sulfonylureas, tolbutamide, and other oral hypoglycemic agents.

NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values), there is wide fluctuation within individuals. Thus, glycosylated hemoglobin (HbA1c) levels are favored to monitor glycemic control.



Phinchkhede

Dr.Priyal Chinchkhede Consultant Pathologist

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 16 Of 25



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax:





REF. DOCTOR: SELF **PATIENT NAME: HEMA MADHURI** CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : HEMAF170195181 DRAWN F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST RECEIVED : 29/03/2024 07:55:06 CLIENT PATIENT ID: DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156

Test Report Status Results **Biological Reference Interval** Units <u>Final</u>

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.
GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc.Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. Elevated levels results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral hepatitis, blockage of the bile duct, cirrhosis of the liver, liver cancer, kidney failure, hemolytic anemia, pancreatitis, hemochromatosis. AST levels may also increase after a heart attack or strenuous activity. ALT test measures the amount of this enzyme in the blood. ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, Osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive

Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome,Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular

permeability or decreased lymphatic clearance, mainutrition and wasting etc

BLOOD UREA NITROGEN (BUN), SERUM-Causes of Increased levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism)

Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

CREATININE, SERUM-Higher than normal level may be due to:

Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preedampsia)

Lower than normal level may be due to: Myasthenia Gravis, Muscuophy

URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome Causes of decreased levels-Low Zinc intake, OCP, Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and globulin.

Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease.

Lower-than-normallevels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dr. Ushma Wartikar Consultant Pathologist Phinchkhede

Dr.Priyal Chinchkhede Consultant Pathologist Dr.(Mrs)Neelu K Bhojani

Lab Head





Page 17 Of 25



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax:





PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF

CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID

F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST

DELHÍ

NEW DELHI 110030

8800465156

: HEMAF170195181

CLIENT PATIENT ID:

ABHA NO

DRAWN

RECEIVED : 29/03/2024 07:55:06

:29 Years

REPORTED :30/03/2024 16:29:05

Test Report Status Results Biological Reference Interval Units <u>Final</u>

CLINICAL PATH - URINALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

PHYSICAL EXAMINATION, URINE

PALE YELLOW COLOR

METHOD: MICROSCOPIC EXAMINATION

CLEAR APPEARANCE

METHOD: MICROSCOPIC EXAMINATION

CHEMICAL EXAMINATION, URINE

6.5 4.6 - 8.0

METHOD: METHYL RED & BROMOTHYMOL BLUE

1.003 - 1.035 SPECIFIC GRAVITY 1.015 NOT DETECTED **PROTEIN** NOT DETECTED

METHOD: TETRA BROMOPHENOL BLUE/SULFOSALICYLIC ACID

NOT DETECTED NOT DETECTED GLUCOSE

METHOD: GLUCOSE OXIDASE / PEROXIDASE (GOD - POD) METHOD

NOT DETECTED NOT DETECTED KETONES

METHOD: SODIUM NITROPRUSSIDE REACTION

BLOOD NOT DETECTED NOT DETECTED

METHOD: STRIP TEST - DIAZONIUM SALT COUPLING

UROBILINOGEN NORMAL **NORMAL**

METHOD: CAFFEINE BENZOATE

NITRITE NOT DETECTED NOT DETECTED

METHOD: STRIP NAPHTHOETHYLENEDIAMINE HYDROCHOLORIDE, TATTANIC ACID

NOT DETECTED LEUKOCYTE ESTERASE NOT DETECTED

METHOD: STRIP HETROCYCLIC CARBOXYLIC ACID ESTER, DIAZONIUM SALT

MICROSCOPIC EXAMINATION, URINE

RED BLOOD CELLS NOT DETECTED NOT DETECTED /HPF METHOD: MICROSCOPIC EXAMINATION /HPF 0-5 PUS CELL (WBC'S) 1-2 METHOD: MICROSCOPIC EXAMINATION EPITHELIAL CELLS 0-1 /HPF

METHOD: MICROSCOPIC EXAMINATION

@hinchkhede

Dr.Priyal Chinchkhede Consultant Pathologist Dr. Ushma Wartikar Consultant Pathologist

Dr.(Mrs)Neelu K Bhojani Lab Head







Page 18 Of 25



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India





PATIENT NAME: HEMA MADHURI	REF. DOCTOR:	SELF
CODE/NAME & ADDRESS: C000138394	ACCESSION NO: 0181XC001432	AGE/SEX : 29 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH W	PATIENT ID : HEMAF170195181	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 29/03/2024 07:55:06
NEW DELHI 110030	ABHA NO :	REPORTED :30/03/2024 16:29:05
8800465156		
	<u> </u>	<u>j</u>

Test Report Status Results Biological Reference Interval Units <u>Final</u>

CASTS NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED CRYSTALS

METHOD: MICROSCOPIC EXAMINATION

NOT DETECTED **BACTERIA** NOT DETECTED

METHOD: MICROSCOPIC EXAMINATION

YEAST NOT DETECTED NOT DETECTED

Interpretation(s)

The following table describes the probable conditions, in which the analytes are present in urine

Presence of Conditions			
Proteins	Inflammation or immune illnesses		
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind of kidney impairment		
Glucose	Diabetes or kidney disease		
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst		
Urobilinogen	Liver disease such as hepatitis or cirrhosis		
Blood	Renal or genital disorders/trauma		
Bilirubin	Liver disease		
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary tract infection and glomerular diseases		
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either acute or chronic, polycystic kidney disease, urolithiasis, contamination by genital secretions		
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or bladder catheters for prolonged periods of time		
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration, interaction with Bence-Jones protein		
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal diseases		
Calcium oxalate Metabolic stone disease, primary or secondary hyperoxaluria, in infusion of large doses of vitamin C, the use of vasodilator naftion oxalate or the gastrointestinal lipase inhibitor or listat, ingestion of ethylene glycol or of star fruit (Averrhoa carambola) or its juice			

@hinchkhede

Dr.Priyal Chinchkhede Consultant Pathologist Dr. Ushma Wartikar Consultant Pathologist

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 19 Of 25





Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956





PATIENT NAME: HEMA MADHURI REF. DOCTOR: SELF CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL PATIENT ID : HEMAF170195181 DRAWN F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06 DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156

Test Report Status Final Results Biological Reference Interval Units

Uric acid	arthritis Urinary infectionwhen present in significant numbers & with pus cells.	
Bacteria		
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis	



Dr.Priyal Chinchkhede Consultant Pathologist Dr. Ushma Wartikar Consultant Pathologist

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 20 Of 25

View Details





Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax :





PATIENT NAME: HEMA MADHURI

CODE/NAME & ADDRESS: C000138394

ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI

CLIENT PATIENT ID: REF. DOCTOR: SELF

ACCESSION NO: 0181XC001432
PATIENT ID: HEMAF170195181
CLIENT PATIENT ID: RECEIVED: 29/03/2024 07:55:06

ABHA NO : REPORTED :30/03/2024 16:29:05

Test Report Status Final Results Biological Reference Interval Units

CYTOLOGY

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

PAPANICOLAOU SMEAR

NEW DELHI 110030 8800465156

TEST METHOD CONVENTIONAL GYNEC CYTOLOGY

METHOD: MICROSCOPIC EXAMINATION

SPECIMEN TYPE

P-620/24

TWO UNSTAINED CERVICAL SMEARS RECEIVED
METHOD: MICROSCOPIC EXAMINATION

REPORTING SYSTEM 2014 BETHESDA SYSTEM FOR REPORTING CERVICAL CYTOLOGY

SPECIMEN ADEQUACY SATISFACTORY

METHOD: PAP STAIN & MICROSCOPIC EXAMINATION

MICROSCOPY

THE SMEARS SHOW MAINLY SUPERFICIAL SQUAMOUS CELLS &

INTERMEDIATE SQUAMOUS CELLS IN THE BACKGROUND OF FEW

POLYMORPHS.

METHOD: PAP STAIN

INTERPRETATION / RESULT

NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY

METHOD: PAP STAIN & MICROSCOPIC EXAMINATION

Comments

PLEASE NOTE PAPANI COLAU SMEAR STUDY IS A SCREENING PROCEDURE FOR CERVICAL CANCER WITH INHERENT FALSE NEGATIVE RESULTS HENCE SHOULD BE INTERPRETED WITH CAUTION. NO CYTOLOGICAL EVIDENCE OF HPV INFECTION IN THE SMEARS STUDIED. SMEARS WILL BE PRESERVED FOR 5 YEARS ONLY.

Bhindhehede.

Dr.Priyal Chinchkhede Consultant Pathologist





Page 21 Of 25



View Report



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax:

rax : CIN - U74899PB1995PLC045956





PATIENT NAME: HEMA MADHURI	REF. DOCTOR:	SELF
CODE/NAME & ADDRESS : C000138394	ACCESSION NO: 0181XC001432	AGE/SEX : 29 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : HEMAF170195181	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED :29/03/2024 07:55:06
NEW DELHI 110030	ABHA NO :	REPORTED :30/03/2024 16:29:05
8800465156		
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

CLINICAL PATH - STOOL ANALYSIS

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

MICROSCOPIC EXAMINATION, STOOL

REMARK SAMPLE NOT RECEIVED

Comments

Interpretation(s)

Stool routine analysis is only a screening test for disorders of gastrointentestinal tract like infection, malabsorption, etc. The following table describes the probable conditions, in which the analytes are present in stool.

PRESENCE OF CONDITION			
Pus cells	Pus in the stool is an indication of infection		
Red Blood cells	Parasitic or bacterial infection or an inflammatory bowel condition such as ulcerative colitis		
Parasites	Infection of the digestive system. Stool examination for ova and parasite detects presence of parasitic infestation of gastrointestinal tract. Various forms of parasite that can be detected include cyst, trophozoite and larvae. One negative result does not rule out the possibility of parasitic infestation. Intermittent shedding of parasites warrants examinations of multiple specimens tested on consecutive days. Stool specimens for parasitic examination should be collected before initiation of antidiarrheal therapy or antiparasitic therapy. This test does not detect presence of opportunistic parasites like Cyclospora, Cryptosporidia and Isospora species. Examination of Ova and Parasite has been carried out by direct and concentration techniques.		
Mucus	Mucus is a protective layer that lubricates, protects& reduces damage due to bacteria or viruses.		
Charcot-Leyden crystal	Parasitic diseases.		
Ova & cyst	Ova & cyst indicate parasitic infestation of intestine.		
Frank blood	Bleeding in the rectum or colon.		
Occult blood	Occult blood indicates upper GI bleeding.		
Macrophages	Macrophages in stool are an indication of infection as they are protective cells.		
Epithelial cells	Epithelial cells that normally line the body surface and internal organs show up in stool when there is inflammation or infection.		
Fat	Increased fat in stool maybe seen in conditions like diarrhoea or malabsorption.		

Dr. Sheetal Sawant Consultant Microbiologist



Page 22 Of 25

<u>View Details</u>





Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax:







PATIENT NAME: HEMA MADHURI	REF. DOCTOR:	SELF
CODE/NAME & ADDRESS: C000138394 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	ACCESSION NO: 0181XC001432 PATIENT ID: HEMAF170195181 CLIENT PATIENT ID: ABHA NO:	AGE/SEX :29 Years Female DRAWN : RECEIVED :29/03/2024 07:55:06 REPORTED :30/03/2024 16:29:05
Test Report Status <u>Final</u>	Results Biological	Reference Interval Units

pН	Normal stool pl1 is slightly acidic to neutral. Breast-fed babies generally have an
	acidic stool.

ADDITIONAL STOOL TESTS:

- Stool Culture:- This test is done to find cause of GI infection, make decision about best treatment for GI infection & to find out if treatment for GI infection worked.
- 2. <u>Fecal Calprotectin</u>: It is a marker of intestinal inflammation. This test is done to differentiate Inflammatory Bowel Disease (IBD) from Irritable Bowel Syndrome (IBS).
- 3. Fecal Occult Blood Test(FOBT): This test is done to screen for colon cancer & to evaluate possible cause of unexplained anaemia.
- 4. <u>Clostridium Difficile Toxin Assay</u>: This test is strongly recommended in healthcare associated bloody or waterydiarrhoea, due to overuse of broad spectrum antibiotics which alter the normal GI flora.
- Biofire (Film Array) GI PANEL: In patients of Diarrhoea, Dysentry, Rice watery Stool, FDA approved, Biofire Film Array
 Test, (Real Time Multiplex PCR) is strongly recommended as it identifies organisms, bacteria, fungi, virus, parasite and other
 opportunistic pathogens, Vibrio cholera infections only in 3 hours. Sensitivity 96% & Specificity 99%.
- 6. Rota Virus Immunoassay: This test is recommended in severe gastroenteritis—in infants & children associated with watery diarrhoea, vomitting& abdominal cramps. Adults are also affected. It is highly contagious in nature.

Dr. Sheetal Sawant Consultant Microbiologist Page 23 Of 25





View Details

View Report

Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fay





REF. DOCTOR: SELF **PATIENT NAME: HEMA MADHURI** CODE/NAME & ADDRESS: C000138394 ACCESSION NO: 0181XC001432 AGE/SEX :29 Years Female ARCOFEMI HEALTHCARE LTD (MEDIWHEEL DRAWN PATIENT ID : HEMAF170195181 F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST CLIENT PATIENT ID: RECEIVED : 29/03/2024 07:55:06 DELHÍ ABHA NO REPORTED :30/03/2024 16:29:05 **NEW DELHI 110030** 8800465156

Test Report Status Results Biological Reference Interval Units <u>Final</u>

SPECIALISED CHEMISTRY - HORMONE

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

THYROID PANEL, SERUM

Non-Pregnant Women ng/dL Т3 125.0 80.0 - 200.0 Pregnant Women 1st Trimester: 105.0 - 230.0 2nd Trimester: 129.0 - 262.0 3rd Trimester: 135.0 - 262.0 METHOD: ELECTROCHEMILUMINESCENCE μg/dL Τ4 12.90 Non-Pregnant Women

5.10 - 14.10 Pregnant Women

1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70

METHOD: ELECTROCHEMILUMINESCENCE

3.550 TSH (ULTRASENSITIVE) Non Pregnant Women μIU/mL

0.27 - 4.20

Pregnant Women (As per American Thyroid Association) 1st Trimester 0.100 - 2.500 2nd Trimester 0.200 - 3.000 3rd Trimester 0.300 - 3.000

METHOD: ELECTROCHEMILUMINESCENCE

Interpretation(s)

Triiodothyronine T3, Thyroxine T4, and Thyroid Stimulating Hormone TSII are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3. Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically

Dr. Ushma Wartikar Consultant Pathologist Phinchkhede

Dr.Priyal Chinchkhede Consultant Pathologist

Dr.(Mrs)Neelu K Bhojani Lab Head

Page 24 Of 25





Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India



Test Report Status

<u>Final</u>



Units

Biological Reference Interval

PATIENT NAME: HEMA MADHURI	REF. DOCTOR:	SELF
CODE/NAME & ADDRESS : C000138394	ACCESSION NO : 0181XC001432	AGE/SEX :29 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH W	PATIENT ID : HEMAF170195181	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 29/03/2024 07:55:06
NEW DELHI 110030	ABHA NO :	REPORTED :30/03/2024 16:29:05
8800465156		

active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Results

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
	50000				Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid hormone replacement therapy (3) In cases of Autoimmune/Hashimoto thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical inflammation, drugs like amphetamines, Iodine containing drug and dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre (3) Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4 replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association during pregnancy and Postpartum, 2011. NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

Dr. Ushma Wartikar Consultant Pathologist

Dr.Priyal Chinchkhede

Phinchkhede

Dr.Priyal Chinchkhede Consultant Pathologist Dr.(Mrs)Neelu K Bhojani Lab Head



Page 25 Of 25



View Report



Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax:

