Patient Name UHID	Mr. RAVIKANT SHARMA 40012067			Lab No Collection Date	4028354 23/03/2024 10:09	AM
Age/Gender	35 Yrs/Male			Receiving Date	23/03/2024 10:33	AM
IP/OP Location	O-OPD			Report Date	23/03/2024 3:08	РМ
Referred By	Dr. EHS CONSULTANT			Report Status	Final	
Mobile No.	9888880456					
			BIOCHEMISTR	Ŷ		
Test Name		Result	Unit	Biologi	cal Ref. Range	
BLOOD GLUCOSE (F	ASTING)					Sample: Fl. Plasma
BLOOD GLUCOSE (F	ASTING)	96.3	mg/dl	71 - 109		
Method: Hexokinas Interpretation:-D various diseases.	iagnosis and monitoring of	treatment in d	iabetes mellitus	and evaluation of ca	arbohydrate metaboli	sm in
BLOOD GLUCOSE (F	<u>PP)</u>					Sample: PLASMA
BLOOD GLUCOSE (P	Ρ)	103.4	mg/dl	Non – Diabet	ic: - < 140 mg/dl	

Pre – Diabetic: - 140-199 mg/dl

Diabetic: - >=200 mg/dl

Method: Hexokinase assay. Interpretation:-Diagnosis and monitoring of treatment in diabetes mellitus and evaluation of carbohydrate metabolism in various diseases.

THYROID T3 T4 TSH				Sample: Serum
Т3	1.240	ng/mL	0.970 - 1.690	
Τ4	5.95	ug/dl	5.53 - 11.00	
TSH	1.28	μIU/mL	0.40 - 4.05	

RESULT ENTERED BY : SUNIL EHS



Dr. ABHINAY VERMA

Patient Name UHID	Mr. RAVIKANT SHARMA 40012067
Age/Gender	35 Yrs/Male
IP/OP Location	O-OPD
Referred By	Dr. EHS CONSULTANT
Mobile No.	9888880456

Lab No Collection Date Receiving Date Report Date Report Status 4028354 23/03/2024 10:09AM 23/03/2024 10:33AM 23/03/2024 3:08PM Final

BIOCHEMISTRY

T3:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T3 is utilized in the diagnosis of T3-hyperthyroidism the detection of early stages of hyperthyroidism and for indicating a diagnosis of thyrotoxicosis factitia.

T4:- Method: ElectroChemiLuminescence ImmunoAssay - ECLIA

Interpretation:-The determination of T4 assay employs acompetitive test principle with an antibody specifically directed against T4.

TSH - THYROID STIMULATING HORMONE :- ElectroChemiLuminescenceImmunoAssay - ECLIA

Interpretation:-The determination of TSH serves as theinitial test in thyroid diagnostics. Even very slight changes in theconcentrations of the free thyroid hormones bring about much greater oppositechanges in the TSH levels.

LFT (LIVER FUNCTION TEST)

BILIRUBIN TOTAL	0.25	mg/dl	0.00 - 1.20
BILIRUBIN INDIRECT	0.14 L	mg/dl	0.20 - 1.00
BILIRUBIN DIRECT	0.11	mg/dl	0.00 - 0.30
SGOT	38.0	U/L	0.0 - 40.0
SGPT	48.3 H	U/L	0.0 - 41.0
TOTAL PROTEIN	8.0	g/dl	6.6 - 8.7
ALBUMIN	5.0	g/dl	3.5 - 5.2
GLOBULIN	3.0		1.8 - 3.6
ALKALINE PHOSPHATASE	87	U/L	40 - 129
A/G RATIO	1.7	Ratio	1.5 - 2.5
GGTP	55.0	U/L	10.0 - 60.0

RESULT ENTERED BY : SUNIL EHS



Dr. ABHINAY VERMA

MBBS | MD | INCHARGE PATHOLOGY

Sample: Serum

Patient Name	Mr. RAVIKANT SHARMA	Lab No	4028354
UHID	40012067	Collection Date	23/03/2024 10:09AM
Age/Gender	35 Yrs/Male	Receiving Date Report Date	23/03/2024 10:33AM
IP/OP Location	O-OPD	Report Status	23/03/2024 3:08PM
Referred By	Dr. EHS CONSULTANT		Final
Mobile No.	9888880456		

BIOCHEMISTRY

BILIRUBIN TOTAL :- Method: DPD assay. Interpretation:-Total Bilirubin measurements are used in the diagnosis and treatment of various liver diseases, and of haemolytic and metabolic disorders in adults and newborns. Both obstruction damage to hepatocellular structive.

BILIRUBIN DIRECT :- Method: Diazo method Interpretation:-Determinations of direct bilirubin measure mainly conjugated, water soluble bilirubin.

SGOT - AST :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGOT(AST) measurements are used in the diagnosis and treatment of certain types of liver and heart disease.

SGPT - ALT :- Method: IFCC without pyridoxal phosphate activation. Interpretation:-SGPT(ALT) Ratio Is Used For Differential Diagnosis In Liver Diseases.

TOTAL PROTEINS :- Method: Biuret colorimetric assay. Interpretation:-Total protein measurements are used in the diagnosis and treatment of a variety of liver and kidney diseases and bone marrow as well as metabolic and nutritional disorder. ALBUMIN :- Method: Colorimetric (BCP) assay. Interpretation:-For Diagnosis and monitoring of liver diseases, e.g. liver cirrhosis, nutritional status.

ALKALINE PHOSPHATASE :- Method: Colorimetric assay according to IFCC. Interpretation:-Elevated serum ALT is found in hepatitis, cirrhosis, obstructive jaundice, carcinoma of the liver, and chronic alcohol abuse. ALT is only slightly elevated in patients who have an uncomplicated myocardial infarction. GCTP-GAMMA GLUTAWIL TRANSPEPTIDASE :- Method: Enzymetic colorimetric assay. Interpretation:-y-glutamyltransferase is used in the diagnosis and monitoring of hepatobiliary disease. Enzymatic activity of GGT is often the only parameter with increased values when testing for such diseases and is one of the most sensitive indicator known.

LIPID PROFILE

TOTAL CHOLESTEROL	212		<200 mg/dl :- Desirable 200-240 mg/dl :- Borderline >240 mg/dl :- High
HDL CHOLESTEROL	52.4		High Risk :-<40 mg/dl (Male), <40 mg/dl (Female) Low Risk :->=60 mg/dl (Male), >=60 mg/dl (Female)
LDL CHOLESTEROL	135.3		Optimal :- <100 mg/dl Near or Above Optimal :- 100-129 mg/dl Borderline :- 130-159 mg/dl High :- 160-189 mg/dl Very High :- >190 mg/dl
CHOLESTERO VLDL	29	mg/dl	10 - 50
TRIGLYCERIDES	144		Normal :- <150 mg/dl Border Line:- 150 - 199 mg/dl High :- 200 - 499 mg/dl Very high :- > 500 mg/dl
CHOLESTEROL/HDL RATIO	4	%	

RESULT ENTERED BY : SUNIL EHS

AlbinayVen

Dr. ABHINAY VERMA

Patient Name UHID	Mr. RAVIKANT SHARMA 40012067	Lab No Collection Date	4028354 23/03/2024 10:09AM
Age/Gender	35 Yrs/Male	Receiving Date	23/03/2024 10:33AM
IP/OP Location	O-OPD	Report Date	23/03/2024 3:08PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	9888880456		

BIOCHEMISTRY

mg/dl

16 60 - 48 50

CHOLESTEROL TOTAL :- Method: CHOD-PAP enzymatic colorimetric assay.

interpretation:-The determination of the individual total cholesterol (TC) level is used for screening purposes while for a better risk assessment it is necessary to measure additionally lipid & lipoprotein metabolic disorders.

HDL CHOLESTEROL :- Method:-Homogenous enzymetic colorimetric method. Interpretation:-HDL-cholesterol has a protective against coronary heart disease, while reduced HDL-cholesterol concentrations, particularly in conjunction with elevated triglycerides, increase the cardiovascular disease.

LDL CHOLESTEROL :- Method: Homogenous enzymatic colorimetric assay. Interpretation:-LDL play a key role in causing and influencing the progression of atherosclerosis and in particular coronary sclerosis. The LDL are derived form VLDL rich in TG by the action of various lipolytic enzymes and are

LIRFA

Synthesized in the liver. CHOLESTEROL VLDL :- Method: VLDL Calculative

Interpretation:-High triglycerde levels also occur in various diseases of liver, kidneys and pancreas.

DM, nephrosis, liver obstruction.

CHOLESTEROL/HDL RATIO :- Method: Cholesterol/HDL Ratio Calculative

Sample: Serum

UNLA	25.7	iiig/ui	10.00 - 48.50
BUN	12.0	mg/dl	6 - 20
CREATININE	0.76	mg/dl	0.70 - 1.20
SODIUM	138.4	mmol/L	136 - 145
POTASSIUM	4.59	mmol/L	3.50 - 5.50
CHLORIDE	103.1	mmol/L	98 - 107
URIC ACID	4.02	mg/dl	3.4 - 7.0
CALCIUM	10.0	mg/dl	8.60 - 10.00

25.7

RESULT ENTERED BY : SUNIL EHS



Dr. ABHINAY VERMA

Patient Name UHID	Mr. RAVIKANT SHARMA 40012067	Lab No Collection Date	4028354 23/03/2024 10:09AM
Age/Gender	35 Yrs/Male	Receiving Date	23/03/2024 10:33AM
IP/OP Location	O-OPD	Report Date	23/03/2024 3:08PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	9888880456		

BIOCHEMISTRY

CREATININE - SERUM :- Method:-Jaffe method, Interpretation:-To differentiate acute and chronic kidneydisease. **URIC ACID** :- Method: Enzymatic colorimetric assay. Interpretation:- Elevated blood concentrations of uricacid are renal diseases with decreased excretion of waste products, starvation, drug abuse and increased alcohol consume.

diseases with decreased excretion of waste products, starvation,drug abuse and increased alcohol consume. SODIUM:- Method: ISE electrode. Interpretation:-Decrease: Prolonged vomiting or diarrhea,diminished reabsorption in the

kidney and excessive fluid retention. Increase: excessive fluid loss, high salt intake andkidney reabsorption. **POTASSIUM** :- Method: ISE electrode. Intrpretation:-Low level: Intake excessive loss formbodydue to diarrhea, vomiting ropal failure. Wigh level: Debudgation should burge DKA ropalfailure

renal failure, High level: Dehydration, shock severe burns, DKA, renalfailure. CHLORIDE - SERUM :- Method: ISE electrode. Interpretation:-Decrease: reduced dietary intake, prolonged vomiting and reduced renal reabsorption as well as forms of acidosisand alkalosis.

Increase: dehydration, kidney failure, some form ofacidosis, high dietary or parenteral chloride intake, and salicylate poisoning.

UREA:- Method: Urease/GLDH kinetic assay. Interpretation:-Elevations in blood urea nitrogenconcentration are seen in inadequate renal perfusion, shock, diminished bloodvolume, chronic nephritis, nephrosclerosis, tubular necrosis, glomerularnephritis and UTI.

CALCIUM TOTAL :- Method: O-Cresolphthaleine complexone. Interpretation:-Increase in serum PTH or vit-D are usuallyassociated with hypercalcemia. Increased serum calcium levels may also beobserved in multiple myeloma and other neoplastic diseases. Hypocalcemia may

beobserved in hypoparathyroidism, nephrosis, and pancreatitis.

HBA1C

5.3

%

< 5.7% Nondiabetic 5.7-6.4% Pre-diabetic > 6.4% Indicate Diabetes

Known Diabetic Patients

< 7 % Excellent Control

7 - 8 % Good Control

Method : - Turbidimetric inhibition immunoassay (TINIA) Interpretation:-Monitoring long term glycemic control, testing every 3 to 4 months is generally sufficient. The approximate relationship between HbA1C and mean blood glucose values during the preceding 2 to 3 months.

RESULT ENTERED BY : SUNIL EHS

AlerinaryVen

Dr. ABHINAY VERMA

MBBS|MD|INCHARGE PATHOLOGY

Sample: WHOLE BLOOD EDTA

Patient Name	Mr. RAVIKANT SHARMA	Lab No	4028354
UHID	40012067	Collection Date	23/03/2024 10:09AM
Age/Gender	35 Yrs/Male	Receiving Date	23/03/2024 10:33AM
IP/OP Location	O-OPD	Report Date	23/03/2024 3:08PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	988880456		

BLOOD BANK INVESTIGATION

Test Name	Result	Unit	Biological Ref. Range
BLOOD GROUPING	"AB" Rh Positive		

BLOOD GROUPING

Note :

Both forward and reverse grouping performed.
Test conducted on EDTA whole blood.

RESULT ENTERED BY : SUNIL EHS

AldrinayVerna

Dr. ABHINAY VERMA

Patient Name	Mr. RAVIKANT SHARMA	Lab No	4028354	
UHID	40012067	Collection Date	23/03/2024 10:09AM	
Age/Gender	35 Yrs/Male	Receiving Date	23/03/2024 10:33AM	
IP/OP Location	O-OPD	Report Date	23/03/2024 3:08PM	
Referred By	Dr. EHS CONSULTANT	Report Status	Final	
Mobile No.	9888880456			

CLINICAL PATHOLOGY

Test Name	Result	Unit	Biological Ref. Range	
URINE SUGAR (POST PRANDIAL)				Sample: Urine
URINE SUGAR (POST PRANDIAL)	NEGATIVE		NEGATIVE	
URINE SUGAR (RANDOM)				Sample: Urine
URINE SUGAR (RANDOM)	NEGATIVE		NEGATIVE	
				Sample: Urine
PHYSICAL EXAMINATION				
VOLUME	20	ml		
COLOUR	PALE YELLOW		P YELLOW	
APPEARANCE	CLEAR		CLEAR	
CHEMICAL EXAMINATION				
РН	6.0		5.5 - 7.0	
SPECIFIC GRAVITY	1.010		1.016-1.022	
PROTEIN	NEGATIVE		NEGATIVE	
SUGAR	NEGATIVE		NEGATIVE	
BILIRUBIN	NEGATIVE		NEGATIVE	
BLOOD	NEGATIVE			
KETONES	NEGATIVE		NEGATIVE	
NITRITE	NEGATIVE		NEGATIVE	
UROBILINOGEN	NEGATIVE		NEGATIVE	
LEUCOCYTE	NEGATIVE		NEGATIVE	
MICROSCOPIC EXAMINATION				
WBCS/HPF	1-2	/hpf	0 - 3	
RBCS/HPF	0-0	/hpf	0 - 2	
EPITHELIAL CELLS/HPF	1-2	/hpf	0 - 1	
CASTS	NIL		NIL	
CRYSTALS	NIL		NIL	

RESULT ENTERED BY : SUNIL EHS

AlbunayVana

Dr. ABHINAY VERMA

Patient Name UHID	Mr. RAVIKANT SHARMA 40012067	Lab No Collection Date	4028354 23/03/2024 10:09AM
Age/Gender	35 Yrs/Male O-OPD	Receiving Date Report Date	23/03/2024 10:33AM
IP/OP Location Referred By	Dr. EHS CONSULTANT	Report Status	23/03/2024 3:08PM Final
Mobile No.	9888880456		

CLINICAL PATHOLOGY

BACTERIA	NIL	NIL
OHTERS	NIL	NIL

Methodology:-Glucose: GOD-POD, Bilirubin: Diazo-Azo-coupling reaction with a diazonium, Ketone: Nitro Pruside reaction, Specific Gravity: Proton re;ease from ions, Blood: Psuedo-Peroxidase activity oh Haem moiety, pH: Methye Red-Bromothymol Blue (Double indicator system), Protein: H+ Release by buffer, microscopic & chemical method. interpretation: Diagnosis of Kidney function, UTI, Presence of Protein, Glucoses, Blood. Vocubulary syntax: Kit insert

RESULT ENTERED BY : SUNIL EHS

AlbinayVana

Dr. ABHINAY VERMA

Patient Name	Mr. RAVIKANT SHARMA	Lab No	4028354
UHID	40012067	Collection Date	23/03/2024 10:09AM
Age/Gender	35 Yrs/Male	Receiving Date	23/03/2024 10:33AM
IP/OP Location	O-OPD	Report Date	23/03/2024 3:08PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	988880456		

HEMATOLOGY

Test Name	Result	Unit	Biological Ref. Ran	ge
CBC (COMPLETE BLOOD COUNT)				Sample: WHOLE BLOOD EDTA
HAEMOGLOBIN	13.6	g/dl	13.0 - 17.0	
PACKED CELL VOLUME(PCV)	42.5	%	40.0 - 50.0	
MCV	100.0 H	fl	82 - 92	
MCH	32.0	pg	27 - 32	
MCHC	32.0	g/dl	32 - 36	
RBC COUNT	4.25 L	millions/cu.mm	4.50 - 5.50	
TLC (TOTAL WBC COUNT)	5.28	10^3/ uL	4 - 10	
DIFFERENTIAL LEUCOCYTE COUNT				
NEUTROPHILS	55.1	%	40 - 80	
LYMPHOCYTE	32.0	%	20 - 40	
EOSINOPHILS	5.5	%	1 - 6	
BASOPHIL	0.6 L	%	1 - 2	
MONOCYTES	6.8	%	2 - 10	
PLATELET COUNT	2.75	lakh/cumm	1.500 - 4.500	

HAEMOGLOBIN :- Method:-SLS HemoglobinMethodology by Cell Counter.Interpretation:-Low-Anemia, High-Polycythemia. MCV :- Method:- Calculation bysysmex. MCH :- Method:- Calculation bysysmex. MCHC :- Method:- Calculation bysysmex.

RBC COUNT :- Method:-Hydrodynamicfocusing.Interpretation:-Low-Anemia,High-Polycythemia.

TLC (TOTAL WBC COUNT) :- Method:-Optical Detectorblock based on Flowcytometry.Interpretation:-High-Leucocytosis, Low-Leucopenia.

NEUTROPHILS :- Method: Optical detectorblock based on Flowcytometry

LYMPHOCYTS :- Method: Optical detectorblock based on Flowcytometry

EOSINOPHILS :- Method: Optical detectorblock based on Flowcytometry MONOCYTES :- Method: Optical detectorblock based on Flowcytometry

BASOPHIL :- Method: Optical detectorblock based on Flowcytometry

PLATELET COUNT :- Method:-Hydrodynamicfocusing method.Interpretation:-Low-Thrombocytopenia, High-Thrombocytosis.

HCT: Method:- Pulse Height Detection. Interpretation:-Low-Anemia, High-Polycythemia. NOTE: CH- CRITICAL HIGH, CL: CRITICAL LOW, L: LOW, H: HIGH

ESR (ERYTHROCYTE SEDIMENTATION RATE)

35 H

mm/1st hr 0 - 15

RESULT ENTERED BY : SUNIL EHS

AlerinaryVan

Dr. ABHINAY VERMA

Patient Name UHID	Mr. RAVIKANT SHARMA 40012067	Lab No Collection Date	4028354 23/03/2024 10:09AM
Age/Gender	35 Yrs/Male	Receiving Date	23/03/2024 10:33AM
IP/OP Location	O-OPD	Report Date	23/03/2024 3:08PM
Referred By	Dr. EHS CONSULTANT	Report Status	Final
Mobile No.	9888880456		

Method:-Modified Westergrens. Interpretation:-Increased in infections, sepsis, and malignancy.

RESULT ENTERED BY : SUNIL EHS

Patient Name UHID	Mr. RAVIKANT SHARMA 40012067	Lab No Collection Date	4028354 23/03/2024 10:09AM
Age/Gender	35 Yrs/Male	Receiving Date	23/03/2024 10:33AM
IP/OP Location Referred By	O-OPD Dr. EHS CONSULTANT	Report Date Report Status	23/03/2024 3:08PM Final
Mobile No.	988880456		i inai
	X Ray		

Test Name

Result

Unit

Biological Ref. Range

X-RAY CHEST P. A. VIEW

Both lung fields are clear.

Both CP angles are clear.

Both hemi-diaphragms arenormal in shape and outlines.


Cardiac shadow is withinnormal limits.

Visualized bony thorax is unremarkable.

Correlate clinically &with other related investigations.

End Of Report

RESULT ENTERED BY : SUNIL EHS



Dr. SURESH KUMAR SAINI MBBS,MD RADIOLOGIST

DEPARTMENT OF CARDIOLOGY

UHID / IP NO	40012067 (8925)	RISNo./Status :	4028354/
Patient Name :	Mr. RAVIKANT SHARMA	Age/Gender :	35 Y/M
Referred By :	Dr. EHS CONSULTANT	Ward/Bed No :	OPD
Bill Date/No :	23/03/2024 9:20AM/ OPSCR23- 24/16491	Scan Date :	
Report Date :	23/03/2024 2:00PM	Company Name:	Final

REFERRAL REASON: HEALTH CHECKUP

2D ECHOCARDIOGRAPHY WITH COLOR DOPPLER

M MODE DIMENSIONS: -

			No	rmal				Normal
IVSD	10.2	6-12mm		LVIDS	29.1	20-40mm		
LVIDD	43.9		32-	57mm		LVPWS	16.8	mm
LVPWD	10.2		6-1	2mm		AO	26.5	19-37mm
IVSS	15.3		J	mm		LA	36.7	19-40mm
LVEF	62-64		>	55%		RA	-	mm
	DOPPLEF	R MEA	SUREN	IENTS &	& CALC	ULATIONS	:	
STRUCTURE	MORPHOLOGY		VELOC	CITY (m	/s)	GRADIENT		REGURGITATION
				ì	·	(mmHg <u>)</u>		
MITRAL	NORMAL	Е	1.15	e'	-	-		NIL
VALVE		Α	0.87	E/e'	-			
TRICUSPID	NORMAL		Е	0.	76	-		NIL
VALVE		A 0.61		-				
		A 0.61						
AORTIC	NORMAL	1.46		-		NIL		
VALVE								
PULMONARY	NORMAL	0.72				NIL		
VALVE						-		

COMMENTS & CONCLUSION: -

- ALL CARDIAC CHAMBERS ARE NORMAL
- NO RWMA, LVEF 62-64%
- NORMAL LV SYSTOLIC FUNCTION
- NORMAL LV DIASTOLIC FUNCTION
- ALL CARDIAC VALVES ARE NORMAL
- NO EVIDENCE OF CLOT/VEGETATION/PE
- INTACT IVS/IAS

IMPRESSION: - NORMAL BI VENTRICULAR FUNCTIONS

DR SUPRIY JAIN MBBS, M.D., D.M. (CARDIOLOGY) INCHARGE & SR. CONSULTANT INTERVENTIONAL CARDIOLOGY DR ROOPAM SHARMA MBBS, PGDCC, FIAE CONSULTANT & INCHARGE EMERGENCY, PREVENTIVE CARDIOLOGY AND WELLNESS CENTRE

DEPARTMENT OF RADIO DIAGNOSIS

UHID / IP NO	40012067 (8925)	RISNo./Status :	4028354/
Patient Name :	Mr. RAVIKANT SHARMA	Age/Gender :	35 Y/M
Referred By :	Dr. EHS CONSULTANT	Ward/Bed No :	OPD
Bill Date/No :	23/03/2024 9:20AM/ OPSCR23- 24/16491	Scan Date :	
Report Date :	23/03/2024 11:13AM	Company Name:	Mediwheel - Arcofemi Health Care Ltd.

ULTRASOUND STUDY OF WHOLE ABDOMEN

Liver:	Normal in size & echotexture. No obvious significant focal parenchymal mass lesion
	noted. Intrahepatic biliary radicals are not dilated. Portal vein is normal.
Gall Bladder:	Few small calculi seen within the lumen. Small polyp seen attached to the wall,
	measuring approx. 3mm. Wall thickness is normal. CBD is normal.
Pancreas:	Normal in size & echotexture.
Spleen:	Normal in size & echotexture. No focal lesion seen.
Right Kidney:	Normal in shape, size & location. Echotexture is normal. Corticomedullary
	differentiation is maintained. No evidence of significant hydronephrosis or
	obstructive calculus noted.
Left Kidney:	Normal in shape, size & location. Echotexture is normal. Corticomedullary
	differentiation is maintained. No evidence of significant hydronephrosis or
	obstructive calculus noted.
Urinary Bladder:	Normal in size, shape & volume. No obvious calculus or mass lesion is seen. Wall
	thickness is normal.
Prostate:	Is normal in size and echotexture.
Others:	No significant free fluid is seen in pelvic peritoneal cavity.
IMPRESSION: USG	findings are suggestive of

• Cholelithiasis with small polyp.

Correlate clinically & with other related investigations.

DR. APOORVA JETWANI Incharge & Senior Consultant Radiology MBBS, DMRD, DNB Reg. No. 26466, 16307