Dr. Ulhas M. Vaidya MD. DPB

LAB DIRECTOR



Patient Name

: MRS. SAMEEKSHA

Age / Sex

: 38 years / Female

Ref. Doctor

: APEX HOSPITAL

Client Name

: CUDDLES N CURE DIAGNOSTIC

CENTRE

Sample ID

: 2403122726

Printed By

TEST DONE

: CUDDLES N CURE DIAGNOSTIC

OBSERVED VALUE

CENTRE

Patient ID / Billing ID: 1193053 / 1374680

Specimen Collected at DIAGNOSTIC CENTRE

Sample Collected On : 29/03/2024, 07:45 p.m.

Reported On

: 30/03/2024, 09:13 a.m.

Printed On

: 30/03/2024, 09-19 p.m.

GLYCOSYLATED HAEMOGLOBIN (HBA1C), BLOOD

PRIMARY SAMPLE: BLOOD

Glycosylated Haemoglobin ^

5.0

UNIT

< 5.6 Normal

High Performance

5.7-6.4 Prediabetic

REFERENCE RANGE

Liquid

>/= 6.5 Diabetic

Chromatography

Mean Plasma Glucose

91.90

mg/dl

65.1 - 136.3

Calculated

Note

Tests marked with ^ are included in NABL scope.

Test results relate to the sample as received.

Hemoglobin electrophoresis (HPLC method) is recommended for detecting Hemoglobinopathy.

Interpretation

- 1. HbA1c is used for monitoring diabetic control. It reflects the estimated average glucose(eAG). 2. HbA1c has been endorsed by clinical groups and ADA (American Diabetes Association) guidelines 2019, for diagnosis of diabetes using a cut-off point of 6.5%
- 3. Trends in HbA1c are a better indicator of diabetic control than solitary test.
- 4. Low glycated haemoglobin (below 4%) in a non-diabetic individual are often associated with systemic infimmatory diseases, chronic anaemia (especially severe iron deficiency & hemolytic), chronic renal failure and liver diseases. Clinical correlation is suggested
- 5. To estimate the eAg from HbA1C value, the following equation is used: eAG (mg/dL) = 28.7 * A1c 46.7
- 6. Interferences of Hemoglobinopathies in HbA1c estimation: A. For HbF > 25%, an alternate platform (Fructosamine) is recommended for testing HbA1c. B. Homozygous hemoglobinopathy is detected, fructosamine is recommended for monitoring diabetic status. C. Heterozygous state detected (D10 and Turbo is corrected for HbS and HbC trait).
- 7. In known diabetic patients, following values can be considered as a tool for monitoring the glycemic control.

Excellent Control: 6 - 7 %

Good Control: 7 - 8%

Unsatisfactory Control - 8 - 10% and

Poor Control - More than 10%

Processed By: NABL Accredited Dr. Vaidya's Laboratory, Thane Scan QR for Authentication

END OF REPORT

Checked by

Dr. Vivek Bonde MD Pathology

Toll Free No: 18002668992 | Email ID: Info@drvaldyaslab.com | Website: www.drvaldyaslab.com

Toll Free No.: 18002668992 | Email ID: info@drvaidyaslab.com | Website: www.drvaidyaslab.com

Dr. Ulhas M. Vaidya MD, DPB LAB DIRECTOR



Patient Name

: MRS. SAMEEKSHA

Age / Sex

: 38 years / Female

Ref Doctor

: APEX HOSPITAL

Client Name

: CUDDLES N CURE DIAGNOSTIC

CENTRE

Sample ID

: 2403122726

Printed By

: CUDDLES N CURE DIAGNOSTIC

CENTRE



Patient ID / Billing ID: 1193053 / 1374680

Specimen Collected at : CUDDLES N CURE DIAGNOSTIC CENTRE

Sample Collected On : 29/03/2024, 07/45 p.m.

Reported On

: 29/03/2024, 08:35 p.m

Printed On

: 30/03/2024, 09:19 p.m.



TEST DONE	OBSERVED VALUE	UNIT	REFERENCE RANGE	2MBTHOD
T3, T4, TSH SERUM				
T3 TOTAL (Triiodothyronine)	1.49	ng/mL	0.80 - 2.00 ng/mL Pregna	ncy: Last 5 ECLIA
SERUM ^			months: 1.16 - 2.47	
T4 TOTAL (Thyroxine) SERUM	7.94	µg/dL	5.1 - 14.1 µg/dL	ECLIA
٨				
TSH (THYROID STIMULATING	2.86	uIU/mL	0.27 - 5.3	ECLIA
HORMONE) SERUM ^		9.00	First Trimester: 0.33 - 4.5	59
(Ultrasensitive)	4		Second Trimester: 0.35 - 4	1.10
			Third Trimester: 0.21 - 3.	15
Interpretation				

Decreased TSH with raised or within range T3 and T4 is seen in primary hyperthyroidism, toxic thyroid nodule, sub-clinical hyper-thyroidism, on thyroxine ingestion, post-partum and gestational thyrotoxicosis Raised TSH with decreased T3 and T4 is seen in hypothyroidism and with intermittent T4 therapy. Alterations in TSH are also seen in non-thyroidal illnesses like HIV intertion, chromic active hepatitis ,estrogen producing tumors, pregnancy, new-born, steroids, glucocorticoids and may cause false thyroid levels for thyroid function tests as with increased age ,marked variations in thyroid hormones are seen. In pregnancy T3 and T4 levels are raised, hence FT3 and Ft4 is to be done to determine hyper or hypothyroidism

NOTE

Tests marked with ^ are included in NABL scope.

Test results relate to the sample as received.

Marked variations in thyroid hormones are seen with age.

In pregnancy T3 and T4 levels are raised. Hence FT3 and FT4 is recommended to be done to determine hyper or hypothyrodism.

By ECLIA method, false low or false high values can be because of Biotin (Vitamin B7) consumption.

Processed By: NABL Accredited Dr. Vaidya's Laboratory, Thane Scan QR for Authentication

END OF REPORT

Checked by

Dr. Vivek Bonde

MD Pathology

Toll Free No: 18002668992 | Email ID: info@drvaidyaslab.com | Website: www.drvaidyaslab.com

Toll Free No.: 18002668992 | Email ID: info@drvaidyaslab.com | Website: www.drvaidyaslab.com





Veena Nagar Phase II, Tulsi Pipe Line Road, Near Swapna Nagri Road, Mulund (W) Mumbai 400 080. email: info@apexhospitals.in | www.apexgroupofhospitals.com

Tele.: 022-41624000 (100 Line:

Patient Name

: MRS. SAMEEKSHA

Patient ID

: 86295

Age/Sex

: 38 Years / Female

Sample Collected on

: 29-3-24, 2:00 pm

Ref Doctor

: APEX HOSPITAL

Registration On

: 29-3-24, 2:00 pm

Client Name

: Apex Hospital

Reported On

: 29-3-24, 8:48 pm

**************************************		, <u>, , , , , , , , , , , , , , , , , , </u>	
Test Done	Observed Value	Unit	Ref. Range
Complete Blood Count(CBC)		
	•		
HEMOGLOBIN	10.7	gm/dl	12 - 15
Red Blood Corpuscles			
PCV (HCT)	33.5	%	36 - 46
RBC COUNT	3.90	x10^6/uL	4.5 - 5.5
RBC Indices			
MCV	85.9	fl	78 - 94
MCH	27.4	pg	26 - 31
MCHC	31.9	g/L	31 - 36
RDW-CV	14.7	%	11.5 - 14.5
White Blood Corpuscies			
TOTAL LEUCOCYTE COUNT	7000	/cumm	4000 - 11000
Differential Count			
NEUTROPHILS	62	%	40 - 75
LYMPHOCYTES	34	%	20 - 45
EOSINOPHILS	02	%	0 - 6
MONOCYTES	02	%	1 - 10
BASOPHILS	0	%	0 - 1
Platelets			
PLATELET COUNT	152000	Lakn/cumm	150000 - 450000
MPV	11.1	q	6.5 - 9.8
RBC MORPHOLOGY	Hypochromia		
WBC MORPHOLOGY	No abnormality detect	ed	
PLATELETS ON SMEAR.	Adequate on Smear		

Instrument: Mindray BC 3000 Plus

SIL





Veena Nagar Phase II, Tulsi Pipe Line Road, Near Swapna Nagri Road, Mulund (W) Mumbai 400 080. email: info@apexhospitals.in | www.apexgroupofhospitals.com



Tele .: 022-41624000 (100 Line

Patient Name

: MRS. SAMEEKSHA

Patient ID

: 86295

Age/Sex

: 38 Years / Female

Sample Collected on

: 29-3-24, 2:00 pm

Ref Doctor

: APEX HOSPITAL

Registration On

: 29-3-24, 2:00 pm

Client Name

: Apex Hospital

Reported On

: 29-3-24, 8:48 pm

Test Done

Observed Value

Unit

Ref. Range

ESR (ERYTHROCYTES SEDIMENTATION RATE)

ESR

9

mm/1hr.

0 - 20

METHOD - WESTERGREN

Dr. Hrishikesh Chevle (MBBS, DCP)





Veena Nagar Phase II, Tulsi Pipe Line Road, Near Swapna Nagri Road, Mulund (W) Mumbai 400 080. email: info@apexhospitals.in | www.apexgroupofhospitals.com

Tele.: 022-41624000 (100 L

Patient Name : MRS. SAMEEKSHA

Patient ID

: 86295

Age/Sex

: 38 Years / Female

Sample Collected on

: 29-3-24, 2:00 pm

Ref Doctor

: APEX HOSPITAL

Registration On

29-3-24, 2:00 pm

Client Name

: Apex Hospital

Reported On

: 29-3-24, 8:48 pm

	*1	1.77		
Test Done	Observed Value	Unit	Ref. Range	
LIVER FUNCTION TEST				
TOTAL BILLIRUBIN	0.69	mg/dL	UP to 1.2	
DIRECT BILLIRUBIN	0.21	mg/dL	UP to 0.5	
INDIRECT BILLIRUBIN	0.48	mg/dL	UP to 0.7	
SGOT(AST)	25.8	U/L	UP to 40	
SGPT(ALT)	20.0	U/L	UP to 40	
ALKALINE PHOSPHATASE	218.4	IU/L	64 to 306	
S. PROTIEN	6.0	g/dl	6.0 to 8.3	
S. ALBUMIN	3.9	g/dl	3.5 - 5.0	
S. GLOBULIN	2.10	g/dl	2.3 to 3.6	
A/G RATIO	1.86		0.9 to 2.3	

METHOD - EM200 Fully Automatic

Sit

Dr. Hrishikesh Chevle (MBBS.DCP.)





Veena Nagar Phase II, Tulsi Pipe Line Road, Near Swapna Nagri Road, Mulund (W) Mumbai 400 080. email: info@apexhospitals.in | www.apexgroupofhospitals.com



Tele .: 022-41624000 (100 Lines)

Patient Name : MRS. SAMEEKSHA

Age/Sex Ref Doctor

Client Name

: 38 Years / Female : APEX HOSPITAL

: Apex Hospital

Patient ID

: 86295

Sample Collected on

: 29-3-24, 2:00 pm

Registration On

· 29-3-24, 2:00 pm

Reported On

: 29-3-24, 8:48 pm

Test Done	Observed Value	Unit	Ref. Range
BLOOD GLUCOSE FASTING	& PP		
FASTING BLOOD GLUCOSE	70.2	mg/dL	70 - 110
URINE GLUCOSE	NO SAMPLE		ABSENT
URINE KETONE	NO SAMPLE		ABSENT
POST PRANDIAL BLOOD GLUCOSE	90.2	mg/dL	70 - 140
URINE GLUCOSE	NO SAMPLE		ABSENT
URINE KETONE	NO SAMPLE		ABSENT

Method - GOD-POD





Veena Nagar Phase II, Tulsi Pipe Line Road, Near Swapna Nagri Road, Mulund (W) Mumbai 400 080. email: info@apexhospitals.in | www.apexgroupofhospitals.com



Tele.: 022-41624000 (100 Lines

Patient Name

: MRS. SAMEEKSHA

Patient ID

86295

Age/Sex

: 38 Years / Female

Sample Collected on

: 29-3-24, 2:00 pm

Ref Doctor

: APEX HOSPITAL

Registration On

: 29-3-24, 2:00 pm

Client Name

: Apex Hospital

Reported On

: 29-3-24, 8:48 pm

Test Done

Observed Value

Unit

Ref. Range

Blood Group & RH Factor

SPECIMEN

WHOLE BLOOD

ABO GROUP

'B'

RH FACTOR

POSITIVE

INTERPRETATION

The ABO system consists of A, B, AB, and O blood types.

People with type AB blood are called universal recipients, because they can receive any of the ABO types. People with type O blood are called universal donors, because their blood can be given to

people with any of the ABO types.

Mismatches with the ABO and Rh blood types are responsible for the most serious, sometimes life-threatening, transfusion

reactions. But these types of reactions are rare.

Rh system

The Rh system classifies blood as Rh-positive or Rh-negative, based on the presence or absence of Rh antibodies in the blood. People with Rh-positive blood can receive Rh-negative blood, but people with Rh-negative blood will have a transfusion reaction if they receive Rh-positive blood. Transfusion reactions caused by mismatched Rh blood types can be serious.

Sign





Veena Nagar Phase II, Tulsi Pipe Line Road, Near Swapna Nagri Road, Mulund (W) Mumbai 400 080. email: info@apexhospitals.in | www.apexgroupofhospitals.com



Tele.: 022-41624000 (100 Lines)

Patient Name

: MRS. SAMEEKSHA

Age/Sex

: 38 Years / Female

Ref Doctor

: APEX HOSPITAL

Client Name : Apex Hospital

Patient ID

: 86295

Sample Collected on

: 29-3-24, 2:00 pm

Registration On

: 29-3-24, 2:00 pm

Reported On

: 29-3-24, 8:48 pm

Test Done	Observed Value	Unit	Ref. Range
RENAL FUNCTION TEST			
BUOOD HIREA	22.2		
BLOOD UREA	22.3	mg/dL	10 - 50
BLOOD UREA NITROGEN	10.42	mg/dL	0.0 - 23.0
S. CREATININE	0.65	mg/dL	0.6 to 1.4
S. SODIUM	138.3	mEq/L	135 - 155
S. POTASSIUM	4.33	mEq/L	3.5 - 5.5
S. CHLORIDE	109.6	mEq/L	95 - 109
S. URIC ACID	3.50	mg/dL	2.6 - 6.0
S. CALCIUM	8.8	mg/dL	8.4 - 10.4
S. PHOSPHORUS	3.4	mg/dL	2.5 - 4.5
S. PROTIEN	6.0	g/dl	6.0 to 8.3
S. ALBUMIN	3.9	g/dl	3.5 to 5.3
S. GLOBULIN	2.10	g/dl	2.3 to 3.6
A/G RATIO	1.86		1 to 2.3

METHOD - EM200 Fully Automatic

INTERPRETATION -

Sign

Dr. Hrishikesh Chevle (MBBS.DCP.)





Veena Nagar Phase II, Tulsi Pipe Line Road, Near Swapna Nagri Road, Mulund (W) Mumbai 400 080. email: info@apexhospitals.in | www.apexgroupofhospitals.com



Tele.: 022-41624000 (100 Lines)

Patient Name

MRS. SAMEEKSHA

Patient ID

: 86295

Age/Sex

: 38 Years / Female

Sample Collected on

: 29-3-24, 2:00 pm

Ref Doctor

: APEX HOSPITAL

Registration On

: 29-3-24, 2:00 pm

Client Name

: Apex Hospital

Reported On

Unit

: 29-3-24, 8:48 pm

LIDINE	POLITIME	EYAMINA	MOTTA

Physical Exa	amination
--------------	-----------

Test Done

VOLUME

20 ml

COLOUR

Pale Yellow

Pale Yellow

Ref. Range

APPEARANCE

Slightly Hazy

Observed Value

Clear

DEPOSIT

Absent

Absent

Chemical Examination

REACTION (PH)

Acidic

Acidic

SPECIFIC GRAVITY

1.025

1.003 - 1.035

PROTEIN (ALBUMIN)

Absent

Absent

OCCULT BLOOD SUGAR Negative

Negative

DOGAIL

Absent

Absent

KETONES

Absent

ADSCIIC

BILE SALT & PIGMENT

Absent

Absent Absent

UROBILINOGEN

Normal

Normal

Microscopic Examination

RED BLOOD CELLS

Absent

Absent

PUS CELLS

2-3 /HPF

0 - 5 /HPF 0 - 4 /HPF

EPITHELIAL CELLS

3-4 /HPF

Absent

CRYSTALS

CASTS

Absent

BACTERIA YEAST CELLS Absent Absent Absent Absent

ANY OTHER FINDINGS

Absent

S

Dr. Hrishikesh Chevle (MBBS.DCP,)





Veena Nagar Phase II, Tulsi Pipe Line Road, Near Swapna Nagri Road, Mulund (W) Mumbai 400 080. email: info@apexhospitals.in | www.apexgroupofhospitals.com



Tele.: 022-41624000 (100 Lines)

Patient Name

: MRS. SAMEEKSHA

Patient ID

: 86295

Age/Sex

: 38 Years / Female

Sample Collected on

: 29-3-24, 2:00 pm

Ref Doctor

: APEX HOSPITAL

Registration On

: 29-3-24, 2:00 pm

Client Name

: Apex Hospital

Reported On

: 29-3-24, 8:48 pm

Test Done	Observed Value	Unit	Ref. Range
LIPID PROFILE			
TOTAL CHOLESTEROL	179.8	mg/dL	200 - 240
S. TRIGLYCERIDE	122.8	mg/dL	0 - 200
S.HDL CHOLESTEROL	43	mg/dL	30 - 70
VLDL CHOLESTEROL	25	mg/dL	Up to 35
S.LDL CHOLESTEROL	112.24	mg/dL	Up to 160
LDL CHOL/HDL RATIO	2.61		Up to 4.5
CHOL/HDL CHOL RATIO	4.18		Up to 4.8

Transasia-EM200 FULLY AUTOMATIC

INTERPRETATION

Above reference ranges are as per ADULT TREATMENT PANEL III RECOMMENDATION by NCEP (May 2015).

Sign