

Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:50AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 11:02AM
UHID/MR No : CAOP.000000109	Reported : 29/Mar/2024 12:25PM
Visit ID : CAOPPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF HAEMATOLOGY**

**PERIPHERAL SMEAR , WHOLE BLOOD EDTA**

RBCs	Show mild anisocytosis, are predominantly Normocytic Normochromic .
WBCs	Normal in number and morphology Differential count is within normal limits
Platelets	Adequate in number, verified on smear
	No Hemoparasites seen in smears examined.
Impression	Normal peripheral smear study
Advice	Clinical correlation




Dr. Shivangi Chauhan  
M.B.B.S, M.D(Pathology)  
Consultant Pathologist

Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:50AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 11:02AM
UHID/MR No : CAOP.0000000109	Reported : 29/Mar/2024 12:25PM
Visit ID : CAOPPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF HAEMATOLOGY**

**ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324**

Test Name	Result	Unit	Bio. Ref. Range	Method
<b>HEMOGRAM , WHOLE BLOOD EDTA</b>				
<b>HAEMOGLOBIN</b>	13.3	g/dL	13-17	Spectrophotometer
PCV	<b>39.30</b>	%	40-50	Electronic pulse & Calculation
RBC COUNT	<b>4.47</b>	Million/cu.mm	4.5-5.5	Electrical Impedance
MCV	88	fL	83-101	Calculated
MCH	29.8	pg	27-32	Calculated
MCHC	33.8	g/dL	31.5-34.5	Calculated
R.D.W	<b>14.6</b>	%	11.6-14	Calculated
TOTAL LEUCOCYTE COUNT (TLC)	8,600	cells/cu.mm	4000-10000	Electrical Impedance
<b>DIFFERENTIAL LEUCOCYTIC COUNT (DLC)</b>				
NEUTROPHILS	56	%	40-80	Electrical Impedance
LYMPHOCYTES	37	%	20-40	Electrical Impedance
EOSINOPHILS	03	%	1-6	Electrical Impedance
MONOCYTES	04	%	2-10	Electrical Impedance
BASOPHILS	00	%	<1-2	Electrical Impedance
<b>ABSOLUTE LEUCOCYTE COUNT</b>				
NEUTROPHILS	4816	Cells/cu.mm	2000-7000	Calculated
LYMPHOCYTES	<b>3182</b>	Cells/cu.mm	1000-3000	Calculated
EOSINOPHILS	258	Cells/cu.mm	20-500	Calculated
MONOCYTES	344	Cells/cu.mm	200-1000	Calculated
Neutrophil lymphocyte ratio (NLR)	1.51		0.78- 3.53	Calculated
<b>PLATELET COUNT</b>	219000	cells/cu.mm	150000-410000	Electrical impedance
<b>ERYTHROCYTE SEDIMENTATION RATE (ESR)</b>	09	mm at the end of 1 hour	0-15	Modified Westergren
<b>PERIPHERAL SMEAR</b>				



Dr. Shivangi Chauhan  
M.B.B.S., M.D (Pathology)  
Consultant Pathologist



Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:50AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 11:02AM
UHID/MR No : CAOP.0000000109	Reported : 29/Mar/2024 02:37PM
Visit ID : CAOPOPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF HAEMATOLOGY**

**ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324**

Test Name	Result	Unit	Bio. Ref. Range	Method
<b>BLOOD GROUP ABO AND RH FACTOR , WHOLE BLOOD EDTA</b>				
BLOOD GROUP TYPE	O			Gel agglutination
Rh TYPE	POSITIVE			Gel agglutination




Dr. Shivangi Chauhan  
M.B.B.S., M.D (Pathology)  
Consultant Pathologist

Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 01:04PM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 03:18PM
UHID/MR No : CAOP.000000109	Reported : 29/Mar/2024 03:48PM
Visit ID : CAOPOPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF BIOCHEMISTRY**

**ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324**

Test Name	Result	Unit	Bio. Ref. Range	Method
<b>GLUCOSE, FASTING , NAF PLASMA</b>	<b>102</b>	mg/dL	70-100	GOD - POD

**Comment:**

As per American Diabetes Guidelines, 2023

Fasting Glucose Values in mg/dL	Interpretation
70-100 mg/dL	Normal
100-125 mg/dL	Prediabetes
≥126 mg/dL	Diabetes
<70 mg/dL	Hypoglycemia

**Note:**


- The diagnosis of Diabetes requires a fasting plasma glucose of  $> \text{ or } = 126 \text{ mg/dL}$  and/or a random / 2 hr post glucose value of  $> \text{ or } = 200 \text{ mg/dL}$  on at least 2 occasions.
- Very high glucose levels ( $>450 \text{ mg/dL}$  in adults) may result in Diabetic Ketoacidosis & is considered critical.

Test Name	Result	Unit	Bio. Ref. Range	Method
<b>GLUCOSE, POST PRANDIAL (PP), 2 HOURS , SODIUM FLUORIDE PLASMA (2 HR)</b>	139	mg/dL	70-140	GOD - POD

**Comment:**

It is recommended that FBS and PPBS should be interpreted with respect to their Biological reference ranges and not with each other.

Conditions which may lead to lower postprandial glucose levels as compared to fasting glucose levels may be due to reactive hypoglycemia, dietary meal content, duration or timing of sampling after food digestion and absorption, medications such as insulin preparations, sulfonylureas, amylin analogues, or conditions such as overproduction of insulin.

  
**Dr. Shivangi Chauhan**  
**M.B.B.S., M.D (Pathology)**  
**Consultant Pathologist**



Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:49AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 02:55PM
UHID/MR No : CAOP.000000109	Reported : 29/Mar/2024 05:02PM
Visit ID : CAOPPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF BIOCHEMISTRY**

**ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324**

Test Name	Result	Unit	Bio. Ref. Range	Method
<b>HBA1C (GLYCATED HEMOGLOBIN) , WHOLE BLOOD EDTA</b>				
HBA1C, GLYCATED HEMOGLOBIN	5.6	%		HPLC
ESTIMATED AVERAGE GLUCOSE (eAG)	114	mg/dL		Calculated

**Comment:**

Reference Range as per American Diabetes Association (ADA) 2023 Guidelines:

REFERENCE GROUP	HBA1C %
NON DIABETIC	<5.7
PREDIABETES	5.7 – 6.4
DIABETES	≥ 6.5
DIABETICS	
EXCELLENT CONTROL	6 – 7
FAIR TO GOOD CONTROL	7 – 8
UNSATISFACTORY CONTROL	8 – 10
POOR CONTROL	>10

**Note:** Dietary preparation or fasting is not required.

- HbA1C is recommended by American Diabetes Association for Diagnosing Diabetes and monitoring Glycemic Control by American Diabetes Association guidelines 2023.
- Trends in HbA1C values is a better indicator of Glycemic control than a single test.
- Low HbA1C in Non-Diabetic patients are associated with Anemia (Iron Deficiency/Hemolytic), Liver Disorders, Chronic Kidney Disease. Clinical Correlation is advised in interpretation of low Values.
- Falsely low HbA1c (below 4%) may be observed in patients with clinical conditions that shorten erythrocyte life span or decrease mean erythrocyte age. HbA1c may not accurately reflect glycemic control when clinical conditions that affect erythrocyte survival are present.
- In cases of Interference of Hemoglobin variants in HbA1C, alternative methods (Fructosamine) estimation is recommended for Glycemic Control
  - A: HbF >25%
  - B: Homozygous Hemoglobinopathy.
 (Hb Electrophoresis is recommended method for detection of Hemoglobinopathy)



**Dr. Aiman Jafri**  
 B.Sc(Biotechnology),  
 M.Sc(Toxicology), Ph.D(Biochemistry)  
 Consultant Molecular Biologist and Biochemist

2C/14, New Rohtak Rd, Block 66a, Karol Bagh, New Delhi-110005



**Dr. Tanish Mandal**  
 M.B.B.S, M.D(Pathology)  
 Consultant Pathologist



**Dr. Tanish Mandal**  
 M.B.B.S, M.D(Pathology)  
 Consultant Pathologist





Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:49AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 01:44PM
UHID/MR No : CAOP.000000109	Reported : 29/Mar/2024 02:22PM
Visit ID : CAOPOPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF BIOCHEMISTRY**

**ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324**

Test Name	Result	Unit	Bio. Ref. Range	Method
<b>LIPID PROFILE , SERUM</b>				
TOTAL CHOLESTEROL	<b>238</b>	mg/dL	<200	CHE/CHO/POD
TRIGLYCERIDES	<b>317</b>	mg/dL	<150	
HDL CHOLESTEROL	40	mg/dL	>40	CHE/CHO/POD
NON-HDL CHOLESTEROL	<b>198</b>	mg/dL	<130	Calculated
LDL CHOLESTEROL	<b>134.6</b>	mg/dL	<100	Calculated
VLDL CHOLESTEROL	<b>63.4</b>	mg/dL	<30	Calculated
CHOL / HDL RATIO	<b>5.95</b>		0-4.97	Calculated
ATHEROGENIC INDEX (AIP)	<b>0.54</b>		<0.11	Calculated

Please correlate clinically.


**Comment:**

Reference Interval as per National Cholesterol Education Program (NCEP) Adult Treatment Panel III Report.

	Desirable	Borderline High	High	Very High
TOTAL CHOLESTEROL	< 200	200 - 239	≥ 240	
TRIGLYCERIDES	<150	150 - 199	200 - 499	≥ 500
LDL	Optimal < 100; Near Optimal 100-129	130 - 159	160 - 189	≥ 190
HDL	≥ 60			
NON-HDL CHOLESTEROL	Optimal <130; Above Optimal 130-159	160-189	190-219	>220
ATHEROGENIC INDEX(AIP)	<0.11	0.12 – 0.20	>0.21	

**Note:**

- 1) Measurements in the same patient on different days can show physiological and analytical variations.
- 2) NCEP ATP III identifies non-HDL cholesterol as a secondary target of therapy in persons with high triglycerides.
- 3) Primary prevention algorithm now includes absolute risk estimation and lower LDL Cholesterol target levels to determine eligibility of drug therapy.

  
**Dr. Shivangi Chauhan**  
 M.B.B.S.,M.D(Pathology)  
 Consultant Pathologist



Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:49AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 01:44PM
UHID/MR No : CAOP.000000109	Reported : 29/Mar/2024 02:22PM
Visit ID : CAOPPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF BIOCHEMISTRY**

**ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324**

- 4) Low HDL levels are associated with coronary heart disease due to insufficient HDL being available to participate in reverse cholesterol transport, the process by which cholesterol is eliminated from peripheral tissues.
- 5) As per NCEP guidelines, all adults above the age of 20 years should be screened for lipid status. Selective screening of children above the age of 2 years with a family history of premature cardiovascular disease or those with at least one parent with high total cholesterol is recommended.
- 6) VLDL, LDL Cholesterol Non-HDL Cholesterol, CHOL/HDL RATIO, LDL/HDL RATIO are calculated parameters when Triglycerides are below 400 mg/dl. When Triglycerides are more than 400 mg/dl LDL cholesterol is a direct measurement.
- 7) Triglycerides and HDL-cholesterol in Atherogenic index (AIP) reflect the balance between the atherogenic and protective lipoproteins. Clinical studies have shown that AIP (log (TG/HDL) & values used are in mmol/L) predicts cardiovascular risk and a useful measure of response to treatment (pharmacological intervention).



*Shivangi Chauhan*  
**Dr. Shivangi Chauhan**  
**M.B.B.S., M.D (Pathology)**  
**Consultant Pathologist**

**Apollo Health and Lifestyle Limited**

SIN No: SE04680546  
 Lab Address  
 2C/14, New Rohtak Rd, Block 66a, Karol Bagh, New Delhi-110005

**Registered Office**  
 (CIN-U85110TG2000PLC115819)  
 Regd. Office: 7-1-617/A, 615 and 616, IMPERIAL TOWERS 7th Floor, Ameerpet  
 Hyderabad, Telangana State 500038  
 Email ID: [customer.care@apollodiagnosics.in](mailto:customer.care@apollodiagnosics.in)  
 T: 040 44442424

Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:49AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 01:44PM
UHID/MR No : CAOP.000000109	Reported : 29/Mar/2024 02:22PM
Visit ID : CAOPOPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF BIOCHEMISTRY**

**ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324**

Test Name	Result	Unit	Bio. Ref. Range	Method
<b>LIVER FUNCTION TEST (LFT) , SERUM</b>				
BILIRUBIN, TOTAL	1.20	mg/dL	0.1-1.2	Azobilirubin
BILIRUBIN CONJUGATED (DIRECT)	0.30	mg/dL	0.1-0.4	DIAZO DYE
BILIRUBIN (INDIRECT)	0.90	mg/dL	0.0-1.1	Dual Wavelength
ALANINE AMINOTRANSFERASE (ALT/SGPT)	<b>72</b>	U/L	4-44	JSCC
ASPARTATE AMINOTRANSFERASE (AST/SGOT)	35.0	U/L	8-38	JSCC
ALKALINE PHOSPHATASE	96.00	U/L	32-111	IFCC
PROTEIN, TOTAL	8.00	g/dL	6.7-8.3	BIURET
ALBUMIN	4.50	g/dL	3.8-5.0	BROMOCRESOL GREEN
GLOBULIN	3.50	g/dL	2.0-3.5	Calculated
A/G RATIO	1.29		0.9-2.0	Calculated

**Comment:**

LFT results reflect different aspects of the health of the liver, i.e., hepatocyte integrity (AST & ALT), synthesis and secretion of bile (Bilirubin, ALP), cholestasis (ALP, GGT), protein synthesis (Albumin)

Common patterns seen:

**1. Hepatocellular Injury:**


- AST – Elevated levels can be seen. However, it is not specific to liver and can be raised in cardiac and skeletal injuries.
- ALT – Elevated levels indicate hepatocellular damage. It is considered to be most specific lab test for hepatocellular injury. Values also correlate well with increasing BMI.
- Disproportionate increase in AST, ALT compared with ALP.
- Bilirubin may be elevated.
- AST: ALT (ratio) – In case of hepatocellular injury AST: ALT > 1. In Alcoholic Liver Disease AST: ALT usually >2. This ratio is also seen to be increased in NAFLD, Wilson's diseases, Cirrhosis, but the increase is usually not >2.

**2. Cholestatic Pattern:**

- ALP – Disproportionate increase in ALP compared with AST, ALT.
- Bilirubin may be elevated.
- ALP elevation also seen in pregnancy, impacted by age and sex.
- To establish the hepatic origin correlation with GGT helps. If GGT elevated indicates hepatic cause of increased ALP.

**3. Synthetic function impairment:**

- Albumin- Liver disease reduces albumin levels.
- Correlation with PT (Prothrombin Time) helps.

  
**Dr. Shivangi Chauhan**  
 M.B.B.S., M.D (Pathology)  
 Consultant Pathologist





Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:49AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 01:44PM
UHID/MR No : CAOP.0000000109	Reported : 29/Mar/2024 02:22PM
Visit ID : CAOPPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
<b>RENAL PROFILE/KIDNEY FUNCTION TEST (RFT/KFT) , SERUM</b>				
CREATININE	0.62	mg/dL	0.6-1.1	ENZYMATIC METHOD
UREA	17.30	mg/dL	17-48	Urease
BLOOD UREA NITROGEN	8.1	mg/dL	8.0 - 23.0	Calculated
URIC ACID	<b>9.50</b>	mg/dL	4.0-7.0	URICASE
CALCIUM	10.10	mg/dL	8.4-10.2	CPC
PHOSPHORUS, INORGANIC	3.90	mg/dL	2.6-4.4	PNP-XOD
SODIUM	141	mmol/L	135-145	Direct ISE
POTASSIUM	4.3	mmol/L	3.5-5.1	Direct ISE
CHLORIDE	<b>95</b>	mmol/L	98-107	Direct ISE
PROTEIN, TOTAL	8.00	g/dL	6.7-8.3	BIURET
ALBUMIN	4.50	g/dL	3.8-5.0	BROMOCRESOL GREEN
GLOBULIN	3.50	g/dL	2.0-3.5	Calculated
A/G RATIO	1.29		0.9-2.0	Calculated
Please correlate clinically.				



Dr. Shivangi Chauhan  
M.B.B.S., M.D (Pathology)  
Consultant Pathologist



Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:49AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 01:44PM
UHID/MR No : CAOP.0000000109	Reported : 29/Mar/2024 02:22PM
Visit ID : CAOPOPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

DEPARTMENT OF BIOCHEMISTRY

ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324

Test Name	Result	Unit	Bio. Ref. Range	Method
GAMMA GLUTAMYL TRANSPEPTIDASE (GGT) , SERUM	61.00	U/L	16-73	Glycylglycine Kinetic method




Dr. Shivangi Chauhan  
M.B.B.S, M.D (Pathology)  
Consultant Pathologist

Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:49AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 02:54PM
UHID/MR No : CAOP.000000109	Reported : 29/Mar/2024 05:14PM
Visit ID : CAOPPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF IMMUNOLOGY**

**ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324**

Test Name	Result	Unit	Bio. Ref. Range	Method
<b>THYROID PROFILE TOTAL (T3, T4, TSH) , SERUM</b>				
TRI-IODOTHYRONINE (T3, TOTAL)	1.19	ng/mL	0.7-2.04	CLIA
THYROXINE (T4, TOTAL)	9.35	µg/dL	5.48-14.28	CLIA
THYROID STIMULATING HORMONE (TSH)	2.500	µIU/mL	0.34-5.60	CLIA

**Comment:**

For pregnant females	Bio Ref Range for TSH in uIU/ml (As per American Thyroid Association)
First trimester	0.1 - 2.5
Second trimester	0.2 – 3.0
Third trimester	0.3 – 3.0

- TSH is a glycoprotein hormone secreted by the anterior pituitary. TSH activates production of T3 (Triiodothyronine) and its prohormone T4 (Thyroxine). Increased blood level of T3 and T4 inhibit production of TSH.
- TSH is elevated in primary hypothyroidism and will be low in primary hyperthyroidism. Elevated or low TSH in the context of normal free thyroxine is often referred to as sub-clinical hypo- or hyperthyroidism respectively.
- Both T4 & T3 provides limited clinical information as both are highly bound to proteins in circulation and reflects mostly inactive hormone. Only a very small fraction of circulating hormone is free and biologically active.
- Significant variations in TSH can occur with circadian rhythm, hormonal status, stress, sleep deprivation, medication & circulating antibodies.

TSH	T3	T4	FT4	Conditions
High	Low	Low	Low	Primary Hypothyroidism, Post Thyroidectomy, Chronic Autoimmune Thyroiditis
High	N	N	N	Subclinical Hypothyroidism, Autoimmune Thyroiditis, Insufficient Hormone Replacement Therapy.
N/Low	Low	Low	Low	Secondary and Tertiary Hypothyroidism
Low	High	High	High	Primary Hyperthyroidism, Goitre, Thyroiditis, Drug effects, Early Pregnancy
Low	N	N	N	Subclinical Hyperthyroidism
Low	Low	Low	Low	Central Hypothyroidism, Treatment with Hyperthyroidism
Low	N	High	High	Thyroiditis, Interfering Antibodies
N/Low	High	N	N	T3 Thyrotoxicosis, Non thyroidal causes
High	High	High	High	Pituitary Adenoma; TSHoma/Thyrotropinoma



**Dr. Tanish Mandal**  
**M.B.B.S, M.D (Pathology)**  
**Consultant Pathologist**



Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:49AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 11:26AM
UHID/MR No : CAOP.000000109	Reported : 29/Mar/2024 01:29PM
Visit ID : CAOPOPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF CLINICAL PATHOLOGY**

**ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324**

Test Name	Result	Unit	Bio. Ref. Range	Method
<b>COMPLETE URINE EXAMINATION (CUE) , URINE</b>				
<b>PHYSICAL EXAMINATION</b>				
COLOUR	PALE YELLOW		PALE YELLOW	Visual
TRANSPARENCY	CLEAR		CLEAR	Visual
pH	6.5		5-7.5	Bromothymol Blue
SP. GRAVITY	1.020		1.002-1.030	Dipstick
<b>BIOCHEMICAL EXAMINATION</b>				
URINE PROTEIN	NEGATIVE		NEGATIVE	PROTEIN ERROR OF INDICATOR
GLUCOSE	NEGATIVE		NEGATIVE	GOD-POD
URINE BILIRUBIN	NEGATIVE		NEGATIVE	AZO COUPLING
URINE KETONES (RANDOM)	NEGATIVE		NEGATIVE	NITROPRUSSIDE
UROBILINOGEN	NORMAL		NORMAL	EHRlich
NITRITE	NEGATIVE		NEGATIVE	Dipstick
LEUCOCYTE ESTERASE	NEGATIVE		NEGATIVE	PYRROLE HYDROLYSIS
<b>CENTRIFUGED SEDIMENT WET MOUNT AND MICROSCOPY</b>				
PUS CELLS	2-3	/hpf	0-5	Microscopy
EPITHELIAL CELLS	1-2	/hpf	<10	MICROSCOPY
RBC	NIL	/hpf	0-2	MICROSCOPY
CASTS	NIL		0-2 Hyaline Cast	MICROSCOPY
CRYSTALS	ABSENT		ABSENT	MICROSCOPY



Dr. Shivangi Chauhan  
M.B.B.S., M.D (Pathology)  
Consultant Pathologist



Patient Name : Mr.BALRAM MEENA	Collected : 29/Mar/2024 09:49AM
Age/Gender : 31 Y 10 M 19 D/M	Received : 29/Mar/2024 11:26AM
UHID/MR No : CAOP.0000000109	Reported : 29/Mar/2024 12:52PM
Visit ID : CAOPOPV123	Status : Final Report
Ref Doctor : Dr.SELF	Sponsor Name : ARCOFEMI HEALTHCARE LIMITED
Emp/Auth/TPA ID : 116971	

**DEPARTMENT OF CLINICAL PATHOLOGY**

**ARCOFEMI - MEDIWHEEL - FULL BODY ANNUAL PLUS MALE - 2D ECHO - PAN INDIA - FY2324**

Test Name	Result	Unit	Bio. Ref. Range	Method
URINE GLUCOSE(POST PRANDIAL)	NEGATIVE		NEGATIVE	Dipstick

Test Name	Result	Unit	Bio. Ref. Range	Method
URINE GLUCOSE(FASTING)	NEGATIVE		NEGATIVE	Dipstick

\*\*\* End Of Report \*\*\*




Dr. Shivangi Chauhan  
M.B.B.S., M.D (Pathology)  
Consultant Pathologist