DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING

Report : XRAY

Patient Name	:	MRS. JYOTI DAS	IPD No.	:	
Age	:	39 Yrs 4 Mth	UHID	T:	APH000021938
Gender	:	FEMALE	Bill No.	:	APHHC240000609
Ref. Doctor	:	mediwheel	Bill Date	:	29-03-2024 09:22:25
Ward	:		Room No.	:	
			Print Date	:	30-03-2024 11:45:55

CHEST PA VIEW:

Cardiac shadow appears normal.

Both lung fields appear clear.

Both domes of diaphragm and both CP angles are clear.

Both hila appear normal.

Soft tissues and bony cage appear normal.

	lease	COPPO	ata a	linical	llv,
г	ICasc	COLLE	iait c	mma	ıγ.

.....End of Report......

Prepare By. MD.SALMAN

DR. MUHAMMAD SERAJ, MD Radiodiagnosis, FRCR (London) BCMR/46075 CONSULTANT

Note: The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.

DEPARTMENT OF RADIO-DIAGNOSIS & IMAGING

Report: ULTRASOUND

Patient Name	:	MRS. JYOTI DAS	IPD No.	:	
Age	1:	39 Yrs 4 Mth	UHID	:	APH000021938
Gender	:	FEMALE	Bill No.	:	APHHC240000609
Ref. Doctor	:	mediwheel	Bill Date	:	29-03-2024 09:22:25
Ward	1:		Room No.	:	
			Print Date	:	29-03-2024 14:28:54

WHOLE ABDOMEN:

Both the hepatic lobes are normal in size and echotexture (Liver measures 14.4 cm)

No focal lesion seen. Intrahepatic biliary radicals are not dilated.

Portal vein is normal in calibre.

Gall bladder is well distended. Wall thickness is normal. No calculus seen.

CBD is normal in calibre.

Pancreas is normal in size and echotexture.

Spleen is normal in size (7.7 cm) and echotexture.

Both kidneys are normal in size and echotexture (Right kidney (10.4 cm), Left kidney (10.4 cm). Cortico-medullary distinction is maintained. No calculus or hydronephrosis seen.

Urinary bladder appears normal.

Uterus is anteverted (measures $8.7 \times 5.8 \times 5.1$ cm) and appears normal in size and echotexture. **Small** hypoechoic lesion measuring ~ 12.7 x 8.7 mm seen in anterior myometrium suggesting intramural fibroid. Cervix and vagina are unremarkable.

Endometrial echo is central and normal in thickness (8.7 mm).

Both ovaries are normal in size and echotexture. Right ovary measures 1.9×1.4 cm, left ovary measures 2.4×1.4 cm.

No free fluid or collection seen. No basal pleural effusion seen.

No significant lymphadenopathy seen.

No dilated bowel loop seen.

Please correlate clinically
End of Report

Prepare By. MD.SALMAN

DR. MUHAMMAD SERAJ, MD Radiodiagnosis, FRCR (London) BCMR/46075 CONSULTANT

Note: The information in this report is based on interpretation of images. This report is not the diagnosis and should be correlated with clinical details and other investigation.

Bill No.	:	APHHC240000609	Bill Date	ŀ	29-03-2024 09:22		
Patient Name	:	MRS. JYOTI DAS	UHID	Γ	APH000021938		
Age / Gender	:	39 Yrs 4 Mth / FEMALE	Patient Type	Γ	OPD	If PHC	:
Ref. Consultant	:	mediwheel	Ward / Bed	Γ	1		
Sample ID	:	APH24011846	Current Ward / Bed	:	1		
	1		Receiving Date & Time		29-03-2024 11:15		
	Г		Reporting Date & Time	:	30-03-2024 02:25		

BLOOD BANK REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: EDTA Whole Blood				

MEDIWHEEL FULL BODY HEALTH CHECKUP_FEMALE BELOW40@2550

BLOOD GROUP (ABO)	"B"
RH TYPE	POSITIVE

** End of Report **

IMPORTANT INSTRUCTIONS CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	:	APHHC240000609	Bill Date	:	29-03-2024 09:22	
Patient Name	F	MRS. JYOTI DAS	UHID		APH000021938	
Age / Gender	F	39 Yrs 4 Mth / FEMALE	Patient Type	[·	OPD If	PHC :
Ref. Consultant	1	mediwheel	Ward / Bed		1	
Sample ID	1	APH24011845	Current Ward / Bed		1	
	1		Receiving Date & Time		29-03-2024 11:15	
			Reporting Date & Time	:	29-03-2024 15:23	

HAEMATOLOGY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: EDTA Whole Blood			-	

MEDIWHEEL FULL BODY HEALTH CHECKUP_FEMALE BELOW40@2550

CBC -1 (COMPLETE BLOOD COUNT)

TOTAL LEUCOCYTE COUNT (Flow Cytometry)		7.8	thousand/cumm	4 - 11
RED BLOOD CELL COUNT (Hydro Dynamic Focussing)		4.4	million/cumm	3.8 - 4.8
HAEMOGLOBIN (SLS Hb Detection)	L	11.0	g/dL	12 - 15
PACK CELL VOLUME (Cumulative Pulse Height Detection)		36.4	%	36 - 46
MEAN CORPUSCULAR VOLUME	L	82.8	fL	83 - 101
MEAN CORPUSCULAR HAEMOGLOBIN	L	25.1	pg	27 - 32
MEAN CORPUSCULAR HAEMOGLOBIN CONCENTRATION	L	30.3	g/dL	31.5 - 34.5
PLATELET COUNT (Hydro Dynamic Focussing)		189	thousand/cumm	150 - 400
RED CELL DISTRIBUTION WIDTH (S.D - RDW) (Particle Size Distribution)		45.2	fL	39 - 46
RED CELL DISTRIBUTION WIDTH (C.V.)	Н	15.1	%	11.6 - 14

DIFFERENTIAL LEUCOCYTE COUNT

ESR (Westergren)	Н	72	mm 1st hr	0 - 20
BASOPHILS		0	%	0 - 1
EOSINOPHILS		2	%	1 - 5
MONOCYTES		5	%	2 - 10
LYMPHOCYTES		26	%	20 - 40
NEUTROPHILS		67	%	40 - 80

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	:	APHHC240000609	Bill Date	·	29-03-2024 09:22
Patient Name	:	MRS. JYOTI DAS	UHID		APH000021938
Age / Gender	:	39 Yrs 4 Mth / FEMALE	Patient Type	[·	OPD If PHC :
Ref. Consultant		mediwheel	Ward / Bed	Г	1
Sample ID	:	APH24011956	Current Ward / Bed	:	1
	:		Receiving Date & Time		29-03-2024 12:59
	П		Reporting Date & Time	Г	30-03-2024 01:32

CLINICAL PATH REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: Urine				

MEDIWHEEL FULL BODY HEALTH CHECKUP_FEMALE BELOW40@2550

URINE, ROUTINE EXAMINATION

PHYSICAL EXAMINATION

QUANTITY	30 mL	
COLOUR	Pale yellow	Pale Yellow
TURBIDITY	Clear	

CHEMICAL EXAMINATION

PH (Double pH indicator method)	6.0	5.0 - 8.5
PROTEINS (Protein-error-of-indicators)	Negative	Negative
SUGAR (GOD POD Method)	Negative	Negative
SPECIFIC GRAVITY, URINE (Apparent pKa change)	1.025	1.005 - 1.030

MICROSCOPIC EXAMINATION

LEUCOCYTES		1-2	/HPF	0 - 5				
RBC's	Nil							
EPITHELIAL CELLS	0-1							
CASTS		Nil						
CRYSTALS	Nil							
1								
LIDINE CLICAD NEGATIVE								

ONINE SOGAR	1.1_0/

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	:	APHHC240000609	Bill Date		29-03-2024 09:22		
Patient Name	:	MRS. JYOTI DAS	UHID		APH000021938		
Age / Gender		39 Yrs 4 Mth / FEMALE	Patient Type		OPD	If PHC	:
Ref. Consultant		mediwheel	Ward / Bed		1		
Sample ID	:	APH24012010	Current Ward / Bed	1	1		
	:		Receiving Date & Time	:	29-03-2024 16:56		
	П		Reporting Date & Time		29-03-2024 19:09		

BIOCHEMISTRY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: EDTA Whole Blood, Plasma, Serum				

MEDIWHEEL FULL BODY HEALTH CHECKUP_FEMALE BELOW40@2550

BLOOD UREA Urease-GLDH,Kinetic	19	mg/dL	15 - 45
BUN (CALCULATED)	8.9	mg/dL	7 - 21
CREATININE-SERUM (Modified Jaffe s Kinetic)	0.6	mg/dL	0.6 - 1.1
GLUCOSE-PLASMA (FASTING) (UV Hexokinase)	97.0	mg/dL	70 - 100
A 12 1 6 12 1 1 112 1 1 1 16 6 12	 1 100	/ 11	

Note: A diagnosis of diabetes mellitus is made if fasting blood glucose exceeds 126 mg/dL. (As per American Diabetes Association recommendation)

GLUCOSE-PLASMA (POST PRANDIAL) (UV Hexokinase)	Н	147.0	mg/dL	70 - 140

Note: A diagnosis of diabetes mellitus is made if 2 hour post load glucose exceeds 200 mg/dL. (As per American Diabetes Association recommendation)

LIPID PROFILE

CHOLESTROL-TOTAL (CHO-POD)	Н	175	mg/dL	0 - 160
HDL CHOLESTROL Enzymatic Immunoinhibition	L	38	mg/dL	>45
CHOLESTROL-LDL DIRECT Enzymatic Selective Protection	Н	120	mg/dL	0 - 100
S.TRIGLYCERIDES (GPO - POD)		96	mg/dL	0 - 160
NON-HDL CHOLESTROL	Н	137.0	mg/dL	0 - 125
TOTAL CHOLESTROL / HDL CHOLESTROL		4.6		1/2Average Risk <3.3 Average Risk 3.3 - 4.4 2 Times Average Risk 4.5 - 7.1 3 Times Average Risk 7.2-11.0
LDL CHOLESTROL / HDL CHOLESTROL		3.2		1/2 Average Risk < 1.5 Average Risk 1.5-3.2 2 Times Average Risk 3.3-5.0 3 Times Average Risk 5.1-6.1
CHOLESTROL-VLDL		19	mg/dL	10 - 35

Comments:

- Disorders of Lipid metabolism play a major role in atherosclerosis and coronary heart disease.
- There is an established relationship between increased total cholesterol & LDL cholesterol and myocardial infarction.
- HDL cholesterol level is inversely related to the incidence of coronary artery disease.
- Major risk factors which adversely affect the lipid levels are:
 - 1. Cigarette smoking.
 - 2. Hypertension.
 - 3. Family history of premature coronary heart disease.
 - 4. Pre-existing coronary heart disease.

LIVER FUNCTION TESTS (LFT)

BILIRUBIN-TOTAL (DPD)	0.95	mg/dL	0.2 - 1.0
BILIRUBIN-DIRECT (DPD)	0.19	mg/dL	0 - 0.2
BILIRUBIN-INDIRECT	0.76	mg/dL	0.2 - 0.8
S.PROTEIN-TOTAL (Biuret)	7.8	g/dL	6 - 8 1

Bill No.	1:	APHHC240000609			Bill Date		:	: 29-03-2024 09:22		
atient Name		MRS. JYOTI DAS			UHID		:	APH000021938		
ge / Gender	:	39 Yrs 4 Mth / FEMALE			Patient Type		:	OPD	If PHC :	
Ref. Consultant	:	mediwheel			Ward / Bed		:	1		
ample ID	1:	APH24012010			Current Ward / Bed		:	1		
	1:1				Receiving Date & Tin	ne l	:	29-03-2024 16:56		
	Τ				Reporting Date & Tin	ne l	:	29-03-2024 19:09		
ALBUMIN-SER	Ū١	(Dye Binding-Bromocresol Green)		4.4	1	g/dL				
S.GLOBULIN				3.4		g/dL		2.8-3.8		
A/G RATIO			L	1.	29	IU/L		1.5 - 2	.5	
ALKALINE PHO	OS	PHATASE IFCC AMP BUFFER	Н	1′	14.2			42 - 98		
ASPARTATE AI	ΜI	NO TRANSFERASE (SGOT) (IFCC)		23	.1	IU/L		10 - 42		
ALANINE AMIN	VO	TRANSFERASE(SGPT) (IFCC)	16		.3	IU/L		10 - 40	10 - 40	
GAMMA-GLUTA	AΜ	1YLTRANSPEPTIDASE (IFCC)		31	.7	IU/L		7 - 35		
LACTATE DEH	LACTATE DEHYDROGENASE (IFCC; L-P)			18	9.1	IU/L		0 - 248	3	
S.PROTEIN-TO	T	AL (Biuret)		7.8	3	g/dL		6 - 8.1		
URIC ACID Urica	ase	- Trinder		3.9	9	mg/d	L	2.6 - 7	.2	

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	T	APHHC240000609	Bill Date	T	29-03-2024 09:22		
Patient Name	Г	MRS. JYOTI DAS	UHID	Т	APH000021938		
Age / Gender	Г	39 Yrs 4 Mth / FEMALE	Patient Type	Т	OPD	If PHC	:
Ref. Consultant	1	mediwheel	Ward / Bed	Т	1		
Sample ID	1	APH24012010	Current Ward / Bed		1		
	F		Receiving Date & Time		29-03-2024 16:56		
	Т		Reporting Date & Time		29-03-2024 19:09		

Sample Type: EDTA Whole Blood, Plasma, Serum

MEDIWHEEL FULL BODY HEALTH CHECKUP_FEMALE BELOW40@2550

HBA1C (Turbidimetric Immuno-inhibition)	5.6	%	4.0 - 6.2

INTERPRETATION:

HbA1c %	Degree of Glucose Control					
>8% Action suggested due to high risk of developing long term complications like Retinopa Nephropathy, Cardiopathy and Neuropathy						
7.1 - 8.0	Fair Control					
<7.0	Good Control					

Note:

- 1.A three monthly monitoring is recommended in diabetics.
- 2. Since HbA1c concentration represents the integrated values for blood glucose over the preceding 6 10 weeks and is not affected by daily glucose fluctuation, exercise and recent food intake, it is a more useful tool for monitoring diabetics.

** End of Report **

IMPORTANT INSTRUCTIONS

CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH

Bill No.	:	APHHC240000609	Bill Date	:	29-03-2024 09:22		
Patient Name	F	MRS. JYOTI DAS	UHID		APH000021938		
Age / Gender	F	39 Yrs 4 Mth / FEMALE	Patient Type		OPD	If PHC :	
Ref. Consultant	1	mediwheel	Ward / Bed		1		
Sample ID	:	APH24011849	Current Ward / Bed		1		
	1		Receiving Date & Time	:	29-03-2024 11:15		
			Reporting Date & Time	:	29-03-2024 18:52		

SEROLOGY REPORTING

Test (Methodology)	Flag	Result	UOM	Biological Reference Interval
Sample Type: Serum				

MEDIWHEEL FULL BODY HEALTH CHECKUP_FEMALE BELOW40@2550

THYROID PROFILE (FT3+FT4+TSH)

FREE-TRI IODO THYRONINE (FT3) (ECLIA)		2.43	pg/mL	2.0-4.4
FREE -THYROXINE (FT4) (ECLIA)		1.24	ng/dL	0.9-1.7
THYROID STIMULATING HORMONE (TSH) (ECLIA)		7.57	mIU/L	0.27-4.20

** End of Report **

IMPORTANT INSTRUCTIONS
CL - Critical Low, CH - Critical High, H - High, L - Low

DR. ASHISH RANJAN SINGH