

Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:14
Age/Gender	: 33 Y O M O D /F	Collected	: 31/Mar/2024 09:29:40
UHID/MR NO	: CDCA.0000126232	Received	: 31/Mar/2024 10:28:29
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 15:47:01
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF HAEMATOLOGY

MEDIV	VHEEL BANK OF BA	ARODA FEMAL	E ABOVE 40 YRS	
Test Name	Result	Unit	Bio. Ref. Interval	Method
Blood Group (ABO & Rh typing) * , B	lood			
Blood Group	AB			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Rh ( Anti-D)	NEGATIVE			ERYTHROCYTE MAGNETIZED TECHNOLOGY / TUBE AGGLUTINA
Complete Blood Count (CBC) * , Who.	le Blood			
Haemoglobin	12.50	g/dl	1 Day- 14.5-22.5 g/dl 1 Wk- 13.5-19.5 g/dl 1 Mo- 10.0-18.0 g/dl 3-6 Mo- 9.5-13.5 g/dl 0.5-2 Yr- 10.5-13.5 g/dl 2-6 Yr- 11.5-15.5 g/dl 6-12 Yr- 11.5-15.5 g/dl 12-18 Yr 13.0-16.0 g/dl Male- 13.5-17.5 g/dl Female- 12.0-15.5 g/dl	
TLC (WBC) <u>DLC</u>	10,000.00	/Cu mm	4000-10000	ELECTRONIC IMPEDANCE
Polymorphs (Neutrophils )	71.00	%	55-70	ELECTRONIC IMPEDANCE
Lymphocytes	20.00	%	25-40	ELECTRONIC IMPEDANCE
Monocytes	4.00	%	3-5	ELECTRONIC IMPEDANCE
Eosinophils	4.00	%	1-6	ELECTRONIC IMPEDANCE
Basophils	1.00	%	<1	ELECTRONIC IMPEDANCE
ESR				
Observed	18.00	Mm for 1st hr.		
Corrected	10.00	Mm for 1st hr.	< 20	
PCV (HCT)	37.00	%	40-54	
Platelet count				
Platelet Count	1.60	LACS/cu mm	1.5-4.0	ELECTRONIC IMPEDANCE/MICROSCOPIC
PDW (Platelet Distribution width)	16.00	fL	9-17	ELECTRONIC IMPEDANCE
P-LCR (Platelet Large Cell Ratio)	68.10	%	35-60	ELECTRONIC IMPEDANCE



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:14
Age/Gender	: 33 Y O M O D /F	Collected	: 31/Mar/2024 09:29:40
UHID/MR NO	: CDCA.0000126232	Received	: 31/Mar/2024 10:28:29
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 15:47:01
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF HAEMATOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
PCT (Platelet Hematocrit)	0.27	%	0.108-0.282	ELECTRONIC IMPEDANCE
MPV (Mean Platelet Volume)	16.50	fL	6.5-12.0	ELECTRONIC IMPEDANCE
RBC Count				
RBC Count	4.20	Mill./cu mm	3.7-5.0	ELECTRONIC IMPEDANCE
Blood Indices (MCV, MCH, MCHC)				
MCV	85.50	fl	80-100	CALCULATED PARAMETER
MCH	29.50	pg	28-35	CALCULATED PARAMETER
MCHC	34.50	%	30-38	CALCULATED PARAMETER
RDW-CV	13.10	%	11-16	ELECTRONIC IMPEDANCE
RDW-SD	43.50	fL	35-60	ELECTRONIC IMPEDANCE
Absolute Neutrophils Count	7,100.00	/cu mm	3000-7000	
Absolute Eosinophils Count (AEC)	400.00	/cu mm	40-440	

Dr. R.K. Khanna (MBBS,DCP)



Mar. 2016

**Home Sample Collection** 

1800-419-0002



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:15
Age/Gender	: 33 Y O M O D /F	Collected	: 31/Mar/2024 14:28:21
UHID/MR NO	: CDCA.0000126232	Received	: 31/Mar/2024 14:54:02
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 16:38:05
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLUCOSE FASTING * , Plasma Glucose Fasting	76.00	mg/dl	< 100 Normal 100-125 Pre-diabetes ≥ <b>126 Diabetes</b>	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.
b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.
c) I.G.T = Impared Glucose Tolerance.

Glucose PP * Sample:Plasma After Meal	135.50	mg/dl	<140 Normal 140-199 Pre-diabetes >200 Diabetes	GOD POD

#### Interpretation:

a) Kindly correlate clinically with intake of hypoglycemic agents, drug dosage variations and other drug interactions.b) A negative test result only shows that the person does not have diabetes at the time of testing. It does not mean that the person will never get diabetics in future, which is why an Annual Health Check up is essential.c) I.G.T = Impared Glucose Tolerance.

Dr. R.K. Khanna (MBBS, DCP)



Home Sample Collection 1800-419-0002



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:16
Age/Gender	: 33 Y O M O D /F	Collected	: 31/Mar/2024 09:29:40
UHID/MR NO	: CDCA.0000126232	Received	: 31/Mar/2024 14:13:35
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 16:19:24
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
GLYCOSYLATED HAEMOGLOBIN (HBA1C) ** ,	FDTA BLOOD			
Glycosylated Haemoglobin (HbA1c) Glycosylated Haemoglobin (HbA1c) Estimated Average Glucose (eAG)	5.30 34.00 105	% NGSP mmol/mol/IFCC mg/dl	:	HPLC (NGSP)

#### Interpretation:

#### NOTE:-

- eAG is directly related to A1c.
- An A1c of 7% -the goal for most people with diabetes-is the equivalent of an eAG of 154 mg/dl.
- eAG may help facilitate a better understanding of actual daily control helping you and your health care provider to make necessary changes to your diet and physical activity to improve overall diabetes mnagement.

The following ranges may be used for interpretation of results. However, factors such as duration of diabetes, adherence to therapy and the age of the patient should also be considered in assessing the degree of blood glucose control.

Haemoglobin A1C (%)NGSP	mmol/mol / IFCC Unit	eAG (mg/dl)	<b>Degree of Glucose Control Unit</b>
> 8	>63.9	>183	Action Suggested*
7-8	53.0 -63.9	154-183	Fair Control
< 7	<63.9	<154	Goal**
6-7	42.1 -63.9	126-154	Near-normal glycemia
< 6%	<42.1	<126	Non-diabetic level

\*High risk of developing long term complications such as Retinopathy, Nephropathy, Neuropathy, Cardiopathy, etc. \*\*Some danger of hypoglycemic reaction in Type 1 diabetics. Some glucose intolerant individuals and "subclinical" diabetics may demonstrate HbA1C levels in this area.

N.B.: Test carried out on Automated VARIANT II TURBO HPLC Analyser.

#### **<u>Clinical Implications:</u>**

\*Values are frequently increased in persons with poorly controlled or newly diagnosed diabetes.

\*With optimal control, the HbA 1c moves toward normal levels.

\*A diabetic patient who recently comes under good control may still show higher concentrations of glycosylated hemoglobin. This level declines gradually over several months as nearly normal glycosylated \*Increases in glycosylated hemoglobin occur in the following non-diabetic conditions: a. Iron-deficiency anemia b. Splenectomy

Page 4 of 12







# Since 1991

# CHANDAN DIAGNOSTIC CENTRE

Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:16
Age/Gender	: 33 Y O M O D /F	Collected	: 31/Mar/2024 09:29:40
UHID/MR NO	: CDCA.0000126232	Received	: 31/Mar/2024 14:13:35
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 16:19:24
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF BIOCHEMISTRY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method

c. Alcohol toxicity d. Lead toxicity

\*Decreases in A 1c occur in the following non-diabetic conditions: a. Hemolytic anemia b. chronic blood loss

\*Pregnancy d. chronic renal failure. Interfering Factors:

\*Presence of Hb F and H causes falsely elevated values. 2. Presence of Hb S, C, E, D, G, and Lepore (autosomal recessive mutation resulting in a hemoglobinopathy) causes falsely decreased values.

#### Dr. Anupam Singh (MBBS MD Pathology)

Page 5 of 12







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:16
Age/Gender	: 33 Y O M O D /F	Collected	: 31/Mar/2024 09:29:40
UHID/MR NO	: CDCA.0000126232	Received	: 31/Mar/2024 10:37:45
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 13:29:19
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF BIOCHEMISTRY MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS **Test Name** Result Unit Bio. Ref. Interval Method BUN (Blood Urea Nitrogen) \* 10.20 mg/dL 7.0-23.0 CALCULATED Sample:Serum Creatinine \* 0.80 mg/dl 0.5-1.20 **MODIFIED JAFFES** Sample:Serum Uric Acid \* 5.20 mg/dl 2.5-6.0 URICASE Sample:Serum LFT (WITH GAMMA GT) \* , Serum SGOT / Aspartate Aminotransferase (AST) 23.90 U/L < 35 **IFCC WITHOUT P5P** SGPT / Alanine Aminotransferase (ALT) U/L **IFCC WITHOUT P5P** 19.50 < 40 **OPTIMIZED SZAZING** Gamma GT (GGT) IU/L 16.00 11-50 Protein 5.89 gm/dl 6.2-8.0 BIURET Albumin 3.60 gm/dl 3.4-5.4 B.C.G. Globulin 2.29 gm/dl 1.8-3.6 CALCULATED A:G Ratio 1.57 1.1-2.0 CALCULATED Alkaline Phosphatase (Total) 42.0-165.0. 71.98 U/L IFCC METHOD Bilirubin (Total) 0.35 mg/dl 0.3-1.2 **JENDRASSIK & GROF** Bilirubin (Direct) 0.20 mg/dl < 0.30 **JENDRASSIK & GROF** Bilirubin (Indirect) 0.15 mg/dl < 0.8 **JENDRASSIK & GROF** LIPID PROFILE (MINI) \* , Serum Cholesterol (Total) 117.90 <200 Desirable CHOD-PAP mg/dl 200-239 Borderline High > 240 High HDL Cholesterol (Good Cholesterol) 38.10 mg/dl 30-70 **DIRECT ENZYMATIC** LDL Cholesterol (Bad Cholesterol) mg/dl < 100 Optimal CALCULATED 62 100-129 Nr. **Optimal/Above Optimal** 130-159 Borderline High 160-189 High > 190 Very High VLDL 17.61 10-33 CALC mg/dl GPO-Triglycerides 88.04 mg/dl < 150 Normal

Dr. R.K. Khanna (MBBS,DCP)

150-199 Borderline High

200-499 High

>500 Very High



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:15
Age/Gender	: 33 Y O M O D /F	Collected	: 31/Mar/2024 14:28:21
UHID/MR NO	: CDCA.0000126232	Received	: 31/Mar/2024 15:42:51
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 19:34:58
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
URINE EXAMINATION, ROUTINE * , $\upsilon$	rine			
Color	PALE YELLOW			
Specific Gravity	1.020			
Reaction PH	Acidic (6.0)			DIPSTICK
Appearance	CLEAR			
Protein	ABSENT	<sup>′</sup> mg %	< 10 Absent	DIPSTICK
			10-40 (+)	
			40-200 (++)	
			200-500 (+++)	
Courses and a second	ADCENT	0/	> 500 (++++)	DIDCTICK
Sugar	ABSENT	gms%	< 0.5 (+)	DIPSTICK
			0.5-1.0 (++) 1-2 (+++)	
			>2 (++++)	
Ketone	ABSENT	mg/dl	0.1-3.0	BIOCHEMISTRY
Bile Salts	ABSENT	ing/ di	0.1 0.0	DIGONEMIONA
Bile Pigments	ABSENT			
Bilirubin	ABSENT		and the second second	DIPSTICK
Leucocyte Esterase	ABSENT			DIPSTICK
Urobilinogen(1:20 dilution)	ABSENT			
Nitrite	ABSENT			DIPSTICK
Blood	ABSENT			DIPSTICK
Microscopic Examination:				
Epithelial cells	FEW			MICROSCOPIC
				EXAMINATION
Pus cells	OCCASIONAL			
RBCs	ABSENT			MICROSCOPIC
				EXAMINATION
Cast	ABSENT			
Crystals	ABSENT			MICROSCOPIC
				EXAMINATION
Others	ABSENT			
ABSENT				
SUGAR, FASTING STAGE * , Urine				
Sugar, Fasting stage	ABSENT	gms%		

Page 7 of 12





Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:15
Age/Gender	: 33 Y O M O D /F	Collected	: 31/Mar/2024 14:28:21
UHID/MR NO	: CDCA.0000126232	Received	: 31/Mar/2024 15:42:51
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 19:34:58
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

# DEPARTMENT OF CLINICAL PATHOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method
Interpretation:				
(+) < 0.5				
(++) 0.5-1.0 (+++) 1-2				
(+++) > 2				
SUGAR, PP STAGE * , Urine				
Sugar, PP Stage	ABSENT			
<b>Interpretation:</b> (+) < 0.5 gms% (++) 0.5-1.0 gms% (+++) 1-2 gms% (++++) > 2 gms%				

Dr. R.K. Khanna (MBBS,DCP)



Home Sample Collection 1800-419-0002



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:16
Age/Gender	: 33 Y O M O D /F	Collected	: 31/Mar/2024 09:29:40
UHID/MR NO	: CDCA.0000126232	Received	: 31/Mar/2024 13:29:07
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 14:28:38
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

#### DEPARTMENT OF IMMUNOLOGY

#### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

Test Name	Result	Unit	Bio. Ref. Interval	Method	
THYROID PROFILE - TOTAL ** , Serum					
T3, Total (tri-iodothyronine)	124.25	ng/dl	84.61–201.7	CLIA	
T4, Total (Thyroxine)	8.50	ug/dl	3.2-12.6	CLIA	
TSH (Thyroid Stimulating Hormone)	1.990	µlU/mL	0.27 - 5.5	CLIA	
		9			
Interpretation:					
	0.3-4.5 µIU/mL First Trimester				

0.3-4.5	µIU/mL	First Trimester
0.5-4.6	µIU/mL	Second Trimester
0.8-5.2	µIU/mL	Third Trimester
0.5-8.9	µIU/mL	Adults 55-87 Years
0.7-27	µIU/mL	Premature 28-36 Week
2.3-13.2	µIU/mL	Cord Blood > 37Week
0.7-64	µIU/mL	Child(21 wk - 20 Yrs.)
1-39	µIU/mL	Child 0-4 Days
1.7-9.1	µIU/mL	Child 2-20 Week

1) Patients having low T3 and T4 levels but high TSH levels suffer from primary hypothyroidism, cretinism, juvenile myxedema or autoimmune disorders.

2) Patients having high T3 and T4 levels but low TSH levels suffer from Grave's disease, toxic adenoma or sub-acute thyroiditis.

**3**) Patients having either low or normal T3 and T4 levels but low TSH values suffer from iodine deficiency or secondary hypothyroidism.

**4**) Patients having high T3 and T4 levels but normal TSH levels may suffer from toxic multinodular goiter. This condition is mostly a symptomatic and may cause transient hyperthyroidism but no persistent symptoms.

5) Patients with high or normal T3 and T4 levels and low or normal TSH levels suffer either from T3 toxicosis or T4 toxicosis respectively.

6) In patients with non thyroidal illness abnormal test results are not necessarily indicative of thyroidism but may be due to adaptation to the catabolic state and may revert to normal when the patient recovers.

7) There are many drugs for eg. Glucocorticoids, Dopamine, Lithium, Iodides, Oral radiographic dyes, etc. which may affect the thyroid function tests.

**8**) Generally when total T3 and total T4 results are indecisive then Free T3 and Free T4 tests are recommended for further confirmation along with TSH levels.

Dr. Anupam Singh (MBBS MD Pathology)

Page 9 of 12







Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:17
Age/Gender	: 33 Y O M O D /F	Collected	: N/A
UHID/MR NO	: CDCA.0000126232	Received	: N/A
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 10:51:57
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### **DEPARTMENT OF X-RAY**

### MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

#### X-RAY DIGITAL CHEST PA \*

#### (300 mA COMPUTERISED UNIT SPOT FILM DEVICE)

#### CHEST P-A VIEW

- Soft tissue shadow appears normal.
- Bony cage is normal.
- Diaphragmatic shadows are normal on both sides.
- Costo-phrenic angles are bilaterally clear.
- Trachea is central in position.
- Cardiac size & contours are normal.
- Hilar shadows are normal.
- Pulmonary vascularity & distribution are normal.
- Pulmonary parenchyma did not reveal any significant lesion.

#### **IMPRESSION**

• NO SIGNIFICANT RADIOLOGICAL ABNORMALITY SEEN ON PRESENT STUDY.

Dr. Vandana Gupta MBBS,DMRD,DNB

Page 10 of 12









Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:17
Age/Gender	: 33 Y O M O D /F	Collected	: N/A
UHID/MR NO	: CDCA.0000126232	Received	: N/A
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 10:41:36
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

## DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

# ULTRASOUND WHOLE ABDOMEN (UPPER & LOWER) \*

### <u>LIVER</u>

• Liver is mildly enlarged in size measuring 15.0 cm in longitudinal span & shows mild diffuse increase in parenchymal echogenicity.

#### PORTAL SYSTEM

- The intra hepatic portal channels are normal.
- Portal vein is normal at the porta.
- Porta hepatis is normal.

### **BILIARY SYSTEM**

- The intra-hepatic biliary radicles are normal.
- Common duct is normal at the porta. (6.1 mm)
- The gall bladder is normal in size and has regular walls. Wall thickness is normal. Lumen of the gall bladder is anechoic.

#### **PANCREAS**

• The pancreas is normal in size and shape and has a normal homogenous echotexture.

#### RIGHT KIDNEY (9.9 x 4.5 cm)

- Right kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of right ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

### LEFT KIDNEY (9.6 x 4.2 cm)

- Left kidney is normal in size and shape and cortical echotexture.
- The collecting system is not dilated.
- The upper part of left ureter is normal.
- The vesicoureteric junction is normal.
- Corticomedullary demarcation is clear.
- Renal respiratory excursions are normal.

# <u>SPLEEN</u>

ISO 9001:2018

Page 11 of 12



Add: M-214/215,Sec G Lda Colony Near Power House Chauraha Kanpur Road Ph: 9235432707, CIN : U85110DL2003PLC308206



Patient Name	: Mrs.AKANKSHI KUMARI	Registered On	: 31/Mar/2024 08:59:17
Age/Gender	: 33 Y 0 M 0 D /F	Collected	: N/A
UHID/MR NO	: CDCA.0000126232	Received	: N/A
Visit ID	: CDCA0408102324	Reported	: 31/Mar/2024 10:41:36
Ref Doctor	: Dr.Mediwheel - Arcofemi Health Care Ltd.	Status	: Final Report

### DEPARTMENT OF ULTRASOUND

MEDIWHEEL BANK OF BARODA FEMALE ABOVE 40 YRS

• The spleen is normal in size (9.3 cm) and has a homogenous echotexture.

### **ILIAC FOSSA**

• Scan over the iliac fossae does not reveal any fluid collection or mass.

#### URINARY BLADDER

• The urinary bladder is normal. Bladder wall is normal in thickness and regular.

### **UTERUS**

- The uterus is anteverted and anteflexed position and is normal in size measures 8.1 x 4.5 x 3.5 cm.
- It has a homogenous myometrial echotexture.
- The endometrium is seen in midline. (11.4 mm)
- Cervix is normal.

#### UTERINE ADNEXA

- Adnexa on both sides are normal.
- Right ovary measures 3.1 x 1.6 cm.
- Left ovary measures 2.7 x 2.0 cm and shows corpus luteum.


#### CUL-DE-SAC

• There is mild free fluid in Pouch of Douglas.

#### **IMPRESSION**

- Mild hepatomegaly with grade-I fatty changes.
- Mild free fluid in pouch of douglas, likely to be periovulatory.

Recommended: clinicopathological correlation.



\*Facilities Available at Select Location

Page 12 of 12



365 Days Open

