Name : Mrs. MANOJA PRASAD (50 /F) Date : 23/03/2024

: CB -4 RAILPUKUR ROAD BAGUIHATI PO -DESHBANDHU NAGAR, NORTH 24 **Address**

PARGANAS, NORTH 24 PARGANAS, WEST BENGAL, INDIA

UHID : AMHL.0001922570 **Examined by:**

Package: MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE AHC No: AMHLAH201327

FEMALE HCK



For corporate health checkup

PRESENT KNOWN ILLNESS

No history of - Diabetes mellitus,

Hypertension,

Dyslipidemia, Thyroid disorder, Heart disease,

Stroke, Asthma



NO KNOWN ALLERGY :01/03/2022



SYSTEMIC REVIEW

Cardiovascular system

- Nil Significant

Respiratory system

- Nil Significant

Oral and dental

- Nil Significant

Gastrointestinal system

- Nil Significant

Genitourinary system

- Nil Significant

Gynaec history

No of Children - 3; Last child birth - 17 yrs; Deliveries - normal vaginal delivery; Menopause -

yes; Since - 1 yr

Central nervous system

Nil Significant

Eyes

Vision - normal with glasses; Glasses - yes

ENT

- Nil Significant

Musculoskeletal system

Spine and joints

Back (lower) - pain; Knee (bilateral) - pain

Skin

- Nil Significant



Past medical history

- nil significant Past medical history



Surgical history

Appendicectomy - yes



Personal history

Marital status - Married

No. of children - 3

Diet - Non Vegetarian

- does not consume alcohol Alcohol

- No **Smoking** - No Chews tobacco - Mild Physical activity



📥 Family history

Father - has expired

Mother alive Coronary artery - none

disease

Cancer None

PHYSICAL EXAMINATION



General

- normal Height - 154 Weight - 57 BMI -24.03Pallor - No Oedema - no

Name : Mrs. MANOJA PRASAD (50 /F) UHID: AMHL.0001922570 **Date** : 23/03/2024

Package: MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No: AMHLAH201327

ඁ Cardiovascular system

Heart rate (Per minute)

Rhythm - Regular

- B.P. Sitting

Systolic(mm of Hg) - 110 Diastolic(mm of Hg) - 72 - S1S2+ Heart sounds

Respiratory system

Breath sounds - Normal vesicular breath

sounds



Appearance - Normal Organomegaly - No **Tenderness** - No Bowel sounds - Normal

Printed By: Benazir Begaum

Name : Mrs. MANOJA PRASAD (50 /F) UHID : AMHL.0001922570 Date : 23/03/2024

Package: MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No: AMHLAH201327

COMPLETE HAEMO	_	_			Casts:	Not Fou	ınd		
Test Name	Result		Level		Crystals:	Not Fou	ınd		
Hemoglobin	12.8	g/dl		12.0-15.0	URINE SUGAR - POS	T DD A N	ואום		
RBC COUNT	4.63	ul	on/	3.8-4.8	(QUALITATIVE)	I PRAN	DIAL		
Hematocrit - Hct:	41.6	%		36-46	Test Name	Result	Unit	Level	Range
MCV	89.9	fl		83-101	URINE	Nil			
MCH	27.7	pg		27-32	GLUCOSE(POST PRANDIAL)				
MCHC	30.9 *	%	•	31.5-34.5	LIDINE OLIOAD, FACT		A	-1.7-	
RDW	16.2 *	%		11.8-14.0	URINE SUGAR- FAST Test Name	Result		•	Range
WBC Count	7200	/cu n	nm 🗨	4000-10000	URINE GLUCOSE(FASTING)	Nil	Oilit	Levei	Nange
Platelet Count	1.83	lacs/ mm	cu •	1.5-4.0					
Neutrophils	56	%		40-80	BLOOD GROUPING A		•		•
Lymphocytes	40	%		20-40	Test Name		Unit	Level	Range
Monocytes	03	%		2-10	ABO Group:	Α			
Eosinophils	01	%		01-06	Rh (D) Type:	POSITI	VΕ		
Basophils	00	%		0-0	LIVER FUNCTION TE	ST (PAC	KAGE)	
RBC:	Normod	ytic No	rmochro	mic cells	Test Name	Result	Unit	Level	Range
Platelets:	Adequa	Adequate on the smear		ALT(SGPT) - SERUM	18	U/L		0-35	
ERYTHROCYTE SEDIMENTATION	19	mm/ hr	1st •	0-20	ALBUMIN - SERUM	4.9	g/dL	•	3.5-5.1
RATE (ESR)					ALKALINE PHOSPHATASE -	127 *	U/L		33-98
JRINE ROUTINE AN	ID MICRO	SCOF	Υ		SERUM				
Test Name	Result	Unit	Level	Range					
Volume:	50	mL			AST (SGOT) - SERUM	24	U/L		0-35
Colour:	Pale Str	Pale Straw Slightly Turbid			BILIRUBIN TOTAL -	0.6	mg/dl		0.3-1.2
Appearance	Slightly				SERUM				
Specific Gravity	1.005	1.005			LIPID PROFILE TEST (PACKAGE)				
pH:	6.0				Test Name	Result	-	Level	Range
Albumin:	Not Detected			CHOLESTEROL -	179	mg/dl	•	0-200	
Glucose	Not Detected				SERUM				
Ketone:	Not Det	ected			CREATININE - SERUI	М			
Bile Pigments	Not Det	ected			Test Name	Result	Unit	Level	Range
RBC	Nil	/hpf			CREATININE - SERUM	0.6	mg/dl	_	0.6-1.1
Pus Cells	Occasio	na/hpf			LIVER FUNCTION TE	ST (PAC	KAGE	١	
Epithelial Cells	Occasio	na/hpf			Test Name	•		•	Range

Name : Mrs. MANOJA PRASAD (50 /F) UHID : AMHL.0001922570 **Date** : 23/03/2024 Package: MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No: AMHLAH201327 U/L 22 ng/ml GGTP: GAMMA 0-38 TOTAL T3: TRI 1.31 0.87-1.78 **GLUTAMYL IODOTHYRONINE -**TRANSPEPTIDASE -SERUM **SERUM** TOTAL T4: 11.29 μg/dL 5.48-14.28 **GLUCOSE - PLASMA (FASTING)** THYROXINE - SERUM **Test Name** Result Unit Level Range LIPID PROFILE TEST (PACKAGE) mg/dL GLUCOSE - PLASMA 83 70-99 (FASTING) **Test Name** Result Unit Level Range TRIGLYCERIDES -97 mg/dL 0-150 GLUCOSE - PLASMA (POST PRANDIAL) **SERUM Test Name** Result Unit Level Range THYROID PROFILE - I(T3,T4 AND TSH) **GLUCOSE - PLASMA** 84 mg/dL 70-140 (POST PRANDIAL) **Test Name** Result Unit Level Range TSH: THYROID 2.59 μIU/mL 0.38-5.33 **HBA1C (GLYCOSYLATED** STIMULATING HAEMOGLOBIN)-WHOLE BLOOD HORMONE - SERUM **Test Name** Result Unit Level Range **URIC ACID - SERUM** HBA1C 4.7 % Nondiadetic: 4 (GLYCOSYLATED - 5.6 % **Test Name** Result Unit Level Range HAEMOGLOBIN)-WHO Prediabetics: **URIC ACID - SERUM** mg/dL 3.0 2.4-5.7 LE BLOOD 5.7 - 6.4% Diabetes LIVER FUNCTION TEST (PACKAGE) >/= 6.5% **Test Name** Result Unit Level Range ADA Theraputic goal **BILIRUBIN** 0.1 mg/dL 0.0-0.2 : <7% **CONJUGATED** (DIRECT) - SERUM LIPID PROFILE TEST (PACKAGE) **BUN (BLOOD UREA NITROGEN) Test Name** Result Unit Level Range **Test Name** Result Unit HDI CHOLESTEROL -60 mg/dL 30-70 Level Range **SERUM** mg/dL BUN (BLOOD UREA 5.9 * 7.0-18.0 NITROGEN) LDL CHOLESTEROL 112 * mg/dL 0-100 LIVER FUNCTION TEST (PACKAGE) -SERUM Result Unit **Test Name** Level Range VLDL CHOLESTEROL mg/dL 0-35 A/G - RATIO SERUM (Calculated) 1.3 1.0 - 2.0LIVER FUNCTION TEST (PACKAGE) **BUN/CREATININE RATIO** Result Unit **Test Name** Level Range **Test Name** Result Unit Level Range g/dL PROTEIN TOTAL -8.7 * 6.4-8.3 **BUN/CREATININE** 9.4 **SERUM RATIO** GLOBULIN: 3.8 * g/dL 1.8-3.6 (CALCULATED) -PAP SMEAR /CERVICAL SMEAR **SERUM** Ref No: AG01.C2402475 THYROID PROFILE - I(T3,T4 AND TSH) SPECIMEN TYPE:

Borderline High/Low

Conventional cervical smear (Papanicolaou stain) x 1

Out of Range

Test Name

Result Unit

Within Normal Range

Level Range

Name : Mrs. MANOJA PRASAD (50 /F) UHID : AMHL.0001922570 Date : 23/03/2024

Package: MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No: AMHLAH201327

SPECIMEN ADEQUACY:

Satisfactory for evaluation without endocervical cells.

INTERPRETATION/RESULT:

Negative for intraepithelial lesion or malignancy, with no

organism

ECG

SINUS RHYTHM WITH SHORT PR INTERVAL(104ms). ST AND T ABNORMALITY, CONSIDER ANTERIOR ISCHEMIA.

PLEASE CORRELATE CLINICALLY.

ULTRASOUND SCREENING WHOLE ABDOMEN

* Grade I fatty liver.

[NOTE: At times pelvic structures are not well visualized due to inadequate patient preparation / excess bowel gas shadow. However suggested clinical correlation and other investigations if clinically indicated.]

X-RAY CHEST PA

* Chest skiagram does not reveal any significant abnormality.

X-RAY MAMMOGRAPHY BILATERAL (MHC)

CARDIOLOGY

TREADMILL TEST / STRESS TEST

Name : Mrs. MANOJA PRASAD (50 /F) UHID : AMHL.0001922570 Date : 2	23/03/2024
---	------------

Package: MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No: AMHLAH201327

Printed By: AHC Physician / Consultant Internal Medicine

Note: The Health Check-up examinations and routine investigations have certain limitations and may not be able to detect all the diseases. Any new or persisting symptoms should be brought to the attention of the Consulting Physician. Additional tests, consultations and follow up may be required in some cases.

Name : Mrs. MANOJA PRASAD (50 /F) UHID ; AMHL.0001922570 Date ; 23/03/2024

Package: MEDIWHEEL - FULL BODY ANNUAL PLUS CHECK ADVANCE FEMALE HCK AHC No; AMHLAH201327

AICVD RISK SCORE REPORT

RISK STATUS	YOUR SCORE	ACCEPTABLE SCORE
Low Risk	3	5

Your cardiovascular disease risk in the next 10 years is within the Normal limits for your age and gender

The AICVD risk score developed by Apollo Hospitals is a novel artificial intelligence-based risk scoring system that predicts your risk of having Coronary Artery Disease (CAD) related events in the next ten years. This scoring system uses Indian data and has been validated by multiple national and international institutions. This risk score is more than 92% accurate and has been compiled based on your physical parameters, heart health attributes, lifestyle and medical history. **Note:** The risk category is determined through the ratio between guest score and acceptable score at multiple decimal points. The outputs are shown in whole numbers.

Based on your AICVD risk score you are advised the following:

- Follow the guidance and education on lifestyle and dietary management provided through the ProHealth program. Maintain a healthy BMI (<25). Avoid tobacco in any form and if you are a smoker, stop smoking.
- Continue with **medications** for high blood pressure, diabetes, or dyslipidemia, if advised by your physician. Maintain HbA1c <7% (<53mmol/mol), blood pressure <140/90mmHg.
- Follow your physician's advice regarding follow up tests, consults and annual health assessment

DISCLAIMER

- 1. This is not a diagnostic tool and it does not guarantee accuracy of the result and cannot be acted upon independently.
- 2. This risk score and clinical algorithm is a general guideline for physicians. Any additional laboratory investigations, diagnostic imaging, treatment or patient education related to lifestyle management is under the physician's or cardiologist's discretion.
- 3. To ensure the information in the report is up to date, accurate and correct, doctor shall be consulted for interpretation of the report.
- 4. Apollo Hospitals and its staff does not offer any assurance on the information made available or be liable for any loss or damage as the said report is based on the AICVD risk score without any intervention from their side.
- 5. By usage of the AICVD risk score, it is deemed that the beneficiary of this service has agreed to get the same done at his own risk and further agrees with this disclaimer without any limitation or any clauses or sub-clauses.

The Clinical Al Models and APIs used at Apollo Hospitals are certified by ISO 13485 : 2016 vide certificate no. MD 763515