

PATIENT NAME : HEMLATA JOSHI		<b>REF. DOCTOR :</b>	SELF		
CODE/NAME & ADDRESS : C000138394	ACCESSION NO	: 0181WL001806	AGE/SEX	:36 Years	Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID	: HEMLF200387181	DRAWN	:	
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT			: 23/12/2023	10:42:50
NEW DELHI 110030	ABHA NO	:	REPORTED	:28/12/2023	16:07:44
8800465156					
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval 🛛	Jnits
MEDI WHEEL FULL BODY HEALTH CHECKUP BEL	OW 40FEMALE	L			
XRAY-CHEST					
IMPRESSION	NO ABNORMAI	ITY DETECTED			

ECG

ECG

WITHIN NORMAL LIMITS

# **MEDICAL HISTORY**

RELEVANT PRESENT HISTORY	NOT SIGNIFICANT
RELEVANT PAST HISTORY	NOT SIGNIFICANT
RELEVANT PERSONAL HISTORY	MARRIED / VEG DIET / NO ALLERGIES / NO SMOKING / NO ALCOHOL.
MENSTRUAL HISTORY (FOR FEMALES)	REGULAR
LMP (FOR FEMALES)	03/12/2023.
RELEVANT FAMILY HISTORY	NOT SIGNIFICANT
HISTORY OF MEDICATIONS	NOT SIGNIFICANT

# **ANTHROPOMETRIC DATA & BMI**

HEIGHT IN METERS	1.58	mts
WEIGHT IN KGS.	62	Kgs
BMI	25	BMI & Weight Status as followg/sqmts Below 18.5: Underweight 18.5 - 24.9: Normal 25.0 - 29.9: Overweight 30.0 and Above: Obese

## **GENERAL EXAMINATION**

MENTAL / EMOTIONAL STATE	NORMAL
PHYSICAL ATTITUDE	NORMAL

.





View Report

20





Test Report Status

<u>Final</u>



**Biological Reference Interval** Units

PATIENT NAME : HEMLATA JOSHI	REF. DO	CTOR : SELF		
CODE/NAME & ADDRESS : C000138394	ACCESSION NO : 0181WL0018	06 AGE/SEX	:36 Years	Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID :HEMLF200387:	L81 DRAWN	:	
DELHI	CLIENT PATIENT ID:	RECEIVE	D :23/12/2023	10:42:50
NEW DELHI 110030	ABHA NO :	REPORTE	D :28/12/2023	16:07:44
8800465156				
	1 1			

GENERAL APPEARANCE / NUTRITIONAL	HEALTHY
STATUS	
BUILT / SKELETAL FRAMEWORK	AVERAGE
FACIAL APPEARANCE	NORMAL
SKIN	NORMAL
UPPER LIMB	NORMAL
LOWER LIMB	NORMAL
NECK	NORMAL
NECK LYMPHATICS / SALIVARY GLANDS	NOT ENLARGED OR TENDER
THYROID GLAND	NOT ENLARGED
CAROTID PULSATION	NORMAL
TEMPERATURE	NORMAL
PULSE	84/MIN.REGULAR, ALL PERIPHERAL PULSES WELL FELT, NO CAROTID BRUIT
RESPIRATORY RATE	NORMAL

Results

CARDIOVASCULAR SYSTEM		
BP	133/71 MM HG (SUPINE)	mm/Hg
PERICARDIUM	NORMAL	
APEX BEAT	NORMAL	
HEART SOUNDS	NORMAL	
MURMURS	ABSENT	

# **RESPIRATORY SYSTEM**

SIZE AND SHAPE OF CHEST
MOVEMENTS OF CHEST
BREATH SOUNDS INTENSITY
BREATH SOUNDS QUALITY
ADDED SOUNDS

NORMAL SYMMETRICAL NORMAL VESICULAR (NORMAL) ABSENT

Page 2 Of 23





View Report

View Details



**PERFORMED AT :** Agilus Diagnostics Ltd. S.K. Tower,Hari Niwas, Lbs Marg Thane, 400602 Maharashtra, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956  ${\sf Email: customercare.thane@agilus.in}$ 



PATIENT NAME : HEMLATA JOSHI	REF. D	OCTOR : SELF
CODE/NAME & ADDRESS : C000138394	ACCESSION NO : 0181WL001	L806 AGE/SEX : 36 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : HEMLF20038	7181 DRAWN :
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 23/12/2023 10:42:50
NEW DELHI 110030	ABHA NO :	REPORTED :28/12/2023 16:07:44
8800465156		
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units

# PER ABDOMEN

APPEARANCE	NORMAL
VENOUS PROMINENCE	ABSENT
LIVER	NOT PALPABLE
SPLEEN	NOT PALPABLE
HERNIA	ABSENT

## **CENTRAL NERVOUS SYSTEM**

HIGHER FUNCTIONS	NORMAL
CRANIAL NERVES	NORMAL
CEREBELLAR FUNCTIONS	NORMAL
SENSORY SYSTEM	NORMAL
MOTOR SYSTEM	NORMAL
REFLEXES	NORMAL

# MUSCULOSKELETAL SYSTEM

SPINE	NORMAL
JOINTS	NORMAL

## **BASIC EYE EXAMINATION**

CONJUNCTIVA EYELIDS EYE MOVEMENTS CORNEA DISTANT VISION RIGHT EYE WITHOUT GLASSES NORMAL NORMAL NORMAL WITHIN NORMAL LIMIT

•

Page 3 Of 23

50





View Details



PERFORMED AT : Agilus Diagnostics Ltd. S.K. Tower,Hari Niwas, Lbs Marg Thane, 400602 Maharashtra, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.thane@agilus.in



PATIENT NAME : HEMLATA JOSHI		<b>REF. DOCTOR</b> :	SELF		
CODE/NAME & ADDRESS : C000138394	ACCESSION NO	: 0181WL001806	AGE/SEX	:36 Years	Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID	: HEMLF200387181	DRAWN	:	
DELUI	CLIENT PATIEN			: 23/12/2023 :28/12/2023	
NEW DELHI 110030				.20/12/2025	10.07.44
8800465156					
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval l	Jnits

DISTANT VISION LEFT EYE WITHOUT GLASSES NEAR VISION RIGHT EYE WITHOUT GLASSES NEAR VISION LEFT EYE WITHOUT GLASSES COLOUR VISION

WITHIN NORMAL LIMIT

WITHIN NORMAL LIMIT

NORMAL

SUMMARY

RELEVANT HISTORY RELEVANT GP EXAMINATION FINDINGS REMARKS / RECOMMENDATIONS NOT SIGNIFICANT NOT SIGNIFICANT DRINK 2-3 LITER WATER DAILY. REPEAT URINE ROUTINE AFTER 15 DAYS. LOW FAT,LOW CALORIE, LOW CARBOHYDRATE, HIGH FIBRE DIET. REGULAR EXERCISE.REGULAR WALK FOR 30-40 MIN DAILY. REPEAT LIPID PROFILE AFTER 3 MONTHS OF DIET AND EXERCISE.

Page 4 Of 23



View Report

View Details



PERFORMED AT : Agilus Diagnostics Ltd. S.K. Tower,Hari Niwas, Lbs Marg Thane, 400602 Maharashtra, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956 Email : customercare.thane@agilus.in



PATIENT NAME : HEMLATA JOSHI	REF. DOCTOR : S	SELF
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		AGE/SEX : 36 Years Female DRAWN :
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156		RECEIVED : 23/12/2023 10:42:50 REPORTED :28/12/2023 16:07:44
Test Report Status <u>Final</u>	Results	Units

MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE TMT OR ECHO **CLINICAL PROFILE** 2D ECHO: NORMAL

Interpretation(s)

THIS REPORT CARRIES THE SIGNATURE OF OUR LABORATORY DIRECTOR. THIS IS AN INVIOLABLE FEATURE OF OUR LAB MANAGEMENT SOFTWARE. HOWEVER, ALL EXAMINATIONS AND INVESTIGATIONS HAVE BEEN CONDUCTED BY OUR PANEL OF DOCTORS.

\*\*End Of Report\*\*

Please visit www.agilusdiagnostics.com for related Test Information for this accession

CONDITIONS OF LABORATORY TESTING & REPORTING				
1. It is presumed that the test sample belongs to the patient	5. AGILUS Diagnostics confirms that all tests have been			
named or identified in the test requisition form.	performed or assayed with highest quality standards, clinical			
2. All tests are performed and reported as per the	safety & technical integrity.			
turnaround time stated in the AGILUS Directory of Services.	6. Laboratory results should not be interpreted in isolation;			
3. Result delays could occur due to unforeseen	it must be correlated with clinical information and be			
circumstances such as non-availability of kits / equipment	interpreted by registered medical practitioners only to			
breakdown / natural calamities / technical downtime or any	determine final diagnosis.			
other unforeseen event.	7. Test results may vary based on time of collection,			
4. A requested test might not be performed if:	physiological condition of the patient, current medication or			
i. Specimen received is insufficient or inappropriate	nutritional and dietary changes. Please consult your doctor			
ii. Specimen quality is unsatisfactory	or call us for any clarification.			
iii. Incorrect specimen type	8. Test results cannot be used for Medico legal purposes.			
iv. Discrepancy between identification on specimen	9. In case of queries please call customer care			
container label and test requisition form	(91115 91115) within 48 hours of the report.			
	Agilus Diagnostics Ltd			
	Fortis Hospital, Sector 62, Phase VIII,			

Mohali 160062

Page 5 Of 23





View Report

View Details



**PERFORMED AT :** Agilus Diagnostics Ltd. S.K. Tower, Hari Niwas, Lbs Marg Thane, 400602 Maharashtra, India Tel : 9111591115, Fax : CIN - U74899PB1995PLC045956  ${\sf Email: customercare.thane@agilus.in}$ 



PATIENT NAME : HEMLATA JOSHI		REF. DOCTOR : S	SELF		
CODE/NAME & ADDRESS : C000138394	ACCESSION NO	) : <b>0181WL001806</b>	AGE/SEX	:36 Years	Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID	: HEMLF200387181	DRAWN	:	
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIEN	IT ID:	RECEIVED	: 23/12/2023	10:42:50
NEW DELHI 110030	ABHA NO	:	REPORTED	:28/12/2023	16:07:44
8800465156					
	1				
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval 🛛 🛛	Jnits

HAEMATOLOGY - CBC						
MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE						
BLOOD COUNTS,EDTA WHOLE BLOOD						
HEMOGLOBIN (HB)	12.0	12.0 - 15.0	g/dL			
	4 01	20 10	mil/ul			
RED BLOOD CELL (RBC) COUNT METHOD : HYDRODYNAMIC FOCUSING BY DC DETECTION	4.21	3.8 - 4.8	mil/µL			
WHITE BLOOD CELL (WBC) COUNT	6.53	4.0 - 10.0	thou/µL			
METHOD : FLUORESCENCE FLOW CYTOMETRY	250	150 110				
PLATELET COUNT METHOD : HYDRODYNAMIC FOCUSING BY DC DETECTION	358	150 - 410	thou/µL			
RBC AND PLATELET INDICES						
HEMATOCRIT (PCV)	38.8	36.0 - 46.0	%			
METHOD : CUMULATIVE PULSE HEIGHT DETECTION METHOD MEAN CORPUSCULAR VOLUME (MCV)	92.2	83.0 - 101.0	fL			
METHOD : CALCULATED FROM RBC & HCT	92.2	05.0 - 101.0				
MEAN CORPUSCULAR HEMOGLOBIN (MCH)	28.5	27.0 - 32.0	pg			
METHOD : CALCULATED FROM THE RBC & HGB	20.0.1		a / d1			
MEAN CORPUSCULAR HEMOGLOBIN CONCENTRATION (MCHC)	30.9 Low	31.5 - 34.5	g/dL			
METHOD : CALCULATED FROM THE HGB & HCT						
RED CELL DISTRIBUTION WIDTH (RDW) METHOD : CALCULATED FROM RBC SIZE DISTRIBUTION CURVE	14.4 High	11.6 - 14.0	%			
MEIHOD : CALCULATED FROM RBC SIZE DISTRIBUTION CORVE	21.9					
MEAN PLATELET VOLUME (MPV)	11.0 High	6.8 - 10.9	fL			
METHOD : CALCULATED FROM PLATELET COUNT & PLATELET HEMA	TOCRIT					
	F 4	40 00	0/			
NEUTROPHILS METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING	54	40 - 80	%			
LYMPHOCYTES	32	20 - 40	%			

2 - 10

9

METHOD : FLOW CYTOMETRY WITH LIGHT SCATTERING
MONOCYTES

Bhinchkhede.

Dr.Priyal Chinchkhede, MD **Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956





%





PATIENT NAME : HEM	ILATA JOSHI		REF. DOCTOR : S	SELF	
CODE/NAME & ADDRESS ARCOFEMI HEALTHCARE F-703, F-703, LADO SAR DELHI NEW DELHI 110030 8800465156	0000100000		: <b>0181WL001806</b> : HEMLF200387181 ID: :	AGE/SEX :36 Years DRAWN : RECEIVED :23/12/20 REPORTED :28/12/20	023 10:42:50
Test Report Status	<u>Final</u>	Results	Biological	Reference Interval	Units
METHOD : FLOW CYTOMETRY ( EOSINOPHILS METHOD : FLOW CYTOMETRY (		5	1 - 6		%
BASOPHILS METHOD : FLOW CYTOMETRY N		0	0 - 1		%
ABSOLUTE NEUTROPH METHOD : FLOW CYTOMETRY		3.53	2.0 - 7.0		thou/µL
ABSOLUTE LYMPHOCY METHOD : FLOW CYTOMETRY		2.09	1.0 - 3.0		thou/µL
ABSOLUTE MONOCYTI METHOD : FLOW CYTOMETRY		0.56	0.2 - 1.0		thou/µL
ABSOLUTE EOSINOPH METHOD : FLOW CYTOMETRY		0.33	0.02 - 0.5	0	thou/µL
ABSOLUTE BASOPHIL METHOD : FLOW CYTOMETRY		0 Low	0.02 - 0.1	0	thou/μL

MORPHOLOGY	
RBC	NORMOCYTIC NORMOCHROMIC
WBC	NORMAL MORPHOLOGY

1.7

ADEQUATE

NEUTROPHIL LYMPHOCYTE RATIO (NLR)

METHOD : MICROSCOPIC EXAMINATION

PLATELETS

Interpretation(s) BLOOD COUNTS, EDTA WHOLE BLOOD-The cell morphology is well preserved for 24hrs. However after 24-48 hrs a progressive increase in MCV and HCT is observed leading to a decrease in MCHC. A direct smear is recommended for an accurate differential count and for examination of RBC morphology. RBC AND PLATELET INDICES-Mentzer index (MCV/RBC) is an automated cell-counter based calculated screen tool to differentiate cases of Iron deficiency anaemia(>13) from Beta thalassaemia trait

(<13) in patients with microcytic anaemia. This needs to be interpreted in line with clinical correlation and suspicion. Estimation of HbA2 remains the gold standard for

diagnosing a case of beta thalassaemia trait. WBC DIFFERENTIAL COUNT-The optimal threshold of 3.3 for NLR showed a prognostic possibility of clinical symptoms to change from mild to severe in COVID positive patients. When age = 49.5 years old and NLR = 3.3, 46.1% COVID-19 patients with mild disease might become severe. By contrast, when age < 49.5 years old and NLR = 3.3, COVID-19 patients tend to show mild disease.

Reference to - The diagnostic and predictive role of NLR, d-NLR and PLR in COVID-19 patients A.-P. Yang, et al. International Immunopharmacology 84 (2020) 106504 This ratio element is a calculated parameter and out of NABL scope.



**Dr.Priyal Chinchkhede, MD Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956 Page 7 Of 23

View Report



Vie<u>w Details</u>





PATIENT NAME : HEMLATA JOSHI		REF. DOCTOR :	SELF		
CODE/NAME & ADDRESS : C000138394	ACCESSION NO	: 0181WL001806	AGE/SEX	:36 Years	Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID	: HEMLF200387181	DRAWN	:	
DELHI	CLIENT PATIEN ABHA NO	T ID:	i i	: 23/12/2023 :28/12/2023	
8800465156					
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval l	Jnits

	HAEMATOLOGY		
MEDI WHEEL FULL BODY HEALTH CHECKUP	P BELOW 40FEMALE		
ERYTHROCYTE SEDIMENTATION RATE (ESI BLOOD	R),EDTA		
E.S.R	5	0 - 20	mm
METHOD : MODIFIED WESTERGREN			
GLYCOSYLATED HEMOGLOBIN(HBA1C), ED BLOOD	TA WHOLE		
HBA1C	5.4	Non-diabetic Adult $< 5.7$	%
		Pre-diabetes 5.7 - 6.4 Diabetes diagnosis: > or =	- 6 5
		Therapeutic goals: < 7.0	- 0.5
		Action suggested : > 8.0	
		(ADA Guideline 2021)	
METHOD : HPLC			
ESTIMATED AVERAGE GLUCOSE(EAG) METHOD : CALCULATED PARAMETER	108.3	< 116.0	mg/dL

Interpretation(s) ERYTHROCYTE SEDIMENTATION RATE (ESR),EDTA BLOOD-TEST DESCRIPTION :-

(sedimentation) of erythrocytes in a sample of blood that has been placed into a tall, thin, vertical tube. Results are reported as the millimetres of clear fluid (plasma) that are present at the top portion of the tube after one hour. Nowadays fully automated instruments are available to measure ESR.

ESR is not diagnostic it is a non-specific test that may be elevated in a number of different conditions. It provides general information about the presence of an inflammatory condition.CRP is superior to ESR because it is more sensitive and reflects a more rapid change. inflammatory condition.CR TEST INTERPRETATION

Increase in: Infections, Vasculities, Inflammatory arthritis, Renal disease, Anemia, Malignancies and plasma cell dyscrasias, Acute allergy Tissue injury, Pregnancy, Estrogen medication, Aging.

Finding a very accelerated ESR(>100 mm/hour) in patients with ill-defined symptoms directs the physician to search for a systemic disease (Paraproteinemias, Disseminated malignancies, connective tissue disease, severe infections such as bacterial endocarditis). In pregnancy BRI in first trimester is 0-48 mm/hr(62 if anemic) and in second trimester (0-70 mm /hr(95 if anemic). ESR returns to normal 4th week post partum.

Decreased in: Polycythermia vera, Sickle cell anemia

### LIMITATIONS

False elevated ESR : Increased fibrinogen, Drugs(Vitamin A, Dextran etc), Hypercholesterolemia False Decreased : Poikilocytosis, (SickleCells, spherocytes), Microcytosis, Low fibrinogen, Very high WBC counts, Drugs(Quinine,

salicylates)

Dhinchkhede.

**Dr.Priyal Chinchkhede, MD Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956







Vie<u>w</u> Details





PATIENT NAME : HEMLATA JOSHI		REF. DOCTOR : S	SELF		
	ACCESSION NO	: <b>0181WL001806</b> : HEMLF200387181	AGE/SEX DRAWN	:36 Years	Female
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIEN	T ID:	RECEIVED	: 23/12/2023 :28/12/2023	
NEW DELHI 110030 8800465156			KEFORTED	.20/12/2023	10:07:44
 Test Report Status Final	Results	Biological	i Reference	Interval U	Jnits

**REFERENCE** :

1. Nathan and Oski's Haematology of Infancy and Childhood, 5th edition 2. Paediatric reference intervals. AACC Press, 7th edition. Edited by S. Soldin 3. The reference for the adult reference range is "Practical Haematology by Dacie and Lewis, 10th edition. GLYCOSYLATED HEMOGLOBIN(HBA1C), EDTA WHOLE BLOOD-Used For:

1. Evaluating the long-term control of blood glucose concentrations in diabetic patients.

2. Diagnosing diabetes.

3. Identifying patients at increased risk for diabetes (prediabetes).

The ADA recommends measurement of HbA1c (typically 3-4 times per year for type 1 and poorly controlled type 2 diabetic patients, and 2 times per year for well-controlled type 2 diabetic patients) to determine whether a patients metabolic control has remained continuously within the target range.

eAG (Estimated average glucose) converts percentage HbA1c to md/dl, to compare blood glucose levels.
eAG gives an evaluation of blood glucose levels for the last couple of months.
eAG is calculated as eAG (mg/dl) = 28.7 \* HbA1c - 46.7

### HbA1c Estimation can get affected due to :

1. Shortened Erythrocyte survival : Any condition that shortens erythrocyte survival or decreases mean erythrocyte age (e.g. recovery from acute blood loss,hemolytic anemia) will falsely lower HbA1c test results. Fructosamine is recommended in these patients which indicates diabetes control over 15 days.

2.Vitamin C & E are reported to falsely lower test results. (possibly by inhibiting glycation of hemoglobin.

3. Iron deficiency anemia is reported to increase test results. Hypertriglyceridemia, hyperbilirubinemia, chronic alcoholism, chronic ingestion of salicylates & opiates addiction are reported to interfere with some assay methods, falsely increasing results.

4. Interference of hemoglobinopathies in HbA1c estimation is seen in

 a) Homozygous hemoglobinopathy. Fructosamine is recommended for testing of HbA1c.
b) Heterozygous state detected (D10 is corrected for HbS & HbC trait.)
c) HbF > 25% on alternate paltform (Boronate affinity chromatography) is recommended for testing of HbA1c.Abnormal Hemoglobin electrophoresis (HPLC method) is recommended for detecting a hemoglobinopathy



**Dr.Priyal Chinchkhede, MD Consultant Pathologist** 

**PERFORMED AT:** Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956







View Report





PATIENT NAME : HEMLATA JOSHI		REF. DOCTOR : S	SELF		
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI		: HEMLF200387181 ID:	DRAWN RECEIVED	:36 Years : :23/12/2023 :28/12/2023	
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval U	Jnits

## MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE ARO CROUR & DU TYRE ERTA WUOLE RLOOR

ADO GROUP & REITPE, EDTA WHOLE BLOOD	
ABO GROUP	TYPE O
METHOD : GEL COLUMN AGGLUTINATION METHOD.	
RH TYPE	POSITIVE
METHOD : GEL COLUMN AGGLUTINATION METHOD.	

Interpretation(s) ABO GROUP & RH TYPE, EDTA WHOLE BLOOD-Blood group is identified by antigens and antibodies present in the blood. Antigens are protein molecules found on the surface of red blood cells. Antibodies are found in plasma. To determine blood group, red cells are mixed with different antibody solutions to give A,B,O or AB.

Disclaimer: "Please note, as the results of previous ABO and Rh group (Blood Group) for pregnant women are not available, please check with the patient records for availability of the same."

The test is performed by both forward as well as reverse grouping methods.



**Dr.Priyal Chinchkhede, MD Consultant Pathologist** 

**PERFORMED AT :** Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956 Page 10 Of 23





View Report





PATIENT NAME : HEMLATA JOSH	II	REF. DOCTOR : SELF	
CODE/NAME & ADDRESS :C0001383	ACCESSION NO : <b>01</b>	81WL001806 AGE/SEX : 36 Yea	irs Female
ARCOFEMI HEALTHCARE LTD (MEDI		MLF200387181 DRAWN :	
F-703, F-703, LADO SARAI, MEHRAU DELHI	JLISOUTH WEST CLIENT PATIENT ID:	RECEIVED : 23/12	/2023 10:42:50
NEW DELHI 110030	ABHA NO :	REPORTED :28/12	/2023 16:07:44
8800465156			
Test Report Status <u>Final</u>	Results	Biological Reference Interv	al Units
MEDI WHEEL FULL BODY HEALTH GLUCOSE FASTING, FLUORIDE PL			
FBS (FASTING BLOOD SUGAR)	87	Normal 75 - 99	mg/dL
TES (TASTING BLOOD SUGAR)	67	Pre-diabetics: $100 - 125$ Diabetic: > or = 126	iiig/ dE
METHOD : ENZYMATIC REFERENCE METHOD W	VITH HEXOKINASE		
GLUCOSE, POST-PRANDIAL, PLA	SMA		
PPBS(POST PRANDIAL BLOOD S		70 - 139	mg/dL
METHOD : ENZYMATIC REFERENCE METHOD W		70 - 139	ing/u
LIPID PROFILE WITH CALCULAT	ED LDL		
CHOLESTEROL, TOTAL	219 High	Desirable : < 200	mg/dL
		Borderline : 200 - 239	
		High : > / = 240	
METHOD : ENZYMATIC COLORIMETRIC ASSAY TRIGLYCERIDES	105	Normal: $< 150$	mg/dL
INGLICENDES	105	Borderline high: 150 - 199 High: 200 - 499 Very High: >/= 500	5.
METHOD : ENZYMATIC COLORIMETRIC ASSAY		very high: >/= 500	
HDL CHOLESTEROL	62 High	At Risk: < 40	mg/dL
		Desirable: $> $ or $= 60$	
METHOD : ENZYMATIC, COLORIMETRIC			
CHOLESTEROL LDL	136 High	Adult levels: Optimal < 100 Near optimal/above optima 100-129 Borderline high : 130-159 High : 160-189	mg/dL al:
		Very high $: = 190$	

METHOD : ENZYMATIC COLORIMETRIC ASSAY

Dhinchkhede.

Dr.Priyal Chinchkhede, MD Consultant Pathologist Ama

Dr. Ushma Wartikar, MD Consultant Pathologist

an

Dr.(Mrs)Neelu K Bhojani Lab Head





Page 11 Of 23

View Details





PATIENT NAME : HEMLATA JOSHI	I	REF. DOCTOR : SELF				
CODE/NAME & ADDRESS : C000138394	ACCESSION NO : 0181	WL001806 AGE/SEX : 36 Years	Female			
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL		200387181 DRAWN :				
F-703, F-703, LADO SARAI, MEHRAULISOUTH WE	ST CLIENT PATIENT ID:	RECEIVED : 23/12/2023	10:42:50			
NEW DELHI 110030	ABHA NO :	REPORTED :28/12/2023	16:07:44			
8800465156						
Test Report Status <u>Final</u>	Results	Biological Reference Interval U	Inits			
NON HDL CHOLESTEROL	157 High	Desirable : $< 130$ mg, Above Desirable : 130 -159 Borderline High : 160 - 189 High : 190 - 219 Very high : $> / = 220$	/dL			
VERY LOW DENSITY LIPOPROTEIN	21	< OR = 30.0 mg	/dL			
CHOL/HDL RATIO	3.5	Low Risk : 3.3 - 4.4 Average Risk : 4.5 - 7.0 Moderate Risk : 7.1 - 11.0 High Risk : > 11.0				
LDL/HDL RATIO	2.2	0.5 - 3.0 Desirable/Low Risk 3.1 - 6.0 Borderline/Moderate Risk				

# Interpretation(s)

Serum lipid profile is measured for cardiovascular risk prediction. Lipid Association of India recommends LDL-C as primary target and Non

HDL-C as co-primary tr	HDL-C as co-primary treatment target.						
<b>Risk Stratification for</b>	Risk Stratification for ASCVD (Atherosclerotic cardiovascular disease) by Lipid Association of India						
Risk Category	2			<i>i</i> <b>•</b> •			
Extreme risk group	A.CAD with	h > 1 feature of high risl	c group				
			gh risk g	group or recurre	ent ACS (within 1 year	r) despite LDL-C < or =	
	50 mg/dl or	polyvascular disease					
Very High Risk	1. Establishe	ed ASCVD 2. Diabetes	with 2 1	najor risk facto	rs or evidence of end	organ damage 3.	
		mozygous Hypercholes					
High Risk	1. Three ma	ajor ASCVD risk factors	s. 2. Dia	betes with 1 m	ajor risk factor or no e	evidence of end organ	
		CKD stage 3B or 4. 4.					
	Artery Calci	ium - CAC >300 AU. 7	. Lipopr	otein a >/= 50n	ng/dl 8. Non stenotic	carotid plaque	
Moderate Risk	2 major AS	CVD risk factors					
Low Risk	0-1 major A	SCVD risk factors					
Major ASCVD (Athe	erosclerotic c	ardiovascular disease)	Risk Fa	ictors			
1. Age $>$ or $=$ 45 years	s in males and	l > or = 55 years in fema	ales	3. Current Ci	garette smoking or tob	acco use	
2. Family history of p	remature ASC	CVD		4. High blood	l pressure		
5. Low HDL	5. Low HDL						
Newer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.							
Risk Group		Treatment Goals			Consider Drug The	erapy	
	LDL-C (mg/dl)     Non-HDL (mg/dl)     LDL-C (mg/dl)     Non-HDL (mg/dl)						

ewer treatment goals and statin initiation thresholds based on the risk categories proposed by LAI in 2020.						
Risk Group	<b>Treatment Goals</b>		Consider Drug Therapy			
	LDL-C (mg/dl)	Non-HDL (mg/dl)	LDL-C (mg/dl)	Non-HDL (mg/dl)		

Dhinchkhede

Dr.Priyal Chinchkhede, MD **Consultant Pathologist** 

Dr. Ushma Wartikar, MD **Consultant Pathologist** 

Dr.(Mrs)Neelu K Bhojani Lab Head

>6.0 High Risk





View Report

Page 12 Of 23

View Details





PATIENT NAME: HEMLATA JOSHI	REF. DOCTOR : SELF			
CODE/NAME & ADDRESS : C000138394 ARCOFEMI HEALTHCARE LTD (MEDIWHEEL F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI NEW DELHI 110030 8800465156	PATIENT ID : HEMLF200387181 CLIENT PATIENT ID:	AGE/SEX :36 Years Female DRAWN : RECEIVED :23/12/2023 10:42:50 REPORTED :28/12/2023 16:07:44		

Test	Report	Status	<u>Final</u>
------	--------	--------	--------------

Results

**Biological Reference Interval** Units

Extreme Risk Group Category A	<50 (Optional goal	< 80 (Optional goal	>OR = 50	>OR = 80
	< OR = 30)	< OR = 60)		
Extreme Risk Group Category B	<or 30<="" =="" td=""><td><or 60<="" =="" td=""><td>&gt; 30</td><td>&gt;60</td></or></td></or>	<or 60<="" =="" td=""><td>&gt; 30</td><td>&gt;60</td></or>	> 30	>60
Very High Risk	<50	<80	>OR= 50	>OR= 80
High Risk	<70	<100	>OR= 70	>OR=100
Moderate Risk	<100	<130	>OR=100	>OR=130
Low Risk	<100	<130	>OR=130*	>OR=160

\*After an adequate non-pharmacological intervention for at least 3 months.

**References:** Management of Dyslipidaemia for the Prevention of Stroke: Clinical Practice Recommendations from the Lipid Association of India. Current Vascular Pharmacology, 2022, 20, 134-155.

### LIVER FUNCTION PROFILE, SERUM BILIRUBIN, TOTAL 0.33 Upto 1.2 mg/dL METHOD : COLORIMETRIC DIAZO 0.27 < 0.30 mg/dL **BILIRUBIN, DIRECT** METHOD : DIAZO METHOD 0.06 Low BILIRUBIN, INDIRECT 0.1 - 1.0 mg/dL 8.6 High 6.0 - 8.0 g/dL TOTAL PROTEIN METHOD : COLORIMETRIC 3.97 - 4.94 ALBUMIN 4.8 g/dL METHOD : COLORIMETRIC GLOBULIN 3.8 High 2.0 - 3.5 g/dL RATIO 1.0 - 2.1 ALBUMIN/GLOBULIN RATIO 1.3 ASPARTATE AMINOTRANSFERASE(AST/SGOT) 26 < OR = 35 U/L METHOD : UV ABSORBANCE ALANINE AMINOTRANSFERASE (ALT/SGPT) 24 < OR = 35 U/L METHOD : UV ABSORBANCE U/L ALKALINE PHOSPHATASE 71 35 - 104 METHOD : COLORIMETRIC 0 - 40 U/L GAMMA GLUTAMYL TRANSFERASE (GGT) 26 METHOD : ENZYMATIC, COLORIMETRIC U/L LACTATE DEHYDROGENASE 205 125 - 220 METHOD : UV ABSORBANCE

BLOOD UREA NITROGEN METHOD : ENZYMATIC ASSAY

mg/dL

Dhinchkhede

Dr.Priyal Chinchkhede, MD Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956

Dr. Ushma Wartikar, MD Consultant Pathologist

7



Dr.(Mrs)Neelu K Bhojani Lab Head

6 - 20





View Report

Page 13 Of 23





PATIENT NAME : HEMLATA JOSHI	REF. DOCTOR : SELF				
CODE/NAME & ADDRESS : C000138394	ACCESSION NO : 0181W	L001806	AGE/SEX : 36 Years	Female	
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : HEMLF2	00387181	DRAWN :		
-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:		RECEIVED : 23/12/20	023 10:42:50	
IEW DELHI 110030	ABHA NO :		REPORTED :28/12/20	023 16:07:44	
800465156					
est Report Status <u>Final</u>	Results	Biological	Reference Interva	Units	
DEATININE SEDIM					
REATININE, SERUM	0.51			···· - / -!!	
CREATININE METHOD : COLORIMETRIC	0.51	0.5 - 0.9		mg/dL	
BUN/CREAT RATIO					
BUN/CREAT RATIO	13.73	8.0 - 15.0	)		
	10.7.0	0.0 10.0			
JRIC ACID, SERUM					
	3.0	24 57		mg/dL	
RIC ACID METHOD : ENZYMATIC COLORIMETRIC ASSAY	5.0	2.4 - 5.7		ing/uL	
OTAL PROTEIN, SERUM					
OTAL PROTEIN	8.6 High	6.0 - 8.0		g/dL	
METHOD : COLORIMETRIC					
	4.0			a /dl	
LBUMIN METHOD : COLORIMETRIC	4.8	3.97 - 4.9	14	g/dL	
LOBULIN					
GLOBULIN	3.8 High	2.0 - 3.5		g/dL	
		2.0 5.5		, ~ <b>-</b>	
LECTROLYTES (NA/K/CL), SERUM					

ELECTROLYTES (NA/K/CL), SERUM

Bhinchkhede.

Dr.Priyal Chinchkhede, MD Consultant Pathologist

Dr. Ushma Wartikar, MD Consultant Pathologist

ian

Dr.(Mrs)Neelu K Bhojani Lab Head





View Report

Page 14 Of 23

View Details





PATIENT NAME : HEMLATA JOSHI	REF. DOCTOR : SELF				
CODE/NAME & ADDRESS : C000138394	ACCESSION NO	: 0181WL001806	AGE/SEX	:36 Years	Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID	: HEMLF200387181	DRAWN	:	
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIEN	T ID:		: 23/12/2023	
NEW DELHI 110030	ABHA NO	:	REPORTED	:28/12/2023	16:07:44
8800465156					
			İ		
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval U	Jnits
SODIUM, SERUM	144	136 - 145		mm	nol/L
METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY					
POTASSIUM, SERUM	4.87	3.5 - 5.1		mm	nol/L
METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY					
CHLORIDE, SERUM	107	98 - 107		mm	nol/L

METHOD : ION SELECTIVE ELECTRODE TECHNOLOGY

## Interpretation(s)

Sodium	Potassium	Chloride
Decreased in:CCF, cirrhosis, vomiting, diarrhea, excessive sweating, salt-losing nephropathy, adrenal insufficiency, nephrotic syndrome, water	Decreased in: Low potassium intake,prolonged vomiting or diarrhea, RTA types I and II, hyperaldosteronism, Cushing's syndrome,osmotic diuresis (e.g.,	Decreased in: Vomiting, diarrhea, renal failure combined with salt deprivation, over-treatment with diuretics, chronic respiratory acidosis, diabetic ketoacidosis, excessive
intoxication, SIADH. Drugs: thiazides, diuretics, ACE inhibitors, chlorpropamide,carbamazepine,anti depressants (SSRI), antipsychotics.	hyperglycemia),alkalosis, familial periodic paralysis,trauma (transient).Drugs: Adrenergic agents, diuretics.	sweating, SIADH, salt-losing nephropathy, porphyria, expansion of extracellular fluid volume, adrenalinsufficiency, hyperaldosteronism,metabolic alkalosis. Drugs: chronic laxative,corticosteroids, diuretics.
Increased in: Dehydration (excessivesweating, severe vomiting or diarrhea),diabetes mellitus, diabetesinsipidus, hyperaldosteronism, inadequate water intake. Drugs: steroids, licorice,oral contraceptives.	Increased in: Massive hemolysis, severe tissue damage, rhabdomyolysis, acidosis, dehydration,renal failure, Addison's disease, RTA type IV, hyperkalemic familial periodic paralysis. Drugs: potassium salts, potassium- sparing diuretics,NSAIDs, beta-blockers, ACE inhibitors, high- dose trimethoprim-sulfamethoxazole.	Increased in: Renal failure, nephrotic syndrome, RTA, dehydration, overtreatment with saline, hyperparathyroidism, diabetes insipidus, metabolic acidosis from diarrhea (Loss of HCO3-), respiratory alkalosis, hyperadrenocorticism. Drugs: acetazolamide, androgens, hydrochlorothiazide, salicylates.
Interferences: Severe lipemia or hyperproteinemi, if sodium analysis involves a dilution step can cause spurious results. The serum sodium falls about 1.6 mEq/L for each 100 mg/dL increase in blood glucose.	Interferences: Hemolysis of sample, delayed separation of serum, prolonged fist clenching during blood drawing, and prolonged tourniquet placement. Very high WBC/PLT counts may cause spurious. Plasma potassium levels are normal.	Interferences:Test is helpful in assessing normal and increased anion gap metabolic acidosis and in distinguishing hypercalcemia due to hyperparathyroidism (high serum chloride) from that due to malignancy (Normal serum chloride)

Interpretation(s)

GLUCOSE FASTING, FLUORIDE PLASMA-TEST DESCRIPTION

Normally, the glucose concentration in extracellular fluid is closely regulated so that a source of energy is readily available to tissues and sothat no glucose is excreted in the urine.

Increased in:Diabetes mellitus, Cushing's syndrome (10 – 15%), chronic pancreatitis (30%). Drugs:corticosteroids,phenytoin, estrogen, thiazides. Decreased in :Pancreatic islet cell disease with increased insulin,insulinoma,adrenocortical insufficiency,hypopituitarism,diffuse liver disease, malignancy(adrenocortical,stomach,fibrosarcoma),infant of a diabetic mother,enzyme deficiency diseases(e.g.galactosemia),Drugs-insulin,ethanol,propranolol

sulfonylureas,tolbutamide,and other oral hypoglycemic agents. NOTE: While random serum glucose levels correlate with home glucose monitoring results (weekly mean capillary glucose values),there is wide fluctuation within individuals.Thus, glycosylated hemoglobin(HbA1c) levels are favored to monitor glycemic control.

Dhinchkhede.

**Dr.Priyal Chinchkhede, MD Consultant Pathologist** 

Dr. Ushma Wartikar, MD **Consultant Pathologist** 



Dr.(Mrs)Neelu K Bhojani Lab Head





Page 15 Of 23

View Details

View Report





PATIENT NAME : HEMLATA JOSHI		REF. DOCTOR : S	SELF		
		: 0181WL001806		:36 Years	Female
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID CLIENT PATIEN ABHA NO		RECEIVED	: : 23/12/2023 :28/12/2023	
8800465156				20, 12, 2020	
Test Report Status Final	Results	Biological	Reference	e Interval l	Jnits

High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. GLUCOSE, POST-PRANDIAL, PLASMA-High fasting glucose level in comparison to post prandial glucose level may be seen due to effect of Oral Hypoglycaemics & Insulin

treatment, Renal Glyosuria, Glycaemic index & response to food consumed, Alimentary Hypoglycemia, Increased insulin response & sensitivity etc. Additional test HbA1c LIVER FUNCTION PROFILE, SERUM-

Bilirubin is a yellowish pigment found in bile and is a breakdown product of normal heme catabolism. Bilirubin is excreted in bile and urine, and elevated levels may give yellow discoloration in jaundice. **Elevated levels** results from increased bilirubin production (eg, hemolysis and ineffective erythropoiesis), decreased bilirubin excretion (eg, obstruction and hepatitis), and abnormal bilirubin metabolism (eg, hereditary and neonatal jaundice). Conjugated (direct) bilirubin is elevated more than unconjugated (indirect) bilirubin in Viral hepatitis, Drug reactions, Alcoholic liver disease Conjugated (direct) bilirubin is also elevated more than unconjugated (indirect) bilirubin when there is some kind of blockage of the bile ducts like in Gallstones getting into the bile ducts, tumors &Scarring of the bile ducts. Increased unconjugated (indirect) bilirubin may be a result of Hemolytic or pernicious anemia, Transfusion reaction & a common metabolic condition termed Gilbert syndrome, due to low levels of the enzyme that attaches sugar molecules to bilirubin.

AST is an enzyme found in various parts of the body. AST is found in the liver, heart, skeletal muscle, kidneys, brain, and red blood cells, and it is commonly measured clinically as a marker for liver health. AST levels increase during chronic viral heart attack or strenuous activity.ALT test measures the amount of this enzyme in the blood.ALT is found mainly in the liver, but also in smaller amounts in the kidneys, heart, muscles, and pancreas. It is commonly measured as a part of a diagnostic evaluation of hepatocellular injury, to determine liver health.AST levels increase during acute hepatitis, sometimes due to a viral infection, ischemia to the liver, chronic hepatitis, obstruction of bile ducts, cirrhosis.

ALP is a protein found in almost all body tissues. Tissues with higher amounts of ALP include the liver, bile ducts and bone. Elevated ALP levels are seen in Biliary obstruction, osteoblastic bone tumors, osteomalacia, hepatitis, Hyperparathyroidism, Leukemia, Lymphoma, Pagets disease, Rickets, Sarcoidosis etc. Lower-than-normal ALP levels seen in Hypophosphatasia, Malnutrition, Protein deficiency, Wilsons disease.

GGT is an enzyme found in cell membranes of many tissues mainly in the liver, kidney and pancreas. It is also found in other tissues including intestine, spleen, heart, brain and seminal vesicles. The highest concentration is in the kidney, but the liver is considered the source of normal enzyme activity. Serum GGT has been widely used as an index of liver dysfunction. Elevated serum GGT activity can be found in diseases of the liver, biliary system and pancreas. Conditions that increase serum GGT are obstructive liver disease, high alcohol consumption and use of enzyme-inducing drugs etc. Total Protein also known as total protein, is a biochemical test for measuring the total amount of protein in serum. Protein in the plasma is made up of albumin and

globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma, Waldenstroms disease. Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

Albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular

permeability or decreased lymphatic clearance, malnutrition and wasting etc BLOOD UREA NITROGEN (BUN), SERUM-**Causes of Increased** levels include Pre renal (High protein diet, Increased protein catabolism, GI haemorrhage, Cortisol, Dehydration, CHF Renal), Renal Failure, Post Renal (Malignancy, Nephrolithiasis, Prostatism) Causes of decreased level include Liver disease, SIADH.

CREATININE, SERUM-Higher than normal level may be due to:

• Blockage in the urinary tract, Kidney problems, such as kidney damage or failure, infection, or reduced blood flow, Loss of body fluid (dehydration), Muscle problems, such as breakdown of muscle fibers, Problems during pregnancy, such as seizures (eclampsia)), or high blood pressure caused by pregnancy (preeclampsia)

Lower than normal level may be due to:• Myasthenia Gravis, Muscuophy URIC ACID, SERUM-Causes of Increased levels:-Dietary(High Protein Intake, Prolonged Fasting, Rapid weight loss), Gout, Lesch nyhan syndrome, Type 2 DM, Metabolic syndrome Causes of decreased levels-Low Zinc intake,OCP,Multiple Sclerosis

TOTAL PROTEIN, SERUM-is a biochemical test for measuring the total amount of protein in serum.Protein in the plasma is made up of albumin and globulin. Higher-than-normal levels may be due to: Chronic inflammation or infection, including HIV and hepatitis B or C, Multiple myeloma,Waldenstroms disease

Lower-than-normal levels may be due to: Agammaglobulinemia, Bleeding (hemorrhage), Burns, Glomerulonephritis, Liver disease, Malabsorption, Malnutrition, Nephrotic syndrome, Protein-losing enteropathy etc.

ALBUMIN, SERUM-Human serum albumin is the most abundant protein in human blood plasma. It is produced in the liver. Albumin constitutes about half of the blood serum protein. Low blood albumin levels (hypoalbuminemia) can be caused by: Liver disease like cirrhosis of the liver, nephrotic syndrome, protein-losing enteropathy, Burns, hemodilution, increased vascular permeability or decreased lymphatic clearance, malnutrition and wasting etc.

Dhinchkhede

Dr.Priyal Chinchkhede, MD **Consultant Pathologist** 



Dr. Ushma Wartikar, MD **Consultant Pathologist** 



Dr.(Mrs)Neelu K Bhojani Lab Head





View Report

Page 16 Of 23

View Details





\_\_\_\_

PATIENT NAME : HEMLATA JOSHI	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138394	ACCESSION NO : 0181WL001806	AGE/SEX : 36 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : HEMLF200387181	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 23/12/2023 10:42:50
NEW DELHI 110030	ABHA NO :	REPORTED :28/12/2023 16:07:44
8800465156		
Test Report Status Final	Results Biological	Reference Interval Units

CLINICAL PATH - URINALYSIS				
MEDI WHEEL FULL BODY HEALTH CHECKL	JP BELOW 40FEMALE			
PHYSICAL EXAMINATION, URINE				
COLOR	PALE YELLOW			
METHOD : MICROSCOPIC EXAMINATION				
APPEARANCE	SLIGHTLY HAZY			
METHOD : MICROSCOPIC EXAMINATION				
CHEMICAL EXAMINATION, URINE				
РН	6.0	5.00 - 7.50		
METHOD : METHYL RED & BROMOTHYMOL BLUE				
SPECIFIC GRAVITY	1.015	1.010 - 1.030		
PROTEIN	NOT DETECTED	NOT DETECTED		
METHOD : TETRA BROMOPHENOL BLUE/SULFOSALICYLIC A	CID			
GLUCOSE	NOT DETECTED	NOT DETECTED		
METHOD : GLUCOSE OXIDASE / PEROXIDASE (GOD - POD				
KETONES	NOT DETECTED	NOT DETECTED		
METHOD : SODIUM NITROPRUSSIDE REACTION				
BLOOD	NOT DETECTED	NOT DETECTED		
METHOD : STRIP TEST - DIAZONIUM SALT COUPLING	NORMAL	NODMAL		
UROBILINOGEN	NORMAL	NORMAL		
METHOD : CAFFEINE BENZOATE				
NITRITE		NOT DETECTED		
METHOD : STRIP NAPHTHOETHYLENEDIAMINE HYDROCHOL LEUKOCYTE ESTERASE	DETECTED (+)	NOT DETECTED		
METHOD : STRIP HETROCYCLIC CARBOXYLIC ACID ESTER ,		NOT DETECTED		
METHOD . STRIP HETROCICLIC CARDUATLIC ACID ESTER ,	DIALONIUM SALI			

## **MICROSCOPIC EXAMINATION, URINE**

RED BLOOD CELLS	NOT DETECTED	NOT DETECTED	/HPF
METHOD : MICROSCOPIC EXAMINATION PUS CELL (WBC'S)	8-10	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION EPITHELIAL CELLS	8-10	0-5	/HPF
METHOD : MICROSCOPIC EXAMINATION			

an

Dr.(Mrs)Neelu K Bhojani Lab Head

PERFORMED AT : Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956

Dr. Ushma Wartikar, MD Consultant Pathologist

Dhinchknede.

Dr.Priyal Chinchkhede, MD Consultant Pathologist

# Page 17 Of 23





View Report





PATIENT NAME : HEMLATA JOSHI		REF. DOCTOR :	SELF		
CODE/NAME & ADDRESS : C000138394	ACCESSION NO :	0181WL001806	AGE/SEX	:36 Years	Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID	HEMLF200387181	DRAWN	:	
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT	ID:	RECEIVED	: 23/12/2023	10:42:50
NEW DELHI 110030	ABHA NO :		REPORTED	:28/12/2023	16:07:44
8800465156					
Test Report Status <u>Final</u>	Results	Biological	Reference	e Interval	Jnits
CASTS	NOT DETECTED	)			
METHOD : MICROSCOPIC EXAMINATION					
CRYSTALS	NOT DETECTED	)			
			CTED		
BACTERIA METHOD : MICROSCOPIC EXAMINATION	NOT DETECT	ED NOT DETE	CIED		

NOT DETECTED

NOT DETECTED

# Interpretation(s)

YEAST

The following table describes the probable conditions, in which the analytes are present in urine

Presence of	Conditions		
Proteins	Inflammation or immune illnesses		
Pus (White Blood Cells)	Urinary tract infection, urinary tract or kidney stone, tumors or any kind		
	of kidney impairment		
Glucose	Diabetes or kidney disease		
Ketones	Diabetic ketoacidosis (DKA), starvation or thirst		
Urobilinogen	Liver disease such as hepatitis or cirrhosis		
Blood	Renal or genital disorders/trauma		
Bilirubin	Liver disease		
Erythrocytes	Urological diseases (e.g. kidney and bladder cancer, urolithiasis), urinary		
	tract infection and glomerular diseases		
Leukocytes	Urinary tract infection, glomerulonephritis, interstitial nephritis either		
	acute or chronic, polycystic kidney disease, urolithiasis, contamination by		
	genital secretions		
Epithelial cells	Urolithiasis, bladder carcinoma or hydronephrosis, ureteric stents or		
	bladder catheters for prolonged periods of time		
Granular Casts	Low intratubular pH, high urine osmolality and sodium concentration,		
	interaction with Bence-Jones protein		
Hyaline casts	Physical stress, fever, dehydration, acute congestive heart failure, renal		
	diseases		
Calcium oxalate	Metabolic stone disease, primary or secondary hyperoxaluria, intravenous		
	infusion of large doses of vitamin C, the use of vasodilator naftidrofuryl		
	oxalate or the gastrointestinal lipase inhibitor orlistat, ingestion of		
	ethylene glycol or of star fruit (Averrhoa carambola) or its juice		

Dr.(Mrs)Neelu K Bhojani Lab Head

PERFORMED AT : Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956

Dr. Ushma Wartikar, MD Consultant Pathologist

Dhinchkhede.

Dr.Priyal Chinchkhede, MD Consultant Pathologist

Page 18 Of 23









PATIENT NAME : HEMLATA JOSHI	<b>REF. DOCTOR :</b>	SELF
	ACCESSION NO : 0181WL001806	AGE/SEX : 36 Years Female
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST	PATIENT ID : HEMLF200387181	DRAWN :
DELHI	CLIENT PATIENT ID:	RECEIVED : 23/12/2023 10:42:50
NEW DELHI 110030 8800465156	ABHA NO :	REPORTED :28/12/2023 16:07:44
8800405156		

Test	Report	Status	<u>Final</u>
------	--------	--------	--------------

Results

**Biological Reference Interval** Units

Uric acid	arthritis
Bacteria	Urinary infectionwhen present in significant numbers & with pus cells.
Trichomonas vaginalis	Vaginitis, cervicitis or salpingitis

ian

Dr.(Mrs)Neelu K Bhojani Lab Head

PERFORMED AT : Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956



Dr. Ushma Wartikar, MD Consultant Pathologist



Dr.Priyal Chinchkhede, MD Consultant Pathologist





Page 19 Of 23





REF. DOCTOR : S	ELF
ACCESSION NO : 0181WL001806	AGE/SEX : 36 Years Female
PATIENT ID : HEMI F200387181	DRAWN :
CLIENT PATIENT ID:	RECEIVED : 23/12/2023 10:42:50
ABHA NO :	REPORTED :28/12/2023 16:07:44
F	PATIENT ID : HEMLF200387181 CLIENT PATIENT ID:

Test Report Status Final

Results

**Biological Reference Interval** Units

## CYTOLOGY MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE **PAPANICOLAOU SMEAR** TEST METHOD CONVENTIONAL GYNEC CYTOLOGY METHOD : MICROSCOPIC EXAMINATION P-1894/23 SPECIMEN TYPE TWO UNSTAINED CERVICAL SMEARS RECEIVED METHOD : MICROSCOPIC EXAMINATION 2014 BETHESDA SYSTEM FOR REPORTING CERVICAL CYTOLOGY REPORTING SYSTEM SATISFACTORY SPECIMEN ADEQUACY METHOD : PAP STAIN & MICROSCOPIC EXAMINATION MICROSCOPY THE SMEARS SHOW MAINLY SUPERFICIAL SQUAMOUS CELLS, FEW INTERMEDIATE SQUAMOUS CELLS, MANY CLUSTERS OF ENDOCERVICAL CELLS IN THE BACKGROUND OF FEW POLYMORPHS & RBC'S. METHOD : PAP STAIN NEGATIVE FOR INTRAEPITHELIAL LESION OR MALIGNANCY **INTERPRETATION / RESULT** METHOD : PAP STAIN & MICROSCOPIC EXAMINATION

## Comments

PLEASE NOTE PAPANICOLAU SMEAR STUDY IS A SCREENING PROCEDURE FOR CERVICAL CANCER WITH INHERENT FALSE NEGATIVE RESULTS HENCE SHOULD BE INTERPRETED WITH CAUTION. NO CYTOLOGICAL EVIDENCE OF HPV INFECTION IN THE SMEARS STUDIED. SMEARS WILL BE PRESERVED FOR 5 YEARS ONLY.

Bhinchkhede

Dr.Priyal Chinchkhede, MD Consultant Pathologist

PERFORMED AT : Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956











PATIENT NAME : HEMLATA JOSHI	REF. DOCTOR :	SELF
	ACCESSION NO : 0181WL001806	AGE/SEX : 36 Years Female
	PATIENT ID : HEMLF200387181	DRAWN :
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 23/12/2023 10:42:50
NEW DELHI 110030	ABHA NO :	REPORTED :28/12/2023 16:07:44
8800465156		
(	1	1

Test Report Status Final

Results

**Biological Reference Interval** Units

## CLINICAL PATH - STOOL ANALYSIS

# MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE

PHYSICAL EXAMINATION, STOOL

SAMPLE NOT RECEIVED

METHOD : VISUAL

COLOUR



Dr. Sheetal Sawant, MD Consultant Microbiologist

PERFORMED AT : Agilus Diagnostics Ltd. Mulund Goregoan Link Road Mumbai, 400078 Maharashtra, India Fax : CIN - U74899PB1995PLC045956 Page 21 Of 23





View Report





PATIENT NAME : HEMLATA JOSHI	REF. DOCTOR : S	SELF
CODE/NAME & ADDRESS : C000138394	ACCESSION NO : 0181WL001806	AGE/SEX : 36 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID :HEMLF200387181	DRAWN :
F-703, F-703, LADO SARAI, MEHRAULISOUTH WEST DELHI	CLIENT PATIENT ID:	RECEIVED : 23/12/2023 10:42:50
NEW DELHI 110030	ABHA NO :	REPORTED :28/12/2023 16:07:44
8800465156		
(		

Test Re	port	Status	<u>Final</u>
---------	------	--------	--------------

Results

**Biological Reference Interval** Units

### **SPECIALISED CHEMISTRY - HORMONE** MEDI WHEEL FULL BODY HEALTH CHECKUP BELOW 40FEMALE THYROID PANEL, SERUM 140.0 ng/dL Т3 Non-Pregnant Women 80.0 - 200.0 Pregnant Women 1st Trimester: 105.0 - 230.0 2nd Trimester: 129.0 - 262.0 3rd Trimester: 135.0 - 262.0 METHOD : ELECTROCHEMILUMINESCENCE Τ4 6.83 Non-Pregnant Women µg/dL 5.10 - 14.10 Pregnant Women 1st Trimester: 7.33 - 14.80 2nd Trimester: 7.93 - 16.10 3rd Trimester: 6.95 - 15.70 METHOD : ELECTROCHEMILUMINESCENCE TSH (ULTRASENSITIVE) 1.330 Non Pregnant Women µIU/mL 0.27 - 4.20 Pregnant Women (As per American Thyroid Association) 1st Trimester 0.100 - 2.500 2nd Trimester 0.200 - 3.000 3rd Trimester 0.300 - 3.000 METHOD : ELECTROCHEMILUMINESCENCE

# Interpretation(s)

**Triiodothyronine T3**, **Thyroxine T4**, and **Thyroid Stimulating Hormone TSH** are thyroid hormones which affect almost every physiological process in the body, including growth, development, metabolism, body temperature, and heart rate.

Production of T3 and its prohormone thyroxine (T4) is activated by thyroid-stimulating hormone (TSH), which is released from the pituitary gland. Elevated concentrations of T3, and T4 in the blood inhibit the production of TSH.

Excessive secretion of thyroxine in the body is hyperthyroidism, and deficient secretion is called hypothyroidism.

In primary hypothyroidism, TSH levels are significantly elevated, while in secondary and tertiary hyperthyroidism, TSH levels are low. Below mentioned are the guidelines for Pregnancy related reference ranges for Total T4, TSH & Total T3.Measurement of the serum TT3 level is a more sensitive test for the diagnosis of hyperthyroidism, and measurement of TT4 is more useful in the diagnosis of hypothyroidism. Most of the thyroid hormone in blood is bound to transport proteins. Only a very small fraction of the circulating hormone is free and biologically

Dr.(Mrs)Neelu K Bhojani Lab Head

Dhinchkhede

Dr.Priyal Chinchkhede, MD Consultant Pathologist

Dr. Ushma Wartikar, MD Consultant Pathologist





Page 22 Of 23

View Details







PATIENT NAME : HEMLATA JOSHI	RE	EF. DOCTOR : SELF
CODE/NAME & ADDRESS : C000138394	ACCESSION NO : 0181WL	L001806 AGE/SEX : 36 Years Female
ARCOFEMI HEALTHCARE LTD (MEDIWHEEL	PATIENT ID : HEMLF20	00387181 DRAWN :
DELHI	CLIENT PATIENT ID: ABHA NO :	RECEIVED : 23/12/2023 10:42:50 REPORTED :28/12/2023 16:07:44
NEW DELHI 110030		
8800465156		
Test Report Status <u>Final</u>	Results	Biological Reference Interval Units

active. It is advisable to detect Free T3, FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.

Sr. No.	TSH	Total T4	FT4	Total T3	Possible Conditions
1	High	Low	Low	Low	(1) Primary Hypothyroidism (2) Chronic autoimmune Thyroiditis (3)
					Post Thyroidectomy (4) Post Radio-Iodine treatment
2	High	Normal	Normal	Normal	(1)Subclinical Hypothyroidism (2) Patient with insufficient thyroid
					hormone replacement therapy (3) In cases of Autoimmune/Hashimoto
					thyroiditis (4). Isolated increase in TSH levels can be due to Subclinical
					inflammation, drugs like amphetamines, Iodine containing drug and
					dopamine antagonist e.g. domperidone and other physiological reasons.
3	Normal/Low	Low	Low	Low	(1) Secondary and Tertiary Hypothyroidism
4	Low	High	High	High	(1) Primary Hyperthyroidism (Graves Disease) (2) Multinodular Goitre
		_	_	_	(3)Toxic Nodular Goitre (4) Thyroiditis (5) Over treatment of thyroid
					hormone (6) Drug effect e.g. Glucocorticoids, dopamine, T4
					replacement therapy (7) First trimester of Pregnancy
5	Low	Normal	Normal	Normal	(1) Subclinical Hyperthyroidism
6	High	High	High	High	(1) TSH secreting pituitary adenoma (2) TRH secreting tumor
7	Low	Low	Low	Low	(1) Central Hypothyroidism (2) Euthyroid sick syndrome (3) Recent
					treatment for Hyperthyroidism
8	Normal/Low	Normal	Normal	High	(1) T3 thyrotoxicosis (2) Non-Thyroidal illness
9	Low	High	High	Normal	(1) T4 Ingestion (2) Thyroiditis (3) Interfering Anti TPO antibodies

REF: 1. TIETZ Fundamentals of Clinical chemistry 2.Guidlines of the American Thyroid association duriing pregnancy and Postpartum, 2011. **NOTE: It is advisable to detect Free T3,FreeT4 along with TSH, instead of testing for albumin bound Total T3, Total T4.**TSH is not affected by variation in thyroid - binding protein. TSH has a diurnal rhythm, with peaks at 2:00 - 4:00 a.m. And troughs at 5:00 - 6:00 p.m. With ultradian variations.

Dr.(Mrs)Neelu K Bhojani Lab Head

Dhinchkhede

Dr.Priyal Chinchkhede, MD Consultant Pathologist

Dr. Ushma Wartikar, MD Consultant Pathologist



View Report

Page 23 Of 23

View Details

